

**WESTLEY TECHNOLOGIES LTD.**

Suite 900, 475 Howe Street  
 Vancouver, BC, Canada, V6C 2B3  
 Telephone: (604) 689-3923 Fax: (604) 684-5854

FOR IMMEDIATE RELEASE

February 22, 1995  
 12g3-2(b) Exemption #82-1088  
 Toronto Stock Exchange Trading Symbol: WTY

<b>ASSAY RESULTS FROM WIT DRILLING</b>
----------------------------------------

VANCOUVER, BC -- Victor J.E. Jones, President, reports that Westley has completed five diamond drill holes totalling 736 metres on the WIT base metal-gold property which is located 124 kilometres, by all weather road, north of the town of Fort St. James, British Columbia. The property hosts a large epithermal system located immediately to the east of an alkaline porphyry-copper centre and is 20 km west of the Mt. Milligan copper-gold deposit. The drilling was focused on a trench excavated in September of 1994 which returned assays of 12.14% combined lead and zinc, 34.8 grams per metric ton (1 opt) silver and 0.69 grams per metric ton (0.02 opt) gold across five metres. The trench is on section 14,926E. Assay results from the drilling are as follows:

Hole Number	Section	Vertical Depth	Core Length	% Pb + Zn	gm/Tm Ag	gm/Tm Au
95-1	14,773E	107m	3.5m	15.69	23.3	1.28
95-2	14,926E	75m	2.0m	8.72	3.4	0.17
95-3	15,025E	95m	2.0m	2.78	25.5	0.08
95-5	15,125E	65m	7.5m	0.36	72.2	0.01

Drill hole number 4 was not completed. The drilling target is a steeply inclined east-west trending fault structure that is mineralized with quartz, barite and sulphides for observed widths of up to 35 metres. Surface sampling and drilling indicates increasing precious metal concentrations with depth. Reconnaissance soil sampling has identified a series of zinc, lead, barium and gold anomalies along the apparent trend of the mineralized structure for a distance of eight kilometres on the property. Westley is planning to proceed with a follow-up program of surface exploration including trenching followed by drilling in the summer and fall of 1995.

  
 Victor J.E. Jones  
 President



ASSAY CERTIFICATE



Nation River Resources File # 94-3501R

OCT 24 94 14:09 FR ACME LABS

504 253 1716 T 1-604-3342882

SAMPLE#	Pb %	Zn %	Ag oz/t		
8 metres 4.42% Zn, 3.95% Pb .79 opt Ag	NR94-145	2.18	4.98	.62	2m
	NR94-146	4.82	4.85	.95	1m
	NR94-147	9.55	6.63	.86	1m
	NR94-148	10.55	9.98	1.99	1m
	NR94-149	.83	2.08	.17	1m
5 metres 6.28% Zn, 5.86% Pb 1.01 opt Ag, .02 opt Au	NR94-150	.34	.48	.78	1m
	NR94-151	1.12	1.34	.31	1m
	NR94-152	.97	2.26	.74	
	RE NR94-152	.99	2.26	.76	
	STANDARD R-1	1.27	2.34	2.91	

1 GN SAMPLE LEACHED IN 75 ML AQUA - REGIA, DILUTE TO 250 ML, ANALYSIS BY ICP.  
- SAMPLE TYPE: ROCK PULP Samples beginning 'RE' are duplicate samples.

DATE RECEIVED: OCT 20 1994

DATE REPORT MAILED: Oct 24/94

SIGNED BY: *C. Leong* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

**Post-it** FAX TRANSMITTAL MEMO 7671 1  
NO. OF PAGES

TO: <i>Collin</i>	FROM: <i>Clare</i>
CO: <i>Nation</i>	CO:
DEPT:	PHONE #:
FAX #: <i>1-604-3342882</i>	FAX #:

N.B Pb values went from 1.84% to 5.86%  
 ↙ ICP      ↘ Assays



GEOCHEMICAL ANALYSIS CERTIFICATE



Nation River Resources Ltd. (Van) PROJECT SK File # 95-3867 Page 1

904 - 675 W. Hastings St., Vancouver BC V6B 1N2 Submitted by: Colin Campbell

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb
						34	9	192	4.92	4	<5	<2	<2	46	.5	<2	<2	135	.57	.131	10	59	.51	101	.12	<3	1.78	.02	.06	<2	3
						17	6	244	2.84	2	<5	<2	<2	52	.3	2	<2	87	.69	.090	10	38	.50	66	.12	<3	1.35	.02	.06	<2	4
						16	8	469	3.24	<2	<5	<2	<2	38	.3	2	4	100	.46	.121	8	40	.41	57	.11	<3	1.37	.02	.06	<2	7
						8	4	141	3.29	<2	<5	<2	2	37	.3	<2	5	115	.35	.074	6	40	.18	47	.10	<3	.95	.01	.05	<2	5
						24	15	703	4.95	2	<5	<2	<2	59	.6	3	2	108	.53	.199	8	37	.66	127	.11	<3	2.60	.01	.10	<2	4
						11	13	472	3.84	<2	<5	<2	<2	310	.5	2	<2	75	2.58	.145	4	13	.93	124	.03	<3	6.47	.11	.19	<2	<2
						22	9	285	3.63	5	<5	<2	<2	63	.6	3	2	112	.76	.116	11	47	.69	122	.14	<3	1.92	.02	.11	<2	5
						23	10	359	4.01	9	<5	<2	<2	50	.6	5	<2	120	.57	.086	9	49	.75	140	.15	<3	2.21	.02	.12	<2	5
						10	4	161	3.53	<2	<5	<2	2	38	.3	2	3	101	.38	.048	8	36	.29	78	.14	<3	1.88	.02	.06	<2	<2
						24	10	268	3.80	3	<5	<2	4	38	.3	<2	2	119	.46	.131	9	51	.56	80	.12	<3	1.73	.01	.10	<2	16
						25	10	273	3.86	5	<5	<2	<2	39	.4	<2	2	120	.47	.134	10	52	.58	82	.12	<3	1.78	.01	.10	<2	4
						11	4	137	4.77	8	<5	<2	<2	38	.4	3	3	158	.38	.068	8	50	.29	73	.14	<3	1.51	.01	.03	<2	2
						16	5	150	4.45	3	<5	<2	<2	40	.4	<2	2	126	.47	.166	9	44	.35	87	.14	<3	1.52	.01	.04	<2	7
						16	6	179	3.79	3	<5	<2	2	46	.2	2	2	118	.54	.098	7	44	.44	67	.13	<3	1.42	.02	.06	<2	8
SK L87E 112+00N	1	120	4	31	<.3	17	7	182	2.64	<2	<5	<2	<2	65	<.2	<2	<2	70	.80	.084	16	38	.52	67	.08	<3	1.70	.02	.07	2	2
SK L87E 111+75N	1	122	11	60	<.3	27	14	478	3.77	4	<5	<2	2	65	<.2	2	<2	84	.70	.072	18	46	.75	162	.12	<3	2.14	.02	.10	<2	3
SK L87E 111+50N	18	190	12	68	<.3	21	17	3534	6.79	22	28	<2	2	57	.7	2	3	112	.73	.086	51	40	.49	132	.07	<3	2.29	.02	.07	<2	4
SK L87E 111+25N	4	89	6	98	<.3	14	17	929	7.39	<2	<5	<2	2	145	.5	<2	<2	140	.43	.135	4	20	2.11	156	.02	<3	4.71	.01	.03	<2	<2
SK L87E 111+00N	<1	17	5	36	<.3	4	2	117	1.19	2	<5	<2	<2	159	<.2	<2	<2	34	1.34	.054	6	12	.18	237	.05	<3	2.80	.03	.13	2	<2
SK L87E 110+75N	1	37	7	37	<.3	15	8	373	2.68	2	<5	<2	<2	52	<.2	2	<2	83	.66	.088	9	32	.62	88	.15	3	1.48	.02	.10	<2	25
SK L87E 110+50N	4	58	7	36	.3	21	8	258	4.03	6	<5	<2	2	41	.4	<2	2	106	.42	.057	6	41	.62	121	.15	<3	2.35	.02	.08	<2	8
SK L87E 110+25N	1	39	9	109	<.3	20	11	491	4.48	<2	<5	<2	2	38	.3	2	3	125	.48	.290	7	57	.66	105	.20	<3	1.89	.02	.13	<2	<2
SK L87E 110+00N	4	89	6	45	.7	17	10	552	3.09	10	8	<2	<2	76	.4	<2	3	86	1.04	.123	14	35	.50	107	.05	<3	2.15	.02	.07	<2	6
SK L88E 112+50N	1	24	7	41	<.3	15	4	156	3.08	2	<5	<2	<2	38	<.2	<2	3	81	.44	.088	9	36	.39	76	.11	3	2.04	.01	.05	<2	10
SK L88E 112+25N	2	88	4	61	.3	26	11	312	6.11	3	<5	<2	2	39	<.2	<2	<2	212	.38	.075	8	68	.55	88	.13	<3	1.81	.01	.07	<2	2
SK L88E 112+00N	1	74	4	45	<.3	22	11	385	2.81	<2	<5	<2	<2	42	<.2	2	3	82	.54	.041	8	41	.85	63	.16	<3	1.68	.02	.04	<2	<2
SK L88E 111+75N	1	45	6	63	<.3	18	7	206	3.90	2	<5	<2	3	30	<.2	4	<2	96	.36	.187	9	47	.48	79	.10	<3	1.59	.01	.05	<2	3
SK L88E 111+50N	1	64	8	56	<.3	15	6	209	3.73	<2	<5	<2	<2	34	<.2	<2	2	104	.36	.089	8	43	.38	76	.13	<3	1.22	.01	.06	<2	3
SK L88E 111+25N	1	334	7	63	.3	17	8	357	2.91	4	<5	<2	<2	56	.2	<2	<2	80	.80	.076	14	35	.51	72	.07	<3	1.89	.01	.06	<2	2
SK L88E 111+00N	2	110	7	52	.4	18	7	465	3.53	3	<5	<2	<2	103	<.2	<2	<2	127	.89	.118	5	38	.25	118	.09	<3	2.08	.02	.05	<2	6
SK L88E 110+75N	3	128	7	63	.3	17	12	617	2.83	8	<5	<2	<2	70	<.2	2	<2	71	1.09	.124	13	33	.52	126	.05	3	2.05	.02	.08	<2	4
SK L88E 110+50N	2	310	3	64	.4	17	6	154	2.64	5	<5	<2	<2	88	.3	<2	3	53	.56	.107	10	29	.37	204	.04	3	1.86	.01	.05	<2	4
SK L88E 110+25N	5	167	35	68	<.3	17	10	234	5.96	168	<5	<2	<2	68	.2	3	<2	151	.55	.119	6	54	.30	187	.09	<3	2.24	.02	.08	<2	43
SK L88E 110+00N	1	33	7	49	.3	11	5	174	3.29	5	<5	<2	<2	49	<.2	2	3	103	.42	.076	8	41	.40	115	.16	3	1.26	.01	.11	<2	<2
SK L88E 109+75N	1	23	6	51	.3	13	8	447	4.50	4	<5	<2	<2	47	<.2	2	<2	151	.44	.089	6	45	.43	117	.18	3	1.29	.02	.09	<2	<2
STANDARD C/AU-S	20	59	36	129	6.6	68	32	1015	4.00	40	20	7	37	51	18.7	16	20	62	.50	.094	41	62	.90	193	.09	28	1.88	.06	.15	11	49

→ Nation River results  
- Colin has a copy

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.  
THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.  
- SAMPLE TYPE: SOIL AU\*\* ANALYSIS BY FA/ICP FROM 30 GM SAMPLE.  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: SEP 30 1995 DATE REPORT MAILED: *Oct 10/95* SIGNED BY: *[Signature]* P. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS



## GEOCHEMICAL ANALYSIS CERTIFICATE



Nation River Resources Ltd. (Van) PROJECT SK File # 95-3867 Page 1

904 - 675 W. Hastings St., Vancouver BC V6B 1N2 Submitted by: Colin Campbell

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb
SK L86E 112+50N	1	30	7	31	<.3	34	9	192	4.92	4	<5	<2	<2	46	.5	<2	<2	135	.57	.131	10	59	.51	101	.12	<3	1.78	.02	.06	<2	3
SK L86E 112+25N	1	31	6	28	<.3	17	6	244	2.84	2	<5	<2	<2	52	.3	2	<2	87	.69	.090	10	38	.50	66	.12	<3	1.35	.02	.06	<2	4
SK L86E 112+00N	1	29	6	35	<.3	16	8	469	3.24	<2	<5	<2	<2	38	.3	2	4	100	.46	.121	8	40	.41	57	.11	<3	1.37	.02	.06	<2	7
SK L86E 111+75N	1	12	6	22	<.3	8	4	141	3.29	<2	<5	<2	2	37	.3	<2	5	115	.35	.074	6	40	.18	47	.10	<3	.95	.01	.05	<2	5
SK L86E 111+50N	1	98	9	163	<.3	24	15	703	4.95	2	<5	<2	<2	59	.6	3	2	108	.53	.199	8	37	.66	127	.11	<3	2.60	.01	.10	<2	4
SK L86E 111+25N	1	247	11	47	<.3	11	13	472	3.84	<2	<5	<2	<2	310	.5	2	<2	75	2.58	.145	4	13	.93	124	.03	<3	6.47	.11	.19	<2	<2
SK L86E 111+00N	1	61	7	32	<.3	22	9	285	3.63	5	<5	<2	<2	63	.6	3	2	112	.76	.116	11	47	.69	122	.14	<3	1.92	.02	.11	<2	5
SK L86E 110+75N	2	75	6	56	<.3	23	10	359	4.01	9	<5	<2	<2	50	.6	5	<2	120	.57	.086	9	49	.75	140	.15	<3	2.21	.02	.12	<2	5
SK L86E 110+50N	1	18	9	31	<.3	10	4	161	3.53	<2	<5	<2	2	38	.3	2	3	101	.38	.048	8	36	.29	78	.14	<3	1.88	.02	.06	<2	<2
SK L86E 110+25N	<1	35	6	47	<.3	24	10	268	3.80	3	<5	<2	4	38	.3	<2	2	119	.46	.131	9	51	.56	80	.12	<3	1.73	.01	.10	<2	16
RE SK L86E 110+25N	1	36	7	47	<.3	25	10	273	3.86	5	<5	<2	<2	39	.4	<2	2	120	.47	.134	10	52	.58	82	.12	<3	1.78	.01	.10	<2	4
SK L86E 110+00N	2	17	8	24	<.3	11	4	137	4.77	8	<5	<2	<2	38	.4	3	3	158	.38	.068	8	50	.29	73	.14	<3	1.51	.01	.03	<2	2
SK L87E 112+50N	1	28	6	51	<.3	16	5	150	4.45	3	<5	<2	<2	40	.4	<2	2	126	.47	.166	9	44	.35	87	.14	<3	1.52	.01	.04	<2	7
SK L87E 112+25N	2	74	6	25	<.3	16	6	179	3.79	3	<5	<2	2	46	.2	2	2	118	.54	.098	7	44	.44	67	.13	<3	1.42	.02	.06	<2	8
SK L87E 112+00N	1	120	4	31	<.3	17	7	182	2.64	<2	<5	<2	<2	65	<.2	<2	<2	70	.80	.084	16	38	.52	67	.08	<3	1.70	.02	.07	2	2
SK L87E 111+75N	1	122	11	60	<.3	27	14	478	3.77	4	<5	<2	2	65	<.2	2	<2	84	.70	.072	18	46	.75	162	.12	<3	2.14	.02	.10	<2	3
SK L87E 111+50N	18	190	12	68	<.3	21	17	3534	6.79	22	28	<2	2	57	.7	2	3	112	.73	.086	51	40	.49	132	.07	<3	2.29	.02	.07	<2	4
SK L87E 111+25N	4	89	6	98	<.3	14	17	929	7.39	<2	<5	<2	2	145	.5	<2	<2	140	.43	.135	4	20	2.11	156	.02	<3	4.71	.01	.03	<2	<2
SK L87E 111+00N	<1	17	5	36	<.3	4	2	117	1.19	2	<5	<2	<2	159	<.2	<2	<2	34	1.34	.054	6	12	.18	237	.05	<3	2.80	.03	.13	2	<2
SK L87E 110+75N	1	37	7	37	<.3	15	8	373	2.68	2	<5	<2	<2	52	<.2	2	<2	83	.66	.088	9	32	.62	88	.15	3	1.48	.02	.10	<2	25
SK L87E 110+50N	4	58	7	36	.3	21	8	258	4.03	6	<5	<2	2	41	.4	<2	2	106	.42	.057	6	41	.62	121	.15	<3	2.35	.02	.08	<2	8
SK L87E 110+25N	1	39	9	109	<.3	20	11	491	4.48	<2	<5	<2	2	38	.3	2	3	125	.48	.290	7	57	.66	105	.20	<3	1.89	.02	.13	<2	<2
SK L87E 110+00N	4	89	6	45	.7	17	10	552	3.09	10	8	<2	<2	76	.4	<2	3	86	1.04	.123	14	35	.50	107	.05	<3	2.15	.02	.07	<2	6
SK L88E 112+50N	1	24	7	41	<.3	15	4	156	3.08	2	<5	<2	<2	38	<.2	<2	3	81	.44	.088	9	36	.39	76	.11	3	2.04	.01	.05	<2	10
SK L88E 112+25N	2	88	4	61	.3	26	11	312	6.11	3	<5	<2	2	39	<.2	<2	<2	212	.38	.075	8	68	.55	88	.13	<3	1.81	.01	.07	<2	2
SK L88E 112+00N	1	74	4	45	<.3	22	11	385	2.81	<2	<5	<2	<2	42	<.2	2	3	82	.54	.041	8	41	.85	63	.16	<3	1.68	.02	.04	<2	<2
SK L88E 111+75N	1	45	6	63	<.3	18	7	206	3.90	2	<5	<2	3	30	<.2	4	<2	96	.36	.187	9	47	.48	79	.10	<3	1.59	.01	.05	<2	3
SK L88E 111+50N	1	64	8	56	<.3	15	6	209	3.73	<2	<5	<2	<2	34	<.2	<2	2	104	.36	.089	8	43	.38	76	.13	<3	1.22	.01	.06	<2	3
SK L88E 111+25N	1	334	7	63	.3	17	8	357	2.91	4	<5	<2	<2	56	.2	<2	<2	80	.80	.076	14	35	.51	72	.07	<3	1.89	.01	.06	<2	2
SK L88E 111+00N	2	110	7	52	.4	18	7	465	3.53	3	<5	<2	<2	103	<.2	<2	<2	127	.89	.118	5	38	.25	118	.09	<3	2.08	.02	.05	<2	6
SK L88E 110+75N	3	128	7	63	.3	17	12	617	2.83	8	<5	<2	<2	70	<.2	2	<2	71	1.09	.124	13	33	.52	126	.05	3	2.05	.02	.08	<2	4
SK L88E 110+50N	2	310	3	64	.4	17	6	154	2.64	5	<5	<2	<2	88	.3	<2	3	53	.56	.107	10	29	.37	204	.04	3	1.86	.01	.05	<2	4
SK L88E 110+25N	5	167	35	68	<.3	17	10	234	5.96	168	<5	<2	<2	68	.2	3	<2	151	.55	.119	6	54	.30	187	.09	<3	2.24	.02	.08	<2	43
SK L88E 110+00N	1	33	7	49	<.3	11	5	174	3.29	5	<5	<2	<2	49	<.2	2	3	103	.42	.076	8	41	.40	115	.16	3	1.26	.01	.11	<2	<2
SK L88E 109+75N	1	23	6	51	.3	13	8	447	4.50	4	<5	<2	<2	47	<.2	2	<2	151	.44	.089	6	45	.43	117	.18	3	1.29	.02	.09	<2	<2
STANDARD C/AU-S	20	59	36	129	6.6	68	32	1015	4.00	40	20	7	37	51	18.7	16	20	62	.50	.094	41	62	.90	193	.09	28	1.88	.06	.15	11	49

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.

THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.

- SAMPLE TYPE: SOIL AU\*\* ANALYSIS BY FA/ICP FROM 30 GM SAMPLE.

Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: SEP 30 1995 DATE REPORT MAILED: *Oct 10/95* SIGNED BY: *[Signature]* P. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS



ACHE ANALYTICAL



ACHE ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au** ppb
SK L88E 109+50N	1	24	8	42	<.3	18	6	205	4.28	16	<5	<2	<2	42	.2	<2	3	124	.33	.061	6	35	.46	84	.18	<3	1.43	.02	.08	<2	<2
SK L88E 109+25N	1	24	8	40	<.3	14	4	162	3.98	20	<5	<2	<2	38	<.2	<2	<2	110	.34	.078	6	35	.44	71	.15	<3	1.66	.01	.08	<2	2
SK L88E 109+00N	1	25	10	49	.3	12	4	197	5.53	16	<5	<2	2	36	<.2	2	<2	138	.34	.299	8	38	.42	82	.15	<3	1.75	.01	.07	<2	2
SK L88E 108+75N	1	14	6	28	<.3	11	3	125	3.40	16	<5	<2	<2	39	<.2	<2	<2	88	.40	.090	7	35	.27	50	.09	3	1.57	.01	.04	<2	5
SK L88E 108+50N	1	12	5	23	<.3	6	1	90	2.51	10	<5	<2	<2	34	<.2	<2	<2	74	.28	.037	6	27	.13	42	.09	<3	1.01	.01	.05	<2	4
SK L88E 108+25N	3	24	6	38	<.3	14	5	166	4.84	16	<5	<2	<2	45	.3	4	<2	116	.42	.058	7	42	.42	85	.18	3	1.67	.02	.06	2	3
SK L88E 108+00N	1	39	5	54	<.3	15	6	206	4.15	15	<5	<2	<2	44	<.2	<2	<2	98	.48	.078	9	35	.49	92	.13	<3	1.85	.02	.07	<2	3
SK L88E 107+75N	2	47	6	39	<.3	16	9	333	3.38	11	<5	<2	<2	47	<.2	2	<2	99	.55	.048	7	30	.56	51	.14	3	1.59	.02	.05	<2	2
SK L88E 107+50N	1	52	6	88	<.3	34	5	171	4.36	16	<5	<2	2	31	<.2	<2	<2	95	.39	.439	10	45	.49	109	.14	<3	2.73	.01	.06	<2	6
SK L89E 112+50N	1	27	6	40	<.3	13	4	153	3.82	9	<5	<2	<2	35	<.2	4	<2	101	.34	.160	6	36	.32	53	.09	3	1.66	.01	.05	<2	8
RE SK L89E 109+75N	1	22	7	42	<.3	12	4	175	4.49	8	<5	<2	2	38	<.2	<2	<2	129	.37	.099	10	34	.40	84	.14	<3	1.83	.01	.06	<2	2
SL L89E 112+25N	1	26	4	47	<.3	13	5	167	3.02	7	<5	<2	2	39	.2	<2	<2	75	.41	.085	9	30	.35	56	.11	3	1.82	.01	.06	<2	4
SL L89E 112+00N	1	38	5	43	<.3	22	8	181	3.71	8	<5	<2	3	38	<.2	2	<2	98	.50	.153	10	39	.45	82	.11	<3	2.06	.01	.06	<2	<2
SL L89E 111+75N	1	32	4	44	<.3	17	5	188	2.93	6	<5	<2	2	40	<.2	2	<2	78	.41	.073	9	35	.44	60	.13	3	1.49	.01	.07	<2	<2
SL L89E 111+50N	<1	19	3	22	<.3	9	4	162	2.74	3	<5	<2	2	42	<.2	<2	2	89	.43	.045	6	36	.23	43	.12	<3	.90	.01	.06	<2	3
SL L89E 111+25N	<1	30	7	41	<.3	21	7	208	3.19	9	<5	<2	3	31	<.2	2	<2	70	.32	.079	11	44	.54	51	.11	<3	1.44	.01	.07	<2	15
SL L89E 111+00N	1	64	5	65	<.3	19	11	275	3.74	7	<5	<2	2	47	<.2	<2	3	98	.42	.166	8	52	.78	71	.17	<3	1.63	.01	.17	<2	5
SL L89E 110+75N	1	194	5	56	<.3	20	8	406	2.82	7	<5	<2	<2	45	.2	2	2	75	.60	.066	10	38	.49	61	.09	<3	1.49	.01	.07	<2	3
SL L89E 110+50N	2	252	5	55	.5	14	11	570	3.44	16	<5	<2	<2	134	<.2	<2	<2	74	.55	.121	8	30	.47	213	.06	<3	1.96	.02	.10	<2	<2
SL L89E 110+25N	1	364	4	114	<.3	34	29	1329	6.46	24	5	<2	2	158	.2	<2	<2	106	.57	.107	7	40	1.57	137	.09	<3	3.74	.01	.09	<2	3
SL L89E 110+00N	3	597	5	468	.3	81	26	641	5.31	19	5	<2	2	83	.7	<2	<2	118	1.05	.072	12	55	.97	240	.15	<3	4.47	.03	.18	<2	<2
SL L89E 109+75N	1	24	6	42	<.3	11	4	185	4.51	7	<5	<2	2	36	.2	<2	<2	131	.38	.098	10	34	.40	86	.15	<3	1.86	.01	.06	<2	2
SL L89E 109+50N	1	40	5	43	<.3	14	6	201	3.77	5	5	<2	2	35	.2	<2	<2	96	.38	.180	9	40	.38	122	.12	<3	1.64	.01	.06	<2	4
SL L89E 109+25N	1	19	8	36	<.3	16	4	214	5.17	10	<5	<2	3	26	.2	<2	<2	145	.23	.150	8	48	.39	60	.15	<3	1.51	.01	.04	<2	2
SL L89E 109+00N	2	401	<3	60	<.3	30	17	435	4.80	7	5	<2	2	56	.3	<2	<2	128	.69	.077	10	46	1.12	123	.21	<3	3.19	.02	.13	<2	9
SL L89E 108+75N	2	158	3	39	.3	17	7	528	3.24	10	6	<2	<2	55	.3	<2	<2	81	.96	.135	12	37	.42	86	.03	<3	1.96	.02	.05	<2	5
SL L89E 108+50N	1	71	3	67	.3	14	8	236	3.79	<2	<5	<2	<2	1389	.3	<2	3	113	1.23	.160	5	37	.69	1571	.19	<3	3.40	.02	.28	<2	<2
SL L89E 108+25N	<1	8	5	12	<.3	3	1	75	1.58	2	<5	<2	<2	34	.2	2	<2	49	.23	.074	4	20	.08	58	.06	<3	.77	.01	.04	<2	13
SL L89E 108+00N	3	168	8	70	.5	23	56	1561	4.22	20	6	<2	<2	35	.4	<2	<2	114	.41	.054	8	37	.44	76	.10	<3	1.87	.01	.04	<2	2
SL L89E 107+75N	2	23	7	26	<.3	11	3	155	4.32	6	<5	<2	2	32	<.2	<2	4	160	.28	.039	7	38	.28	71	.22	<3	1.33	.01	.05	<2	19
SL L89E 107+50N	<1	53	5	61	.3	17	9	285	3.81	3	<5	<2	2	42	<.2	<2	2	109	.50	.072	7	34	.71	74	.19	<3	1.84	.02	.06	<2	21
SL L90E 112+50N	1	35	4	30	<.3	17	6	199	2.90	2	<5	<2	2	37	<.2	<2	3	86	.53	.107	9	37	.48	68	.11	3	1.44	.01	.07	<2	4
SL L90E 112+25N	<1	49	4	32	<.3	18	7	230	2.77	<2	<5	<2	2	47	<.2	<2	2	70	.63	.112	11	34	.59	89	.13	<3	1.82	.02	.08	<2	6
SL L90E 112+00N	<1	46	4	48	.3	19	8	237	4.03	<2	<5	<2	2	39	<.2	3	4	107	.49	.097	10	43	.53	79	.13	<3	1.73	.02	.06	<2	2
SL L90E 111+75N	1	28	3	30	<.3	14	5	201	3.24	<2	<5	<2	<2	36	<.2	3	2	97	.40	.055	8	37	.43	55	.13	3	1.36	.01	.07	<2	25
STANDARD C/AU-S	21	60	36	136	6.8	72	33	1076	4.12	46	17	7	39	53	18.1	16	20	60	.53	.096	41	60	.96	171	.09	26	1.99	.06	.16	10	45

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



ACME ANALYTICAL



ACME ANALYTICAL

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au** ppb
SK L90E 111+50N	1	33	5	45	<.3	12	6	257	2.88	<2	<5	<2	3	39	.2	<2	<2	76	.43	.082	10	30	.43	55	.12	4	1.63	.01	.06	<2	4
SK L90E 111+25N	1	28	6	37	<.3	13	5	207	3.08	<2	<5	<2	2	37	<.2	<2	<2	89	.40	.071	8	35	.37	50	.12	3	1.38	.01	.05	<2	3
SK L90E 111+00N	1	37	6	34	<.3	17	7	236	3.35	2	<5	<2	3	41	<.2	<2	3	93	.50	.077	11	41	.43	70	.11	<3	1.26	.01	.07	<2	19
SK L90E 110+75N	1	66	4	35	<.3	16	9	375	3.25	3	<5	<2	<2	50	<.2	2	<2	93	.62	.076	8	36	.50	86	.10	3	1.46	.01	.08	<2	5
SK L90E 110+50N	1	63	5	79	<.3	18	8	364	3.64	4	<5	<2	3	43	.3	2	<2	89	.45	.156	9	39	.58	109	.12	4	1.85	.01	.07	<2	3
SK L90E 110+25N	1	34	7	45	<.3	16	6	283	2.27	3	<5	<2	2	36	.2	<2	<2	48	.46	.073	14	29	.45	79	.09	3	1.10	.01	.05	<2	2
SK L90E 110+00N	1	53	9	55	<.3	24	8	493	3.01	5	<5	<2	3	44	<.2	<2	<2	63	.53	.079	17	39	.58	122	.10	4	1.51	.01	.06	<2	8
SK L90E 109+75N	1	38	8	38	<.3	18	5	215	2.71	3	<5	<2	2	39	<.2	<2	<2	60	.40	.068	13	34	.46	76	.09	3	1.42	.01	.05	<2	3
SK L90E 109+50N	1	44	6	30	<.3	16	6	300	3.07	7	<5	<2	2	54	<.2	<2	<2	82	.66	.073	10	35	.54	85	.13	4	1.46	.02	.06	<2	6
SK L90E 109+25N	2	169	6	43	.4	18	8	655	2.78	3	5	<2	<2	63	<.2	<2	<2	73	1.11	.117	14	35	.49	99	.05	3	1.99	.02	.06	<2	5
SK L90E 109+00N	1	38	8	54	<.3	24	9	270	7.55	8	<5	<2	5	37	<.2	3	<2	247	.49	.456	10	72	.57	113	.14	<3	2.00	.02	.06	<2	33
SK L90E 108+75N	2	32	8	51	<.3	14	6	213	4.99	7	<5	<2	2	33	.3	2	<2	142	.28	.144	7	41	.46	66	.18	3	1.69	.01	.07	<2	5
SK L90E 108+50N	1	29	5	31	<.3	11	4	137	3.65	10	<5	<2	<2	33	.2	<2	<2	106	.26	.083	6	34	.29	70	.10	3	1.44	.01	.04	<2	2
SK L90E 108+25N	2	28	5	59	<.3	18	5	199	4.46	11	<5	<2	2	62	.2	<2	<2	135	.32	.089	6	46	.41	87	.14	3	1.55	.01	.05	<2	<2
SK L90E 108+00N	1	49	4	38	<.3	19	7	214	3.46	9	<5	<2	2	47	<.2	2	<2	88	.45	.082	8	34	.45	79	.11	4	2.05	.01	.07	<2	8
SK L90E 107+75N	2	39	6	36	<.3	12	4	143	3.73	16	<5	<2	2	28	<.2	<2	<2	94	.31	.208	7	34	.31	50	.08	3	1.90	.01	.03	<2	14
SK L90E 107+50N	1	45	6	106	<.3	9	5	270	4.33	9	<5	<2	2	115	.5	<2	3	125	.34	.143	3	41	.84	135	.43	4	2.22	.01	.13	<2	3
SL L91E 112+50N	1	287	6	41	<.3	18	11	432	3.36	<2	<5	<2	2	53	.3	<2	<2	92	.66	.048	9	38	.68	65	.14	3	2.12	.02	.08	<2	2
SL L91E 112+25N	<1	149	4	33	<.3	11	5	249	2.06	<2	<5	<2	2	45	<.2	<2	<2	52	.56	.036	9	25	.54	66	.12	<3	1.39	.01	.05	<2	4
SL L91E 111+75N	1	58	3	28	<.3	11	5	217	1.95	<2	<5	<2	<2	45	<.2	<2	<2	53	.56	.045	7	27	.50	64	.11	3	1.37	.02	.04	<2	4
SL L91E 111+50N	1	27	7	33	<.3	12	4	151	4.24	5	<5	<2	2	34	.3	<2	<2	116	.40	.094	8	39	.30	101	.12	<3	1.58	.01	.04	<2	3
SL L91E 111+25N	1	50	5	31	<.3	12	5	256	2.09	<2	<5	<2	<2	43	<.2	<2	<2	57	.55	.074	11	28	.50	80	.11	4	1.45	.02	.05	<2	7
SL L91E 111+00N	1	49	6	32	<.3	15	8	310	3.91	<2	<5	<2	2	44	.2	<2	<2	125	.54	.079	9	44	.48	71	.11	3	1.31	.01	.05	<2	3
RE SL L91E 111+00N	1	48	6	32	<.3	14	8	299	3.76	2	<5	<2	2	42	<.2	<2	<2	118	.53	.076	9	43	.47	70	.11	4	1.28	.02	.04	<2	7
SL L91E 110+75N	1	89	7	35	<.3	17	12	793	3.40	3	<5	<2	<2	47	.2	<2	<2	96	.56	.084	12	37	.53	101	.09	3	1.72	.02	.07	<2	17
SL L91E 110+50N	1	37	7	45	<.3	15	5	191	2.80	<2	<5	<2	2	39	<.2	<2	<2	74	.48	.077	9	35	.42	71	.11	3	1.42	.01	.07	<2	3
SL L91E 110+25N	1	38	6	33	<.3	12	7	555	2.45	2	<5	<2	2	44	.2	<2	<2	65	.53	.082	11	30	.45	91	.11	4	1.23	.01	.06	<2	5
SL L91E 110+00N	1	41	8	82	<.3	16	8	660	3.26	<2	<5	<2	2	46	.2	<2	<2	81	.46	.089	8	39	.50	133	.13	4	1.84	.01	.10	<2	3
SL L91E 109+75N	2	229	6	57	<.3	18	8	311	3.10	9	<5	<2	2	53	.3	<2	<2	80	.59	.080	9	33	.57	108	.10	5	1.64	.01	.06	<2	3
SL L91E 109+50N	2	216	9	56	<.3	17	10	412	4.03	15	<5	<2	<2	73	.2	2	<2	117	.78	.122	7	36	.72	119	.12	4	1.61	.01	.11	<2	4
SL L91E 109+25N	1	565	5	66	<.3	15	7	373	2.48	9	<5	<2	<2	53	.4	<2	<2	70	.83	.113	11	30	.60	73	.10	4	1.48	.02	.06	<2	12
SL L91E 109+00N	2	209	6	50	<.3	11	4	145	2.75	13	<5	<2	<2	51	.2	<2	<2	82	.67	.048	6	32	.36	76	.11	4	1.19	.01	.06	<2	7
SL L91E 108+75N	1	32	11	79	<.3	18	5	170	5.47	2	<5	<2	2	33	.5	<2	<2	157	.40	.410	9	58	.52	117	.18	3	2.30	.01	.08	<2	2
SL L91E 108+50N	1	67	7	50	<.3	21	7	236	5.13	10	<5	<2	2	41	.2	2	<2	151	.48	.092	9	49	.55	99	.13	4	2.01	.01	.06	<2	4
SL L91E 108+25N	2	1229	14	1389	<.3	22	12	482	3.03	197	<5	<2	<2	61	.7	<2	<2	87	.74	.088	9	45	.72	96	.17	3	1.78	.02	.07	<2	4
STANDARD C/AU-S	20	61	36	127	6.3	66	31	1114	4.04	36	16	7	36	50	18.1	15	22	61	.50	.093	40	59	.89	183	.08	26	1.94	.06	.15	10	55

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb
SK L91E 108+00N	2	14	<3	52	.3	17	4	303	3.19	<2	<5	<2	<2	216	<.2	5	4	130	.54	.074	3	44	.92	176	.37	4	2.22	.02	.12	<2	<2
SK L91E 107+75N	4	59	13	69	<.3	9	3	275	3.99	4	<5	<2	2	75	<.2	3	3	121	.43	.033	5	33	.21	81	.15	3	1.47	.01	.05	<2	6
SK L91E 107+50N	1	31	3	76	<.3	16	7	210	3.67	5	<5	<2	2	34	<.2	<2	2	89	.45	.202	9	38	.39	54	.09	3	1.60	.01	.05	<2	3
SK L92E 112+50N	1	161	7	107	<.3	22	13	666	5.28	<2	<5	<2	<2	55	<.2	<2	<2	105	.62	.125	7	54	1.01	105	.11	3	2.99	.02	.07	<2	<2
SK L92E 112+25N	1	25	8	34	<.3	11	3	153	3.29	<2	<5	<2	2	38	.2	2	<2	100	.45	.040	6	42	.25	44	.14	3	1.04	.01	.05	<2	2
SK L92E 112+00N	1	23	5	45	.4	9	3	168	3.22	<2	<5	<2	<2	43	.2	<2	<2	77	.38	.131	8	31	.33	59	.12	3	1.52	.01	.05	<2	<2
SK L92E 111+75N	1	21	5	50	<.3	14	5	150	3.46	<2	<5	<2	3	33	.3	<2	<2	83	.39	.078	8	42	.29	51	.10	3	1.68	.01	.04	<2	14
RE SK L92E 111+75N	1	21	6	53	<.3	16	5	152	3.52	3	<5	<2	2	35	.2	3	<2	86	.40	.080	8	42	.31	54	.10	3	1.71	.01	.03	<2	6
SK L92E 111+50N	1	48	<3	26	<.3	20	7	182	2.97	5	<5	<2	2	39	<.2	2	<2	71	.52	.100	8	37	.43	69	.10	3	1.81	.02	.06	<2	4
SK L92E 111+25N	1	176	4	42	.3	18	7	544	2.79	<2	<5	<2	3	40	<.2	3	2	63	.54	.076	10	33	.49	72	.12	4	1.79	.02	.06	<2	3
SK L92E 111+00N	1	30	3	39	<.3	17	6	320	3.98	6	<5	<2	2	38	.3	2	<2	90	.51	.265	10	41	.42	109	.09	4	1.52	.01	.05	<2	9
SK L92E 110+75N	1	43	6	48	<.3	16	6	222	3.59	4	<5	<2	3	46	<.2	2	2	87	.57	.118	11	43	.54	69	.13	4	1.52	.02	.06	<2	3
SK L92E 110+50N	1	38	6	30	<.3	17	5	233	3.13	6	<5	<2	3	51	.2	4	2	71	.61	.126	11	34	.49	69	.13	4	1.51	.02	.06	<2	3
SK L92E 110+25N	1	30	5	32	<.3	15	5	195	3.11	3	<5	<2	3	42	.2	4	<2	70	.49	.105	10	34	1.46	62	.13	4	1.46	.02	.07	<2	<2
SK L92E 110+00N	1	59	4	58	<.3	17	7	378	2.96	<2	<5	<2	4	43	<.2	3	3	66	.56	.115	13	35	.55	65	.13	4	1.60	.01	.08	<2	20
SK L92E 109+75N	2	191	6	86	.3	26	14	320	4.06	34	<5	<2	2	44	.5	4	3	96	.52	.077	13	49	.69	81	.15	4	2.90	.02	.08	<2	<2
SK L92E 109+50N	2	351	10	80	.5	15	8	455	3.46	31	<5	<2	<2	47	.7	4	2	83	.41	.092	9	40	.33	136	.07	4	1.61	.01	.09	<2	<2
SK L92E 109+25N	1	338	5	48	<.3	21	10	416	3.59	24	<5	<2	2	51	.4	2	2	89	.76	.081	10	36	.73	70	.13	4	1.80	.02	.09	<2	7
SK L92E 109+00N	1	128	4	44	<.3	16	8	329	3.50	15	<5	<2	2	50	.2	2	3	87	.64	.078	10	33	.58	66	.11	4	1.62	.02	.07	<2	4
SK L92E 108+75N	1	162	3	122	<.3	35	13	382	4.87	17	<5	<2	3	52	.4	2	<2	133	.64	.121	8	86	1.08	116	.24	<3	2.14	.02	.09	<2	4
SK L92E 108+50N	3	54	4	144	<.3	16	9	275	5.28	11	<5	<2	3	45	.6	3	<2	141	.47	.139	7	49	.66	88	.19	3	1.76	.02	.08	<2	<2
SK L92E 108+25N	2	39	7	79	<.3	12	4	247	3.03	3	<5	<2	2	39	.2	3	5	92	.40	.052	7	31	.49	65	.15	3	1.94	.01	.07	<2	7
SK L92E 108+00N	1	61	7	154	<.3	16	7	287	4.33	8	<5	<2	3	36	.5	<2	4	91	.37	.246	8	39	.49	73	.12	3	2.21	.01	.05	<2	3
SK L92E 107+75N	3	58	6	778	<.3	23	22	1251	3.86	2	<5	<2	3	54	1.8	4	2	82	.53	.142	6	53	.53	110	.18	4	2.04	.01	.08	<2	2
SK L92E 107+50N	3	50	<3	224	<.3	10	7	203	6.47	6	<5	<2	2	37	1.4	4	<2	156	.38	.128	3	117	1.23	169	.50	<3	2.38	.02	.13	<2	2
SK L93E 112+50N	1	89	4	83	<.3	18	9	507	4.50	5	<5	<2	2	51	.4	3	<2	92	.50	.169	8	40	.52	95	.13	<3	2.61	.02	.09	<2	<2
SK L93E 112+25N	1	36	5	58	<.3	21	8	196	3.54	2	<5	<2	3	33	<.2	<2	3	77	.40	.131	9	41	.43	79	.10	<3	2.03	.01	.07	<2	2
SK L93E 112+00N	1	24	5	49	<.3	15	5	168	3.12	<2	<5	<2	3	33	.3	2	<2	66	.36	.069	10	38	.44	67	.11	3	1.73	.01	.05	<2	56
SK L93E 111+75N	1	28	5	51	.3	12	5	190	2.81	<2	<5	<2	2	39	.3	<2	2	68	.38	.073	9	40	.42	77	.14	3	1.48	.01	.07	<2	11
SK L93E 111+50N	1	19	5	30	<.3	12	5	159	2.68	3	<5	<2	2	37	.3	4	<2	69	.34	.049	9	33	.38	73	.13	4	1.37	.01	.05	<2	29
SK L93E 111+25N	1	28	5	37	<.3	13	5	196	3.06	7	<5	<2	2	39	.4	<2	3	73	.44	.077	9	35	.47	73	.13	3	1.84	.02	.06	<2	2
SK L93E 111+00N	1	36	5	58	<.3	17	7	227	3.28	8	<5	<2	2	43	.3	2	2	68	.45	.095	12	37	.49	76	.12	3	2.14	.02	.07	<2	4
SK L93E 110+75N	1	24	5	51	<.3	13	6	215	2.50	3	<5	<2	2	43	.3	3	<2	57	.44	.066	10	29	.49	61	.13	3	1.54	.02	.07	<2	4
SK L93E 110+50N	1	33	5	32	<.3	13	6	226	2.55	4	<5	<2	<2	60	.3	4	2	63	.66	.135	14	33	.46	76	.08	4	1.29	.02	.07	<2	4
SK L93E 110+25N	1	28	4	51	<.3	14	6	172	3.19	6	<5	<2	4	37	.4	3	3	76	.40	.145	10	36	.36	67	.11	3	1.69	.01	.07	<2	3
SL L93E 110+00N	1	22	4	33	<.3	13	5	168	2.94	2	<5	<2	4	38	<.2	3	2	71	.44	.108	9	32	.35	51	.12	3	1.46	.01	.06	<2	8
STANDARD C/AU-S	21	62	46	134	6.6	69	32	1132	4.16	35	22	7	39	53	17.8	16	22	57	.53	.097	42	61	.95	180	.09	26	2.03	.06	.16	9	48

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au**
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb
SK L94E 112+50N	1	43	6	25	<.3	17	6	240	2.47	4	<5	<2	3	44	<.2	<2	4	81	.57	.073	11	34	.45	62	.11	3	1.00	.02	.06	<2	13
SK L94E 112+25N	2	81	8	42	.3	21	10	587	2.96	3	<5	<2	<2	55	.2	<2	4	94	.66	.053	12	39	.51	143	.09	3	1.75	.02	.09	<2	4
SK L94E 112+00N	1	25	6	37	<.3	13	6	238	2.44	4	<5	<2	2	39	<.2	<2	2	80	.53	.062	9	31	.48	60	.12	3	1.10	.02	.05	<2	8
SK L94E 111+75N	<1	19	7	33	<.3	12	5	277	1.87	5	<5	<2	2	37	<.2	2	3	57	.45	.061	8	24	.44	61	.11	3	1.10	.01	.04	<2	4
RE SK L94E 112+00N	1	25	7	37	<.3	12	5	231	2.40	4	<5	<2	2	40	<.2	<2	3	80	.54	.061	9	31	.47	59	.12	4	1.08	.01	.06	<2	4
SK L94E 111+50N	1	28	8	44	.3	12	6	284	2.34	4	<5	<2	<2	39	<.2	<2	4	64	.40	.047	9	27	.42	82	.10	3	1.46	.01	.05	<2	11
SK L94E 111+25N	1	46	10	45	.3	22	16	559	2.60	3	10	<2	<2	50	<.2	<2	<2	74	.53	.066	11	35	.65	142	.10	4	2.13	.02	.09	<2	4
SK L94E 111+00N	<1	26	5	52	<.3	13	6	206	2.19	4	<5	<2	<2	40	<.2	<2	5	62	.46	.051	8	28	.53	70	.12	4	1.49	.01	.06	<2	4
SK L94E 110+75N	<1	14	10	81	<.3	12	6	241	2.88	6	<5	<2	2	33	.2	<2	<2	80	.38	.254	8	30	.30	111	.07	3	1.38	.01	.05	<2	4
SK L94E 110+50N	1	13	9	55	.3	9	5	211	2.20	4	<5	<2	<2	36	.2	<2	4	65	.38	.121	8	24	.25	69	.08	3	1.07	.01	.06	<2	3
SK L94E 110+25N	1	20	6	39	<.3	11	5	153	2.52	6	<5	<2	2	30	<.2	<2	<2	82	.39	.125	9	28	.30	57	.08	3	1.17	.01	.05	<2	<2
SK L94E 110+00N	<1	25	7	37	<.3	13	6	156	3.29	6	<5	<2	3	41	<.2	<2	2	106	.45	.166	8	35	.32	75	.10	3	1.25	.01	.06	<2	7
STANDARD C/AU-S	19	55	37	122	6.1	64	29	1007	3.70	37	17	7	35	47	16.7	18	19	65	.47	.089	38	56	.87	172	.08	26	1.73	.06	.13	10	50

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.