

P L A C E R D O M E I N C (V A N C O U V E R L A B O R A T O R Y)

GEOCHEMICAL DATA LISTING: V232 SPRING

PDL lab data file: P8424
 AREA: SPRING
 MAPSHEET NO: 92H16
 VENTURE: V232
 GEOLOGIST: R PEASE
 LAB PROJECT NO: 8424

PLEASE DISTRIBUTE RESULTS TO: RP BB LAB

REMARKS:
 "AU1 RESULTS REPORTED IN PPB"

STANDARD ANALYSIS METHODS USED BY PDL GEOCHEM LAB ARE LISTED BELOW:
 ALL RESULTS EXPRESSED AS INDICATED IN UNITS COLUMN BELOW
 ANY EXCEPTIONS FOR THIS PROJECT ARE NOTED ABOVE

REMARKS: INTERNAL LAB STANDARDS HAVE BEEN INCLUDED FOR REFERENCE.
 SAMPLE NUMBERS FOLLOWED BY * ARE DUPLICATE ANALYSES.

	UNITS	WT.G	ATTACK USED	TIME	RANGE	METHOD
MO	PPM	0.5	HClO ₄ /HNO ₃	4HRS	1-1000	ATOMIC ABSORPTION
CU	PPM	0.5	HClO ₄ /HNO ₃	4HRS	2-4000	ATOMIC ABSORPTION
ZN	PPM	0.5	HClO ₄ /HNO ₃	4HRS	2-3000	ATOMIC ABSORPTION
PB	PPM	0.5	HClO ₄ /HNO ₃	4HRS	2-3000	A.A. BACKGROUND COR.
CD	PPM	0.5	HClO ₄ /HNO ₃	4HRS	0.2-200	A.A. BACKGROUND COR.
NI	PPM	0.5	HClO ₄ /HNO ₃	4HRS	2-2000	ATOMIC ABSORPTION
CO	PPM	0.5	HClO ₄ /HNO ₃	4HRS	2-2000	ATOMIC ABSORPTION
AG	PPM	0.5	HClO ₄ /HNO ₃	4HRS	0.2-20	A.A. BACKGROUND COR
AU	PPM	10.0	AQUA REGIA	3HRS	0.01-4.00	A.A. SOLVENT EXTRACT.
AU1	PPB	10.0	AQUA REGIA	3HRS	5-4000	A.A. SOLVENT EXTRACT.
U	PPM	0.25	DIL HNO ₃	2HRS	1.0-1000	FLOURIMETRY SOLV. EX.
V	PPM	0.5	HF/HClO ₄ /HNO ₃ /HCL	6HRS	5-1000	ATOMIC ABSORPTION
W	PPM	0.5	HClO ₄ /H ₃ PO ₄	2HRS	2-1000	DC PLASMA
F	PPM	0.25	NA ₂ CO ₃ /KNO ₃ FUSION	30MIN	40-4000	SPECIFIC ION ELECTRODE
AS	PPM	0.5	AQUA REGIA	3HRS	2-2000	DC PLASMA
SB	PPM	0.5	HCL/HNO ₃	3HRS	2-2000	DC PLASMA
BI	PPM	0.5	HClO ₄ /HNO ₃	4HRS	2-2000	A.A. BACKGROUND COR.
MN	PPM	0.5	HClO ₄ /HNO ₃	4HRS	2-2000	ATOMIC ABSORPTION
FE	%	0.5	HF/HClO ₄ /HNO ₃ /HCL	6HRS	0.02-20%	DC PLASMA
HG	PPB	0.25	DIL HNO ₃ /HCL	2HRS	5-2000PPB	A.A. COLD VAPOR GEN.
BA	%	0.25	HF/HI/OXALIC	4HRS	0.02-20%	ATOMIC ABSORPTION
NA	%	0.5	HF/HClO ₄ /HNO ₃ /HCL	6HRS	0.2 -20%	DC PLASMA
K	%	0.5	HF/HClO ₄ /HNO ₃ /HCL	6HRS	0.2 -20%	DC PLASMA
CA	%	0.5	HF/HClO ₄ /HNO ₃ /HCL	6HRS	0.02-20%	DC PLASMA
SR	PPM	0.5	HF/HClO ₄ /HNO ₃ /HCL	6HRS	10-2000	DC PLASMA
MG	%	0.5	HF/HClO ₄ /HNO ₃ /HCL	6HRS	0.2-20%	DC PLASMA
SN	PPM	1.0	NH ₄ I FUSION	15MIN	5-500	A.A. SOLVENT EXTRACT.
PT	PPB	25.0	FIRE ASSAY	45MIN	DL 10PPB	DC PLASMA
PD	PPB	25.0	FIRE ASSAY	45MIN	DL 5PPB	DC PLASMA
LOI	%	1.0	ASH 600 DEG C	2HRS	0.02-99%	WEIGH RESIDUE

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM V232 SPRING

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	B/L	0+00E	8424	25	152	43	0.2	<5
92H16	B/L	0+25E	8424	15	330	35	0.2	<5
92H16	B/L	0+50E	8424	13	191	23	0.2	<5
92H16	B/L	0+75E	8424	17	151	13	0.2	<5
92H16	B/L	1+00E	8424	16	174	21	0.3	<5
92H16	B/L	1+25E	8424	16	176	21	0.3	<5
92H16	B/L	1+50E	8424	12	137	17	<0.2	<5
92H16	B/L	1+75E	8424	15	138	14	<0.2	25
92H16	B/L	2+00E	8424	10	98	9	0.3	15
92H16	B/L	2+00E*	8424	10	96	8	0.2	5
92H16	B/L	2+25E	8424	17	108	7	0.2	<5
92H16	B/L	2+50E	8424	13	89	8	0.2	<5
92H16	B/L	2+75E	8424	15	105	7	0.3	<5
92H16	B/L	3+00E	8424	18	71	6	<0.2	<5
92H16	B/L	3+25E	8424	18	102	9	<0.2	<5
92H16	B/L	3+50E	8424	18	93	8	<0.2	<5
92H16	B/L	3+75E	8424	17	107	6	<0.2	<5
92H16	B/L	4+00E	8424	12	57	5	<0.2	<5
92H16	B/L	4+25E	8424	10	38	5	<0.2	<5
92H16	B/L	4+25E*	8424	10	41	5	0.2	<5
92H16	B/L	4+50E	8424	32	76	10	0.4	<5
92H16	B/L	4+75E	8424	13	49	5	<0.2	<5
92H16	B/L	5+00E	8424	18	42	6	<0.2	<5
92H16	B/L	5+25E	8424	20	79	9	<0.2	<5
92H16	B/L	5+50E	8424	22	66	9	0.2	5
92H16	B/L	5+75E	8424	22	75	6	0.2	<5
92H16	B/L	6+00E	8424	24	69	6	0.2	<5
92H16	B/L	6+25E	8424	22	88	5	0.2	10
92H16	B/L	6+50E	8424	20	86	5	<0.2	<5
92H16	B/L	6+50E*	8424	20	87	6	<0.2	<5
92H16	B/L	6+75E	8424	15	61	6	<0.2	5
92H16	B/L	7+00E	8424	20	87	7	<0.2	15
92H16	B/L	7+25E	8424	21	95	4	<0.2	<5
92H16	B/L	7+50E	8424	27	73	6	<0.2	<5
92H16	B/L	7+75E	8424	22	63	6	<0.2	<5
92H16	B/L	8+00E	8424	18	50	5	<0.2	<5
92H16	B/L	8+25E	8424	39	71	4	<0.2	<5
92H16	B/L	8+50E	8424	33	78	7	0.2	<5
92H16	B/L	8+75E	8424	46	76	10	0.3	<5
test	STD P		8424	126	96	99	1.6	
92H16	B/L	9+00E	8424	22	103	15	0.2	<5
92H16	B/L	9+25E	8424	15	81	16	0.2	<5
92H16	B/L	9+50E	8424	41	86	16	0.3	<5
92H16	B/L	9+75E	8424	117	81	8	0.3	<5
92H16	B/L	10+00E	8424	34	83	7	0.2	<5
92H16	B/L	10+25E	8424	20	92	4	<0.2	<5
92H16	B/L	10+50E	8424	17	108	7	0.2	<5
92H16	B/L	10+75E	8424	19	103	6	0.2	<5
92H16	B/L	11+00E	8424	31	80	7	0.3	<5
92H16	B/L	11+00E*	8424	32	80	7	0.3	<5
92H16	B/L	11+25E	8424	21	75	6	<0.2	<5
92H16	B/L	11+50E	8424	21	54	3	<0.2	<5
92H16	B/L	11+75E	8424	38	43	5	0.2	<5
92H16	B/L	12+00E	8424	34	47	8	0.2	<5
92H16	B/L	12+25E	8424	28	55	6	<0.2	<5
92H16	B/L	12+50E	8424	36	44	7	<0.2	<5
92H16	B/L	12+75E	8424	33	50	7	0.2	<5
92H16	B/L	13+00E	8424	36	49	6	0.3	<5
92H16	B/L	13+25E	8424	26	43	4	0.2	<5
92H16	B/L	13+25E*	8424	24	41	4	0.2	<5

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM V232 SPRING

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	B/L	13+50E	8424	23	46	5	<0.2	<5
92H16	B/L	13+75E	8424	28	40	4	0.2	<5
92H16	B/L	14+00E	8424	24	43	7	0.2	<5
92H16	B/L	14+25E	8424	34	40	6	<0.2	<5
92H16	B/L	14+50E	8424	26	41	8	<0.2	<5
92H16	B/L	14+75E	8424	23	123	16	0.3	<5
92H16	B/L	15+00E	8424	38	180	23	0.5	<5
92H16	B/L	15+25E	8424	39	175	21	0.5	<5
92H16	B/L	15+50E	8424	39	190	23	0.4	<5
test	STD P		8424	125	98	99	1.4	
92H16	B/L	15+75E	8424	49	240	30	0.6	<5
92H16	B/L	22+00E	8424	24	63	11	0.2	<5
92H16	L0+00	0+25N	8424	15	63	12	<0.2	<5
92H16	L0+00	0+50N	8424	30	113	18	0.3	<5
92H16	L0+00	0+75N	8424	15	79	15	<0.2	<5
92H16	L0+00	1+00N	8424	18	94	16	<0.2	<5
92H16	L0+00	1+25N	8424	10	167	11	<0.2	<5
92H16	L0+00	1+50N	8424	13	75	15	0.2	<5
92H16	L0+00	1+75N	8424	13	127	15	0.4	<5
92H16	L0+00	1+75N*	8424	13	126	16	0.4	<5
92H16	L0+00	2+00N	8424	17	111	20	<0.2	<5
92H16	L0+00	2+25N	8424	26	290	151	0.7	<5
92H16	L0+00	2+50N	8424	13	210	32	0.2	<5
92H16	L0+00	2+75N	8424	39	181	21	0.5	20
92H16	L0+00	3+00N	8424	18	63	17	0.2	10
92H16	L0+00	3+25N	8424	15	90	16	0.2	<5
92H16	L0+00	3+50N	8424	15	65	15	<0.2	<5
92H16	L0+00	3+75N	8424	41	129	38	0.3	5
92H16	L0+00	4+00N	8424	9	104	10	<0.2	<5
92H16	L0+00	4+00N*	8424	8	102	8	<0.2	<5
92H16	L0+00	4+25N	8424	12	165	11	0.2	<5
92H16	L0+00	4+50N	8424	11	166	11	0.4	5
92H16	L0+00	4+75N	8424	12	42	9	0.2	<5
92H16	L0+00	5+00N	8424	13	182	13	0.4	<5
92H16	L0+00	5+25N	8424	58	1090	23	0.7	<5
92H16	L0+00	5+50N	8424	18	131	15	0.4	<5
92H16	L0+00	5+75N	8424	9	62	13	0.3	<5
92H16	L0+00	6+00N	8424	13	48	13	0.3	<5
92H16	L0+00	6+25N	8424	22	67	13	0.3	<5
test	STD P		8424	126	97	101	1.4	
92H16	L0+00	6+50N	8424	26	89	19	0.3	<5
92H16	L0+00	6+75N	8424	15	177	15	0.4	<5
92H16	L0+00	7+00N	8424	22	126	18	0.4	<5
92H16	L0+00	7+25N	8424	21	84	21	0.2	<5
92H16	L0+00	7+50N	8424	22	120	18	0.5	<5
92H16	L0+00	7+75N	8424	25	107	20	0.4	<5
92H16	L0+00	8+00N	8424	20	143	18	0.3	<5
92H16	L0+00	8+25N	8424	14	196	16	0.5	<5
92H16	L0+00	8+50N	8424	9	202	9	0.4	<5
92H16	L0+00	8+50N*	8424	9	204	10	0.4	<5
92H16	L0+00	8+75N	8424	27	76	16	0.4	<5
92H16	L0+00	9+00N	8424	10	51	8	0.2	<5
92H16	L0+00	9+25N	8424	17	106	15	<0.2	<5
92H16	L0+00	9+50N	8424	12	85	10	<0.2	<5
92H16	L0+00	9+75N	8424	29	87	19	<0.2	<5
92H16	L0+00	10+00N	8424	13	109	14	<0.2	<5
92H16	L0+00	10+25N	8424	9	54	12	<0.2	<5
92H16	L0+00	10+50N	8424	8	61	12	0.2	<5
92H16	L0+00	10+75N	8424	12	86	11	0.3	<5
92H16	L0+00	10+75N*	8424	11	84	11	0.2	<5

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM V232 SPRING

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L0+00	11+00N	8424	14	123	7	<0.2	<5
92H16	L0+00	11+25N	8424	12	89	7	<0.2	<5
92H16	L0+00	11+50N	8424	8	59	7	<0.2	<5
92H16	L0+00	11+75N	8424	11	106	8	<0.2	<5
92H16	L0+00	12+00N	8424	13	97	10	<0.2	<5
92H16	L0+00	12+25N	8424	9	55	9	<0.2	<5
92H16	L0+00	12+50N	8424	14	112	11	<0.2	<5
92H16	L0+00	12+75N	8424	11	77	8	<0.2	<5
92H16	L0+00	13+00N	8424	11	112	11	<0.2	<5
test	STD P		8424	123	97	99	1.4	
92H16	L0+00	13+25N	8424	14	89	12	0.2	<5
92H16	L0+00	13+50N	8424	15	142	12	0.2	<5
92H16	L0+00	13+75N	8424	12	137	10	<0.2	<5
92H16	L0+00	14+00N	8424	10	104	10	<0.2	5
92H16	L0+00	14+25N	8424	13	85	10	<0.2	<5
92H16	L0+00	14+50N	8424	15	56	8	<0.2	<5
92H16	L0+00	14+75N	8424	14	37	7	<0.2	<5
92H16	L0+00	15+00N	8424	15	39	8	<0.2	<5
92H16	L0+00	15+25N	8424	13	60	7	<0.2	<5
92H16	L0+00	15+25N*	8424	13	61	6	<0.2	<5
92H16	L0+00	15+50N	8424	12	64	7	0.2	<5
92H16	L0+00	15+75N	8424	11	68	5	<0.2	<5
92H16	L0+00	16+00N	8424	14	62	9	<0.2	<5
92H16	L0+00	16+25N	8424	13	55	8	<0.2	<5
92H16	L0+00	16+50N	8424	15	57	8	<0.2	<5
92H16	L0+00	16+75N	8424	15	61	6	<0.2	<5
92H16	L0+00	17+00N	8424	21	65	8	<0.2	40
92H16	L0+00	17+25N	8424	16	59	6	<0.2	<5
92H16	L0+00	17+50N	8424	15	52	5	<0.2	<5
92H16	L0+00	17+50N*	8424	16	55	5	<0.2	<5
92H16	L0+00	17+75N	8424	14	67	6	<0.2	<5
92H16	L0+00	18+00N	8424	15	66	7	0.2	<5
92H16	L0+00	18+25N	8424	18	71	9	<0.2	<5
92H16	L0+00	18+50N	8424	18	88	6	<0.2	<5
92H16	L0+00	18+75N	8424	19	114	9	0.3	<5
92H16	L0+00	19+00N	8424	19	155	19	0.2	<5
92H16	L0+00	19+25N	8424	19	240	14	0.4	<5
92H16	L0+00	19+50N	8424	20	210	22	0.2	<5
92H16	L0+00	19+75N	8424	16	220	13	<0.2	<5
92H16	L0+00	19+75N*	8424	17	230	14	<0.2	<5
92H16	L0+00	20+00N	8424	20	180	17	0.2	<5
92H16	L0+00	20+25N	8424	16	84	9	0.2	<5
92H16	L0+00	20+50N	8424	14	80	8	0.3	<5
92H16	L0+00	20+75N	8424	26	93	7	0.3	<5
92H16	L0+00	21+00N	8424	18	78	10	0.2	<5
92H16	L0+00	21+25N	8424	19	98	13	0.3	<5
92H16	L0+00	21+50N	8424	14	71	8	0.2	<5
92H16	L0+00	21+75N	8424	22	93	5	0.4	<5
92H16	L0+00	22+00N	8424	29	66	6	0.3	<5
92H16	L0+00	22+00N*	8424	30	64	7	0.3	<5
92H16	L0+00	22+25N	8424	37	53	6	0.2	<5
92H16	L0+00	22+50N	8424	29	60	7	0.3	5
92H16	L0+00	22+75N	8424	35	57	7	0.3	<5
92H16	L0+00	23+00N	8424	106	86	11	0.6	<5
92H16	L0+00	23+25N	8424	47	39	8	0.2	<5
92H16	L0+00	23+50N	8424	41	37	8	0.2	10
92H16	L0+00	23+75N	8424	29	51	4	0.2	<5
92H16	L0+00	24+00N	8424	44	47	11	0.2	<5
92H16	L0+00	24+25N	8424	34	49	6	0.2	<5
92H16	L0+00	24+25N*	8424	35	48	5	0.2	<5

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM V232 SPRING

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L0+00	24+50N	8424	33	43	6	<0.2	<5
92H16	L0+00	24+75N	8424	24	44	6	<0.2	<5
92H16	L0+00	25+00N	8424	24	47	7	<0.2	<5
92H16	L0+00	25+25N	8424	24	47	7	0.2	<5
92H16	L0+00	25+50N	8424	25	45	7	<0.2	<5
92H16	L0+00	25+75N	8424	24	46	6	<0.2	15
92H16	L0+00	26+00N	8424	25	49	10	<0.2	5
92H16	L0+00	26+25N	8424	22	52	7	<0.2	<5
92H16	L0+00	27+00N	8424	24	51	6	0.2	5
92H16	L0+00	27+00N*	8424	25	49	6	<0.2	5
92H16	L0+00	27+25N	8424	22	45	5	<0.2	25
92H16	L0+00	27+50N	8424	21	49	7	<0.2	<5
92H16	L0+00	27+75N	8424	25	58	6	<0.2	5
92H16	L0+00	28+00N	8424	20	47	6	0.2	15
92H16	L0+00	28+25N	8424	25	47	5	0.2	15
92H16	L0+00	28+50N	8424	21	42	6	0.2	10
92H16	L0+00	28+75N	8424	20	38	6	<0.2	<5
92H16	L0+00	29+00N	8424	22	51	9	<0.2	<5
92H16	L0+00	29+25N	8424	23	49	6	<0.2	<5
test	STD P		8424	125	98	99	1.3	
92H16	L0+00	29+50N	8424	22	50	3	<0.2	<5
92H16	L0+00	29+75N	8424	20	50	4	<0.2	<5
92H16	L0+00	30+00N	8424	23	51	4	<0.2	<5
92H16	L0+00	30+25N	8424	19	80	4	<0.2	<5
92H16	L0+00	30+50N	8424	24	70	5	<0.2	<5
92H16	L0+00	30+75N	8424	16	58	4	<0.2	<5
92H16	L0+00	31+00N	8424	12	55	5	<0.2	<5
92H16	L0+00	31+25N	8424	14	45	2	<0.2	<5
92H16	L0+00	31+50N	8424	17	67	4	<0.2	<5
92H16	L0+00	31+50N*	8424	17	62	4	<0.2	<5
92H16	L0+00	31+75N	8424	15	52	2	<0.2	<5
92H16	L0+00	32+00N	8424	13	41	3	<0.2	<5
92H16	L0+00	32+25N	8424	18	65	4	<0.2	<5
92H16	L0+00	32+50N	8424	14	55	2	<0.2	<5
92H16	L0+00	32+75N	8424	15	58	2	<0.2	<5
92H16	L0+00	33+00N	8424	22	143	6	<0.2	<5
92H16	L0+00	33+25N	8424	24	66	6	<0.2	<5
92H16	L0+00	33+50N	8424	22	69	5	<0.2	10
92H16	L0+00	33+75N	8424	31	96	7	<0.2	<5
92H16	L0+00	33+75N*	8424	34	104	8	<0.2	<5
92H16	L0+00	34+00N	8424	26	84	8	<0.2	<5
92H16	L0+00	34+25N	8424	35	74	8	<0.2	<5
92H16	L0+00	34+50N	8424	21	75	9	<0.2	<5
92H16	L0+00	34+75N	8424	21	62	7	<0.2	<5
92H16	L0+00	35+00N	8424	17	48	6	<0.2	<5
92H16	L0+00	0+25S	8424	29	125	28	<0.2	<5
92H16	L0+00	0+50S	8424	31	320	98	0.4	5
92H16	L0+00	0+75S	8424	22	192	48	0.3	<5
92H16	L0+00	1+00S	8424	22	375	27	0.3	<5
test	STD P		8424	136	100	100	1.4	
92H16	L0+00	1+25S	8424	14	120	18	<0.2	15
92H16	L0+00	1+50S	8424	24	160	24	0.2	<5
92H16	L0+00	1+75S	8424	45	820	73	1.4	5
92H16	L0+00	2+00S	8424	35	630	51	0.8	5
92H16	L0+00	2+25S	8424	17	146	14	0.2	<5
92H16	L0+00	2+50S	8424	17	158	15	<0.2	<5
92H16	L0+00	2+75S	8424	17	166	13	0.2	<5
92H16	L0+00	3+00S	8424	18	230	14	0.2	<5
92H16	L0+00	3+25S	8424	18	166	22	0.2	<5
92H16	L0+00	3+25S*	8424	18	168	23	0.2	<5

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM V232 SPRING

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L0+00	3+50S	8424	41	232	85	0.4	<5
92H16	L0+00	3+75S	8424	32	610	76	0.6	<5
92H16	L0+00	4+00S	8424	42	810	47	0.2	<5
92H16	L0+00	4+25S	8424	14	94	18	<0.2	525
92H16	L0+00	4+50S	8424	13	85	15	<0.2	<5
92H16	L0+00	4+75S	8424	10	164	11	<0.2	<5
92H16	L0+00	5+00S	8424	11	70	11	<0.2	<5
92H16	L2+00E	0+25N	8424	9	81	8	0.3	<5
92H16	L2+00E	0+50N	8424	16	135	10	0.2	<5
92H16	L2+00E	0+50N*	8424	16	136	9	0.2	<5
92H16	L2+00E	0+75N	8424	12	85	8	<0.2	<5
92H16	L2+00E	1+00N	8424	13	122	11	<0.2	<5
92H16	L2+00E	1+25N	8424	13	122	11	<0.2	<5
92H16	L2+00E	1+50N	8424	9	80	9	<0.2	<5
92H16	L2+00E	1+75N	8424	9	97	9	<0.2	<5
92H16	L2+00E	2+00N	8424	13	106	8	<0.2	<5
92H16	L2+00E	2+25N	8424	10	134	11	0.2	<5
92H16	L2+00E	2+50N	8424	12	300	31	0.4	<5
92H16	L2+00E	2+75N	8424	12	146	22	0.4	<5
test	STD P		8424	130	98	100	1.2	
92H16	L2+00E	3+00N	8424	11	373	37	0.6	<5
92H16	L2+00E	3+25N	8424	8	530	62	0.6	<5
92H16	L2+00E	3+50N	8424	5	460	29	0.6	<5
92H16	L2+00E	3+75N	8424	12	580	63	0.8	<5
92H16	L2+00E	4+00N	8424	8	810	19	<0.2	<5
92H16	L2+00E	4+25N	8424	13	104	16	<0.2	<5
92H16	L2+00E	4+50N	8424	17	120	24	<0.2	<5
92H16	L2+00E	4+75N	8424	13	64	12	<0.2	<5
92H16	L2+00E	5+00N	8424	20	107	21	<0.2	<5
92H16	L2+00E	5+00N*	8424	20	103	20	<0.2	<5
92H16	L2+00E	5+25N	8424	18	385	40	0.4	<5
92H16	L2+00E	5+50N	8424	24	150	15	<0.2	<5
92H16	L2+00E	5+75N	8424	11	86	13	<0.2	<5
92H16	L2+00E	6+00N	8424	13	62	13	<0.2	<5
92H16	L2+00E	6+25N	8424	12	68	13	<0.2	<5
92H16	L2+00E	6+50N	8424	26	72	12	0.2	<5
92H16	L2+00E	6+75N	8424	11	152	9	0.2	<5
92H16	L2+00E	7+00N	8424	12	134	7	0.3	<5
92H16	L2+00E	7+25N	8424	10	170	7	0.2	<5
92H16	L2+00E	7+25N*	8424	10	170	7	0.2	<5
92H16	L2+00E	7+50N	8424	8	150	9	<0.2	<5
92H16	L2+00E	7+75N	8424	7	82	8	<0.2	<5
92H16	L2+00E	8+00N	8424	8	52	9	<0.2	<5
92H16	L2+00E	8+25N	8424	14	58	8	<0.2	<5
92H16	L2+00E	8+50N	8424	5	46	7	<0.2	5
92H16	L2+00E	8+75N	8424	6	51	7	<0.2	<5
92H16	L2+00E	9+00N	8424	7	61	8	<0.2	<5
92H16	L2+00E	9+25N	8424	7	81	9	<0.2	<5
92H16	L2+00E	9+50N	8424	8	100	9	<0.2	<5
92H16	L2+00E	9+50N*	8424	8	100	7	<0.2	<5
92H16	L2+00E	9+75N	8424	13	181	11	<0.2	<5
92H16	L2+00E	10+00N	8424	12	108	9	<0.2	<5
92H16	L2+00E	10+25N	8424	11	110	10	<0.2	<5
92H16	L2+00E	10+50N	8424	15	73	6	<0.2	<5
92H16	L2+00E	10+75N	8424	21	66	12	<0.2	<5
92H16	L2+00E	11+00N	8424	15	85	10	0.2	<5
92H16	L2+00E	11+25N	8424	12	70	10	<0.2	<5
92H16	L2+00E	11+50N	8424	15	88	12	0.2	<5
92H16	L2+00E	11+75N	8424	12	82	10	0.3	<5
92H16	L2+00E	11+75N*	8424	13	90	12	0.3	<5

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM V232 SPRING

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L2+00E	12+00N	8424	20	54	17	<0.2	<5
92H16	L2+00E	12+25N	8424	12	109	12	<0.2	<5
92H16	L2+00E	12+50N	8424	11	155	11	<0.2	<5
92H16	L2+00E	12+75N	8424	9	102	10	<0.2	<5
92H16	L2+00E	13+00N	8424	10	145	10	0.2	<5
92H16	L2+00E	13+25N	8424	12	125	11	0.2	<5
92H16	L2+00E	13+50N	8424	11	115	10	0.2	<5
92H16	L2+00E	13+75N	8424	13	127	11	0.2	<5
92H16	L2+00E	14+00N	8424	13	126	10	0.2	<5
92H16	L2+00E	14+00N*	8424	13	120	9	0.2	<5
92H16	L2+00E	14+25N	8424	14	128	12	0.3	<5
92H16	L2+00E	14+50N	8424	13	97	8	0.2	<5
92H16	L2+00E	14+75N	8424	14	68	7	<0.2	<5
92H16	L2+00E	15+00N	8424	12	80	7	0.2	<5
92H16	L2+00E	4+25S	8424	16	130	15	0.2	<5
92H16	L2+00E	4+50S	8424	14	118	11	0.2	<5
92H16	L2+00E	4+75S	8424	11	126	10	0.2	<5
92H16	L2+00E	5+00S	8424	6	88	8	<0.2	<5
92H16	L2+00E	5+25S	8424	11	113	11	0.2	<5
test	STD P	8424	120	103	100	1.4		
92H16	L2+00E	5+50S	8424	7	81	9	0.2	<5
92H16	L2+00E	5+75S	8424	6	70	14	<0.2	<5
92H16	L2+00E	6+00S	8424	9	105	10	<0.2	<5
92H16	L2+00E	6+25S	8424	11	134	11	<0.2	<5
92H16	L2+00E	6+50S	8424	12	101	18	0.2	<5
92H16	L2+00E	6+75S	8424	7	156	10	0.2	5
92H16	L2+00E	7+00S	8424	12	174	12	0.3	<5
92H16	L2+00E	7+25S	8424	10	227	12	0.4	<5
92H16	L2+00E	7+50S	8424	8	202	9	0.3	<5
test	STD P	8424	126	100	100	1.4		
92H16	L2+00E	7+75S	8424	12	184	10	0.2	<5
92H16	L2+00E	8+00S	8424	46	78	16	0.6	<5
92H16	L2+00E	8+25S	8424	22	94	8	0.3	<5
92H16	L2+00E	8+50S	8424	7	82	8	0.3	<5
92H16	L2+00E	8+75S	8424	9	151	10	0.4	<5
92H16	L2+00E	9+00S	8424	15	130	9	0.3	<5
92H16	L2+00E	9+25S	8424	9	180	11	0.7	<5
92H16	L2+00E	9+50S	8424	6	170	8	0.4	<5
92H16	L2+00E	9+75S	8424	8	92	10	0.3	<5
92H16	L2+00E	9+75S*	8424	8	90	10	0.3	<5
92H16	L2+00E	10+00S	8424	10	77	13	0.3	<5
92H16	L2+00E	10+25S	8424	7	55	8	<0.2	<5
92H16	L2+00E	10+50S	8424	9	102	8	0.4	<5
92H16	L2+00E	10+75S	8424	3	68	6	0.2	<5
92H16	L2+00E	11+00S	8424	12	44	11	0.2	<5
92H16	L2+00E	11+25S	8424	10	108	8	0.2	<5
92H16	L2+00E	11+50S	8424	7	167	7	0.2	<5
92H16	L2+00E	11+75S	8424	7	180	9	0.2	<5
92H16	L2+00E	12+00S	8424	11	105	8	0.2	<5
92H16	L2+00E	12+00S*	8424	11	104	10	0.2	<5
92H16	L2+00E	12+25S	8424	9	150	15	0.2	<5
92H16	L2+00E	12+50S	8424	7	42	9	<0.2	<5
92H16	L2+00E	12+75S	8424	25	100	12	1.5	<5
92H16	L2+00E	13+00S	8424	7	177	10	0.3	<5
92H16	L2+00E	13+25S	8424	8	171	10	0.2	<5
92H16	L2+00E	13+50S	8424	7	138	11	0.4	<5
92H16	L2+00E	13+75S	8424	8	114	10	0.3	<5
92H16	L2+00E	14+00S	8424	8	108	10	0.4	<5
92H16	L2+00E	14+25S	8424	7	116	10	0.3	5
92H16	L2+00E	14+25S*	8424	7	117	10	0.3	10

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM V232 SPRING

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L2+00E	14+50S	8424	9	91	11	<0.2	15
92H16	L2+00E	14+75S	8424	8	112	11	0.2	<5
92H16	L2+00E	15+00S	8424	5	143	13	0.2	15
92H16	L2+00E	15+25S	8424	9	74	11	0.2	15
92H16	L2+00E	15+50S	8424	5	213	9	<0.2	5
92H16	L2+00E	15+75S	8424	4	170	10	<0.2	15
92H16	L2+00E	16+00S	8424	4	264	9	0.3	<5
92H16	L2+00E	16+25S	8424	11	260	35	<0.2	<5
92H16	L2+00E	16+50S	8424	8	188	25	0.2	<5
92H16	L2+00E	16+50S*	8424	8	187	26	0.2	<5
92H16	L2+00E	16+75S	8424	8	540	61	0.3	<5
92H16	L2+00E	17+00S	8424	20	480	113	0.3	<5
92H16	L2+00E	17+25S	8424	17	345	57	0.5	<5
92H16	L2+00E	17+50S	8424	12	272	23	0.3	<5
92H16	L2+00E	17+75S	8424	11	261	22	0.4	20
92H16	L2+00E	18+00S	8424	8	288	16	0.2	<5
92H16	L2+00E	18+25S	8424	9	184	17	0.3	<5
92H16	L2+00E	18+50S	8424	15	480	128	0.5	15
92H16	L2+00E	18+75S	8424	11	226	37	0.2	<5
test	STD P	8424	125	94	100	1.2		
92H16	L2+00E	19+00S	8424	16	188	20	0.3	<5
92H16	L2+00E	19+25S	8424	18	171	18	0.4	<5
92H16	L2+00E	19+50S	8424	8	120	13	0.2	<5
92H16	L2+00E	19+75S	8424	8	104	13	0.2	<5
92H16	L2+00E	20+00S	8424	7	94	13	0.2	5
92H16	L2+00W	0+25N	8424	6	374	10	<0.2	<5
92H16	L2+00W	0+50N	8424	12	392	25	0.4	<5
92H16	L2+00W	0+75N	8424	6	263	20	0.2	<5
92H16	L2+00W	1+00N	8424	9	273	27	0.2	<5
92H16	L2+00W	1+00N*	8424	9	280	28	0.2	<5
92H16	L2+00W	1+25N	8424	10	336	32	0.3	<5
92H16	L2+00W	1+50N	8424	10	620	45	0.4	<5
92H16	L2+00W	1+75N	8424	6	550	36	0.3	<5
92H16	L2+00W	2+00N	8424	8	610	76	0.4	<5
92H16	L2+00W	2+25N	8424	9	510	58	0.4	<5
92H16	L2+00W	2+50N	8424	10	384	85	0.6	<5
92H16	L2+00W	2+75N	8424	7	580	53	0.3	<5
92H16	L2+00W	3+00N	8424	10	900	24	0.5	<5
92H16	L2+00W	3+25N	8424	10	266	13	0.3	<5
92H16	L2+00W	3+25N*	8424	10	276	15	0.2	<5
92H16	L2+00W	3+50N	8424	14	294	20	0.3	<5
92H16	L2+00W	3+75N	8424	8	222	22	0.2	<5
92H16	L2+00W	4+00N	8424	7	760	28	0.3	<5
92H16	L2+00W	4+25N	8424	9	700	115	0.4	<5
92H16	L2+00W	4+50N	8424	8	385	36	0.3	<5
92H16	L2+00W	4+75N	8424	8	337	31	0.2	<5
92H16	L2+00W	5+00N	8424	8	860	41	0.2	<5
92H16	L2+00W	5+25N	8424	13	364	30	0.2	<5
92H16	L2+00W	5+50N	8424	13	404	32	0.4	<5
92H16	L2+00W	5+50N*	8424	12	403	33	0.4	<5
92H16	L2+00W	5+75N	8424	10	313	42	0.3	10
92H16	L2+00W	6+00N	8424	11	232	33	0.3	<5
92H16	L2+00W	6+25N	8424	10	242	23	0.3	<5
92H16	L2+00W	6+50N	8424	10	393	84	0.4	<5
92H16	L2+00W	6+75N	8424	11	720	57	0.5	<5
92H16	L2+00W	7+00N	8424	13	360	39	0.4	<5
92H16	L2+00W	7+25N	8424	13	410	30	0.6	<5
92H16	L2+00W	7+50N	8424	12	650	31	0.4	<5
92H16	L2+00W	7+75N	8424	13	960	96	1.1	<5
92H16	L2+00W	7+75N*	8424	12	900	88	1.0	<5

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM V232 SPRING

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L2+00W	8+00N	8424	10	830	284	1.8	<5
92H16	L2+00W	8+25N	8424	9	1180	470	3.0	<5
92H16	L2+00W	8+50N	8424	8	830	34	0.6	25
92H16	L2+00W	8+75N	8424	9	321	45	0.4	<5
92H16	L2+00W	9+00N	8424	7	370	20	0.4	<5
92H16	L2+00W	9+25N	8424	15	370	56	0.2	<5
92H16	L2+00W	9+50N	8424	8	1050	23	<0.2	<5
92H16	L2+00W	9+75N	8424	13	313	28	0.2	<5
92H16	L2+00W	10+00N	8424	10	460	20	<0.2	<5
test	STD P	8424	130	98	100	1.4		
92H16	L2+00W	10+25N	8424	15	1080	40	0.2	5
92H16	L2+00W	10+50N	8424	8	354	22	0.2	<5
92H16	L2+00W	10+75N	8424	12	222	18	0.2	<5
92H16	L2+00W	11+00N	8424	12	326	15	0.2	<5
92H16	L2+00W	11+25N	8424	12	180	12	0.4	<5
92H16	L2+00W	11+50N	8424	14	144	11	0.2	<5
92H16	L2+00W	11+75N	8424	11	122	11	0.2	<5
92H16	L2+00W	12+00N	8424	9	135	11	0.2	<5
92H16	L2+00W	12+25N	8424	4	350	16	0.2	<5
92H16	L2+00W	12+25N*	8424	4	340	17	0.2	<5
92H16	L2+00W	12+50N	8424	11	370	30	<0.2	<5
92H16	L2+00W	12+75N	8424	20	800	13	<0.2	<5
92H16	L2+00W	13+00N	8424	16	700	10	<0.2	<5
92H16	L2+00W	13+25N	8424	17	120	10	<0.2	<5
92H16	L2+00W	13+50N	8424	12	92	10	<0.2	<5
92H16	L2+00W	13+75N	8424	15	90	11	<0.2	<5
92H16	L2+00W	14+00N	8424	15	76	12	<0.2	<5
92H16	L2+00W	14+25N	8424	40	354	224	0.7	<5
92H16	L2+00W	14+50N	8424	13	47	11	<0.2	<5
92H16	L2+00W	14+50N*	8424	14	48	9	<0.2	<5
92H16	L2+00W	14+75N	8424	13	300	110	0.5	<5
92H16	L2+00W	15+00N	8424	9	114	9	<0.2	<5
92H16	L2+00W	15+25N	8424	8	64	9	<0.2	<5
92H16	L2+00W	15+50N	8424	7	82	8	<0.2	<5
92H16	L2+00W	15+75N	8424	6	57	8	<0.2	<5
92H16	L2+00W	16+00N	8424	7	122	9	<0.2	<5
92H16	L2+00W	16+25N	8424	16	105	9	<0.2	<5
92H16	L2+00W	16+50N	8424	14	127	9	<0.2	<5
92H16	L2+00W	16+75N	8424	15	123	8	<0.2	<5
92H16	L2+00W	16+75N*	8424	16	126	9	<0.2	<5
92H16	L2+00W	17+00N	8424	12	141	9	0.3	<5
92H16	L2+00W	17+25N	8424	12	80	7	<0.2	<5
92H16	L2+00W	17+50N	8424	11	118	6	<0.2	<5
92H16	L2+00W	17+75N	8424	10	100	7	<0.2	<5
92H16	L2+00W	18+00N	8424	11	116	7	<0.2	<5
92H16	L2+00W	18+25N	8424	26	78	7	<0.2	<5
92H16	L2+00W	18+50N	8424	37	110	9	0.3	<5
92H16	L2+00W	18+75N	8424	10	70	7	<0.2	<5
92H16	L2+00W	19+00N	8424	37	52	11	0.2	<5
92H16	L2+00W	19+00N*	8424	37	50	11	0.3	<5
92H16	L2+00W	19+25N	8424	20	108	8	<0.2	<5
92H16	L2+00W	19+50N	8424	17	92	7	<0.2	<5
92H16	L2+00W	19+75N	8424	11	43	5	<0.2	<5
92H16	L2+00W	20+00N	8424	16	94	7	0.2	<5
92H16	L2+00W	20+25N	8424	15	95	8	<0.2	<5
92H16	L2+00W	20+50N	8424	9	52	6	<0.2	<5
92H16	L2+00W	20+75N	8424	13	57	6	<0.2	<5
92H16	L2+00W	21+00N	8424	9	43	5	<0.2	<5
92H16	L2+00W	21+25N	8424	21	48	8	<0.2	<5
test	STD P	8424	127	95	100	1.7		

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM V232 SPRING

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L2+00W	21+50N	8424	14	63	8	<0.2	<5
92H16	L2+00W	21+75N	8424	8	65	5	<0.2	<5
92H16	L2+00W	22+00N	8424	8	60	7	<0.2	20
92H16	L2+00W	22+25N	8424	9	108	6	<0.2	<5
92H16	L2+00W	22+50N	8424	17	100	6	<0.2	<5
92H16	L2+00W	22+75N	8424	13	53	6	<0.2	<5
92H16	L2+00W	23+00N	8424	10	52	8	<0.2	<5
92H16	L2+00W	23+25N	8424	14	67	9	<0.2	<5
92H16	L2+00W	23+50N	8424	10	112	7	<0.2	<5
test	STD P	8424	126	94	100	1.5		
92H16	L2+00W	23+75N	8424	9	82	9	<0.2	<5
92H16	L2+00W	24+00N	8424	25	84	12	<0.2	85
92H16	L2+00W	24+25N	8424	7	87	12	<0.2	<5
92H16	L2+00W	24+50N	8424	13	62	7	<0.2	<5
92H16	L2+00W	24+75N	8424	17	54	3	<0.2	<5
92H16	L2+00W	25+00N	8424	20	105	5	<0.2	<5
92H16	L2+00W	25+25N	8424	18	92	4	<0.2	20
92H16	L2+00W	25+50N	8424	19	83	3	<0.2	10
92H16	L2+00W	25+75N	8424	19	87	3	<0.2	<5
92H16	L2+00W	25+75N*	8424	19	86	4	<0.2	<5
92H16	L2+00W	26+00N	8424	16	48	4	<0.2	<5
92H16	L2+00W	26+25N	8424	12	35	4	<0.2	5
92H16	L2+00W	27+00N	8424	20	45	4	<0.2	<5
92H16	L2+00W	27+25N	8424	27	61	5	<0.2	15
92H16	L2+00W	27+50N	8424	34	77	5	<0.2	15
92H16	L2+00W	27+75N	8424	32	60	3	<0.2	<5
92H16	L2+00W	28+00N	8424	33	70	5	0.2	10
92H16	L2+00W	28+25N	8424	38	60	5	0.2	<5
92H16	L2+00W	28+50N	8424	24	56	4	<0.2	<5
92H16	L2+00W	28+75N	8424	23	50	5	<0.2	<5
92H16	L2+00W	28+75N*	8424	23	50	5	<0.2	<5
92H16	L2+00W	29+00N	8424	21	46	4	<0.2	10
92H16	L2+00W	29+25N	8424	34	78	5	0.2	<5
92H16	L2+00W	29+50N	8424	20	47	5	<0.2	<5
92H16	L2+00W	29+75N	8424	23	53	4	<0.2	20
92H16	L2+00W	30+00N	8424	27	55	4	<0.2	<5
92H16	L2+00W	30+25N	8424	21	60	4	<0.2	10
92H16	L2+00W	30+50N	8424	25	67	4	0.2	5
92H16	L2+00W	30+75N	8424	18	49	5	<0.2	<5
92H16	L2+00W	31+00N	8424	21	50	5	<0.2	5
92H16	L2+00W	31+00N*	8424	20	50	5	<0.2	5
92H16	L2+00W	31+25N	8424	19	53	7	<0.2	90
92H16	L2+00W	31+50N	8424	18	57	7	<0.2	<5
92H16	L2+00W	31+75N	8424	24	63	8	<0.2	15
92H16	L2+00W	32+00N	8424	20	67	7	<0.2	35
92H16	L2+00W	32+25N	8424	17	73	6	<0.2	25
92H16	L2+00W	32+50N	8424	19	52	8	<0.2	15
92H16	L2+00W	32+75N	8424	17	61	6	<0.2	20
92H16	L2+00W	33+00N	8424	14	61	7	<0.2	10
92H16	L2+00W	33+25N	8424	15	57	7	<0.2	20
92H16	L2+00W	33+25N*	8424	15	54	7	<0.2	20
92H16	L2+00W	33+50N	8424	17	54	10	<0.2	<5
92H16	L2+00W	33+75N	8424	23	60	11	<0.2	<5
92H16	L2+00W	34+00N	8424	20	60	10	<0.2	30
92H16	L2+00W	34+25N	8424	33	62	9	<0.2	<5
92H16	L2+00W	34+50N	8424	15	55	8	<0.2	<5
92H16	L2+00W	34+75N	8424	14	65	8	<0.2	<5
92H16	L2+00W	35+00N	8424	11	56	8	<0.2	<5
92H16	L4+00E	0+25N	8424	17	91	9	<0.2	<5
92H16	L4+00E	0+50N	8424	18	91	9	0.3	<5

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM V232 SPRING

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
test	STD P	8424	130	93	100	1.7		
92H16	L4+00E	0+75N	8424	15	98	8	0.3	<5
92H16	L4+00E	1+00N	8424	13	60	7	0.2	<5
92H16	L4+00E	1+25N	8424	15	86	8	0.2	<5
92H16	L4+00E	1+50N	8424	14	83	8	0.3	<5
92H16	L4+00E	1+75N	8424	14	76	8	0.2	<5
92H16	L4+00E	2+00N	8424	18	120	11	0.3	<5
92H16	L4+00E	2+25N	8424	16	95	6	0.2	<5
92H16	L4+00E	2+50N	8424	20	63	9	0.3	<5
92H16	L4+00E	2+75N	8424	15	108	8	0.2	<5
92H16	L4+00E	2+75N*	8424	15	115	9	0.2	<5
92H16	L4+00E	3+00N	8424	18	88	10	<0.2	<5
92H16	L4+00E	3+25N	8424	18	82	9	<0.2	<5
92H16	L4+00E	3+50N	8424	18	82	9	<0.2	<5
92H16	L4+00E	3+75N	8424	21	112	10	<0.2	<5
92H16	L4+00E	4+00N	8424	15	101	9	0.2	<5
92H16	L4+00E	4+25N	8424	18	241	9	0.2	<5
92H16	L4+00E	4+50N	8424	20	257	21	<0.2	<5
92H16	L4+00E	4+75N	8424	16	163	15	<0.2	<5
92H16	L4+00E	5+00N	8424	21	177	14	0.2	<5
92H16	L4+00E	5+00N*	8424	20	173	15	0.2	<5
92H16	L4+00E	5+25N	8424	18	122	9	<0.2	<5
92H16	L4+00E	5+50N	8424	8	70	7	<0.2	<5
92H16	L4+00E	5+75N	8424	11	85	8	<0.2	<5
92H16	L4+00E	6+00N	8424	9	82	6	<0.2	<5
92H16	L4+00E	6+25N	8424	10	45	6	<0.2	<5
92H16	L4+00E	6+50N	8424	9	82	8	<0.2	<5
92H16	L4+00E	6+75N	8424	7	63	8	<0.2	<5
92H16	L4+00E	7+00N	8424	11	46	11	<0.2	<5
92H16	L4+00E	7+25N	8424	13	58	13	<0.2	<5
92H16	L4+00E	7+25N*	8424	13	60	14	<0.2	<5
92H16	L4+00E	7+50N	8424	15	58	14	<0.2	<5
92H16	L4+00E	7+75N	8424	19	47	10	<0.2	<5
92H16	L4+00E	8+00N	8424	16	90	8	<0.2	<5
92H16	L4+00E	8+25N	8424	18	80	9	<0.2	<5
92H16	L4+00E	8+50N	8424	16	84	9	<0.2	<5
92H16	L4+00E	8+75N	8424	18	53	7	<0.2	<5
92H16	L4+00E	9+00N	8424	50	45	10	0.3	<5
92H16	L4+00E	9+25N	8424	18	72	8	<0.2	<5
92H16	L4+00E	9+50N	8424	17	97	8	0.3	<5
92H16	L4+00E	9+50N*	8424	17	96	10	0.3	<5
92H16	L4+00E	9+75N	8424	19	83	9	0.2	<5
92H16	L4+00E	10+00N	8424	14	92	9	<0.2	<5
92H16	L4+00E	10+25N	8424	21	84	9	<0.2	<5
92H16	L4+00E	10+50N	8424	15	83	7	<0.2	15
92H16	L4+00E	10+75N	8424	12	87	8	<0.2	<5
92H16	L4+00E	11+00N	8424	14	80	8	<0.2	<5
92H16	L4+00E	11+25N	8424	14	82	8	<0.2	<5
92H16	L4+00E	11+50N	8424	17	85	9	<0.2	<5
92H16	L4+00E	11+75N	8424	15	88	9	<0.2	<5
test	STD P	8424	127	90	106	1.4		
92H16	L4+00E	12+00N	8424	17	36	7	<0.2	<5
92H16	L4+00E	12+25N	8424	18	45	7	<0.2	<5
92H16	L4+00E	12+50N	8424	36	46	10	<0.2	<5
92H16	L4+00E	12+75N	8424	46	58	8	0.3	<5
92H16	L4+00E	13+00N	8424	21	45	7	<0.2	<5
92H16	L4+00E	13+25N	8424	22	50	7	<0.2	<5
92H16	L4+00E	13+50N	8424	23	67	8	<0.2	<5
92H16	L4+00E	13+75N	8424	20	55	7	<0.2	<5
92H16	L4+00E	14+00N	8424	20	56	8	<0.2	<5

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM V232 SPRING

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L4+00E	14+00N*	8424	20	56	9	<0.2	<5
92H16	L4+00E	14+25N	8424	21	70	5	<0.2	<5
92H16	L4+00E	14+50N	8424	23	54	5	0.2	<5
92H16	L4+00E	14+75N	8424	22	55	8	<0.2	<5
92H16	L4+00E	15+00N	8424	11	48	6	<0.2	<5
92H16	L4+00E	0+25S	8424	8	38	6	<0.2	<5
92H16	L4+00E	2+00S	8424	9	40	6	<0.2	<5
92H16	L4+00E	2+25S	8424	11	61	6	<0.2	<5
92H16	L4+00E	2+50S	8424	10	51	7	<0.2	<5
92H16	L4+00E	2+75S	8424	23	117	24	<0.2	<5
92H16	L4+00E	2+75S*	8424	23	116	23	<0.2	<5
92H16	L4+00E	3+00S	8424	11	63	12	<0.2	<5
92H16	L4+00E	3+25S	8424	10	46	6	<0.2	<5
92H16	L4+00E	3+50S	8424	8	38	5	<0.2	<5
92H16	L4+00E	3+75S	8424	8	36	6	<0.2	<5
92H16	L4+00E	4+00S	8424	19	63	7	<0.2	<5
92H16	L4+00E	4+25S	8424	100	170	16	0.7	10
92H16	L4+00E	4+50S	8424	21	74	9	0.2	<5
92H16	L4+00E	4+75S	8424	38	58	10	0.4	<5
92H16	L4+00E	5+00S	8424	22	44	7	<0.2	<5
92H16	L4+00E	5+00S*	8424	23	45	8	<0.2	<5
92H16	L4+00E	5+25S	8424	16	64	8	<0.2	<5
92H16	L4+00E	5+50S	8424	17	68	10	<0.2	<5
92H16	L4+00E	5+75S	8424	16	72	8	<0.2	<5
92H16	L4+00E	6+00S	8424	14	54	5	<0.2	<5
92H16	L4+00E	6+25S	8424	30	86	11	0.2	<5
92H16	L4+00E	6+50S	8424	22	85	11	<0.2	<5
92H16	L4+00E	6+75S	8424	11	96	7	0.2	<5
92H16	L4+00E	7+00S	8424	16	126	9	0.2	<5
92H16	L4+00E	7+25S	8424	20	370	18	0.4	<5
92H16	L4+00E	7+25S*	8424	20	380	18	0.4	<5
92H16	L4+00E	7+50S	8424	12	390	30	0.4	<5
92H16	L4+00E	7+75S	8424	27	203	29	0.5	<5
92H16	L4+00E	8+00S	8424	12	136	31	0.2	<5
92H16	L4+00E	8+25S	8424	15	183	10	0.4	<5
92H16	L4+00E	8+50S	8424	10	105	8	0.3	<5
92H16	L4+00E	8+75S	8424	8	155	9	0.3	<5
92H16	L4+00E	9+00S	8424	15	106	8	0.2	15
92H16	L4+00E	9+25S	8424	11	85	8	<0.2	<5
92H16	L4+00E	9+50S	8424	27	175	13	0.3	<5
test	STD P	8424	130	97	110	1.6		
92H16	L4+00E	9+75S	8424	12	129	10	0.2	<5
92H16	L4+00E	10+00S	8424	10	102	12	0.2	<5
92H16	L4+00E	10+25S	8424	10	142	10	0.2	<5
92H16	L4+00E	10+50S	8424	9	103	9	<0.2	<5
92H16	L4+00E	10+75S	8424	22	107	12	1.2	<5
92H16	L4+00E	11+00S	8424	20	112	12	1.0	<5
92H16	L4+00E	11+25S	8424	14	135	11	0.3	<5
92H16	L4+00E	11+50S	8424	10	240	10	0.5	<5
92H16	L4+00E	11+75S	8424	16	180	11	0.2	<5
test	STD P	8424	125	100	100	1.5		
92H16	L4+00E	12+00S	8424	10	147	7	0.2	<5
92H16	L4+00E	12+25S	8424	14	200	12	0.3	<5
92H16	L4+00E	12+50S	8424	11	145	10	0.3	<5
92H16	L4+00E	12+75S	8424	14	92	10	0.2	<5
92H16	L4+00E	13+00S	8424	27	126	14	<0.2	<5
92H16	L4+00E	13+25S	8424	11	178	18	0.2	20
92H16	L4+00E	13+50S	8424	14	134	11	0.2	<5
92H16	L4+00E	13+75S	8424	14	123	8	0.5	<5
92H16	L4+00E	14+00S	8424	9	153	9	0.4	<5

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM V232 SPRING

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L4+00E	14+00S*	8424	8	150	9	0.5	<5
92H16	L4+00E	14+25S	8424	9	175	8	0.3	<5
92H16	L4+00E	14+50S	8424	13	183	13	0.2	<5
92H16	L4+00E	14+75S	8424	51	153	18	1.6	<5
92H16	L4+00E	15+00S	8424	61	154	20	2.0	<5
92H16	L4+00E	15+25S	8424	70	283	24	1.6	<5
92H16	L4+00E	15+50S	8424	70	340	30	2.3	<5
92H16	L4+00E	15+75S	8424	95	500	41	2.8	<5
92H16	L4+00E	16+00S	8424	55	540	40	2.5	10
92H16	L4+00E	16+25S	8424	11	122	18	0.4	<5
92H16	L4+00E	16+25S*	8424	8	126	18	0.3	<5
92H16	L4+00E	16+50S	8424	10	160	13	0.3	<5
92H16	L4+00E	16+75S	8424	9	163	12	0.4	<5
92H16	L4+00E	17+00S	8424	7	150	9	0.3	15
92H16	L4+00E	17+25S	8424	8	163	13	0.4	5
92H16	L4+00E	17+50S	8424	12	210	16	0.3	<5
92H16	L4+00E	17+75S	8424	11	195	14	0.3	15
92H16	L4+00E	18+00S	8424	8	162	13	0.3	<5
92H16	L4+00E	18+25S	8424	7	310	14	0.4	20
92H16	L4+00E	18+50S	8424	8	200	12	0.3	<5
92H16	L4+00E	18+50S*	8424	8	200	11	0.3	<5
92H16	L4+00E	18+75S	8424	6	203	15	0.3	<5
92H16	L4+00E	19+00S	8424	10	480	30	<0.2	<5
92H16	L4+00E	19+25S	8424	28	372	93	1.1	<5
92H16	L4+00E	19+50S	8424	14	110	32	0.2	<5
92H16	L4+00E	19+75S	8424	19	230	34	0.3	<5
92H16	L4+00E	20+00S	8424	14	231	32	0.2	<5
92H16	L4+00W	27+25N	8424	13	70	7	<0.2	<5
92H16	L4+00W	27+50N	8424	11	35	8	<0.2	<5
92H16	L4+00W	27+75N	8424	24	52	8	<0.2	<5
92H16	L4+00W	27+75N*	8424	22	50	6	<0.2	<5
92H16	L4+00W	28+00N	8424	20	75	7	<0.2	<5
92H16	L4+00W	28+25N	8424	22	43	7	<0.2	10
92H16	L4+00W	28+50N	8424	27	52	8	<0.2	5
92H16	L4+00W	28+75N	8424	42	63	8	<0.2	5
92H16	L4+00W	29+00N	8424	28	53	6	0.2	<5
92H16	L4+00W	29+25N	8424	26	91	8	0.2	<5
92H16	L4+00W	29+50N	8424	25	58	6	<0.2	<5
92H16	L4+00W	29+75N	8424	30	77	7	<0.2	140
92H16	L4+00W	30+00N	8424	22	72	7	<0.2	<5
test	STD P	8424	125	100	104	1.3		
92H16	L4+00W	30+25N	8424	27	83	7	<0.2	<5
92H16	L4+00W	30+50N	8424	22	57	6	<0.2	<5
92H16	L4+00W	30+75N	8424	23	52	6	<0.2	<5
92H16	L4+00W	31+00N	8424	27	57	6	<0.2	<5
92H16	L4+00W	31+25N	8424	28	71	6	<0.2	10
92H16	L4+00W	31+50N	8424	26	51	4	<0.2	<5
92H16	L4+00W	31+75N	8424	28	72	8	<0.2	10
92H16	L4+00W	32+00N	8424	20	46	5	<0.2	10
92H16	L4+00W	32+25N	8424	20	38	6	<0.2	15
92H16	L4+00W	32+25N*	8424	20	36	5	<0.2	15
92H16	L4+00W	32+50N	8424	44	56	8	<0.2	<5
92H16	L4+00W	32+75N	8424	20	47	5	<0.2	<5
92H16	L4+00W	33+00N	8424	21	45	6	<0.2	<5
92H16	L4+00W	33+25N	8424	60	70	10	0.2	<5
92H16	L4+00W	33+50N	8424	28	45	6	<0.2	<5
92H16	L4+00W	33+75N	8424	22	41	7	<0.2	<5
92H16	L4+00W	34+00N	8424	25	61	7	<0.2	<5
92H16	L4+00W	34+25N	8424	25	50	7	<0.2	<5
92H16	L4+00W	34+50N	8424	24	47	8	<0.2	<5

PLACER GEOCHEM ASSAY SYSTEM: DATA FROM V232 SPRING

GRID	SAMPLE	PROJECT	CU	ZN	PB	AG	AU1	
92H16	L4+00W	34+50N*	8424	24	44	8	<0.2	<5
92H16	L4+00W	34+75N	8424	20	57	6	0.2	10
92H16	L4+00W	35+00N	8424	58	83	8	0.6	<5
92H16	L4+00W	35+00N*	8424	NSS	NSS	NSS	NSS	<5
test	STD AU	8424						385
test	STD AU	8424						390
test	STD AU	8424						390
test	STD AU1	8424						530
test	STD AU1	8424						480
test	STD AU1	8424						440
test	STD AU1	8424						560
test	STD AU1	8424						500
test	STD AU1	8424						555
test	STD AU1	8424						585
test	STD AU1	8424						650
test	STD AU1	8424						500
test	STD AU1	8424						620
test	STD AU1	8424						595
test	STD AU1	8424						565
test	STD AU1	8424						570
test	STD AU1	8424						600
test	STD AU1	8424						510

END OF LISTING - 742 RECORDS PRINTED
 GCLIST RUN AT: 13:45:10

PLACER DEVELOPMENT LIMITED: GEOCHEM ASSAY SYSTEM

Following elements needed some values adjusted:

ELEMENT	NSS	LOW	HI	%	BLNK	NVAL
AG	0	326	0	0	0	651
AU1	0	569	0	0	0	651

91 records skipped: tests, duplicate analyses

SUMMARY OF GEOCHEM DATA: V232 SPRING

ITEM	# VALUES	MISSING	MINIMUM	MAXIMUM	AVERAGE	STD. DEV.
GRID	651	0	92H16	92H16		
SAMP	651	0	B/L	L4+00W		
PROJ	651	0	8424	8424		
AG	651	0	0.10	3.00	0.23	0.28
AU1	651	0	2.50	525.00	4.99	22.00
CU	651	0	3.00	117.00	17.99	11.84
PB	651	0	2.00	470.00	15.55	27.47
ZN	651	0	35.00	1180.00	144.97	160.82

END OF GCHSCAN: DATE: 88:11:22 time: 13:45:10 651 RECORDS PROCESSED