

BASE LINE

BARITE HORIZON

CIRQUE CREEK

KILL ZONE
Pb-Zn Barite
Talus

GOSSAN

FAULT

FAULT

CIRQUE 1
35829

CIRQUE 2
35830

CIRQUE 5
35833

CIRQUE 4
35832

RECORD No
679

RECORD No
686

POSSIBLE WESTERN
MARGIN OF
BARITE-SULPHIDE
DEPOSIT


DRILL HOLE COMPLETED

" " IN PROGRESS

" " PROPOSED

Pb-Zn-Ba DDH INTERSECTION

Ass. Rpt. #7579 (1979)



CYPRUS ANVIL
GATAGA
881777 CIRQUE
OMINECA M
DRILL

N.T.S. 94-F-11
SURVEY BY: WR

GEOCHEMICAL LOG

Acme Analytical Laboratories Ltd.

<u>Sample No.</u>	<u>From</u>	<u>To</u>	<u>Int.</u>	<u>Calc. True Thick.</u>	<u>Ag GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>Ba %</u>	<u>Unit</u>
GC9 R- 1	30.5	31.7	1.2		6.5	0.56	2.88	3.44	0.03	
R- 2	32.8	33.5	0.7		4.1	0.49	2.25	2.74	0.01	
R- 3	33.8	34.5	0.7		5.8	0.44	2.95	3.39	0.02	
R- 4	36.0	36.3	0.3		6.9	0.46	3.40	3.86	0.02	
R- 5	37.5	39.0	1.5		4.5	0.39	2.02	2.41	0.02	
R- 6	44.2	46.0	1.8		11.0	0.95	4.80	5.75	0.15	
R- 7	59.4	60.0	0.6		51.1	2.35	9.75	12.10	7.50	
R- 8	60.0	62.8	2.8		28.1	1.80	5.35	7.15	45.80	
R- 9	62.8	63.7	0.9		83.0	3.24	8.65	11.89	27.50	
R-10	63.7	65.8	2.1		31.5	1.05	5.60	6.65	38.20	
R-11	65.8	67.8	2.0		71.3	3.92	11.10	15.02	13.30	
R-12	67.8	71.6	3.8		32.9	2.00	5.58	7.58	37.50	
R-13	71.6	75.8	4.2		74.7	4.22	12.80	17.02	25.40	
R-14	75.8	78.6	2.8		34.6	3.02	6.85	9.87	40.10	
R-15	78.6	81.7	3.1		30.5	2.30	5.75	8.05	43.00	
R-16	81.7	84.7	3.0		15.4	1.34	4.90	6.24	36.10	
R-17	84.7	87.8	3.1		39.4	1.58	7.42	9.00	38.50	
R-18	87.8	90.6	2.8		17.8	0.33	5.50	5.83	42.10	

BEST SECTION:

(including)	59.4	90.6	31.2		41.0	2.20	7.30	9.50		
	59.4	75.8	16.4		50.0	2.70	8.30	11.00		

GEOCHEMICAL LOG

Acme Analytical Laboratories Ltd.

<u>Sample No.</u>	<u>From</u>	<u>To</u>	<u>Int.</u>	<u>Calc. True Thick.</u>	<u>Ag GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>Ba %</u>	<u>Unit</u>
GC9 R-19	36.7	37.8	1.1		7.9	0.54	2.86	3.40	0.42	
R-47	38.9	39.9	1.0		4.5	0.26	2.70	2.96	0.02	
R-48	40.8	42.7	1.9		7.0	0.45	2.56	3.01	0.02	
R-20	57.0	60.1	3.1		13.4	1.50	7.80	9.30	5.32	
R-21	60.1	61.3	1.2		28.5	1.48	4.70	6.18	8.90	
R-22	64.3	67.4	3.1		21.6	2.58	3.42	6.00	41.50	
R-23	67.4	69.8	2.4		44.6	2.40	7.12	9.52	28.60	
R-24	69.8	72.9	3.1		19.9	0.73	4.62	5.35	45.30	
R-25	72.9	75.6	2.7		32.2	2.00	4.95	6.95	36.50	
R-26	75.6	78.6	3.0		58.3	1.98	9.40	11.38	30.60	
R-27	78.6	80.2	1.6		89.8	5.10	14.20	19.30	18.70	
R-28	80.2	83.5	3.3		42.2	3.22	6.30	9.52	37.10	
R-29	83.5	86.9	3.4		68.9	3.18	7.65	10.83	37.20	
R-30	86.9	88.7	1.8		40.8	3.08	6.44	9.52	37.00	
R-31	88.7	89.3	0.6		72.7	4.75	7.96	12.71	3.38	

BEST SECTION:

(including)	64.3	89.3	25.0		45.0	2.60	6.80	9.40		
	75.6	89.3	13.7		59.0	3.20	8.30	11.30		

GEOCHEMICAL LOG

Acme Analytical Laboratories Ltd.

Sample No.	From	To	Int.	Calc. True Thick.	Ag GMS/MT	Pb %	Zn %	Pb+Zn %	Ba %	Unit
GC9 R-32	133.8	134.9	1.1		11.0	1.12	6.70	7.82	6.80	
R-33	134.9	138.1	3.2		20.2	2.42	5.55	7.97	40.50	
R-34	138.1	141.1	3.0		26.4	2.80	2.98	5.78	41.50	
R-35	144.5	147.8	3.3		48.7	3.26	8.10	11.36	30.10	
R-36	147.8	150.3	2.5		20.6	3.30	3.46	6.76	36.50	
R-37	150.3	152.7	2.4		34.3	2.72	7.65	10.37	29.60	
R-38	152.7	153.9	1.2		14.7	2.45	2.90	5.35	35.20	
R-39	153.9	157.0	3.1		43.5	2.90	7.65	10.55	31.80	
R-40	157.0	160.0	3.0		62.4	2.85	9.04	11.89	28.00	
R-41	160.0	163.1	3.1		112.4	5.75	14.15	19.90	29.70	
R-42	163.1	164.9	1.8		83.0	5.20	13.30	18.50	24.20	
R-43	164.9	166.7	1.8		107.0	5.60	8.48	14.08	30.60	
R-44	166.7	168.7	2.0		40.5	2.75	5.00	7.75	38.60	
R-45	168.7	170.1	1.4		145.7	4.92	14.90	19.82	16.80	
R-46	170.1	171.9	1.8		106.3	2.45	16.20	18.65	14.30	

BEST SECTIONS:

(including)	144.5	171.9	27.4		66.0	3.60	9.20	12.80		
	153.9	171.9	18.0		83.0	4.00	10.80	14.80		

CYPRUS ANVIL MINING CORPORATION

Page 1 of 1

79-C-04GEOCHEMICAL LOG

Acme Analytical Laboratories Ltd.

<u>Sample No.</u>	<u>From</u>	<u>To</u>	<u>Int.</u>	<u>Calc. True Thickness</u>	<u>Ag GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>Ba %</u>	<u>Unit</u>
GC9 R-49	284.7	285.4	0.7		6.0	0.35	1.96	2.31	0.03	
R-50	288.6	289.2	0.6		6.0	0.34	1.60	1.94	0.03	
R-51	294.0	295.5	1.5		31.5	2.78	4.88	7.66	40.50	
R-52	295.9	297.9	2.0		29.5	1.96	6.10	8.06	39.20	
R-53	298.2	298.8	0.6		45.5	1.52	6.05	7.57	29.00	
R-54	298.8	301.1	2.3		26.0	2.80	3.92	6.72	38.20	
R-55	301.1	303.3	2.2		31.5	2.12	4.60	6.72	39.80	
R-56	306.5	308.2	1.7		76.0	4.20	11.40	15.60	25.40	
R-57	308.2	309.7	1.5		30.5	2.26	3.45	5.71	39.10	
R-58	309.7	311.2	1.5		73.0	3.32	10.60	13.92	22.20	
R-59	311.2	313.2	2.0		31.0	2.02	5.70	7.72	43.10	
R-60	314.2	316.1	1.9		59.0	3.28	7.75	11.03	32.80	
R-61	316.1	317.9	1.8		61.5	2.50	8.15	10.65	27.80	
R-62	317.9	320.3	2.4		50.0	2.34	5.05	7.39	36.70	
R-63	320.3	322.5	2.2		37.5	2.25	7.50	9.75	38.80	
R-64	322.5	324.6	2.1		37.5	3.15	6.15	9.30	42.00	
R-65	324.6	326.4	1.8		37.5	3.30	5.90	9.20	41.80	
R-66	326.4	328.0	1.6		126.0	7.05	18.50	25.55	17.70	
R-67	328.0	330.4	2.4		39.0	3.22	7.60	10.82	40.20	
R-68	330.4	332.5	3.1		65.5	3.90	10.40	14.30	34.80	

BEST SECTION:

(including)	306.5	332.5	26.0		52.0	3.00	7.80	10.80		
	326.4	332.5	6.1		71.0	4.50	11.40	15.90		

GEOCHEMICAL LOG

Acme Analytical Laboratories Ltd.

<u>Sample No.</u>	<u>From</u>	<u>To</u>	<u>Int.</u>	<u>Calc. True Thick.</u>	<u>Ag GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>Ba %</u>	<u>Unit</u>
GC9 R- 69	203.3	204.2	0.9		38.0	2.24	6.25	8.49	24.50	
R- 70	207.7	208.9	1.2		47.5	1.30	8.10	9.40	3.85	
R- 71	208.9	212.1	3.2		92.0	3.50	11.60	15.10	5.20	
R- 72	212.1	214.7	2.6		92.5	3.86	14.80	18.66	3.75	
R- 73	214.7	217.0	2.3		46.0	1.52	7.45	8.97	33.40	
R- 74	217.0	219.5	2.5		27.5	1.64	5.74	7.38	39.20	
R- 75	219.5	221.3	1.8		26.0	0.40	4.75	5.15	35.60	
R- 76	221.3	222.5	1.2		12.5	0.45	3.16	3.61	41.40	
R- 77	222.5	224.2	1.7		46.5	1.52	11.70	13.22	32.50	
R- 78	224.2	225.1	0.9		88.5	0.38	9.80	10.18	6.85	
R- 80	225.9	227.4	1.5		65.0	2.23	11.80	14.03	19.80	
R- 81	227.4	228.9	1.5		70.5	2.75	12.40	15.15	16.20	
R- 83	230.8	233.2	2.4		106.0	4.65	13.80	18.45	18.30	
R- 84	233.2	235.9	2.7		71.5	6.05	13.40	19.45	22.00	
R- 85	235.9	238.0	2.1		118.0	2.48	14.40	16.88	16.20	
R- 86	238.0	239.6	1.6		104.0	7.25	12.30	19.55	20.60	
R- 87	239.6	241.8	2.2		86.0	6.68	13.10	19.78	26.80	
R- 88	241.8	243.2	1.4		101.0	4.28	12.20	16.48	17.30	
R- 89	243.2	244.8	1.6		86.5	3.40	12.60	16.00	24.40	
R- 90	244.8	247.2	2.4		28.5	1.75	6.80	8.55	43.20	
R- 91	247.2	249.9	2.7		30.0	1.12	6.25	7.37	41.10	
R- 92	249.9	252.5	2.6		17.5	0.44	5.56	6.00	41.00	
R- 93	252.5	255.0	2.5		18.5	0.32	5.06	5.38	44.80	
R- 94	255.0	257.6	2.6		20.5	0.70	4.88	5.58	45.10	
R- 96	257.9	260.5	2.6		27.0	1.48	6.50	7.98	39.50	

GEOCHEMICAL LOG

Acme Analytical Laboratories Ltd.

<u>Sample No.</u>	<u>From</u>	<u>To</u>	<u>Int.</u>	<u>Calc. True Thick.</u>	<u>Ag GMS/MT</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb+Zn %</u>	<u>Ba %</u>	<u>Unit</u>
GC9 R- 98	260.9	261.8	0.9		76.5	0.98	7.86	8.84	10.60	
R- 99	261.8	263.3	1.5		29.0	2.36	6.02	8.38	45.80	
R-100	263.3	263.7	0.4		58.5	0.33	6.60	6.93	6.10	
R-101	263.7	265.2	1.5		28.0	1.23	6.12	7.35	45.20	
R-102	265.2	267.2	2.0		40.0	1.50	8.20	9.70	45.20	
R-103	267.2	267.6	0.4		32.5	0.55	5.12	5.67	19.50	

BEST SECTIONS:

207.7 -	267.6	59.9		52.7	2.29	8.61	10.90			
(which includes)										
222.5	244.8	22.3		75.9	3.63	11.22	14.85			
(which includes)										
230.8	244.8	14.0		95.1	5.03	13.23	18.27			