

use this,

82E/11E

000946

DOE, IVY

82E/NW-36

Schedule - Lithology

Carmi Property, Greenwood Mining Division
Vestor Explorations Ltd.

Molybdenite occurs in a gneissic-granodiorite breccia. Most of the molybdenite in the E Zone is disseminated throughout the breccia fragments as well developed rosettes. The breccia consists of very angular fragments of granodiorite gneiss. There is considerable rotation between fragments - all the matrix consists primarily of quartz or quartz-feldspar. Minor amounts of MoS_2 , pyrite occur in the matrix. Minor chalcopyrite occurs with the molybdenite.

Uraninite occurs somewhat sporadically. (The uraninite was identified at the University of Alberta by X-Ray Diffraction). As with the molybdenite, it occurs principally as small grains disseminated through the granodiorite. Uraninite is always accompanied by purple fluorite (while the converse is not true). Only one radioactive section has been assayed, which graded a lb/ton U_3O_8 over 35 feet. ~~The occurrence has been reported to the~~
A.E.C.

(A map of drill hole locations and most of the assay results are appended.)

Schedule of Previous Work Done
Carmi Property, Greenwood Mining Division
Vestor Explorations Ltd.

<u>Year</u>	<u>Operator</u>	<u>Reference</u>
1961	Kennco Explorations, (Western) Ltd.	Preliminary Report on 1961 Geochemical & Geological Work, FAN Claims by P.E. Hirst (Kennco) Minister of Mines, B.C. Annual Report 1962 - P.68.
1965	Kennco Explorations, (Western) Ltd.	Progress Report on Diamond Drilling DOE Claims 1 - 4. R.W. Stevenson (Kennco)
1970	International Minerals & Chemical Corporation (Canada) Ltd.	B.C. Minister of Mines Annual Report 1970 - P. 408.
1971	Husky Oil Ltd.-G.V.Lloyd Exploration	B.C. Minister of Mines Annual Report 1971 - P. 386
1974	Vestor Explorations Ltd.	Diamond Drilling Report Geochemical Report - submitted as assessment -September, 1974

12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

Hole #	Angle	Total Depth	Mineralized Intersection	Length	Average Grade MoS ₂
DDH 6	90°	415'	11 - 380 Incl. 335 - 375	369' 40'	0.12% 0.33%
DDH 7	90°	350'	0 - 320 Incl. 0 - 55	320' 55'	0.18% 0.31%
DDH 8	90°	375'	30 - 345 Incl. 240 - 340 Incl. 305 - 340	315' 100' 35'	0.16% 0.27% (1 lb/ton U ₃ O ₈)
DDH 9	90°	455'	6 - 415	409'	0.08%
DDH 10	90°	365'	46 - 345 Incl. 115 - 195	299' 80'	0.12% 0.24%
DDH 11	90°	273'	12 - 215 Incl. 12 - 130	203' 118'	0.23% 0.33%
DDH 12	90°	442'	7 - 410 Incl. 340 - 395	403' 55'	0.20% 0.44%
DDH 13	90°	265'	25 - 75	50'	0.04%
DDH 14	90°	278'	Very low grade		
DDH 15	90°	204'	39 - 139 Incl. 73 - 108	100' 35'	0.20% 0.26%
DDH 16	90°	240'	15 - 120	105'	0.05%
DDH 17	90°	555'	3 - 135 Incl. 85 - 130	132' 45'	0.15% 0.25%



Hole #	Total Depth	Mineralized Intersection	Length	Average Grade % MoS ₂
<u>'E' Zone</u>				
P1	100'	4 - 100 Incl. 30 - 50	96' 20'	0.08 0.20
P4	300'	40 - 70	30'	0.06
P6	300'	30 - 130	100'	0.04
P7	100'	6 - 100	94'	0.10
P9	400'	52 - 400*	348'	0.06
P11	360'	260 - 320	60'	0.11
P13	400'	30 - 400* Incl. 140 - 280	360' 140'	0.15 0.24
P18	400'	40 - 400*	360'	0.06
P22	400'	20 - 400*	380'	0.03
P23	350'	100 - 350*	250'	0.16

Hole #	Total Depth	Mineralized Intersection	Length	Average Grade % MoS ₂
P24	350'	80 - 200	120'	0.03
P27	390'	280 - 390*	110'	0.03
P29	350'	20 - 160 160 - 350*	140' 190'	0.03 0.09
P30	350'	0 - 350*	350'	0.03
P31	400'	200 - 300	100'	0.03
<u>Lake Zone</u>				
P32	150'	20 - 150 Incl. 80 - 150	130' 70'	0.17 0.24
P33	400'	20 - 400* Incl. 20 - 200	380' 180'	0.18 0.26

* Hole terminated in mineralization
All holes are drilled vertically



- V7 Diamond Drill Hole - Vestor
- P5 Percussion Drill Hole - Vestor
- × P32 Percussion Drill Hole - Granby



VESTOR EXPLORATIONS LTD.
DRILL HOLE LOCATIONS
C.C.M.I., B.C.
SCALE 0 400 800 FEET
Dec 4, 1974