





# Correspondence/Notes

CIM District 6 Oct 86

86/10/04

Willa

Len Warner

Northan / BP / Rio [Cornex]  
Peaks 7000'

In roof pendant in Nelson batholith (⊕ Monz → Ad)  
→ Kspar Ppy  
Rossland Volcs? Jurassic - aug ppy, seds minor

Slocan Lk flt - no

Horseshoe  $\exists$  rx to W / younger to East

shallow E-dipping

Breccia  
menzja host  
'oval'

cut by plug of younger



fs ppy (cuts QLP)

no qtz eyes

fs ppy mainly post-Bx


Clasts <sup>QCP</sup> ppy + volc CR  
often w rx rims

Sulphides <sup>py</sup> / pyrroho / cpy in matrix  $\neq$   
Pr cuted (is the matrix in places)  
also anhydrite mt hematite (local)  
'pale lavender'





Decline driven - 973m (including cross cut ~~100~~<sup>90</sup>m)  
 underground drilling



Ratios Cu/Cu/Ag  
 Sometimes correlate  
 Cu/au ratio fairly constant

Reserves • 56 MT @ 6.25 g/T au  
 • 9490 Cu  
 13.45/T Ag | old BP data -  
 new work added  
 to the reserves

Expln to East - features - fault  
 discovered - fairly major offset?

Drill core give signif. lower assay values than  
 assay from underground work.