




LEGEND

- LEUCO QUARTZ MONZONITE: mg, 10-25% quartz, locally porphyritic plagioclase, 5% mafics, as both replaced pyroxene? and mafic clots; traces hematite, pyrite; locally garnetiferous near contacts
- FELSIC SERIES - Type I - f-mg andesite, 40-60% chlorite with 6"-2' interbeds pale green metadiorite - metasilstone, minor pyroxene
- FELSIC SERIES - undifferentiated - well bedded reddish black cherty argillite, white to yellow green pyritic rhyolite, turf; possible thin rhyolite flows; local occurrence of rhyolite breccia (see maps); patchy massive sulfides Fe-Py-Cp-Sphal. 6"-6' thick
- ANDESITE - TYPE II - m-cg andesite; 40-60% chlorite; 1-2% disseminated Py; no interbeds observed.
- METASEDIMENTS - interbedded grey to black argillite and quartzite
- QUARTZ MONZONITE
- GEOLOGICAL CONTACT
- ASSUMED GEOLOGICAL CONTACT
- CLIFF FACE (down direction on spiked side)
- STREAM AND FLOW DIRECTION
- MINERALIZATION
- ADIT



CANADIAN SUPERIOR EXPLORATION LIMITED  
 COPPER CLIFF PROSPECT  
**PROPERTY FILE**  
 GEOLOGY MAP  
 FIGURE 2    OCT. 76    DWG. D. RAE

N.T.S.

SCALE 1"=100'

004361