

004491

THIS PROSPECTUS CONSTITUTES A PUBLIC OFFERING OF THESE SECURITIES ONLY IN THOSE JURISDICTIONS IN WHICH THIS PROSPECTUS HAS BEEN ACCEPTED FOR FILING AND THEREIN ONLY BY PERSONS PERMITTED TO SELL SUCH SECURITIES.

NO SECURITIES COMMISSION OR SIMILAR AUTHORITY IN CANADA HAS IN ANY WAY PASSED UPON THE MERITS OF THE SECURITIES OFFERED HEREUNDER AND ANY REPRESENTATION TO THE CONTRARY IS AN OFFENCE.

NEW ISSUE

DATED: APRIL 13TH, 1988

A.L.  
PROPERTY FILE - 05  
Bel 102 82LSE054

HIGHGRADE VENTURES LTD.  
(the "Company")  
401 - 535 Howe Street  
Vancouver, B.C.

PUBLIC OFFERING

350,000 Common Shares Without Par Value

	Price to Public	Commission	Net Proceeds to be Received by Company (1)
Per Share	\$0.35	\$0.05	\$0.30
Total	\$122,500.00	\$17,500.00	\$105,000.00

(1) Before deduction of the costs of the Issue, estimated at \$10,000.

A PURCHASE OF THE SECURITIES OFFERED BY THIS PROSPECTUS MUST BE CONSIDERED AS SPECULATION. ALL OF THE PROPERTIES IN WHICH THE COMPANY HAS AN INTEREST ARE IN THE EXPLORATION AND DEVELOPMENT STAGE ONLY AND ARE WITHOUT A KNOWN BODY OF COMMERCIAL ORE. SEE ALSO "RISK FACTORS" ON PAGE 5.

THE SALE OF SECURITIES OFFERED BY THIS PROSPECTUS IS ON A BEST EFFORTS BASIS.

THERE IS NO MARKET THROUGH WHICH THESE SECURITIES MAY BE SOLD.

THE VANCOUVER STOCK EXCHANGE HAS CONDITIONALLY LISTED THE SECURITIES BEING OFFERED PURSUANT TO THIS PROSPECTUS. LISTING IS SUBJECT TO THE COMPANY FULFILLING ALL THE LISTING REQUIREMENTS OF THE VANCOUVER STOCK EXCHANGE ON OR BEFORE OCTOBER 18TH, 1988, INCLUDING PRESCRIBED DISTRIBUTION AND FINANCIAL STATEMENTS.

NO PERSON IS AUTHORIZED BY THE COMPANY TO PROVIDE ANY INFORMATION OR TO MAKE ANY REPRESENTATION OTHER THAN THOSE CONTAINED IN THIS PROSPECTUS IN CONNECTION WITH THE ISSUE AND SALE OF THE SECURITIES OFFERED BY THE COMPANY.

UPON COMPLETION OF THIS OFFERING, THIS ISSUE WILL REPRESENT 23.26% OF THE SHARES THEN OUTSTANDING AS COMPARED TO 54.82% THAT WILL THEN BE OWNED BY THE DIRECTORS, PROMOTERS AND SENIOR OFFICERS OF THE COMPANY. REFER TO THE HEADING "PRINCIPAL HOLDERS OF SECURITIES" ON PAGE 11 HEREIN FOR DETAILS OF SHARES HELD BY DIRECTORS AND PROMOTERS.

ONE OR MORE OF THE DIRECTORS OF THE ISSUER HAS AN INTEREST, DIRECT OR INDIRECT IN OTHER NATURAL RESOURCE COMPANIES. REFERENCE SHOULD BE MADE TO THE ITEM "RISK FACTORS" ON PAGE 5 FOR A COMMENT AS TO THE RESOLUTION OF POSSIBLE CONFLICTS OF INTEREST.

THE SHARES OFFERED UNDER THIS PROSPECTUS WILL BE SUBJECT TO A DILUTION OF \$0.21 PER SHARE (60%).

THIS OFFERING IS SUBJECT TO A MINIMUM SUBSCRIPTION BEING RECEIVED BY THE ISSUER WITHIN 180 DAYS OF THE EFFECTIVE DATE OF APRIL 21ST, 1988. FURTHER PARTICULARS OF THE MINIMUM SUBSCRIPTION ARE DISCLOSED ON PAGE 5 UNDER THE CAPTION "USE OF PROCEEDS".

THE PRICE OF THIS OFFERING WAS DETERMINED BY NEGOTIATION BETWEEN THE COMPANY AND THE AGENT.

WE, AS AGENT, CONDITIONALLY OFFER THESE SECURITIES SUBJECT TO PRIOR SALE, IF, AS AND WHEN ISSUED BY THE COMPANY AND ACCEPTED BY US IN ACCORDANCE WITH THE CONDITIONS CONTAINED IN THE AGENCY AGREEMENT REFERRED TO UNDER "PLAN OF DISTRIBUTION" ON PAGE 4 OF THIS PROSPECTUS.

Name and Address of Agent

YORKTON SECURITIES INC.  
1400 - 609 Granville Street  
Vancouver, B.C.

EFFECTIVE DATE: APRIL 21ST, 1988

## TABLE OF CONTENTS

	<u>Page No.</u>
Distribution Spread	Front
Summary	1
Name and Incorporation	2
Description of Business and Property	2
Plan of Distribution	4
Risk Factors	5
Dilution	7
Use of Proceeds	7
Description of Shares	8
Prior Sales	9
Preliminary Expenses	9
Directors and Officers	9
Executive Compensation	11
Acquisitions	11
Principal Holders of Securities	11
Escrowed Shares	12
Pooled Shares	12
Dividend Record	12
Promoters	13
Pending Legal Proceedings	13
Interest of Management and Others in Material Transactions	13
Material Contracts	14
Other Material Facts	14
Transfer Agents, Registrars and Auditors	14
Purchaser's Statutory Rights of Withdrawal and Rescission	14

Page No.

Financial Statement	16
Engineering Report	22
Certificate of Company	
Certificate of Agent	

SUMMARY

The information on this page is a summary only and is qualified by more detailed information contained elsewhere in this Prospectus.

THE OFFERING

Issue: 350,000 Shares  
Price: \$0.35 Per Share

A commission of \$0.05 per share is payable to the Agent upon completion of the Offering. The completion of the Offering is subject to a minimum subscription of 350,000 shares.

Use of Proceeds: The estimated net proceeds of \$105,000 to be received by the Company from the Issue, together with working capital as at April 13th, 1988 of \$6,812 will be used as follows: \$10,000 for cost of this Issue; \$61,600 to carry out an exploration program on the Company's mineral property; and the remaining balance will be used for working capital.

The Company is a natural resource company engaged in the acquisition, exploration and development of mining properties. The Company intends to carry out a program of mapping, sampling and trenching on two mineral claims located in the Vernon Mining Division, Province of British Columbia. The previous development and the future development plans in respect to these mineral claims are set out herein under the heading "Description of Business and Property" beginning on page 2.

There is no known body of ore on the Company's property. In the event that the Company's exploration program as described in this Prospectus is successful, the Company will require additional financing in order to further develop the Company's property. These funds may not be available. There is no existing market for the shares of the Company. Exploration for minerals is a speculative venture necessarily involving substantial risks in respect to discovering commercial quantities of ore, or if they are discovered, to funding exploration and development costs, or if put into production, to successfully market the materials produced. The Company's property include mineral claims which have not been surveyed and therefore, the precise location of these properties may be in doubt.

In addition, other "Risk Factors" are set out on pages 5, 6 and 7 of this Prospectus under that heading including dilution and methods to resolve possible conflicts of interest.

Upon completion of this Offering this issue will represent 23.26% of the shares then outstanding as compared to 54.82% that will then be owned by the controlling persons, promoters, directors and senior officers of the Company.

### NAME AND INCORPORATION

Highgrade Ventures Ltd. (the "Company") was incorporated on August 20th, 1987 under the Company Act of the Province of British Columbia by the registration of its Memorandum and Articles. By the provisions of the Company Act, R.S.B.C. 1979 as amended, the Company will be deemed to be a reporting company upon the issue of a receipt for this Prospectus.

The head office of the Company is 401 - 535 Howe Street, Vancouver, B.C. The registered and records office of the Company is 430 - 580 Hornby Street, Vancouver, B.C. V6C 3B6.

### DESCRIPTION OF BUSINESS AND PROPERTY

#### Business

The Company is a natural resource company engaged in the acquisition, exploration and development of mining properties. The Company has interests in the properties described below and intends to seek and acquire additional properties worthy of exploration and development.

#### Property

BEL MINERAL CLAIM GROUP  
VERNON MINING DIVISION  
PROVINCE OF BRITISH COLUMBIA

The Company acquired a 100% beneficial and registered interest in the Bel #1 (record #2316; expiry date August 4th, 1991) (15 Units) and Bel #2 (record #2317; expiry date August 4th, 1991) (15 Units) mineral claims located in Vernon Mining Division, Province of British Columbia for \$4,334.25 which was the cost of staking the said claims by Locke B. Goldsmith on behalf of the Company.

The property is located approximately 9 kilometers east of Highway 6 on the north and south slopes of Monashee Creek. Access to the property is by road from Vernon, B.C. which is 65 kilometers to the west by Highway 6. A logging road departs from Highway 6 some 8 km. east of Cherryville, B.C. This logging road passes through the centre of the property. Workings in the northern part of

the Bel #1 claim is accessed by a steep 4-wheel drive road which trends northerly from the logging road.

#### History

No records of past work on the property are available but pits, trenches and one adit are located on the property. There is evidence of past exploration work. Soil sampling was carried out in 1982 near that vein area but did not obtain clearly anomalous metal values. The Silver Bell workings are located 1.2 kilometers west of the adit on the Bel #1 claim. The Silver Bell workings are currently inactive.

During the period September to December, 1987, the Company expended the sum of \$65,484 carrying out the program of soil sampling and geological mapping on the property which is described in the report prepared by Locke B. Goldsmith, P.Eng., Consulting Geologist and Paul Kalloch, Consulting Geologist dated December 11th, 1987 which forms part of this Prospectus. Reconnaissance soil geochemistry which covered all of the claims was successful in locating high gold-silver values in three areas remote from the known mineralization. These locations require additional exploration. Detailed sampling and geological mapping of the known showing was completed. In the No. 1 vein adit, two parallel shear zones are exposed over a length of 12 metres. The width of each shear is approximately 0.3 metres; assays across the shears range up to 50.9 oz. Ag/ton and 0.156 oz Au/ton. A quartz vein between the two shears varies from 0.2 to 2.0 metres in width.

The combined width of the two shears and the quartz vein ranges from approximately 1.0 to 2.0 metres. Another shear, 15 metres southwest of the adit portal is poorly exposed over a length of 10 metres; a chip sample across 0.6 metres assayed 57.9 oz. Ag/ton and 0.103 oz Au/ton. Quartz on the No. 3 vein is partially exposed over a length of 150 metres and a width of as much as 10 metres; assays up to 1.21 oz. Ag/ton and 0.004 oz Au/ton were obtained.

The Company intends to carry out Stage I of the program recommended in the report of Locke B. Goldsmith, P.Eng., Consulting Geologist and Paul Kalloch, Consulting Geologist dated December 11th, 1987. Stage I consists of trenching, mapping and soil sampling re-analysis at an estimated cost of \$61,600. The report also recommends, contingent on the results of Stage I, as Stage II of the program of trenching and drilling at an estimated cost of \$192,000.

There is no surface or underground plant or equipment on the property.

THERE IS NO KNOWN BODY OF COMMERCIAL ORE ON THIS PROPERTY.

The proposed program is an exploratory search for ore.

#### PLAN OF DISTRIBUTION

The Company, by an agreement (the "Agency Agreement") dated January 15th, 1988 appointed Yorkton Securities Inc. as its Agent ("Agent") to offer the Shares through the facilities of the Vancouver Stock Exchange (the "Exchange") on a Best Efforts basis.

The Company by its Agent hereby offers (the "Offering") to the public through the facilities of the Exchange 350,000 shares (the "Shares") of the Company at a price of \$0.35 per share (the "Offering Price"). The Offering will be made in accordance with the rules and policies of the Exchange and on a day (the "Offering Day") determined by the Agent and the Issuer, with the consent of the Exchange, within a period of 180 days from the date (the "Effective Date") upon which the Shares of the Company are conditionally listed on the Exchange.

The Agent will receive a commission of \$0.05 per share on the sale of the shares.

The Agent reserves the right to offer selling group participation, in the normal course of the brokerage business to selling groups of other licensed broker dealers, brokers or investment dealers, who may or may not be offered part of the commissions or bonuses derived from this Offering.

The obligations of the Agent under the Agency Agreement may be terminated prior to the opening of the market on the Offering Day at the Agent's discretion on the basis of its assessment of the state of the financial markets and may also be terminated at any time upon the occurrence of certain stated events.

The Company has granted the Agent a right of first refusal to provide future equity financing to the Company for a period of twelve (12) months from the Effective Date.

There are no payments in cash, securities or other consideration being made, or to be made, to a promoter, finder or any other person or company in connection with the Offering.

The Directors, Officers and other Insiders of the Company may purchase shares from this Offering.

#### CONDITIONAL LISTING ON THE VANCOUVER STOCK EXCHANGE

The Vancouver Stock Exchange has conditionally listed the securities being offered pursuant to this Prospectus. Listing is subject to the Company fulfilling all the listing requirements of the Vancouver Stock Exchange on or before October 18th, 1988, including prescribed distribution and Financial Statements.

#### Minimum Subscription

In the opinion of the Directors of the Company, the proceeds of this Offering will be sufficient to carry out the recommended program of work and to maintain the Company's properties in good standing. In the opinion of the Company's Directors, it will be necessary to sell 350,000 shares offered by this Prospectus in order to raise sufficient funds to carry out the recommended program and to provide for administration and adequate working capital. All monies received from the sale of shares sold pursuant to this Prospectus in British Columbia during the 180 day period following the date of acceptance for filing of the Prospectus by the Superintendent, shall be held in trust by the Agent or the Company's Registrar or Transfer Agent until the minimum subscription has been sold, and if the minimum subscription of 350,000 shares have not been sold within 180 days of the acceptance, all monies will be returned in full to the subscribers. The price to be paid to the Company for the shares offered for sale by this Prospectus was set by negotiations between the Company and the Agent.

#### RISK FACTORS

The shares offered by this Prospectus must be considered speculative, generally because of the nature of the Company's business. In particular:

1. There is no known body of ore on the Company's property. The purpose of the present offering is to raise funds to carry out further exploration with the objective of establishing ore of commercial tonnage and grade. If the Company's exploration programs are successful, additional funds will be required for the development of an economic ore body and to place it in commercial production. The only source of future funds presently available to the Company is through the sale of equity capital. The only alternative for the financing of further exploration would be the offering by the Company of an interest in its property to be earned by another

party or parties carrying out further exploration or development thereof, which is not presently contemplated.

2. There is no established market for the shares of the Company.

3. Exploration for minerals is a speculative venture necessarily involving some substantial risk. There is no certainty that the expenditure to be made by the Company in the acquisition and exploration of the interests described herein will result in discoveries of commercial quantities of ore.

4. The mining industry in general is intensely competitive and there is no assurance that even if commercial quantities of ore are discovered, a ready market will exist for the sale of same. Factors beyond the control of the Company may affect the marketability of any substances discovered.

5. The existence of title opinions should not be construed to suggest that the Company has good and marketable title to all of the property described in this Prospectus. The Company follows usual industry practice in obtaining title opinions with respect to its properties. The Company must expend monies to carry out further work on the property described in this Prospectus in order to keep in good standing the interests as described under the heading "Business and Property" on page 2 of this Prospectus.

6. The Company's property include mineral claims which have not been surveyed, and therefore, the precise location of this property may be in doubt.

7. Certain of the Directors may serve as director of other reporting companies or have significant shareholdings in other reporting companies and, to the extent that such other companies may participate in ventures in which the Company may participate, the Directors of the Company may have a conflict of interest in negotiating and concluding terms respecting the extent of such participation. In the event that such a conflict of interest arises at a Board of Directors meeting, a Director who has such a conflict will abstain from voting for or against the approval of such a participation or such terms. From time to time several companies may participate in the acquisition, exploration and development of natural resource properties thereby allowing for their participation in larger programs, permitting involvement in a greater number of programs and reducing financial exposure in respect of any one program. It may also occur that a particular company will assign all or a portion of its interest in a particular program to another of these companies due to the financial position of the Company making the assignment.

8. In accordance with the laws of the Province of British Columbia, the Directors of the Company are required to act honestly, in good faith and in the best interests of the Company. In determining whether or not the Company will participate in a particular program and the interest therein to be acquired by it, the Directors will primarily consider the degree of risk to which the Company may be exposed and its financial position at that time.

9. The value of the net tangible assets of the company other than the value of its mineral property based on the Company's financial statements as at December 31st, 1987 is \$22,353. The proposed expenditures from the Use of Proceeds raised by the Offering described in this Prospectus will not increase net tangible assets owned by the Company other than the value of its mineral property.

DILUTION

The Shares offered under this Prospectus will be subject to a dilution of \$0.21 per Share (60%).

Upon completion of this Offering this issue will represent 23.26% of the shares then outstanding as compared to 54.82% that will then be owned by the controlling persons, promoters, directors and senior officers of the Company.

USE OF PROCEEDS

The net proceeds to be derived by the Company from the Offering will be the sum of \$105,000 which together with working capital (as at April 13th, 1988) of \$6,812 shall be spent as follows:

1. To pay the costs of Issue, estimated at	\$10,000
2. To carry out Stage 1 of the program recommended by Locke B. Goldsmith, P.Eng., Consulting Geologist and Paul Kalloch, Consulting Geologist, set out in their report dated December 11th, 1987;	61,600
3. To reserve for working capital;	<u>40,212</u>
	<u>\$111,812</u>

No part of the proceeds will be used to invest, underwrite or trade in securities other than those that qualify as an investment in which trust funds may be invested under the laws of the jurisdiction in which the securities offered by this Prospectus may be lawfully sold. Should the Company intend to use the proceeds to acquire other than trustee type securities after the distribution of the securities offered by this Prospectus, approval by the members of the Company must first be obtained and notice of the intention must be filed with the Regulatory Securities bodies having jurisdiction over the sale of the securities offered by this Prospectus.

The proceeds from the sale of shares offered by this Prospectus are intended to be used for the purposes set forth above, and in carrying out the above program of work and the Company will not discontinue or depart from the recommended program of work unless advised in writing by its consulting engineer to do so. Should the Company contemplate any such change or departure, notice thereof will be given to all shareholders.

In the event of any material change in the affairs of the Company during the primary distribution of the shares offered by this Prospectus, an amendment to this Prospectus will be filed.

Following completion of the primary distribution of the shares offered by this Prospectus, shareholders will be notified of changes in the affairs of the Company in accordance with the requirements of the appropriate regulatory authorities.

**DESCRIPTION OF SHARES AND SHARE CAPITAL STRUCTURE**

The authorized capital of the Company consists of 10,000,000 common shares without par value. As of the date of this Prospectus, 1,155,000 common shares were issued and outstanding.

All common shares of the Company, both issued and unissued, rank equally as to dividends, voting powers and participation in assets. No shares have been issued subject to call or assessment. There are no pre-emptive or conversion rights and no provision for redemption, purchase for cancellation, surrender or sinking or purchase funds. Provisions as to the modifications, amendments or variations of such rights or such provisions are contained in the Company Act of the Province of British Columbia.

As at December 31st, 1987, the Company had no contributed surplus or retained earnings. As at that date, the Company's Balance Sheet does not record a deficit.

Designation of Security	Amount Authorized	Amount Issued & Outstanding as of December 31, 1987	Amount Outstanding as of April 13, 1988	Amount Outstanding if all Securities are Sold
Common	10,000,000	1,155,000	1,155,000	1,505,000

**PRIOR SALES**

During the period from incorporation of the Company on August 20th, 1987 to the date of this Prospectus, the Company sold the following shares for cash:

Number of Shares	Price per Share	Commissions Paid	Net Cash Received
750,000 *	\$0.01	Nil	\$ 7,500
405,000	\$0.25	Nil	101,250
1,155,000			\$108,750

\* These shares are held in escrow. Reference should be made to the item "Escrowed Shares" on page 12 of this Prospectus.

Since incorporation, no shares have been issued for a consideration other than cash.

**PRELIMINARY EXPENSES**

From incorporation to December 31st, 1987, the Company has expended \$16,079 on administrative expenses and \$65,484 for exploration and development expenses. The Company expects to expend \$30,000 for administrative expenses and \$61,600 on exploration expenses during 1988. From January 1st, 1988 to April 13th, 1988, the Company has expended a further \$11,972 on administrative expenses.

**DIRECTORS AND OFFICERS**

The names, addresses and principal business or



occupations of which each of the Directors and Officers of the Company have been engaged during the immediately preceding five years are as follows:

<u>Name and Address</u>	<u>Office Held</u>	<u>Principal Occupation For Past Five Years</u>
JOSEPH RICHARD NOVAK * 3162 Redonda Dr. Port Coquitlam, B.C. V6E 2C7	President and Director	Director of the following public resource companies, all of which are natural resource development companies: Flow Resources Ltd. February/81 to April/85; Glow Resources Ltd. March/83 to September/84; Banco Resources December/83 to October/84; Magna Ventures Ltd. January 1/84 to November 19/84; Megastar Ventures Ltd. September/84 to Date; Commodity Broker December/81 to January/84; Self-Employed Building Contractor 1975 to 1980; Investor 1980 to Date; President and Director of Intercontinental Ventures Ltd., a natural resource development company, 1987 to Date
ORVILLE HAROLD PAGE * 2396 Oranda Avenue Coquitlam, B.C. V3K 3A4	Director	Vice-President, Mrs. Wilman's Baking Limited July, 1978 to Date
ORVAL GUY BERNARDIN * 3210 Saltspring Avenue Port Coquitlam, B.C. V3E 1E9	Director	Estimator for Wescan Acoustics Ltd. September, 1981 to Date
ANTHONY CHARLES D'EON 4260 Strathcona Road North Vancouver, B.C. V7G 1G3	Director and Secretary	Fur Broker Arthur Bartfield Ltd. 1972 to Date; Secretary, Intercontinental Ventures Ltd. 1987 to Date

\* member of the Audit Committee.

Locke B. Goldsmith, P.Eng., Consulting Geologist, has agreed to act as the consultant to the Board of Directors of the Company in respect to property development. Mr. Goldsmith has practiced his profession for over 28 years. He is registered with the Association of Professional Engineers of British Columbia.

#### EXECUTIVE COMPENSATION

There are two executive officers of the Company. One of the executive officers, Joseph R. Novak, is employed by the Company. He receives a management fee of \$2,000.00 per month commencing on September 1st, 1987. The aggregate consideration paid or payable to date is \$16,000. There are no directors or employees stock options granted.

#### ACQUISITIONS

During the past year, the Company acquired the Bel #1 and Bel #2 mineral claims interest located in Vernon Mining Division, British Columbia by the staking of the property on behalf of the Company by Locke B. Goldsmith who was paid \$4,334.25 for this service.

Reference should be made to the item "Description of Business and Property" on page 2 of this Prospectus for a description of the property.

#### PRINCIPAL HOLDERS OF SECURITIES

As of the date of this Prospectus, the following table sets forth the number of shares owned of record or beneficially, directly or indirectly, by each person who owns more than 10% of the Company's shares.

<u>Name and Address</u>	<u>Type of Ownership</u>	<u>Designation of Class</u>	<u>Number of Shares</u>	<u>Percentage of Shares Outstanding</u>
JOSEPH R. NOVAK 3162 Redonda Dr. Port Coquitlam, B.C.	Indirect,	Common	750,000*)	) 66.23%
	Beneficial		)	
	Direct,	Common	15,000 )	
	Beneficial		)	

\* owned by Greensleeve Holdings Ltd., a private company which is owned 100% by Joseph R. Novak.

The percentage of common shares held by all directors, promoters, senior officers or their associates, beneficially owned, directly or indirectly, of the Company are as follows:

<u>Designation of Class</u>	<u>Percentage of Class</u>
Common	71.43%

ESCROWED SHARES

As of the date of this Prospectus, 750,000 common shares are held in escrow by Pacific Corporate Services Limited, of 830 - 625 Howe Street, Vancouver, B.C. subject to the direction or determination of the Office of Superintendent of Brokers ("Superintendent"). The escrow restrictions provide that the shares may not be traded in, dealt with in any manner whatsoever or released, nor may the Company, its Transfer Agent or Escrow holder make any transfer or record any trading of shares without the consent of the Superintendent.

The complete text of the escrow agreement is available for inspection at the registered office of the Company at 430 - 580 Hornby Street, Vancouver, B.C.

<u>Designation of Class</u>	<u>Number of Shares Held in Escrow</u>	<u>Percentage of Class</u>
Common	750,000	64.94%

POOLED SHARES

None.

DIVIDEND RECORD

The Company has not since the incorporation of the Company on August 20th, 1987 paid any dividends on any of its shares. The Company has no present intention to pay dividends, but, the future dividend policy will be

determined by the Board of Directors on the basis of earnings, financial requirements and other relevant factors.

PROMOTERS

By virtue of the definition as set out in Section 1(1) of the Securities Act (British Columbia) the Directors of the Company are the Promoters of the Company.

The Promoters have acquired the following common shares in the capital of the Company:

<u>Name</u>	<u>No. of Shares</u>	<u>Price per Share</u>
Joseph R. Novak	750,000*	\$0.01 (cash paid)
	15,000	\$0.25 (cash paid)
Orval Bernardin **	5,000	\$0.25 (cash paid)
Anthony D'Eon	15,000	\$0.25 (cash paid)

\* owned by Greensleeve Holdings Ltd., a private company which is owned 100% by Joseph R. Novak.

\*\* owned by Obern Holdings Ltd., a private company which is owned 100% by Orval Bernardin.

Under the heading "Executive Compensation" there are set out further details in respect to the Promoters.

PENDING LEGAL PROCEEDINGS

The Company is not a party with respect to any legal proceedings. Neither the Company nor its properties are the subject of any legal proceedings. No legal proceedings are being contemplated by the Company.

INTEREST OF MANAGEMENT AND OTHERS IN MATERIAL TRANSACTIONS

The Directors and Senior Officers of the Company have no interest in any material transactions in which the Company has participated or intends to participate at this time, save and except as disclosed in this Prospectus and, in particular, those matters disclosed under the heading "Executive Compensation" which describes a management fee of \$2,000.00 per month payable to Joseph R. Novak, the President and a Director of the Company.

### MATERIAL CONTRACTS

There are no material contracts entered into by the Company other than as disclosed in this Prospectus.

The material contracts of the Company include the following:

1. The Agency Agreement with Yorkton Securities Inc. dated January 15th, 1988, described on Page 3.
2. An Escrow Agreement with Greensleeve Holdings Ltd., a private company wholly owned by Joseph R. Novak, the President and a Director of the Company, in respect to 750,000 shares as described on page 11.

Material contracts may be inspected at the offices of Hemsworth, Schmidt, of 430 - 580 Hornby Street, Vancouver, B.C. during normal business hours during the period of primary distribution of the securities being offered under this Prospectus.

### OTHER MATERIAL FACTS

There are no other material facts relating to the offering of securities under this Prospectus other than as disclosed herein.

### TRANSFER AGENTS AND REGISTRARS AND AUDITORS

The Registrar and Transfer Agent for the Company is Pacific Corporate Services Ltd., 830 - 625 Howe Street, Vancouver, B.C. The Auditor for the Company is Corcoran & Company, Chartered Accountants, of 575 - 885 Dunsmuir Street, Vancouver, B.C.

### PURCHASER'S STATUTORY RIGHT OF WITHDRAWAL AND RESCISSION

The Securities Act provides a purchaser with a right to withdraw from an agreement to purchase securities within two business days after receipt or deemed receipt of a prospectus and further provides a purchaser with remedies for rescission or damages where the prospectus and any amendment contains a material misrepresentation or

is not delivered to the purchaser prior to delivery of the written confirmation of sale or prior to midnight on the second business day after entering into the agreement, but such remedies must be exercised by the purchaser within the time limit prescribed. For further information concerning these rights and the time limits within which they must be exercised the purchaser should refer to Sections 66, 114, 118 and 124 of the Securities Act or consult a lawyer.

HIGHGRADE VENTURES LTD.

REPORT AND FINANCIAL STATEMENTS

December 31, 1987

# CORCORAN & COMPANY

CHARTERED ACCOUNTANTS

A LIMITED PARTNERSHIP


## AUDITORS' REPORT

To the Board of Directors,  
Highgrade Ventures Ltd.

We have examined the balance sheet of Highgrade Ventures Ltd. as at December 31, 1987 and the statements of deferred exploration and administrative expenses and changes in financial position for the period from the date of incorporation August 20, 1987 to December 31, 1987. Our examination was made in accordance with generally accepted auditing standards and accordingly included such tests and other procedures as we considered necessary in the circumstances.

In our opinion, these financial statements present fairly the financial position of the company as at December 31, 1987 and the results of its operations and the changes in its financial position for the period then ended in accordance with generally accepted accounting principles.

Vancouver, B.C.  
January 13, 1988

  
Chartered Accountants

HIGHGRADE VENTURES LTD.  
Incorporated under the Company Act of British Columbia  
BALANCE SHEET  
as at December 31, 1987

### ASSETS

Current	
Cash	\$ 28,353
Resource property - Note 2	4,334
Deferred exploration and administrative expenses	81,563
Incorporation	500
	<u>\$ 114,750</u>


### LIABILITIES


Current	
Accounts payable	\$ 6,000

### SHAREHOLDERS' EQUITY

Capital stock - Note 3	
Authorized	
10,000,000 common shares without par value	
Issued and fully paid	
1,155,000 common shares	108,750
	<u>\$ 114,750</u>

APPROVED BY THE DIRECTORS

  
\_\_\_\_\_, Director

  
\_\_\_\_\_, Director

SEE ACCOMPANYING NOTES

CORCORAN & COMPANY

HIGHGRADE VENTURES LTD.  
STATEMENT OF DEFERRED EXPLORATION AND ADMINISTRATIVE EXPENSES  
from the date of incorporation August 20, 1987 to December 31, 1987

Exploration	
Assays and sampling	\$ 32,010
Drafting of engineers' report	2,551
Geological and geochemical survey	21,180
Transportation, accommodation, supervision and field work	<u>9,743</u>
	<u>65,484</u>
Administrative	
Filing fees	500
Management fees	8,000
Office	1,273
Printing	900
Professional fees	4,000
Rent	1,600
Transfer agent fees	600
Travel and promotion	<u>35</u>
	<u>16,908</u>
Less: Interest earned	<u>829</u>
	<u>16,079</u>
Exploration and administrative expenses for the period	81,563
Deferred exploration and administrative expenses, beginning of the period	<u>-</u>
Deferred exploration and administrative expenses, end of the period	<u>\$ 81,563</u>
Represented by	
Exploration expense	
Bel mineral claims	\$ 65,484
Administrative expense	<u>16,079</u>
	<u>\$ 81,563</u>

SEE ACCOMPANYING NOTES

CORCORAN & COMPANY

HIGHGRADE VENTURES LTD.  
STATEMENT OF CHANGES IN FINANCIAL POSITION / CASH FLOW  
from the date of incorporation August 20, 1987 to December 31, 1987

Operations	
Adjustments resulting from operations	
Accounts payable	\$ 6,000
Exploration and administrative expenses for the period	<u>( 81,563)</u>
Net change / operations - (outflow)	<u>( 75,563)</u>
Financing	
Proceeds of share issue	<u>108,750</u>
Net change / financing - inflow	<u>108,750</u>
Investing	
Incorporation	( 500)
Acquisition of resource property	<u>( 4,334)</u>
Net change / investing - (outflow)	<u>( 4,834)</u>
Net inflow of cash during the period	28,353
Cash, beginning of the period	<u>-</u>
Cash, end of the period	<u>\$ 28,353</u>

SEE ACCOMPANYING NOTES

CORCORAN & COMPANY

HIGHGRADE VENTURES LTD.  
NOTES TO THE FINANCIAL STATEMENTS  
December 31, 1987

Note 1 Summary of Significant Accounting Policies

(a) Resource Properties

The acquisition of resource properties are initially recorded at cost. Producing resource properties are depleted over their estimated useful lives based upon a method relating recoverable resource reserves to production. Non-producing resource properties that the company abandons interest in are written off in the year of abandonment.

(b) Deferred Exploration and Administrative Expenses

The company capitalizes all exploration and administrative expenses that result in the acquisition and retention of resource properties or an interest therein. The accumulated costs including applicable exploration and administrative expenses relative to non-productive resource properties that the company abandons interest in are written off. Otherwise, the exploration and administrative expenses are depleted over the estimated useful lives of the producing resource properties based on a method relating recoverable reserves to production.

(c) Values

The amounts shown for resource properties and deferred exploration and administrative expenses represent costs to date and do not necessarily reflect present or future values.

Note 2 Resource Property

Bel Mineral Claims

The company acquired 2 mineral claims located in the Vernon Mining Division of British Columbia for staking costs of \$4,334.

Cash	\$ <u>4,334</u>
------	-----------------

Note 3 Capital Stock

The current period's common share transactions are summarized as follows:

	<u>Number of Shares</u>	<u>Amount</u>
Issuance of shares for cash		
By subscription agreement	405,000	\$ 101,250
By escrow agreement	<u>750,000</u>	<u>7,500</u>
Balance, end of the period	<u>1,155,000</u>	<u>\$ 108,750</u>

CORCORAN & COMPANY

Highgrade Ventures Ltd.  
Notes to the Financial Statements  
December 31, 1987 - Page 2

Note 4 Directors' Remuneration

During the period \$8,000 was paid to a director as fees for management services.

Note 5 Related Party Transactions

The company paid \$1,600 to a company controlled by a director of the company for rent and paid \$8,000 to a director of the company for management fees.

Note 6 Subsequent Commitment to Issue Common Shares

Subsequent to December 31, 1987 the company entered into an agency agreement whereby it will offer up to 350,000 common shares to the public for net proceeds to the company of \$105,000 after commissions of \$17,500.

Note 7 Incorporation

The company was incorporated August 20, 1987 and commenced operations on that date.

CORCORAN & COMPANY

**GEOLOGICAL AND SOIL GEOCHEMICAL SURVEYS**

**BEL 1 & 2 MINERAL CLAIMS**

**MONASHEE & SILVER BELL CREEKS AREA**

**VERNON MINING DIVISION, BRITISH COLUMBIA**

**NTS 82 L/1 W**

**LATITUDE 50°11'N, LONGITUDE 118°24'W**

**Prepared for**

**HIGHGRADE VENTURES LTD.**

**ARCTEX ENGINEERING SERVICES**

**Locke B. Goldsmith, P.Eng.  
Consulting Geologist**

**Paul Kallock  
Consulting Geologist**

**December 11, 1987**

**TABLE OF CONTENTS**

SUMMARY	1
INTRODUCTION	2
HISTORY	2
GEOLOGY AND MINERALIZATION	2
LOCATION MAP	3
CLAIM MAP	4
DISCUSSION	6
SOIL GEOCHEMISTRY	7
CONCLUSIONS	7
RECOMMENDATIONS	8
COST ESTIMATE	8
ENGINEER'S CERTIFICATE	11
GEOLOGIST'S CERTIFICATE	12
REFERENCES	13
COST STATEMENT, 1987 PROGRAMME	14

**APPENDIX:** Sample Descriptions  
Assays  
Analytical Procedures  
Geochemical Analyses

**MAPS:** (Pocket inside back cover)  
Au-Ag Soil Geochemistry, North and South Sectors  
Geology, Number 1 and Number 2 Vein Area  
Geology, Number 3 Vein Area  
Geology, Number 1 Vein Adit



GEOLOGICAL AND SOIL GEOCHEMICAL SURVEYS  
 BEL 1 & 2 MINERAL CLAIMS  
 MONASHEE & SILVER BELL CREEKS AREA  
 VERNON MINING DIVISION, BRITISH COLUMBIA

**SUMMARY**

Gold and silver is contained in shear zones which have shattered white quartz veins or parallel the vein margins. Values of up to 0.156 oz Au/ton and 57.9 oz Ag/ton were obtained from shears in or near old pits and an adit. Elevated values of gold and silver occur in soils in the northern and south-western portions of the BEL-1 and in the southern part of the BEL-2. High gold in the valleys of Monashee and Silver Bell creeks is considered to be transported. Potential exists to develop moderate tonnages of good grade gold-silver mineralization if areas of intensely fractured host rocks can be located.

A programme of detailed geological mapping, prospecting, and trenching within the trends outlined by soil geochemistry should be undertaken. Back-hoe trenching to expose quartz veins and shear zones in the vicinity of numbers 1, 2, and 3 veins is required. Rock trenching and blasting with a plugger to obtain large representative samples may be necessary. Cost of this phase of work is estimated to be \$61,600. If results are encouraging, a subsequent phase is estimated to cost \$192,000.

**INTRODUCTION**

The BEL 1 & 2 mineral claims are staked on the north and south slopes of Monashee Creek, some 65 km by road east of Vernon. Approximately 8 km east of Cherryville on Highway 6 a logging road departs easterly, and at about the 9 km marker enters the property. A steep 4-wheel drive road trends northerly from the logging road through the Silver Bell workings and continues to the excavations in the north part of the BEL 1 claim. Elevations range from 975 m near Monashee Creek to 1700 m on the north slope and 1440 m on the south slope. Authors of this report examined the claims on July 17, 18, 20 and October 12-15, 1987. Legal corner posts and many corner and ID posts were observed. Soil sampling and geological mapping were completed during September-October, 1987. Recording data are listed below.

<i>Claim Name</i>	<i>Number of Units</i>	<i>Recording Date</i>	<i>Record Number</i>
BEL-1	15	August 4, 1987	2316(8)
BEL-2	15	" " "	2317(8)

**HISTORY**

Trenches and one adit indicate undocumented exploration. Crandall (1979) notes this work and states that recent stripping of number 3 vein was done by Mineta Resources. Phendler (1982) observed the same openings and recommended a programme estimated to cost \$150,000 in two Phases. Soil sampling near the number 3 vein by Kovacevic (1982) did not obtain clearly anomalous metal values.


A 1978 shipment of 15.44 tons from the currently inactive Silver Bell workings, located off the BEL claims some 1.2 km west of the number 1 adit, graded 0.65 oz Au/ton, 89.9 oz Ag/ton, 0.26% Cu, 5% Pb, 1.8% Zn and 84% silica (Crandall, 1979, p. 2).

**GEOLOGY AND MINERALIZATION**

Argillites of the Triassic Sicamous Formation (Slocan Group?) constitute the bulk of the rock exposures in the claim area. Phyllite, black schist, and quartzite occur in the package in subordinate amounts. Attitude of foliation is variable from easterly with southerly or northerly dips to northerly with easterly dips.

**ARCTEX ENGINEERING SERVICES**  
**Highgrade Ventures Ltd.**  
**BEL Claim Group**

N.T.S. 82L1W Monashee Creek B.C. Vernon Mining Division




To accompany report by

Paul Kallock  
GEOLOGIST

Locke B. Goldsmith, P.Eng.  
CONSULTING GEOLOGIST

**Location Map**


**DECEMBER 1987**



*Locke B. Goldsmith*

**ARCTEX ENGINEERING SERVICES**  
**Highgrade Ventures Ltd.**  
**BEL Claim Group**

N.T.S. 82L1W Monashee Creek B.C. Vernon Mining Division



**Claim Map**

To accompany report by

Paul Kallock  
GEOLOGIST

Locke B. Goldsmith, P.Eng.  
CONSULTING GEOLOGIST

**DECEMBER 1987**

*Locke B. Goldsmith*

Bedding attitudes are obscure, but one outcrop on the road some 60 m north of the number 3 vein displays a northwesterly strike with northeasterly dip.

Between October 13 and October 15, 1987, the northwestern part of the BEL-1 mineral claim was mapped. Most major outcrops along the access road in the vicinity of the adit and the number 3 vein were examined. Rock chip samples were collected from the three vein areas and from quartz veins near the north border of the claim. Ten rock chip samples were also collected from the 12-metre long adit which exposes the number 1 vein. A total of 22 rock chip samples were analysed.

#### North Border Area

Five samples were gathered from quartz exposed in trenches and outcrops north of line 1+00S. Most quartz contained only minor sulphides and weak iron stain. No precious metals were detected in the samples.

#### Number 1 and Number 2 Vein Area

A 1:1000 scale geology map has been constructed which covers the main exploration area. Quartz veins are hosted in argillite, phyllite, black schist, and quartzite.

The metasedimentary rocks generally show a northeast striking foliation but local folding is common. Quartz veins have intruded the sedimentary rocks and are generally barren and white. However, in the area of the number 1 and 2 veins the quartz appears to be fractured and cut by fault zones which have provided access to silver and gold-bearing sulphide solutions. Galena and pyrite, with subordinate chalcopyrite, are the prevalent sulphides.

A 1:100 scale map of the number 1 vein adit which is 12 m long shows a N75°W 65°N shear zone along the north side of a 0.2 to 2 m wide quartz vein. Another shear follows the footwall or south side of the vein. Both structures appear to contain silver and gold-bearing galena. Two samples of the structures near a short stub cross-cut contained up to 50.9 oz Ag/ton and up to 0.156 oz Au/ton. The face of the drift appears to lie north of the main shear zones as confirmed by low values in sample 4+88S 2+56E.

Southwest of the adit, values of 12.10 oz Ag/ton and 0.114 oz Au/ton were returned from a 0.75 m chip sample across a N20°E 30°E copper and sulphide-bearing shear (?) zone in quartz.

Four metres west of the portal a near-horizontal contact underlies the main quartz vein. A black schist lies beneath the quartz.

Fifteen metres southwest of the adit the number 2 vein has been exposed by trenching. It trends N70°W 62-75°N. Three chip samples across the vein carried up to 57.9 oz Ag/ton and 0.103 oz Ag across 0.6 m.

#### Number 3 Vein Area

A north to northeast-trending quartz vein up to 10 m wide has been exposed by trenching in the 9+05S 3+60E area. The quartz appears to pinch and swell along at least 150 m of strike length. It is hosted in intensely folded phyllite.

Three samples of quartz from the trench area contained values of up to 1.21 oz Ag/ton and 0.004 oz Au/ton (sample 9+02S 3+53E).

#### DISCUSSION

Quartz veins appear to pinch and swell along strike; within the vein, mineralized structures and vein margins hold most precious metals.

High values in the number 1 vein adit may be terminated by a horizontal contact at depth. Along strike toward the east the drift missed the vein. It may lie slightly south of the face.

The number 2 vein appears open with good values on the east. A sample between the number 1 portal and number 2 vein contained significant values up to 12.10 oz Ag/ton and 0.114 oz Au/ton in a northerly trending structure which may link the two veins.

Precious metal values contain slightly elevated values (up to 400 ppm) of arsenic.

## SOIL GEOCHEMISTRY

A total of 156.5 km of grid was established and 3129 soil samples were collected. Samples were collected with a narrow, elongate spade from 30-50 cm below organic debris.

Soils in the vicinity of the mineralized structures do not contain highly elevated quantities of precious metals, and hence relationships between gold-silver in soils and outcrops are obscure. Because ground truth could not be established, threshold values derived from probability plots are unsatisfactory.

Thus, in the case of gold, contours are presented only to draw attention to clusters of elevated values or anomalously high values, and do not imply threshold levels. Similarly, silver values have been contoured to show trends rather than threshold and anomalous values.

Patterns of gold and silver to the north and northeast of the 1, 2, and 3-vein exposures appear to outline a trend which parallels the orientation of these mineralized structures. Clusters of gold and silver values along the west side of the BEL-1 claim should be investigated; these may reflect offset portions of the structures which are known to be mineralized. Near the south border of the BEL-2 claim several groups of elevated gold and silver values have no apparent explanation and constitute valid targets for further examination. Gold values in the broad valley bottom of Monashee Creek and in the drainage of Silver Bell Creek are probably transported.

## CONCLUSIONS

Encouraging quantities of silver and gold occur along the sheared margins of quartz veins and within the quartz in transcurrent faults or shears. Soil geochemistry in the vicinity of the mineralization did not detect trains of anomalous values. Elevated amounts of gold and silver in soils occur in clusters in other sectors of the claims; detailed geological mapping and sampling is required to evaluate these areas.

Areas where host rocks have been intensely shattered or fractured on closely spaced planes may provide a suitable focus for localizing gold-silver mineralization. Such sites should be sought in the vicinity of the known zones and to the north and

northeast where patterns of precious metals in soils suggest sources in underlying bedrock. Potential is present to discover moderate tonnages with adequate grades of gold-silver to allow a bulk mining operation.

## RECOMMENDATIONS

### Phase 1

(a) Selected soil samples in the vicinity of the numbers 1, 2, and 3 veins should be re-run for lead and copper. If these elements appear to be useful in defining the known gold-silver mineralization, samples from others of the gold-silver trends should also be re-analysed for lead and copper.

(b) Detailed geological mapping, sampling, prospecting, and hand-trenching should be completed in the various sectors of the claims which have been shown by soil geochemistry to have elevated quantities of precious metals.

(c) Backhoe trenching in the vicinity of the known veins should be undertaken to provide additional exposures for sampling. Rock trenching using a plugger for blast holes may be advisable to allow collection of large representative samples.

### Phase 2

(a) If sufficient encouragement is obtained from Phase 1, additional backhoe or dozer trenching should be considered.

(b) A budget for percussion or diamond drilling should be available.

## COST ESTIMATE

### Phase 1

(a) Additional analyses of soil samples, allow	\$ 2,000	
Interpretation, map preparation, interim report	2,000	
	<u>4,000</u>	4,000

Phase 1 (continued)	(a) forward:	\$ 4,000	
(b) Geological mapping, sampling	\$ 7,000		
Analyses	3,000		
Hand-trenching	2,000		
Prospecting	3,000		
Transportation	1,000		
Room, board	1,000		
Supplies, fuel, freight, etc.	<u>1,000</u>		
	18,000	18,000	
(c) Backhoe-dozer trenching, allow	15,000		
Rock trenching, blasting, allow	5,000		
Analyses	2,000		
Supervision, engineering	5,000		
Transportation	1,000		
Room, board	1,000		
Supplies, fuel, freight, etc.	1,000		
Report	<u>4,000</u>		
	34,000	<u>34,000</u>	
		56,000	
Contingencies at 10%		<u>5,600</u>	
Total, Phase 1		61,600	\$ 61,600

## Phase 2

(a) Backhoe-dozer trenching, with support services, allow	40,000	40,000	
(b) Drilling, allow	90,000		
Drill site preparation	5,000		
Supervision	10,000		
Support services	10,000		
Report	<u>5,000</u>		
	120,000	<u>120,000</u>	
		160,000	


Phase 2 (continued)	(a) & (b) forward:	\$160,000	
Contingencies at 20%		<u>32,000</u>	
Total, Phase 2		\$192,000	<u>\$192,000</u>
Total, Phases 1 and 2			\$253,600

Results of Phase 1 should be compiled into an engineering report; continuance to Phase 2 should be contingent upon favourable conclusions and recommendations from an Engineer.

Respectfully submitted,

*Locke B. Goldsmith*

Locke B. Goldsmith, P.Eng.  
Consulting Geologist



Paul Kallock  
Consulting Geologist


Vancouver, B.C.  
December 11, 1987

## ENGINEER'S CERTIFICATE

LOCKE B. GOLDSMITH

1. I, Locke B. Goldsmith, am a Registered Professional Engineer in the Province of Ontario and the Northwest Territories, and a Registered Professional Geologist in the State of Oregon. My address is 301, 1855 Balsam Street, Vancouver, B.C.
2. I have a B.Sc. (Honours) degree in Geology from Michigan Technological University, a M.Sc. degree in Geology from the University of British Columbia, and have done postgraduate study in Geology at Michigan Tech and the University of Nevada. I am a graduate of the Haileybury School of Mines, and am a Certified Mining Technician. I am a Member of the Society of Economic Geologists, the AIME, and the Australasian Institute of Mining and Metallurgy, and a Fellow of the Geological Association of Canada.
3. I have been engaged in mining exploration for the past 28 years.
4. I have co-authored the report entitled, "Geological and Soil Geochemical Surveys, BEL 1 & 2 Mineral Claims, Monashee & Silver Bell Creeks Area, Vernon Mining Division, B.C." dated December 11, 1987. The report is based upon fieldwork and research supervised by the author.
5. I have no ownership in the property, nor in the stocks of Highgrade Ventures Ltd.
6. I consent to the use of this report in a prospectus, or in a statement of material facts related to the raising of funds.

Respectfully submitted,



Locke B. Goldsmith, P.Eng.  
Consulting Geologist

Vancouver, B.C.  
December 11, 1987


## GEOLOGIST'S CERTIFICATE

PAUL KALLOCK

I, Paul Kallock, do state: that I am a geologist with Arctex Engineering Services, 301 - 1855 Balsam Street, Vancouver, B.C.

I Further State That:

1. I have a B.Sc. degree in Geology from Washington State University, 1970. I am a Fellow of the Geological Association of Canada.
2. I have engaged in mineral exploration since 1970, both for major mining and exploration companies and as an independent geologist.
3. I have co-authored the report entitled, "Geological and Soil Geochemical Surveys, BEL 1 & 2 Mineral Claims, Monashee & Silver Bell Creeks Area, Vernon Mining Division, B.C." The report is based on my fieldwork carried out on the property, and on previously accumulated geologic data.
4. I have no direct or indirect interest in any manner in either the property or securities of Highgrade Ventures Ltd., or its affiliates, nor do I anticipate to receive any such interest.
5. I consent to the use of this report in a prospectus, or in a statement of material facts related to the raising of funds.



Vancouver, B.C.  
December 11, 1987

## REFERENCES

- Crandall, J.T. November 10, 1979. Report on the BEL silver-gold prospect, Vernon Mining Division, B.C. Private report for Mineta Resources Ltd.
- Kovacevic, W. June 30, 1982. Prospecting report on the BEL silver-gold prospect, Vernon Mining Division, B.C. Private report by owner.
- Phendler, R.W. October 13, 1982. Report on the BEL silver-gold property, Vernon Mining Division, B.C. Private report for Flow Resources Inc.

COST STATEMENT, 1987 PROGRAMME  
BEL 1 & 2 CLAIMS, MONASHEE CREEK

## Personnel:

L.B. Goldsmith, $\frac{1}{4}$ Dec. 8, $\frac{1}{4}$ 12, 17, $\frac{1}{4}$ 18, $\frac{1}{4}$ 19, total 2 $\frac{1}{4}$ days @ \$400/day	\$ 1,000.00	
P. Kallock, Oct. 12-15, total 4 days @ \$330/day	1,320.00	
M. Beaupre, Sept. 24-Oct. 18, total 25 days @ \$230/day	5,750.00	
G. Savard, Oct. 16-Nov. 8, total 24 days @ \$230/day	5,520.00	
S. Coulombe, Oct. 18-Nov. 8, total 22 days @ \$230/day	5,060.00	
R. Rioux, Oct. 29-Nov. 8, total 11 days @ \$230/day	<u>2,530.00</u>	
	21,180.00	\$ 21,180.00

## Accommodation, Meals:

$\$3123.76 \div 88.25$  man days = \$36.42/man/day 3,123.76

## Transportation:

4x4 truck, 49 days @ \$45/day	2,205.00	
6506 km @ \$0.20/km	1,301.00	
898 km @ \$0.30/km	269.40	
Gas	<u>662.43</u>	
	4,437.83	4,437.83

$\$4,437.83 \div 53$  vehicle days = \$83.73/vehicle/day

## Field Supplies:

Bags, hip chain thread, flagging 844.32

## Analyses:

22 rock and 3129 soil samples cost \$32,009.95 = \$10.16/sample 32,009.95

Report: Drafting, prints, typing, photocopying 2,551.30  
\$64,147.16

A P P E N D I X


BEL 1 & 2 MINERAL CLAIMS  
ROCK SAMPLE DESCRIPTIONS

		Sample Geochem.		
		As ppm	Ag oz/ton	Au oz/ton
0+10S 3+20E	Grab sample of quartz with minor iron oxide, trace grey sulphides.	7	<0.01	0.002
0+50S 2+25E	Grab sample of quartz with iron oxide, from trench near road.	3	<0.01	<0.002
0+60S 3+80E	Grab sample of quartz outcrop.	4	<0.01	<0.002
1+00S 5+00E	1.7 m chip sample of bull quartz from trench.	5	<0.01	<0.002
1+01S 5+00E	1.7 m chip sample continuous from previous sample, white bull quartz.	27	<0.01	<0.002
Next 10 samples from underground in number 1 vein adit:				
4+88S 2+44E	0.25 m chip across portal back, quartz vein without sulphides, one fracture has soft black coating.	17	0.50	0.004
4+88S 2+47E	3 m inside adit from portal; 0.3 m chip in back, 0.09 m of soft limonitic vein with sooty chalcocite, malachite and azurite and 0.21 m of fractured quartz.	45	27.4	0.156
4+88S 2+47E FW	Footwall sample from previous sample down south wall to floor representing 1.7 m mostly quartz.	60	7.58	0.036
4+88S 2+47E HW	Hangingwall sample from vein to broken and sheared argillite.	27	1.25	0.010
4+88S 2+48E	0.3 m vertical chip sample at corner of stub cross-cut on west wall contains 0.1 m of malachite, azurite and 4% galena; appears to be in fault contact with quartz.	100	50.9	0.051
4+88S 2+50E	6 m from portal, 0.15 m chip across back, with 0.05 m limonite vein and 0.05 m of quartz on either side.	12	7.31	0.107




Rock Sample Descriptions (continued)


		As ppm	Ag oz/ton	Au oz/ton
4+88S 2+50E FW	0.3 m chip sample on south side of previous sample, mostly barren quartz.	6	0.31	0.004
4+88S 2+50E HW	0.3 m chip sample on north side of vein sample, mostly argillite	5	0.17	0.002
4+88S 2+53E	0.3 m chip sample across back and south wall where 0.01 m vein-shear zone disappears into south wall, includes some soft dark vein material.	35	9.33	0.130
4+88S 2+56E	12 m from portal, 0.4 m chip sample on south wall near face, no real vein; quartz is mixed with argillite.	7	0.20	0.004
4+90S 2+40E	0.75 m chip on west side of number 1 vein adit portal trench where quartzite contains quartz veinlets, trace pyrite and malachite.	50	12.10	0.114
Next 3 samples from number 2 vein trench:				
4+97S 2+22E	1.0 m chip sample across central part of quartz vein containing dark rock or sulphide fragments.	14	0.10	0.004
4+97S 2+30E	2.1 m wide chip sample across quartz vein, north half is barren, south half has trace sulphides and malachite.	17	0.05	0.002
4+97S 2+34E	0.6 m chip sample across broken quartz vein zone, trace malachite probably some chalcocite.	400	57.9	0.103
Next 3 samples from number 3 vein area:				
9+02S 3+53E	0.5 m chip sample from west side of quartz vein, no sulphides, weak iron oxide.	9	1.21	0.004
9+50S 3+60E	0.5 m chip from southeast side quartz vein near phyllite contact.	7	0.41	<0.002
9+50S 3+20E	Grab sample from dump of 4 m wide trench, all white quartz, minor iron oxide.	4	0.10	<0.002




Note: Contours around gold-silver values in soils are to draw attention to clusters of elevated results. Because high values were not obtained in soil adjacent to or immediately downslope from known gold-silver occurrences in outcrop, all soils which contain appreciable gold-silver should be re-examined.




ARCTEX ENGINEERING SERVICES  
 Highgrade Ventures Ltd.  
 BEL Claim Group  
 GEOCHEMISTRY  
 Ag - Au in soils  
 1:2500  
 1987



Continue around gold values  
 in area to area of interest to  
 check for additional results.  
 Because high values were not  
 immediately apparent from known  
 preliminary geology, it is  
 recommended that a detailed  
 geological map be prepared  
 and that the area be re-sampled  
 and re-assayed.





ARCTEX ENGINEERING SERVICES  
 Highgrade Ventures Ltd.  
 BEL Claim Group  
 N.T.S. 82L 1M Monashee Creek B.C. Vernon Mining Division  
 Geology  
 +1 & +2 VEIN AREA  
 showing rock geochemistry and assays



To accompany report by  
 Paul Killoch  
 geologist  
 Locke & Goldsmith, P.Eng.  
 consulting geologist

DECEMBER 1987





ARCTEX ENGINEERING SERVICES


Highgrade Ventures Ltd.

BEL Claim Group

N.T.S. 82L1W Monashee Creek B.C. Vernon Mining Division

Geology

#3 VEIN AREA





To accompany report by

Paul Kattock  
geologist

Locke B. Goldsmith, P.Eng.  
CONSULTING GEOLOGIST

DECEMBER 1987




HW 1.00 m. 27-1.25-0.010  
FW 1.70 m. 60-7.58-0.036  
V 0.30 m. 45-27.40-0.156  
4+88S 2+47E

100-50.90-0.051  
4+88S 0.3 m.  
2+48E

4+88S 2+50E  
V 0.15 m. 12-7.31-0.107  
FW 0.30 m. 6-0.31-0.004  
HW 0.30 m. 5-0.17-0.002

4+88S  
2+44E  
0.25 m.  
17-0.50-0.004




50-12.10-0.114  
4+90S 0.75 m.  
2+40E  
in outside trench: siliceous  
argillite or quartzite with pyrite  
and malachite.

malachite, azurite, galena  
on this wall. 0.01-0.1 m. wide  
at stub crosscut corner.

0.3 m.  
4+88S 2+53E  
35-9.33-0.130

0.4 m.  
4+88S 2+56E  
7-0.20-0.004

4+88S 2+47E HW 1.00 m. 27-1.25-0.010  
sample location width As Ag Au  
ppm oz/ton



ARCTEX ENGINEERING SERVICES


Highgrade Ventures Ltd.

BEL Claim Group

N.T.S. 82L1W Monashee Creek B.C. Vernon Mining Division

Subterranean  
Geology

#1 VEIN ADIT  
showing rock geochemistry & assays




To accompany report by

Paul Kattock  
geologist

Locke B. Goldsmith, P.Eng.  
CONSULTING GEOLOGIST

DECEMBER 1987





# Chemex Labs Inc.

Analytical Chemists • Geochemists • Registered Assayers  
994 WEST GLENDALE AVE., SUITE 7, SPARKS,  
NEVADA, U.S.A. 89431  
PHONE (702) 356-5395

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Comments: CC: PAUL KALLOCK

A8724773

## CERTIFICATE A8724773

ARCTEX ENGINEERING  
PROJECT : BEL  
P.O.# : NONE

Samples submitted to our lab in Vancouver, BC.  
This report was printed on 2-NOV-87.

### SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
207	22	Assay: Crush. split. pulv -140

### ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
13	22	As ppm: HNO <sub>3</sub> -aqua regia digest	AAS-HYDRIDE/EDL	1	10000
385	22	Ag oz/T: Aqua regia digestion	AAS	0.01	20.0
398	22	Au oz/T: 1/2 assay ton	FA-AAS	0.002	20.00



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-1C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL  
Comments: CC: PAUL KALLOCK

Page No. : 1  
Tot. Pages: 1  
Date : 2-NOV-87  
Invoice # : I-8724773  
P.O.# : NONE

## CERTIFICATE OF ANALYSIS A8724773

SAMPLE DESCRIPTION	PREP CODE	As ppm	Ag oz/T	Au oz/T						
0+10S 3+20E	207 ---	7	< 0.01	< 0.002						
0+50S 2+25E	207 ---	3	< 0.01	< 0.002						
0+60S 3+80E	207 ---	4	< 0.01	< 0.002						
1+00S 5+00E	207 ---	5	< 0.01	< 0.002						
1+01S 5+00E	207 ---	27	< 0.01	< 0.002						
4+88S 2+44E	207 ---	17	0.50	0.004						
4+80S 2+47E	207 ---	45	27.4	0.156						
4+88S 2+47E FW	207 ---	60	7.58	0.036						
4+88S 2+47E HW	207 ---	27	1.25	0.010						
4+88S 2+48E	207 ---	100	50.9	0.051						
4+88S 2+50E	207 ---	12	7.31	0.107						
4+88S 2+50E FW	207 ---	6	0.31	0.004						
4+88S 2+50E HW	207 ---	5	0.17	< 0.002						
4+88S 2+53E	207 ---	35	9.33	0.130						
4+88S 2+56E	207 ---	7	0.20	0.004						
4+90S 2+40E	207 ---	50	12.10	0.114						
4+97S 2+22E	207 ---	14	0.10	0.004						
4+97S 2+30E	207 ---	17	0.05	0.002						
4+97S 2+34E	207 ---	400	57.9	0.103						
9+02S 3+53E	207 ---	9	1.21	0.004						
9+05S 3+60E	207 ---	7	0.41	< 0.002						
9+50S 3+20E	207 ---	4	0.10	< 0.002						

*W. Ben Amman*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

A8724878

Comments:

## CERTIFICATE A8724878

ARCTEX ENGINEERING  
PROJECT : BEL #1  
P.O.# : NONE

Samples submitted to our lab in Vancouver, BC.  
This report was printed on 1-NOV-87.

## ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
6	2	Ag ppm: HNO <sub>3</sub> -aqua regia digest	AAS-BKGD CORR	0.1	200
100	2	Au ppb: Fuse 10 g sample	FA-AAS	5	10000

## SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	2	Rock & core: Ring



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No. : 1  
Tot. Pages: 1  
Date : 1-NOV-87  
Invoice #: I-8724878  
P.O.# : NONE

## CERTIFICATE OF ANALYSIS A8724878

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA							
17+35S BL	205	0.5	< 5							
25+00S 5+50E	205	0.1	< 5							

CERTIFICATION :

*Hart Bichler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

A8725837

Comments:

## CERTIFICATE A8725837

ARCTEX ENGINEERING  
PROJECT : BEL #1  
P.O.# :

Samples submitted to our lab in Vancouver, BC.  
This report was printed on 17-NOV-87.

## ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
6	358	Ag ppm: HNO <sub>3</sub> -aqua regia digest	AAS-BKGD CORR	0.1	200
100	358	Au ppb: Fuse 10 g sample	FA-AAS	5	10000

## SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	354	Dry, sieve -80 mesh; soil, sed.
217	3	Soil, rock, core: Ring-no crush
203	1	Dry, sieve -35 mesh and ring
217	1	Soil, rock, core: Ring-no crush



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project :  
Comments:

Page No. : 1  
Tot. Pages: 6  
Date : 19-OCT-87  
Invoice # : I-8723725  
P.O. # :

## CERTIFICATE OF ANALYSIS A8723725

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA								
LNO+00 00+00E	201	---	1.3	<	5						
LNO+00 00+50E	201	---	1.6	<	5						
LNO+00 01+00E	201	---	1.0	<	5						
LNO+00 01+50E	201	---	0.4	<	5						
LNO+00 02+00E	201	---	1.6	<	5						
LNO+00 02+50E	201	---	1.2	<	5						
LNO+00 03+00E	201	---	1.0	<	5						
LNO+00 03+50E	201	---	0.5	<	5						
LNO+00 04+00E	201	---	0.4	<	5						
LNO+00 04+50E	201	---	1.5	<	5						
LNO+00 05+00E	201	---	3.0	<	5						
LNO+00 05+50E	201	---	1.8	<	5						
LNO+00 06+00E	201	---	4.0	<	5						
LNO+00 06+50E	201	---	6.6	<	5						
LNO+00 07+00E	201	---	3.6	<	5						
LNO+00 07+50E	201	---	1.8	<	5						
LNO+00 08+00E	201	---	1.6	<	5						
LNO+00 08+50E	201	---	1.4	<	5						
LNO+00 09+00E	201	---	1.3	<	5						
LNO+00 09+50E	201	---	3.8	<	5						
LNO+00 10+00E	201	---	1.2	<	5						
LNO+00 10+50E	201	---	1.2	<	5						
LNO+00 11+00E	201	---	0.5	<	5						
LNO+00 11+50E	201	---	0.8	<	5						
LNO+00 12+00E	201	---	1.4	<	5						
LNO+00 12+50E	201	---	1.3	<	5						
LNO+00 13+00E	201	---	1.8	<	5						
LNO+00 13+50E	201	---	1.5	<	5						
LNO+00 14+00E	201	---	1.3	<	5						
LNO+00 14+50E	201	---	0.8	<	5						
LNO+00 15+00E	201	---	1.3	<	10						
LNO+50S 00+00E	201	---	1.2	<	5						
LNO+50S 00+50E	201	---	2.1	<	10						
LNO+50S 01+00E	201	---	1.0	<	5						
LNO+50S 01+50E	201	---	1.2	<	5						
LNO+50S 02+00E	201	---	1.4	<	55						
LNO+50S 02+50E	201	---	0.5	<	5						
LNO+50S 03+00E	201	---	0.8	<	5						
LNO+50S 03+50E	201	---	4.5	<	210						
LNO+50S 04+00E	201	---	0.4	<	5						

CERTIFICATION :

*Stuart Bechler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project:  
Comments:

Page No.: 2  
Tot. Pages: 6  
Date: 19-OCT-87  
Invoice #: I-8723725  
P.O. #

## CERTIFICATE OF ANALYSIS A8723725

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN0+50S 04+50E	201	---	1.5	< 10									
LN0+50S 05+00E	201	---	1.7	< 5									
LN0+50S 05+50E	201	---	1.9	< 5									
LN0+50S 06+00E	201	---	3.1	< 5									
LN0+50S 06+50E	201	---	5.0	< 5									
LN0+50S 07+00E	201	---	0.8	< 5									
LN0+50S 07+50E	201	---	1.9	< 5									
LN0+50S 08+00E	201	---	1.7	< 5									
LN0+50S 08+50E	201	---	1.4	< 5									
LN0+50S 09+00E	201	---	1.2	< 5									
LN0+50S 09+50E	201	---	1.6	< 5									
LN0+50S 10+00E	201	---	1.0	< 5									
LN0+50S 10+50E	201	---	0.7	< 5									
LN0+50S 11+00E	201	---	1.0	< 5									
LN0+50S 11+50E	201	---	1.0	< 15									
LN0+50S 12+00E	201	---	0.9	< 5									
LN0+50S 12+50E	201	---	0.9	< 5									
LN0+50S 13+00E	201	---	1.0	< 5									
LN0+50S 13+50E	201	---	1.2	< 10									
LN0+50S 14+00E	201	---	1.4	< 25									
LN0+50S 14+50E	201	---	1.0	< 5									
LN0+50S 15+00E	201	---	1.0	< 15									
LN1+00S 00+00E	201	---	0.6	< 5									
LN1+00S 00+50E	201	---	0.6	< 5									
LN1+00S 01+00E	201	---	0.6	< 5									
LN1+00S 01+50E	201	---	0.6	< 5									
LN1+00S 02+00E	201	---	1.3	< 15									
LN1+00S 02+50E	201	---	0.9	< 5									
LN1+00S 03+00E	201	---	0.5	< 5									
LN1+00S 03+50E	201	---	0.9	< 5									
LN1+00S 04+00E	201	---	0.8	< 35									
LN1+00S 04+50E	201	---	0.7	< 10									
LN1+00S 05+00E	201	---	1.6	< 5									
LN1+00S 05+50E	201	---	1.6	< 5									
LN1+00S 06+00E	201	---	0.7	< 5									
LN1+00S 06+50E	201	---	1.4	< 5									
LN1+00S 07+00E	201	---	0.6	< 5									
LN1+00S 07+50E	201	---	1.0	< 5									
LN1+00S 08+00E	201	---	1.4	< 5									
LN1+00S 08+50E	201	---	1.6	< 5									

CERTIFICATION: Hautz Buchler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project:  
Comments:

Page No.: 3  
Tot. Pages: 6  
Date: 19-OCT-87  
Invoice #: I-8723725  
P.O. #

## CERTIFICATE OF ANALYSIS A8723725

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN1+00S 09+00E	201	---	1.3	< 5									
LN1+00S 09+50E	201	---	0.8	< 5									
LN1+00S 10+00E	201	---	1.3	< 5									
LN1+00S 10+50E	201	---	0.8	< 5									
LN1+00S 11+00E	201	---	0.3	< 5									
LN1+00S 11+50E	201	---	1.0	< 15									
LN1+00S 12+00E	201	---	1.3	< 5									
LN1+00S 12+50E	201	---	0.9	< 25									
LN1+00S 13+00E	201	---	0.5	< 5									
LN1+00S 13+50E	201	---	1.0	< 5									
LN1+00S 14+00E	201	---	0.8	< 5									
LN1+00S 14+50E	201	---	0.9	< 5									
LN1+00S 15+00E	201	---	0.4	< 45									
LN1+50S 00+00E	201	---	0.8	< 15									
LN1+50S 00+50E	201	---	0.7	< 5									
LN1+50S 01+00E	201	---	0.5	< 150									
LN1+50S 01+50E	201	---	0.6	< 5									
LN1+50S 02+00E	201	---	0.9	< 5									
LN1+50S 02+50E	201	---	0.2	< 5									
LN1+50S 03+00E	201	---	0.2	< 5									
LN1+50S 03+50E	201	---	1.1	< 25									
LN1+50S 04+00E	201	---	0.2	< 5									
LN1+50S 04+50E	201	---	0.6	< 5									
LN1+50S 05+00E	201	---	1.2	< 15									
LN1+50S 05+50E	201	---	1.4	< 5									
LN1+50S 06+00E	201	---	1.2	< 5									
LN1+50S 06+50E	201	---	0.8	< 5									
LN1+50S 07+00E	201	---	0.2	< 5									
LN1+50S 07+50E	201	---	1.3	< 5									
LN1+50S 08+00E	201	---	0.3	< 5									
LN1+50S 08+50E	201	---	0.5	< 5									
LN1+50S 09+00E	201	---	2.0	< 5									
LN1+50S 09+50E	201	---	0.6	< 5									
LN1+50S 10+00E	201	---	0.9	< 10									
LN1+50S 10+50E	201	---	0.9	< 5									
LN1+50S 11+00E	201	---	0.4	< 5									
LN1+50S 11+50E	201	---	0.7	< 5									
LN1+50S 12+00E	201	---	2.2	< 10									
LN1+50S 12+50E	201	---	0.2	< 15									
LN1+50S 13+00E	201	---	1.0	< 10									

CERTIFICATION: Hautz Buchler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project:  
Comments:

Page No. : 4  
Tot. Pages: 6  
Date : 19-OCT-87  
Invoice #: I-8723725  
P.O. # :

## CERTIFICATE OF ANALYSIS A8723725

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN1+50S 13+50E	201	---	1.5	< 5									
LN1+50S 14+00E	201	---	2.1	10									
LN1+50S 14+50E	201	---	1.3	15									
LN1+50S 15+00E	201	---	1.0	10									
LN2+00S 00+00E	201	---	0.5	< 5									
LN2+00S 00+50E	201	---	0.1	< 5									
LN2+00S 01+00E	201	---	0.9	< 5									
LN2+00S 01+50E	201	---	0.6	< 5									
LN2+00S 02+00E	201	---	0.4	< 5									
LN2+00S 02+50E	201	---	0.8	< 5									
LN2+00S 03+00E	201	---	0.9	< 5									
LN2+00S 03+50E	201	---	0.7	< 5									
LN2+00S 04+00E	201	---	0.3	< 5									
LN2+00S 04+50E	201	---	0.1	< 5									
LN2+00S 05+50E	201	---	0.4	< 5									
LN2+00S 06+00E	201	---	0.3	< 5									
LN2+00S 06+50E	201	---	0.7	< 5									
LN2+00S 07+00E	201	---	0.7	< 5									
LN2+00S 07+50E	201	---	0.1	< 5									
LN2+00S 08+00E	201	---	0.5	< 5									
LN2+00S 08+50E	201	---	0.4	< 5									
LN2+00S 09+00E	201	---	0.8	< 5									
LN2+00S 09+50E	201	---	1.4	< 5									
LN2+00S 10+00E	201	---	1.7	< 5									
LN2+00S 10+50E	201	---	0.5	< 5									
LN2+00S 11+00E	201	---	0.7	10									
LN2+00S 11+50E	201	---	1.8	10									
LN2+00S 12+00E	201	---	3.0	< 5									
LN2+00S 12+50E	201	---	1.7	< 5									
LN2+00S 13+00E	201	---	1.4	< 5									
LN2+00S 13+50E	201	---	2.1	< 5									
LN2+00S 14+00E	201	---	2.3	< 5									
LN2+00S 14+50E	201	---	2.8	< 5									
LN2+00S 15+00E	201	---	1.7	< 5									
LN2+50S 00+00E	201	---	1.0	< 5									
LN2+50S 00+50E	201	---	1.1	< 5									
LN2+50S 01+00E	201	---	0.6	< 5									
LN2+50S 01+50E	201	---	0.2	< 5									
LN2+50S 02+00E	201	---	1.1	< 5									
LN2+50S 02+50E	201	---	0.5	< 5									

CERTIFICATION :

*Hant Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project:  
Comments:

Page No. : 5  
Tot. Pages: 6  
Date : 19-OCT-87  
Invoice #: I-8723725  
P.O. # :

## CERTIFICATE OF ANALYSIS A8723725

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN2+50S 03+00E	201	---	1.1	10									
LN2+50S 03+50E	201	---	0.5	25									
LN2+50S 04+00E	201	---	0.1	< 5									
LN2+50S 04+50E	201	---	0.3	< 5									
LN2+50S 05+00E	201	---	0.5	< 5									
LN2+50S 05+50E	201	---	0.3	< 5									
LN2+50S 06+00E	201	---	0.5	< 5									
LN2+50S 06+50E	201	---	0.9	< 5									
LN2+50S 07+00E	201	---	0.3	< 5									
LN2+50S 07+50E	201	---	1.9	< 5									
LN2+50S 08+00E	201	---	0.7	< 5									
LN2+50S 08+50E	201	---	0.6	< 5									
LN2+50S 09+00E	201	---	1.4	< 5									
LN2+50S 09+50E	201	---	1.6	< 5									
LN2+50S 10+00E	201	---	0.8	< 5									
LN2+50S 10+50E	201	---	1.0	< 5									
LN2+50S 11+00E	201	---	1.1	< 5									
LN2+50S 11+50E	201	---	1.2	< 5									
LN2+50S 12+00E	201	---	1.8	< 5									
LN2+50S 12+50E	201	---	2.2	< 5									
LN2+50S 13+00E	201	---	1.8	< 5									
LN2+50S 13+50E	201	---	1.6	< 5									
LN2+50S 14+00E	201	---	1.4	25									
LN2+50S 14+50E	201	---	1.8	25									
LN2+50S 15+00E	201	---	1.3	< 5									
LN3+00S 05+00E	201	---	0.5	< 5									
LN3+00S 05+50E	201	---	1.1	< 5									
LN3+00S 06+00E	201	---	0.5	< 5									
LN3+00S 06+50E	201	---	0.9	< 5									
LN3+00S 07+00E	201	---	0.5	< 5									
LN3+00S 07+50E	201	---	1.7	< 5									
LN3+00S 08+00E	201	---	0.2	< 5									
LN3+00S 08+50E	201	---	0.5	< 5									
LN3+00S 09+00E	201	---	0.9	< 5									
LN3+00S 09+50E	201	---	4.1	< 5									
LN3+00S 10+00E	201	---	1.6	< 5									
LN3+00S 10+50E	201	---	1.4	< 5									
LN3+00S 11+00E	201	---	0.8	< 5									
LN3+00S 11+50E	201	---	1.6	< 5									
LN3+00S 12+00E	201	---	1.5	< 5									

CERTIFICATION :

*Hant Buchler*





# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project:  
Comments:

Page No. : 6  
Tot. Pages: 6  
Date : 19-OCT-87  
Invoice #: I-8723725  
P.O. # :

## CERTIFICATE OF ANALYSIS A8723725

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
LN3+00S 12+50E	201	---	2.6	< 5										
LN3+00S 13+00E	201	---	1.5	< 5										
LN3+00S 13+50E	201	---	1.2	< 5										
LN3+00S 14+00E	201	---	1.2	< 5										
LN3+00S 14+50E	201	---	3.0	< 10										
LN3+00S 15+00E	201	---	1.4	< 5										
LN3+50S 00+00E	201	---	1.1	< 5										
LN3+50S 00+50E	201	---	0.6	< 5										
LN3+50S 01+00E	201	---	1.5	< 5										
LN3+50S 01+50E	201	---	1.0	< 5										
LN3+50S 02+00E	201	---	0.5	< 5										
LN3+50S 02+50E	201	---	0.3	< 5										
LN3+50S 03+00E	201	---	1.2	< 5										
LN3+50S 03+50E	201	---	0.5	< 5										
LN3+50S 04+00E	201	---	0.1	< 5										
LN3+50S 04+50E	201	---	0.3	< 5										
LN3+50S 05+00E	201	---	0.3	< 5										
LN3+50S 05+50E	201	---	1.2	< 5										
LN3+50S 06+00E	201	---	0.6	< 5										
LN3+50S 06+50E	201	---	0.8	< 5										
LN3+50S 07+00E	201	---	0.7	< 5										
LN3+50S 07+50E	201	---	1.3	< 5										
LN3+50S 08+00E	201	---	0.3	< 5										
LN3+50S 08+50E	201	---	0.1	< 5										
LN3+50S 09+00E	201	---	0.2	< 5										
LN3+50S 09+50E	201	---	1.2	< 5										
LN3+50S 10+00E	201	---	0.5	< 5										
LN3+50S 10+50E	201	---	0.1	< 5										
LN3+50S 11+00E	201	---	2.3	< 5										
LN3+50S 11+50E	201	---	2.1	< 10										
LN3+50S 12+00E	201	---	1.7	< 5										
LN3+50S 12+50E	201	---	0.5	< 5										
LN3+50S 13+00E	201	---	1.7	< 50										
LN3+50S 13+50E	201	---	1.7	< 75										
LN3+50S 14+00E	201	---	3.3	< 5										
LN3+50S 14+50E	201	---	3.5	< 25										
LN3+50S 15+00E	201	---	1.4	< 5										

CERTIFICATION : Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No. : 1  
Tot. Pages: 5  
Date : 19-OCT-87  
Invoice #: I-8724123  
P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8724123

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
LN: 3+00S 0+00E	201	---	0.1	< 5										
LN: 3+00S 0+50E	201	---	0.1	< 5										
LN: 3+00S 1+00E	201	---	0.1	< 5										
LN: 3+00S 1+50E	201	---	0.1	< 20										
LN: 3+00S 2+00E	201	---	0.1	< 5										
LN: 3+00S 2+50E	201	---	0.1	< 5										
LN: 3+00S 3+00E	201	---	0.1	< 5										
LN: 3+00S 3+50E	201	---	0.1	< 5										
LN: 3+00S 4+00E	201	---	0.1	< 5										
LN: 3+00S 4+50E	201	---	0.1	< 5										
LN: 4+00S 0+00E	201	---	0.3	< 5										
LN: 4+00S 0+50E	201	---	0.1	< 5										
LN: 4+00S 1+00E	201	---	0.1	< 5										
LN: 4+00S 1+50E	201	---	0.1	< 5										
LN: 4+00S 2+00E	201	---	0.1	< 30										
LN: 4+00S 2+50E	201	---	0.1	< 5										
LN: 4+00S 3+00E	201	---	0.1	< 5										
LN: 4+00S 3+50E	201	---	0.1	< 15										
LN: 4+00S 4+00E	201	---	0.1	< 20										
LN: 4+00S 4+50E	201	---	0.1	< 10										
LN: 4+00S 5+00E	201	---	0.1	< 5										
LN: 4+00S 5+50E	201	---	0.1	< 5										
LN: 4+00S 6+00E	201	---	0.1	< 5										
LN: 4+00S 6+50E	201	---	0.1	< 5										
LN: 4+00S 7+00E	201	---	0.1	< 5										
LN: 4+00S 7+50E	201	---	0.1	< 5										
LN: 4+00S 8+00E	201	---	0.1	< 5										
LN: 4+00S 8+50E	201	---	0.1	< 5										
LN: 4+00S 9+00E	201	---	0.1	< 10										
LN: 4+00S 9+50E	201	---	0.1	< 5										
LN: 4+00S 10+00E	201	---	0.1	< 105										
LN: 4+00S 10+50E	201	---	0.1	< 5										
LN: 4+00S 11+00E	201	---	0.1	< 5										
LN: 4+00S 11+50E	201	---	0.9	< 5										
LN: 4+00S 12+00E	201	---	0.1	< 5										
LN: 4+00S 12+50E	201	---	0.1	< 5										
LN: 4+00S 13+00E	201	---	0.1	< 5										
LN: 4+00S 13+50E	201	---	0.1	< 5										
LN: 4+00S 14+00E	201	---	0.1	< 5										
LN: 4+00S 14+50E	201	---	0.1	< 5										

CERTIFICATION : Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No. : 2  
Tot. Pages: 5  
Date : 19-OCT-87  
Invoice #: I-8724123  
P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8724123

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN: 4+00S 15+00E	201	--	0.1	^^^	5								
LN: 4+50S 0+00E	201	--	0.3	^^^	5								
LN: 4+50S 0+50E	201	--	0.2	^^^	5								
LN: 4+50S 1+00E	201	--	0.3	^^^	5								
LN: 4+50S 1+50E	201	--	0.3	^^^	5								
LN: 4+50S 2+00E	201	--	0.1	^^^	5								
LN: 4+50S 2+50E	201	--	0.1	^^^	5								
LN: 4+50S 3+00E	201	--	0.1	^^^	5								
LN: 4+50S 3+50E	201	--	0.1	^^^	5								
LN: 4+50S 4+00E	201	--	0.7	^^^	5								
LN: 4+50S 4+50E	201	--	0.1	^^^	5								
LN: 4+50S 5+00E	201	--	0.1	^^^	5								
LN: 4+50S 5+50E	201	--	0.1	^^^	5								
LN: 4+50S 6+00E	201	--	0.1	^^^	5								
LN: 4+50S 6+50E	201	--	0.1	^^^	5								
LN: 4+50S 7+00E	201	--	0.1	^^^	5								
LN: 4+50S 7+50E	201	--	0.1	^^^	5								
LN: 4+50S 8+00E	201	--	0.1	^^^	5								
LN: 4+50S 8+50E	201	--	0.1	^^^	5								
LN: 4+50S 9+00E	201	--	0.1	^^^	5								
LN: 4+50S 9+50E	201	--	0.1	^^^	5								
LN: 4+50S 10+00E	201	--	0.1	^^^	5								
LN: 4+50S 10+50E	201	--	0.1	^^^	5								
LN: 4+50S 11+00E	201	--	0.1	^^^	5								
LN: 4+50S 11+50E	201	--	0.4	^^^	5								
LN: 4+50S 12+00E	201	--	0.1	^^^	5								
LN: 4+50S 12+50E	201	--	0.1	^^^	5								
LN: 4+50S 13+00E	201	--	0.1	^^^	5								
LN: 4+50S 13+50E	201	--	0.4	^^^	5								
LN: 4+50S 14+00E	201	--	0.1	^^^	5								
LN: 4+50S 14+50E	201	--	0.1	^^^	5								
LN: 4+50S 15+00E	201	--	0.1	^^^	5								
LN: 5+00S 0+00E	201	--	0.1	^^^	5								
LN: 5+00S 0+50E	201	--	0.1	^^^	5								
LN: 5+00S 1+00E	201	--	0.1	^^^	5								
LN: 5+00S 1+50E	201	--	0.1	^^^	5								
LN: 5+00S 2+00E	201	--	0.1	^^^	5								
LN: 5+00S 2+50E	201	--	0.1	^^^	5								
LN: 5+00S 3+00E	201	--	0.1	^^^	5								
LN: 5+00S 3+50E	201	--	0.1	^^^	10								

CERTIFICATION :

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No. : 3  
Tot. Pages: 5  
Date : 19-OCT-87  
Invoice #: I-8724123  
P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8724123

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN: 5+00S 4+00E	201	--	0.1	^^^	10								
LN: 5+00S 4+50E	201	--	0.1	^^^	5								
LN: 5+00S 5+00E	201	--	0.3	^^^	5								
LN: 5+00S 5+50E	201	--	0.1	^^^	5								
LN: 5+00S 6+00E	201	--	0.1	^^^	5								
LN: 5+00S 6+50E	201	--	0.1	^^^	5								
LN: 5+00S 7+00E	201	--	0.2	^^^	5								
LN: 5+00S 7+50E	201	--	0.1	^^^	5								
LN: 5+00S 8+00E	201	--	0.1	^^^	5								
LN: 5+00S 8+50E	201	--	0.1	^^^	5								
LN: 5+00S 9+00E	201	--	0.2	^^^	5								
LN: 5+00S 9+50E	201	--	0.1	^^^	5								
LN: 5+00S 10+00E	201	--	0.1	^^^	5								
LN: 5+00S 10+50E	201	--	0.1	^^^	5								
LN: 5+00S 11+00E	201	--	0.4	^^^	5								
LN: 5+00S 11+50E	201	--	0.4	^^^	5								
LN: 5+00S 12+00E	201	--	0.1	^^^	5								
LN: 5+00S 12+50E	201	--	0.1	^^^	5								
LN: 5+00S 13+00E	201	--	0.1	^^^	5								
LN: 5+00S 13+50E	201	--	0.1	^^^	5								
LN: 5+00S 14+00E	201	--	0.1	^^^	5								
LN: 5+00S 14+50E	201	--	0.1	^^^	5								
LN: 5+00S 15+00E	201	--	0.1	^^^	5								
LN: 5+50S 0+00E	201	--	0.1	^^^	5								
LN: 5+50S 0+50E	201	--	0.1	^^^	5								
LN: 5+50S 1+00E	201	--	0.1	^^^	5								
LN: 5+50S 1+50E	201	--	0.1	^^^	5								
LN: 5+50S 2+00E	201	--	0.1	^^^	5								
LN: 5+50S 2+50E	201	--	0.1	^^^	5								
LN: 5+50S 3+00E	201	--	0.1	^^^	5								
LN: 5+50S 3+50E	201	--	0.1	^^^	5								
LN: 5+50S 4+00E	201	--	0.1	^^^	5								
LN: 5+50S 4+50E	201	--	0.1	^^^	5								
LN: 5+50S 5+00E	201	--	0.1	^^^	5								
LN: 5+50S 5+50E	201	--	0.1	^^^	5								
LN: 5+50S 6+00E	201	--	0.1	^^^	5								
LN: 5+50S 6+50E	201	--	0.4	^^^	5								
LN: 5+50S 7+00E	201	--	1.3	^^^	5								
LN: 5+50S 7+50E	201	--	0.1	^^^	5								
LN: 5+50S 8+00E	201	--	0.1	^^^	5								

CERTIFICATION :

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No.: 4  
Tot. Pages: 5  
Date: 19-OCT-87  
Invoice #: I-8724123  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8724123

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN: 5+50S 8+50E	201	---	0.1	<	5								
LN: 5+50S 9+00E	201	---	0.1	<	5								
LN: 5+50S 9+50E	201	---	0.1	<	5								
LN: 5+50S 10+00E	201	---	0.1	<	5								
LN: 5+50S 10+50E	201	---	0.1	<	5								
LN: 5+50S 11+00E	201	---	0.1	<	5								
LN: 5+50S 11+50E	201	---	0.1	<	5								
LN: 5+50S 12+00E	201	---	0.1	<	5								
LN: 5+50S 12+50E	201	---	0.1	<	5								
LN: 5+50S 13+00E	201	---	0.1	<	5								
LN: 5+50S 13+50E	201	---	0.1	<	5								
LN: 5+50S 14+00E	201	---	0.1	<	5								
LN: 5+50S 14+50E	201	---	0.1	<	5								
LN: 5+50S 15+00E	201	---	0.1	<	5								
LN: 6+00S 3+00E	201	---	0.1	<	5								
LN: 6+00S 3+50E	201	---	0.1	<	5								
LN: 6+00S 4+00E	201	---	0.1	<	5								
LN: 6+00S 4+50E	201	---	0.1	<	5								
LN: 6+00S 5+00E	201	---	0.1	<	5								
LN: 6+00S 5+50E	201	---	0.1	<	5								
LN: 6+00S 6+00E	201	---	0.1	<	5								
LN: 6+00S 6+50E	201	---	0.1	<	5								
LN: 6+00S 7+00E	201	---	0.1	<	5								
LN: 6+00S 7+50E	201	---	0.1	<	5								
LN: 6+00S 8+00E	201	---	1.0	<	5								
LN: 6+00S 8+50E	201	---	0.1	<	5								
LN: 6+00S 9+00E	201	---	2.1	<	5								
LN: 6+00S 9+50E	201	---	2.3	<	5								
LN: 6+00S 10+00E	201	---	0.1	<	5								
LN: 6+00S 10+50E	201	---	0.1	<	5								
LN: 6+00S 11+00E	201	---	0.1	<	5								
LN: 6+00S 11+50E	201	---	0.1	<	5								
LN: 6+00S 12+00E	201	---	0.1	<	5								
LN: 6+00S 12+50E	201	---	0.1	<	5								
LN: 6+00S 13+00E	201	---	0.1	<	5								
LN: 6+00S 13+50E	201	---	0.5	<	5								
LN: 6+00S 14+00E	201	---	0.1	<	5								
LN: 6+00S 14+50E	201	---	0.1	<	30								
LN: 6+00S 15+00E	201	---	0.1	<	15								
LN: 6+50S 0+00E	201	---	0.1	<	5								

CERTIFICATION: Hautschler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No.: 5  
Tot. Pages: 5  
Date: 19-OCT-87  
Invoice #: I-8724123  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8724123

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN: 6+50S 0+50E	201	---	0.1	<	5								
LN: 6+50S 1+00E	201	---	0.1	<	5								
LN: 6+50S 1+50E	201	---	0.2	<	5								
LN: 6+50S 2+00E	201	---	0.1	<	5								
LN: 6+50S 2+50E	201	---	0.1	<	5								
LN: 6+50S 3+00E	201	---	0.1	<	5								
LN: 6+50S 3+50E	201	---	0.1	<	5								
LN: 6+50S 4+00E	201	---	0.1	<	5								
LN: 6+50S 4+50E	201	---	0.1	<	5								
LN: 6+50S 5+00E	201	---	0.1	<	5								
LN: 6+50S 5+50E	201	---	0.1	<	5								
LN: 6+50S 6+00E	201	---	0.3	<	5								
LN: 6+50S 6+50E	201	---	0.1	<	5								
LN: 6+50S 7+00E	201	---	0.1	<	5								
LN: 6+50S 7+50E	201	---	0.1	<	5								
LN: 6+50S 8+00E	201	---	0.1	<	5								
LN: 6+50S 8+50E	201	---	0.1	<	5								
LN: 6+50S 9+00E	201	---	0.1	<	5								
LN: 6+50S 9+50E	201	---	0.1	<	5								
LN: 6+50S 10+00E	201	---	0.5	<	5								
LN: 6+50S 10+50E	201	---	0.1	<	5								
LN: 6+50S 11+00E	201	---	0.1	<	5								
LN: 6+50S 11+50E	201	---	0.1	<	5								
LN: 6+50S 12+00E	201	---	0.2	<	5								
LN: 6+50S 12+50E	201	---	0.1	<	5								
LN: 6+50S 13+00E	201	---	0.1	<	5								
LN: 6+50S 13+50E	201	---	0.1	<	5								
LN: 6+50S 14+00E	201	---	0.1	<	25								
LN: 6+50S 14+50E	201	---	0.1	<	5								
LN: 6+50S 15+00E	201	---	0.1	<	5								

CERTIFICATION: Hautschler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING  
301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3  
Project: BEL #1  
Comments:

Page No.: 1  
Tot. Pages: 4  
Date: 26-OCT-87  
Invoice #: I-8724361  
P.O. #:

## CERTIFICATE OF ANALYSIS A8724361

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN: 06+00S 00+00E	201	---	1.0	>	5								
LN: 06+00S 00+50E	201	---	0.5	>	5								
LN: 06+00S 01+00E	201	---	0.1	>	5								
LN: 06+00S 01+50E	201	---	0.3	>	5								
LN: 06+00S 02+00E	201	---	0.1	>	5								
LN: 06+00S 02+50E	201	---	0.1	>	5								
LN: 07+00S 00+00E	201	---	0.5	>	5								
LN: 07+00S 00+50E	201	---	0.9	>	5								
LN: 07+00S 01+00E	201	---	0.5	>	5								
LN: 07+00S 01+50E	201	---	0.5	>	5								
LN: 07+00S 02+00E	201	---	0.2	>	5								
LN: 07+00S 02+50E	201	---	0.1	>	5								
LN: 07+00S 03+00E	201	---	0.1	>	5								
LN: 07+00S 03+50E	201	---	0.1	>	5								
LN: 07+00S 04+00E	201	---	0.1	>	5								
LN: 07+00S 04+50E	201	---	0.1	>	5								
LN: 07+00S 05+00E	201	---	0.1	>	5								
LN: 07+00S 05+50E	201	---	0.1	>	5								
LN: 07+00S 06+00E	201	---	0.1	>	5								
LN: 07+00S 06+50E	201	---	0.6	>	5								
LN: 07+00S 07+00E	201	---	0.4	>	5								
LN: 07+00S 07+50E	201	---	0.8	>	5								
LN: 07+00S 08+00E	201	---	0.4	>	5								
LN: 07+00S 08+50E	201	---	0.1	>	5								
LN: 07+00S 09+00E	201	---	0.2	>	5								
LN: 07+00S 09+50E	201	---	0.2	>	10								
LN: 07+00S 10+00E	201	---	1.9	>	25								
LN: 07+00S 10+50E	201	---	0.7	>	25								
LN: 07+00S 11+00E	201	---	0.5	>	25								
LN: 07+00S 11+50E	201	---	0.4	>	15								
LN: 07+00S 12+00E	201	---	0.1	>	15								
LN: 07+00S 12+50E	201	---	0.7	>	5								
LN: 07+00S 13+00E	201	---	0.7	>	10								
LN: 07+00S 13+50E	201	---	1.2	>	30								
LN: 07+00S 14+00E	201	---	0.5	>	10								
LN: 07+00S 14+50E	201	---	0.8	>	30								
LN: 07+00S 15+00E	201	---	0.7	>	10								
LN: 07+50S 00+00E	201	---	0.7	>	5								
LN: 07+50S 00+50E	201	---	0.5	>	5								
LN: 07+50S 01+00E	201	---	0.3	>	5								

CERTIFICATION: Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING  
301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3  
Project: BEL #1  
Comments:

Page No.: 2  
Tot. Pages: 4  
Date: 26-OCT-87  
Invoice #: I-8724361  
P.O. #:

## CERTIFICATE OF ANALYSIS A8724361

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN: 07+50S 01+50E	201	---	0.8	>	5								
LN: 07+50S 02+00E	201	---	0.2	>	5								
LN: 07+50S 02+50E	201	---	0.3	>	5								
LN: 07+50S 03+00E	201	---	0.1	>	5								
LN: 07+50S 03+50E	201	---	0.1	>	5								
LN: 07+50S 04+00E	201	---	0.6	>	5								
LN: 07+50S 04+50E	201	---	0.2	>	5								
LN: 07+50S 05+00E	201	---	0.1	>	5								
LN: 07+50S 05+50E	201	---	0.1	>	5								
LN: 07+50S 06+00E	201	---	0.5	>	5								
LN: 07+50S 06+50E	201	---	0.2	>	5								
LN: 07+50S 07+00E	201	---	0.1	>	5								
LN: 07+50S 07+50E	201	---	0.1	>	5								
LN: 07+50S 08+00E	201	---	0.8	>	5								
LN: 07+50S 08+50E	201	---	0.3	>	5								
LN: 07+50S 09+00E	201	---	0.3	>	5								
LN: 07+50S 09+50E	201	---	0.1	>	5								
LN: 07+50S 10+00E	201	---	0.2	>	5								
LN: 07+50S 10+50E	201	---	0.6	>	5								
LN: 07+50S 11+00E	201	---	0.1	>	5								
LN: 07+50S 11+50E	201	---	3.4	>	5								
LN: 07+50S 12+00E	201	---	2.3	>	5								
LN: 07+50S 12+50E	201	---	1.1	>	5								
LN: 07+50S 13+00E	201	---	0.7	>	5								
LN: 07+50S 13+50E	201	---	0.4	>	5								
LN: 07+50S 14+00E	201	---	0.3	>	5								
LN: 07+50S 14+50E	201	---	0.3	>	5								
LN: 07+50S 15+00E	201	---	0.3	>	5								
LN: 08+00S 00+00E	201	---	0.7	>	5								
LN: 08+00S 00+50E	201	---	0.5	>	5								
LN: 08+00S 01+00E	201	---	2.0	>	5								
LN: 08+00S 01+50E	201	---	0.6	>	5								
LN: 08+00S 02+00E	201	---	0.6	>	5								
LN: 08+00S 02+50E	201	---	0.3	>	5								
LN: 08+00S 03+00E	201	---	0.1	>	5								
LN: 08+00S 03+50E	201	---	1.1	>	5								
LN: 08+00S 04+00E	201	---	0.2	>	5								
LN: 08+00S 04+50E	201	---	0.1	>	5								
LN: 08+00S 05+00E	201	---	0.2	>	5								
LN: 08+00S 05+50E	201	---	0.2	>	5								

CERTIFICATION: Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No. : 3  
Tot. Pages: 4  
Date : 26-OCT-87  
Invoice #: I-8724361  
P.O. # :

## CERTIFICATE OF ANALYSIS A8724361

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
LN: 08+00S 06+00E	201	---	1.0	< 5										
LN: 08+00S 06+50E	201	---	0.3	< 5										
LN: 08+00S 07+00E	201	---	1.0	< 5										
LN: 08+00S 07+50E	201	---	0.8	< 5										
LN: 08+00S 08+00E	201	---	0.1	< 5										
LN: 08+00S 08+50E	201	---	0.1	< 5										
LN: 08+00S 09+00E	201	---	0.1	< 5										
LN: 08+00S 09+50E	201	---	0.1	< 5										
LN: 08+00S 10+00E	201	---	0.1	< 5										
LN: 08+00S 10+50E	201	---	0.1	< 5										
LN: 08+00S 11+00E	201	---	0.6	< 5										
LN: 08+00S 11+50E	201	---	1.0	10										
LN: 08+00S 12+00E	201	---	0.9	< 5										
LN: 08+00S 12+50E	201	---	0.5	< 5										
LN: 08+00S 13+00E	201	---	0.5	< 5										
LN: 08+00S 13+50E	201	---	0.1	10										
LN: 08+00S 14+00E	201	---	0.3	< 5										
LN: 08+00S 14+50E	201	---	0.2	< 5										
LN: 08+00S 15+00E	201	---	0.4	< 5										
LN: 08+50S 00+00E	201	---	0.3	< 5										
LN: 08+50S 00+50E	201	---	0.1	< 5										
LN: 08+50S 01+00E	201	---	0.5	< 5										
LN: 08+50S 01+50E	201	---	0.4	< 5										
LN: 08+50S 02+00E	201	---	0.1	< 5										
LN: 08+50S 02+50E	201	---	0.3	< 5										
LN: 08+50S 03+00E	201	---	0.6	< 5										
LN: 08+50S 03+50E	201	---	0.2	< 5										
LN: 08+50S 04+00E	201	---	0.1	< 5										
LN: 08+50S 04+50E	201	---	0.3	< 5										
LN: 08+50S 05+00E	201	---	0.1	< 5										
LN: 08+50S 05+50E	201	---	0.2	< 5										
LN: 08+50S 06+00E	201	---	0.1	< 5										
LN: 08+50S 06+50E	201	---	0.5	< 5										
LN: 08+50S 07+00E	201	---	1.0	< 5										
LN: 08+50S 07+50E	201	---	0.1	< 5										
LN: 08+50S 08+00E	201	---	0.1	< 5										
LN: 08+50S 08+50E	201	---	0.1	< 5										
LN: 08+50S 09+00E	201	---	0.1	< 5										
LN: 08+50S 09+50E	201	---	0.1	< 5										
LN: 08+50S 10+00E	201	---	0.1	< 5										

CERTIFICATION :

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No. : 4  
Tot. Pages: 4  
Date : 26-OCT-87  
Invoice #: I-8724361  
P.O. # :

## CERTIFICATE OF ANALYSIS A8724361

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
LN: 08+50S 10+50E	201	---	0.1	< 5										
LN: 08+50S 11+00E	201	---	0.1	< 5										
LN: 08+50S 11+50E	201	---	0.1	< 5										
LN: 08+50S 12+00E	201	---	0.4	< 5										
LN: 08+50S 12+50E	201	---	0.5	< 5										
LN: 08+50S 13+00E	201	---	0.1	< 5										
LN: 08+50S 13+50E	201	---	0.4	< 5										
LN: 08+50S 14+00E	201	---	0.1	< 5										
LN: 08+50S 14+50E	201	---	0.1	10										
LN: 08+50S 15+00E	201	---	0.3	< 5										
LN: 09+00S 00+00E	201	---	0.2	< 5										
LN: 09+00S 00+50E	201	---	0.1	< 5										
LN: 09+00S 01+00E	201	---	0.3	< 5										
LN: 09+00S 01+50E	201	---	0.3	< 5										
LN: 09+00S 02+00E	201	---	0.4	10										
LN: 09+00S 02+50E	201	---	0.2	< 5										
LN: 09+00S 03+00E	201	---	0.2	< 5										
LN: 09+00S 03+50E	201	---	0.8	< 5										
LN: 09+00S 04+00E	201	---	0.4	< 5										
LN: 09+00S 04+50E	201	---	0.6	< 5										
LN: 09+00S 05+00E	201	---	0.1	< 5										
LN: 09+00S 05+50E	201	---	0.3	< 5										
LN: 09+00S 06+00E	201	---	0.1	< 5										
LN: 09+00S 06+50E	201	---	0.9	< 5										
LN: 09+00S 07+00E	201	---	0.4	< 5										
LN: 09+00S 07+50E	201	---	0.3	< 5										
LN: 09+00S 08+00E	201	---	0.3	< 5										
LN: 09+00S 08+50E	201	---	0.3	< 5										
LN: 09+00S 09+00E	201	---	0.1	< 5										
LN: 09+00S 09+50E	201	---	0.1	< 5										
LN: 09+00S 10+00E	201	---	0.1	< 5										
LN: 09+00S 10+50E	201	---	0.2	< 5										
LN: 09+00S 11+00E	201	---	0.1	< 5										
LN: 09+00S 11+50E	201	---	0.1	< 5										
LN: 09+00S 12+00E	201	---	0.2	< 5										
LN: 09+00S 12+50E	201	---	0.1	< 5										
LN: 09+00S 13+00E	201	---	0.4	< 5										
LN: 09+00S 13+50E	201	---	0.1	< 5										
LN: 09+00S 14+00E	201	---	0.6	< 5										
LN: 09+00S 14+50E	201	---	0.3	< 5										

CERTIFICATION :

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING  
301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3  
Project: BEL #1  
Comments:

Page No.: 1  
Tot. Pages: 4  
Date: 26-OCT-87  
Invoice #: I-8724362  
P.O. #:

## CERTIFICATE OF ANALYSIS A8724362

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
LN: 09+00S 15+00E	201	---	0.3	<< 5										
LN: 09+50S 00+00E	201	---	0.3	<< 5										
LN: 09+50S 00+50E	201	---	0.3	<< 5										
LN: 09+50S 01+00E	201	---	0.3	<< 5										
LN: 09+50S 01+50E	201	---	0.5	< 20										
LN: 09+50S 02+00E	201	---	0.5	<< 5										
LN: 09+50S 02+50E	201	---	0.5	<< 5										
LN: 09+50S 03+00E	201	---	1.1	<< 5										
LN: 09+50S 03+50E	201	---	0.5	<< 5										
LN: 09+50S 04+00E	201	---	0.8	<< 5										
LN: 09+50S 04+50E	201	---	1.3	<< 5										
LN: 09+50S 05+00E	201	---	1.3	<< 5										
LN: 09+50S 05+50E	201	---	0.1	<< 5										
LN: 09+50S 06+00E	201	---	0.9	<< 5										
LN: 09+50S 06+50E	201	---	0.6	<< 5										
LN: 09+50S 07+00E	201	---	0.3	<< 5										
LN: 09+50S 07+50E	201	---	0.9	<< 5										
LN: 09+50S 08+00E	201	---	0.5	<< 5										
LN: 09+50S 08+50E	201	---	0.5	<< 5										
LN: 09+50S 09+00E	201	---	0.5	<< 5										
LN: 09+50S 10+00E	201	---	1.0	<< 5										
LN: 09+50S 10+50E	201	---	1.9	<< 5										
LN: 09+50S 11+00E	201	---	0.6	<< 5										
LN: 09+50S 11+50E	201	---	0.6	<< 5										
LN: 09+50S 12+00E	201	---	0.6	<< 5										
LN: 09+50S 12+50E	201	---	0.7	<< 5										
LN: 09+50S 13+00E	201	---	0.2	<< 5										
LN: 09+50S 13+50E	201	---	0.5	<< 5										
LN: 09+50S 14+00E	201	---	0.2	<< 5										
LN: 09+50S 14+50E	201	---	0.6	<< 5										
LN: 09+50S 15+00E	201	---	0.4	<< 5										
LN: 10+00S 00+00E	201	---	0.5	<< 5										
LN: 10+00S 00+50E	201	---	0.4	<< 5										
LN: 10+00S 01+00E	201	---	1.2	<< 5										
LN: 10+00S 01+50E	201	---	0.5	<< 5										
LN: 10+00S 02+50E	201	---	1.8	<< 5										
LN: 10+00S 03+00E	201	---	0.9	<< 5										
LN: 10+00S 03+50E	201	---	0.4	<< 5										
LN: 10+00S 04+00E	201	---	0.4	<< 5										
LN: 10+00S 04+50E	201	---	1.1	<< 5										

CERTIFICATION: Hart Bichler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING  
301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3  
Project: BEL #1  
Comments:

Page No.: 2  
Tot. Pages: 4  
Date: 26-OCT-87  
Invoice #: I-8724362  
P.O. #:

## CERTIFICATE OF ANALYSIS A8724362

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
LN: 10+00S 05+00E	201	---	1.4	<< 5										
LN: 10+00S 05+50E	201	---	0.7	<< 5										
LN: 10+00S 06+00E	201	---	0.3	<< 5										
LN: 10+00S 07+00E	201	---	0.6	<< 5										
LN: 10+00S 07+50E	201	---	0.1	<< 5										
LN: 10+00S 08+00E	201	---	0.5	<< 5										
LN: 10+00S 08+50E	201	---	0.4	<< 5										
LN: 10+00S 09+00E	201	---	0.4	<< 5										
LN: 10+00S 09+50E	201	---	0.6	<< 5										
LN: 10+00S 10+00E	201	---	0.1	<< 5										
LN: 10+00S 10+50E	201	---	0.2	<< 5										
LN: 10+00S 11+00E	201	---	0.4	<< 5										
LN: 10+00S 11+50E	201	---	3.7	< 15										
LN: 10+00S 12+00E	201	---	1.4	<< 5										
LN: 10+00S 12+50E	201	---	0.5	<< 5										
LN: 10+00S 13+00E	201	---	0.9	<< 5										
LN: 10+00S 13+50E	201	---	0.2	<< 5										
LN: 10+00S 14+00E	201	---	0.7	<< 5										
LN: 10+00S 14+50E	201	---	0.1	<< 5										
LN: 10+00S 15+00E	201	---	0.1	<< 5										
LN: 10+50S 00+00E	201	---	0.5	<< 5										
LN: 10+50S 00+50E	201	---	0.2	<< 5										
LN: 10+50S 01+00E	201	---	0.2	<< 5										
LN: 10+50S 01+50E	201	---	0.3	<< 5										
LN: 10+50S 02+00E	201	---	0.4	<< 5										
LN: 10+50S 02+50E	201	---	2.2	<< 5										
LN: 10+50S 03+00E	201	---	0.2	<< 5										
LN: 10+50S 03+50E	201	---	0.2	< 25										
LN: 10+50S 04+00E	201	---	0.3	<< 5										
LN: 10+50S 04+50E	201	---	0.5	<< 5										
LN: 10+50S 05+00E	201	---	0.4	<< 5										
LN: 10+50S 05+50E	201	---	0.5	<< 5										
LN: 10+50S 06+00E	201	---	0.4	< 10										
LN: 10+50S 06+50E	201	---	0.8	<< 5										
LN: 10+50S 07+00E	201	---	1.1	<< 5										
LN: 10+50S 07+50E	201	---	0.8	<< 5										
LN: 10+50S 08+00E	201	---	1.0	<< 5										
LN: 10+50S 08+50E	201	---	0.6	<< 5										
LN: 10+50S 09+00E	201	---	0.4	<< 5										
LN: 10+50S 09+50E	201	---	0.6	<< 5										

CERTIFICATION: Hart Bichler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING  
301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3  
Project: BEL #1  
Comments:

Page No.: 3  
Tot. Pages: 4  
Date: 26-OCT-87  
Invoice #: I-8724362  
P.O. #:

## CERTIFICATE OF ANALYSIS A8724362

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN: 10+50S 10+00E	201	---	0.6	<	5								
LN: 10+50S 10+50E	201	---	1.0	<	5								
LN: 10+50S 11+00E	201	---	0.2	<	5								
LN: 10+50S 11+50E	201	---	1.1	<	5								
LN: 10+50S 12+00E	201	---	0.5	<	5								
LN: 10+50S 12+50E	201	---	0.1	<	5								
LN: 10+50S 13+00E	201	---	0.1	<	5								
LN: 10+50S 13+50E	201	---	2.6	<	5								
LN: 10+50S 14+00E	201	---	0.6	<	5								
LN: 10+50S 14+50E	201	---	0.2	<	5								
LN: 10+50S 15+00E	201	---	0.3	<	5								
LN: 11+00S 04+00E	201	---	0.1	<	5								
LN: 11+00S 04+50E	201	---	0.2	<	5								
LN: 11+00S 05+00E	201	---	0.5	<	5								
LN: 11+00S 05+50E	201	---	1.1	<	5								
LN: 11+00S 06+00E	201	---	1.0	<	5								
LN: 11+00S 06+50E	201	---	0.5	<	5								
LN: 11+00S 07+00E	201	---	0.7	<	5								
LN: 11+00S 07+50E	201	---	0.3	<	5								
LN: 11+00S 08+00E	201	---	0.7	<	5								
LN: 11+00S 08+50E	201	---	0.4	<	5								
LN: 11+00S 09+00E	201	---	0.5	<	5								
LN: 11+00S 09+50E	201	---	0.6	<	5								
LN: 11+00S 10+00E	201	---	0.6	<	5								
LN: 11+00S 10+50E	201	---	0.1	<	5								
LN: 11+00S 11+00E	201	---	0.1	<	5								
LN: 11+00S 11+50E	201	---	1.0	<	5								
LN: 11+00S 12+00E	201	---	0.1	<	5								
LN: 11+00S 12+50E	201	---	0.4	<	5								
LN: 11+00S 13+00E	201	---	0.5	<	5								
LN: 11+00S 13+50E	201	---	0.2	<	5								
LN: 11+00S 14+00E	201	---	0.1	<	5								
LN: 11+00S 14+50E	201	---	0.1	<	5								
LN: 11+00S 15+00E	201	---	0.1	<	5								
LN: 11+50S 00+00E	201	---	0.3	<	5								
LN: 11+50S 01+00E	201	---	0.1	<	5								
LN: 11+50S 01+50E	201	---	0.2	<	5								
LN: 11+50S 02+50E	201	---	0.1	<	5								
LN: 11+50S 03+00E	201	---	0.7	<	5								

CERTIFICATION: *Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING  
301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3  
Project: BEL #1  
Comments:

Page No.: 4  
Tot. Pages: 4  
Date: 26-OCT-87  
Invoice #: I-8724362  
P.O. #:

## CERTIFICATE OF ANALYSIS A8724362

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN: 11+50S 03+50E	201	---	0.2	<	5								
LN: 11+50S 04+00E	201	---	0.5	<	5								
LN: 11+50S 04+50E	201	---	0.2	<	5								
LN: 11+50S 05+00E	201	---	0.1	<	5								
LN: 11+50S 06+00E	201	---	0.8	<	5								
LN: 11+50S 06+50E	201	---	0.8	<	5								
LN: 11+50S 07+00E	201	---	0.9	<	5								
LN: 11+50S 07+50E	201	---	0.2	<	5								
LN: 11+50S 08+00E	201	---	0.4	<	5								
LN: 11+50S 08+50E	201	---	0.2	<	5								
LN: 11+50S 09+00E	201	---	0.8	<	5								
LN: 11+50S 09+50E	201	---	0.1	<	5								
LN: 11+50S 10+00E	201	---	0.1	<	5								
LN: 11+50S 10+50E	201	---	0.1	<	5								
LN: 11+50S 11+00E	201	---	0.1	<	5								
LN: 11+50S 11+50E	201	---	0.9	<	5								
LN: 11+50S 12+00E	201	---	1.2	<	5								
LN: 11+50S 12+50E	201	---	1.3	<	5								
LN: 11+50S 13+00E	201	---	0.5	<	5								
LN: 11+50S 13+50E	201	---	0.2	<	5								
LN: 11+50S 14+00E	201	---	0.1	<	5								
LN: 11+50S 14+50E	201	---	0.1	<	5								
LN: 11+50S 15+00E	201	---	0.1	<	5								

CERTIFICATION: *Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No.: 1  
Tot. Pages: 7  
Date: 2-NOV-87  
Invoice #: I-8724879  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8724879

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
LN10+00S 2+00E	201	---	0.2	<	5									
LN11+00S 00+00E	201	---	0.4	<	5									
LN11+00S 00+50E	201	---	0.1	<	5									
LN11+00S 01+00E	201	---	0.2	<	5									
LN11+00S 01+50E	201	---	0.1	<	5									
LN11+00S 02+00E	201	---	0.2	<	5									
LN11+00S 02+50E	201	---	0.6	<	5									
LN11+00S 03+00E	201	---	0.1	<	5									
LN11+00S 03+50E	201	---	0.4	<	5									
LN11+50S 02+00E	201	---	0.5	<	5									
LN11+50S 05+50E	201	---	0.1	<	5									
LN12+00S 00+00E	201	---	0.3	<	5									
LN12+00S 00+50E	201	---	0.6	<	5									
LN12+00S 01+00E	201	---	0.5	<	5									
LN12+00S 01+50E	201	---	0.4	10										
LN12+00S 02+00E	201	---	0.2	<	5									
LN12+00S 02+50E	201	---	0.1	10										
LN12+00S 03+00E	201	---	0.2	<	5									
LN12+00S 03+50E	201	---	0.1	<	5									
LN12+00S 04+00E	201	---	0.1	<	5									
LN12+00S 04+50E	201	---	0.3	<	5									
LN12+00S 05+00E	201	---	0.5	<	5									
LN12+00S 05+50E	201	---	0.6	<	5									
LN12+00S 06+00E	201	---	0.9	<	5									
LN12+00S 06+50E	201	---	1.0	<	5									
LN12+00S 07+00E	201	---	0.8	<	5									
LN12+00S 07+50E	201	---	0.4	<	5									
LN12+00S 08+00E	201	---	0.3	<	5									
LN12+00S 08+50E	201	---	0.4	<	5									
LN12+00S 09+00E	201	---	0.9	<	5									
LN12+00S 09+50E	201	---	0.2	<	5									
LN12+00S 10+00E	201	---	0.1	<	5									
LN12+00S 10+50E	201	---	0.2	<	5									
LN12+00S 11+00E	201	---	0.4	<	5									
LN12+00S 11+50E	201	---	1.4	<	5									
LN12+00S 12+00E	201	---	0.1	<	5									
LN12+00S 12+50E	201	---	0.2	<	5									
LN12+00S 13+00E	201	---	0.1	<	5									
LN12+00S 13+50E	201	---	0.4	<	5									
LN12+00S 14+00E	201	---	0.7	<	5									

CERTIFICATION : Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No.: 2  
Tot. Pages: 7  
Date: 2-NOV-87  
Invoice #: I-8724879  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8724879

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
LN12+00S 14+50E	201	---	0.7	<	5									
LN12+00S 15+00E	201	---	0.1	<	5									
LN12+50S 00+00E	201	---	0.2	<	5									
LN12+50S 00+50E	201	---	0.6	<	5									
LN12+50S 01+00E	201	---	2.2	10										
LN12+50S 01+50E	201	---	0.9	<	5									
LN12+50S 02+00E	201	---	0.5	<	5									
LN12+50S 02+50E	201	---	0.2	<	5									
LN12+50S 03+00E	201	---	0.7	<	5									
LN12+50S 03+50E	201	---	0.2	<	5									
LN12+50S 04+00E	201	---	0.6	<	5									
LN12+50S 04+50E	201	---	0.2	<	5									
LN12+50S 05+00E	201	---	0.8	<	5									
LN12+50S 05+50E	201	---	0.6	<	5									
LN12+50S 06+00E	201	---	0.8	<	5									
LN12+50S 06+50E	201	---	0.7	<	5									
LN12+50S 07+00E	201	---	0.2	15										
LN12+50S 07+50E	201	---	0.8	10										
LN12+50S 08+00E	201	---	0.6	<	5									
LN12+50S 08+50E	201	---	0.4	<	5									
LN12+50S 09+00E	201	---	0.9	<	5									
LN12+50S 09+50E	201	---	0.5	<	5									
LN12+50S 10+00E	201	---	0.1	<	5									
LN12+50S 10+50E	201	---	0.2	<	5									
LN12+50S 11+00E	201	---	0.4	<	5									
LN12+50S 11+50E	201	---	0.3	<	5									
LN12+50S 12+00E	201	---	0.6	<	5									
LN12+50S 12+50E	201	---	0.9	<	5									
LN12+50S 13+00E	201	---	0.7	15										
LN12+50S 13+50E	201	---	0.9	<	5									
LN12+50S 14+00E	201	---	0.8	<	5									
LN12+50S 14+50E	201	---	0.4	<	5									
LN12+50S 15+00E	201	---	0.5	<	5									
LN13+00S 00+00E	201	---	2.1	<	5									
LN13+00S 00+50E	201	---	3.2	<	5									
LN13+00S 01+00E	201	---	1.7	<	5									
LN13+00S 01+50E	201	---	0.7	<	5									
LN13+00S 02+00E	201	---	0.1	<	5									
LN13+00S 02+50E	201	---	0.8	<	5									
LN13+00S 03+00E	201	---	0.5	<	5									

CERTIFICATION : Hart Buchler





# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No.: 3  
Tot. Pages: 7  
Date: 2-NOV-87  
Invoice #: I-8724879  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8724879

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN13+00S 03+50E	201	---	0.3	< 5									
LN13+00S 04+00E	201	---	0.5	< 5									
LN13+00S 04+50E	201	---	0.5	< 5									
LN13+00S 05+00E	201	---	0.2	< 5									
LN13+00S 05+50E	201	---	0.5	< 5									
LN13+00S 06+00E	201	---	0.8	< 5									
LN13+00S 06+50E	201	---	0.7	< 5									
LN13+00S 07+00E	201	---	0.5	< 5									
LN13+00S 07+50E	201	---	0.6	< 5									
LN13+00S 08+00E	201	---	0.7	< 5									
LN13+00S 08+50E	201	---	0.5	< 5									
LN13+00S 09+00E	201	---	0.8	< 5									
LN13+00S 09+50E	201	---	0.1	< 5									
LN13+00S 10+00E	201	---	0.1	< 5									
LN13+00S 10+50E	201	---	0.1	< 5									
LN13+00S 11+00E	201	---	1.1	< 5									
LN13+00S 11+50E	201	---	0.4	< 5									
LN13+00S 12+00E	201	---	0.3	< 5									
LN13+00S 12+50E	201	---	0.5	< 5									
LN13+00S 13+00E	201	---	0.3	< 5									
LN13+00S 13+50E	201	---	0.4	< 10									
LN13+00S 14+00E	201	---	0.3	< 5									
LN13+00S 14+50E	201	---	0.1	< 5									
LN13+00S 15+00E	201	---	0.1	< 20									
LN13+50S 00+00E	201	---	0.2	< 5									
LN13+50S 00+50E	201	---	0.4	< 10									
LN13+50S 01+00E	201	---	0.9	< 5									
LN13+50S 01+50E	201	---	0.2	< 5									
LN13+50S 02+00E	201	---	0.2	< 5									
LN13+50S 02+50E	201	---	0.6	< 5									
LN13+50S 03+00E	201	---	0.5	< 5									
LN13+50S 03+50E	201	---	0.1	< 5									
LN13+50S 04+00E	201	---	0.1	< 5									
LN13+50S 04+50E	201	---	0.4	< 5									
LN13+50S 05+00E	201	---	0.2	< 5									
LN13+50S 05+50E	201	---	0.2	< 5									
LN13+50S 06+00E	201	---	0.5	< 30									
LN13+50S 06+50E	201	---	0.2	< 5									
LN13+50S 07+00E	201	---	0.2	< 5									
LN13+50S 07+50E	201	---	0.1	< 10									

CERTIFICATION: Hart Bichler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No.: 4  
Tot. Pages: 7  
Date: 2-NOV-87  
Invoice #: I-8724879  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8724879

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN13+50S 08+00E	201	---	0.4	< 5									
LN13+50S 08+50E	201	---	0.3	< 5									
LN13+50S 09+00E	201	---	0.3	< 5									
LN13+50S 09+50E	201	---	0.2	< 5									
LN13+50S 10+00E	201	---	0.5	< 5									
LN13+50S 10+50E	201	---	0.2	< 5									
LN13+50S 11+00E	201	---	0.3	< 5									
LN13+50S 11+50E	201	---	0.8	< 5									
LN13+50S 12+00E	201	---	0.2	< 5									
LN13+50S 12+50E	201	---	0.6	< 5									
LN13+50S 13+00E	201	---	0.7	< 5									
LN13+50S 13+50E	201	---	0.3	< 5									
LN13+50S 14+00E	201	---	0.1	< 5									
LN13+50S 14+50E	201	---	0.2	< 5									
LN13+50S 15+00E	201	---	0.2	< 5									
LN14+00S 00+00E	201	---	0.1	< 5									
LN14+00S 00+50E	201	---	1.1	< 5									
LN14+00S 01+00E	201	---	0.7	< 5									
LN14+00S 01+50E	201	---	0.9	< 5									
LN14+00S 02+00E	201	---	0.2	< 5									
LN14+00S 02+50E	201	---	1.1	< 5									
LN14+00S 03+00E	201	---	0.9	< 5									
LN14+00S 03+50E	201	---	0.3	< 5									
LN14+00S 04+00E	201	---	0.6	< 5									
LN14+00S 04+50E	201	---	0.2	< 5									
LN14+00S 05+00E	201	---	0.5	< 5									
LN14+00S 05+50E	201	---	0.5	< 5									
LN14+00S 06+00E	201	---	0.7	< 5									
LN14+00S 06+50E	201	---	0.3	< 5									
LN14+00S 07+00E	201	---	0.7	< 5									
LN14+00S 07+50E	201	---	0.3	< 5									
LN14+00S 08+00E	201	---	0.5	< 5									
LN14+00S 08+50E	201	---	0.2	< 5									
LN14+00S 09+00E	201	---	0.3	< 5									
LN14+00S 09+50E	201	---	0.7	< 5									
LN14+00S 10+00E	201	---	0.2	< 5									
LN14+00S 10+50E	201	---	0.4	< 5									
LN14+00S 11+00E	201	---	0.5	< 5									
LN14+00S 11+50E	201	---	0.1	< 5									
LN14+00S 12+00E	201	---	0.4	< 5									

CERTIFICATION: Hart Bichler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No. : 5  
Tot. Pages: 7  
Date : 2-NOV-87  
Invoice #: I-8724879  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8724879

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN14+00S 12+50E	201	---	0.7	15									
LN14+00S 13+00E	201	---	0.7	5									
LN14+00S 13+50E	201	---	0.5	5									
LN14+00S 14+00E	201	---	1.1	10									
LN14+00S 14+50E	201	---	0.4	10									
LN14+00S 15+00E	201	---	0.4	260									
LN14+50S 00+00E	201	---	0.5	5									
LN14+50S 00+50E	201	---	0.6	5									
LN14+50S 01+00E	201	---	0.9	5									
LN14+50S 01+50E	201	---	0.8	15									
LN14+50S 02+00E	201	---	1.0	5									
LN14+50S 02+50E	201	---	0.4	5									
LN14+50S 03+00E	201	---	0.7	5									
LN14+50S 03+50E	201	---	0.5	5									
LN14+50S 04+00E	201	---	0.1	5									
LN14+50S 04+50E	201	---	1.3	5									
LN14+50S 05+00E	201	---	0.2	5									
LN14+50S 05+50E	201	---	0.3	5									
LN14+50S 06+00E	201	---	0.1	5									
LN14+50S 06+50E	201	---	0.4	5									
LN14+50S 07+00E	201	---	0.2	5									
LN14+50S 07+50E	201	---	0.2	5									
LN14+50S 08+00E	201	---	0.2	5									
LN14+50S 08+50E	201	---	1.0	5									
LN14+50S 09+00E	201	---	0.1	5									
LN14+50S 09+50E	201	---	0.4	5									
LN14+50S 10+00E	201	---	0.1	5									
LN14+50S 10+50E	201	---	0.2	15									
LN14+50S 11+00E	201	---	0.2	5									
LN14+50S 11+50E	201	---	0.1	10									
LN14+50S 12+00E	201	---	0.1	15									
LN14+50S 12+50E	201	---	0.8	5									
LN14+50S 13+00E	201	---	1.0	5									
LN14+50S 13+50E	201	---	0.1	5									
LN14+50S 14+00E	201	---	0.2	5									
LN14+50S 14+50E	201	---	0.6	5									
LN14+50S 15+00E	201	---	0.1	5									
LN15+00S 00+00E	201	---	0.4	5									
LN15+00S 00+50E	201	---	0.4	5									
LN15+00S 01+00E	201	---	0.5	10									

CERTIFICATION : Hartl Buchler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No. : 6  
Tot. Pages: 7  
Date : 2-NOV-87  
Invoice #: I-8724879  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8724879

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN15+00S 01+50E	201	---	0.5	5									
LN15+00S 02+00E	201	---	2.3	5									
LN15+00S 02+50E	201	---	0.5	5									
LN15+00S 03+00E	201	---	1.3	5									
LN15+00S 03+50E	201	---	0.4	5									
LN15+00S 04+00E	201	---	1.3	5									
LN15+00S 04+50E	201	---	0.2	5									
LN15+00S 05+00E	201	---	0.4	10									
LN15+00S 05+50E	201	---	0.4	5									
LN15+00S 06+00E	201	---	0.1	5									
LN15+00S 06+50E	201	---	0.6	5									
LN15+00S 07+00E	201	---	0.3	5									
LN15+00S 07+50E	201	---	0.3	5									
LN15+00S 08+00E	201	---	0.2	5									
LN15+00S 08+50E	201	---	0.2	5									
LN15+00S 09+00E	201	---	0.2	5									
LN15+00S 09+50E	201	---	0.3	5									
LN15+00S 10+00E	201	---	0.1	5									
LN15+00S 10+50E	201	---	0.1	5									
LN15+00S 11+00E	201	---	0.2	5									
LN15+00S 11+50E	201	---	0.1	15									
LN15+00S 12+00E	201	---	0.1	5									
LN15+00S 12+50E	201	---	0.1	5									
LN15+00S 13+00E	201	---	0.2	5									
LN15+00S 13+50E	201	---	0.1	5									
LN15+00S 14+00E	201	---	0.1	5									
LN15+00S 14+50E	201	---	0.1	5									
LN15+00S 15+00E	201	---	0.1	5									
LN25+00S 00+00E	201	---	1.3	5									
LN25+00S 00+50E	201	---	0.1	5									
LN25+00S 01+00E	201	---	0.5	5									
LN25+00S 01+50E	201	---	0.7	5									
LN25+00S 02+00E	201	---	0.7	5									
LN25+00S 02+50E	201	---	0.1	5									
LN25+00S 03+00E	201	---	0.6	5									
LN25+00S 03+50E	201	---	0.5	5									
LN25+00S 04+00E	201	---	0.3	5									
LN25+00S 04+50E	201	---	0.1	5									
LN25+00S 05+00E	201	---	0.1	5									
LN25+00S 05+50E	201	---	0.2	5									

CERTIFICATION : Hartl Buchler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING  
301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3  
Project: BEL #1  
Comments:

Page No.: 7  
Tot. Pages: 7  
Date: 2-NOV-87  
Invoice #: I-8724879  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8724879

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
LN25+00S 06+00E	201	---	0.4	< 20									
LN25+00S 06+50E	201	---	1.6	< 5									
LN25+00S 07+00E	201	---	0.6	< 5									
LN25+00S 07+50E	201	---	0.4	< 5									
LN25+00S 08+00E	201	---	1.1	< 5									
LN25+00S 08+50E	201	---	0.5	< 5									
LN25+00S 09+00E	201	---	0.4	< 5									
LN25+00S 09+50E	201	---	0.1	< 5									
LN25+00S 10+00E	201	---	1.8	< 5									
LN25+00S 10+50E	201	---	0.7	< 5									
LN25+00S 11+00E	201	---	0.9	< 5									
LN25+00S 11+50E	201	---	0.7	< 5									
LN25+00S 12+00E	201	---	1.0	< 5									
LN25+00S 12+50E	201	---	0.7	< 5									
LN25+00S 13+00E	201	---	0.9	< 5									
LN25+00S 13+50E	201	---	1.1	< 10									
LN25+00S 14+00E	201	---	1.0	< 5									
LN25+00S 14+50E	201	---	1.0	< 5									
LN25+00S 15+00E	201	---	0.3	< 5									
LN10+00E 15+50S	201	---	0.1	< 5									
LN10+00E 16+00S	201	---	0.5	< 5									
LN10+00E 16+50S	201	---	0.1	< 15									
LN10+00E 17+00S	201	---	0.9	< 5									
LN10+00E 17+50S	201	---	0.6	< 5									
LN10+00E 18+00S	201	---	0.2	< 10									
LN10+00E 18+50S	201	---	0.3	< 5									
LN10+00E 19+00S	201	---	0.4	< 10									
LN10+00E 19+50S	201	---	0.8	< 5									
LN10+00E 20+00S	201	---	1.0	< 5									
LN10+00E 20+50S	201	---	0.5	< 5									
LN10+00E 21+00S	201	---	0.5	< 5									
LN10+00E 21+50S	201	---	1.0	< 5									
LN10+00E 22+00S	201	---	2.2	< 5									
LN10+00E 22+50S	201	---	1.7	< 5									
LN10+00E 23+00S	201	---	1.2	< 5									
LN10+00E 23+50S	201	---	0.7	< 5									
LN10+00E 24+00S	201	---	0.8	< 10									
LN10+00E 24+50S	201	---	2.1	< 5									

CERTIFICATION: Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING  
301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3  
Project: BEL #1  
Comments:

Page No.: 1  
Tot. Pages: 7  
Date: 3-NOV-87  
Invoice #: I-8725009  
P.O. #:

## CERTIFICATE OF ANALYSIS A8725009

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
0+00 15+50S	201	---	1.0	< 5									
0+00 16+00S	201	---	0.8	< 20									
0+00 16+50S	201	---	1.0	< 5									
0+00 17+00S	201	---	1.5	< 10									
0+00 17+50S	201	---	1.7	< 5									
0+00 18+00S	201	---	0.6	< 35									
0+00 18+50S	201	---	0.4	< 5									
0+00 19+00S	201	---	0.4	< 5									
0+00 19+50S	201	---	0.3	< 5									
0+00 20+00S	201	---	1.0	< 5									
0+00 20+50S	201	---	0.4	< 5									
0+00 21+00S	201	---	0.2	< 5									
0+00 21+50S	201	---	0.9	< 10									
0+00 22+00S	201	---	1.4	< 5									
0+00 22+50S	201	---	2.4	< 5									
0+00 23+00S	201	---	0.3	< 5									
0+00 23+50S	201	---	0.5	< 5									
0+00 24+00S	201	---	0.9	< 5									
0+00 24+50S	201	---	1.7	< 5									
0+50E 15+50S	201	---	1.6	< 5									
0+50E 16+00S	201	---	0.1	< 5									
0+50E 16+50S	201	---	0.4	< 10									
0+50E 17+00S	201	---	1.7	< 5									
0+50E 17+50S	201	---	2.4	< 5									
0+50E 18+00S	201	---	0.9	< 5									
0+50E 18+50S	201	---	0.3	< 5									
0+50E 19+00S	201	---	1.5	< 5									
0+50E 19+50S	201	---	0.7	< 5									
0+50E 20+00S	201	---	0.5	< 5									
0+50E 20+50S	201	---	0.6	< 5									
0+50E 21+00S	201	---	0.2	< 5									
0+50E 21+50S	201	---	0.3	< 5									
0+50E 22+00S	201	---	0.7	< 5									
0+50E 22+50S	201	---	0.7	< 5									
0+50E 23+00S	201	---	0.1	< 5									
0+50E 23+50S	201	---	0.7	< 5									
0+50E 24+00S	201	---	0.4	< 5									
0+50E 24+50S	201	---	0.5	< 5									
1+00E 15+50S	201	---	0.8	< 5									
1+00E 16+00S	201	---	2.4	< 5									

CERTIFICATION: Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No.: 2  
Tot. Pages: 7  
Date: 3-NOV-87  
Invoice #: I-8725009  
P.O. #:

## CERTIFICATE OF ANALYSIS A8725009

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
1+00E 16+50S	201	---	2.0	100									
1+00E 17+00S	201	---	3.2	< 5									
1+00E 17+50S	201	---	0.4	< 5									
1+00E 18+00S	201	---	0.7	< 5									
1+00E 18+50S	201	---	0.6	< 5									
1+00E 19+00S	201	---	3.5	< 5									
1+00E 19+50S	201	---	1.5	< 5									
1+00E 20+00S	201	---	0.3	< 5									
1+00E 20+50S	201	---	0.2	< 5									
1+00E 21+00S	201	---	1.2	< 5									
1+00E 21+50S	201	---	0.4	< 5									
1+00E 22+00S	201	---	0.3	< 5									
1+00E 22+50S	201	---	0.2	< 5									
1+00E 23+00S	201	---	0.6	< 5									
1+00E 23+50S	201	---	0.4	< 5									
1+00E 24+00S	201	---	0.6	< 5									
1+00E 24+50S	201	---	0.6	< 5									
1+50E 15+50S	201	---	0.7	< 5									
1+50E 16+00S	201	---	0.3	< 5									
1+50E 16+50S	201	---	0.5	< 5									
1+50E 17+00S	201	---	0.8	< 5									
1+50E 17+50S	201	---	0.6	< 5									
1+50E 18+00S	201	---	0.6	< 5									
1+50E 18+50S	201	---	0.7	< 5									
1+50E 19+00S	201	---	0.8	< 5									
1+50E 19+50S	201	---	1.1	< 5									
1+50E 20+00S	201	---	3.3	< 5									
1+50E 20+50S	201	---	0.9	< 5									
1+50E 21+00S	201	---	0.1	< 5									
1+50E 21+50S	201	---	5.0	< 5									
1+50E 22+00S	201	---	0.4	< 5									
1+50E 22+50S	201	---	0.3	< 5									
1+50E 23+00S	201	---	0.1	< 5									
1+50E 23+50S	201	---	0.1	< 5									
1+50E 24+00S	201	---	0.6	< 5									
1+50E 24+50S	201	---	0.1	< 5									
2+00E 15+50S	201	---	0.4	< 5									
2+00E 16+00S	201	---	1.3	< 5									
2+00E 16+50S	201	---	0.7	< 5									
2+00E 17+00S	201	---	0.7	< 5									
2+00E 17+50S	201	---	0.7	< 5									

CERTIFICATION :

*Hart Bichler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No.: 3  
Tot. Pages: 7  
Date: 3-NOV-87  
Invoice #: I-8725009  
P.O. #:

## CERTIFICATE OF ANALYSIS A8725009

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
2+00E 17+50S	201	---	0.7	< 5									
2+00E 18+00S	201	---	1.2	< 5									
2+00E 18+50S	201	---	0.9	< 5									
2+00E 19+00S	201	---	2.6	< 5									
2+00E 19+50S	201	---	2.2	< 5									
2+00E 20+00S	201	---	0.7	< 5									
2+00E 20+50S	201	---	1.3	30									
2+00E 21+00S	201	---	5.0	10									
2+00E 21+50S	201	---	0.9	< 5									
2+00E 22+00S	201	---	1.7	< 5									
2+00E 22+50S	201	---	0.6	< 5									
2+00E 23+00S	201	---	0.3	< 5									
2+00E 23+50S	201	---	0.6	15									
2+00E 24+00S	201	---	0.5	< 5									
2+00E 24+50S	201	---	0.6	< 5									
2+50E 15+50S	201	---	0.4	< 5									
2+50E 16+00S	201	---	0.5	< 5									
2+50E 16+50S	201	---	0.7	< 5									
2+50E 17+00S	201	---	1.2	< 5									
2+50E 17+50S	201	---	0.2	< 5									
2+50E 18+00S	201	---	1.3	< 5									
2+50E 18+50S	201	---	2.4	< 5									
2+50E 19+00S	201	---	0.8	< 5									
2+50E 19+50S	201	---	0.6	< 5									
2+50E 20+00S	201	---	7.5	< 5									
2+50E 20+50S	201	---	1.9	< 5									
2+50E 21+00S	201	---	5.8	< 5									
2+50E 21+50S	201	---	1.7	< 5									
2+50E 22+00S	201	---	0.3	< 5									
2+50E 22+50S	201	---	0.4	< 5									
2+50E 23+00S	201	---	0.2	< 5									
2+50E 23+50S	201	---	0.4	< 5									
2+50E 24+00S	201	---	0.2	< 5									
2+50E 24+50S	201	---	1.6	< 5									
3+00E 15+50S	201	---	0.6	< 5									
3+00E 16+00S	201	---	0.8	< 5									
3+00E 16+50S	201	---	0.3	< 5									
3+00E 17+00S	201	---	0.8	< 5									
3+00E 17+50S	201	---	0.5	< 5									
3+00E 18+00S	201	---	0.4	< 5									

CERTIFICATION :

*Hart Bichler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING  
301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3  
Project: BEL #1  
Comments:

Page No.: 4  
Tot. Pages: 7  
Date: 3-NOV-87  
Invoice #: I-8725009  
P.O. #:

## CERTIFICATE OF ANALYSIS A8725009

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
3+00E 18+50S	201	---	2.0	<	5									
3+00E 19+00S	201	---	0.3	<	5									
3+00E 19+50S	201	---	0.5	<	5									
3+00E 20+00S	201	---	1.6	<	5									
3+00E 20+50S	201	---	0.7	<	5									
3+00E 21+00S	201	---	0.2	<	5									
3+00E 21+50S	201	---	0.4	<	5									
3+00E 22+00S	201	---	0.5	<	5									
3+00E 22+50S	201	---	0.4	<	10									
3+00E 23+00S	201	---	0.3	<	5									
3+00E 23+50S	201	---	0.7	<	5									
3+00E 24+00S	201	---	0.2	<	5									
3+00E 24+50S	201	---	0.4	<	5									
3+00E 25+50S	201	---	0.3	<	5									
3+00E 26+00S	201	---	0.2	<	5									
3+00E 26+50S	201	---	1.2	<	5									
3+00E 27+00S	201	---	0.5	<	5									
3+50E 15+50S	201	---	1.1	<	5									
3+50E 16+00S	201	---	1.3	<	5									
3+50E 16+50S	201	---	2.7	<	5									
3+50E 17+00S	201	---	0.7	<	5									
3+50E 17+50S	201	---	1.3	<	5									
3+50E 18+00S	201	---	1.0	<	5									
3+50E 18+50S	201	---	0.9	<	5									
3+50E 19+00S	201	---	0.8	<	5									
3+50E 19+50S	201	---	0.2	<	5									
3+50E 20+00S	201	---	1.0	<	5									
3+50E 20+50S	201	---	1.0	<	5									
3+50E 21+00S	201	---	0.9	<	5									
3+50E 21+50S	201	---	1.8	<	5									
3+50E 22+00S	201	---	0.8	<	5									
3+50E 22+50S	201	---	2.0	<	5									
3+50E 23+00S	201	---	1.2	<	5									
3+50E 23+50S	201	---	1.1	<	5									
3+50E 24+00S	201	---	1.1	<	5									
3+50E 24+50S	201	---	0.8	<	5									
3+50E 25+50S	201	---	0.4	<	5									
3+50E 26+00S	201	---	0.4	<	5									
3+50E 26+50S	201	---	1.4	<	5									
3+50E 27+00S	201	---	0.4	<	5									

CERTIFICATION: Hart Bechler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING  
301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3  
Project: BEL #1  
Comments:

Page No.: 5  
Tot. Pages: 7  
Date: 3-NOV-87  
Invoice #: I-8725009  
P.O. #:

## CERTIFICATE OF ANALYSIS A8725009

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
4+00E 15+50S	201	---	0.7	<	5									
4+00E 16+00S	201	---	0.5	<	5									
4+00E 16+50S	201	---	0.7	<	5									
4+00E 17+00S	201	---	1.9	<	5									
4+00E 17+50S	201	---	2.8	<	5									
4+00E 18+00S	201	---	0.5	<	5									
4+00E 18+50S	201	---	0.9	<	5									
4+00E 19+00S	201	---	0.6	<	5									
4+00E 19+50S	201	---	0.8	<	5									
4+00E 20+00S	201	---	0.3	<	5									
4+00E 20+50S	201	---	0.4	<	5									
4+00E 21+00S	201	---	0.6	<	5									
4+00E 21+50S	201	---	1.9	<	5									
4+00E 22+00S	201	---	1.3	<	5									
4+00E 22+50S	201	---	0.4	<	5									
4+00E 23+00S	201	---	0.3	<	5									
4+00E 23+50S	201	---	1.6	<	5									
4+00E 24+00S	201	---	1.0	<	5									
4+00E 24+50S	201	---	0.5	<	5									
4+00E 25+50S	201	---	1.1	<	5									
4+00E 26+00S	201	---	0.1	<	5									
4+00E 26+50S	201	---	0.1	<	5									
4+00E 27+00S	201	---	1.1	<	5									
4+50E 15+50S	201	---	1.1	<	5									
4+50E 16+00S	201	---	1.1	<	5									
4+50E 16+50S	201	---	0.8	<	5									
4+50E 17+00S	201	---	0.2	<	5									
4+50E 17+50S	201	---	1.7	<	5									
4+50E 18+00S	201	---	0.4	<	5									
4+50E 18+50S	201	---	1.5	<	5									
4+50E 19+00S	201	---	1.1	<	5									
4+50E 19+50S	201	---	1.8	<	5									
4+50E 20+00S	201	---	1.4	<	5									
4+50E 20+50S	201	---	0.5	<	5									
4+50E 21+00S	201	---	0.2	<	5									
4+50E 21+50S	201	---	0.3	<	5									
4+50E 22+00S	201	---	0.5	<	5									
4+50E 22+50S	201	---	1.5	<	5									
4+50E 23+00S	201	---	0.1	<	5									
4+50E 23+50S	201	---	0.5	<	5									

CERTIFICATION: Hart Bechler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING  
301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3  
Project: BEL #1  
Comments:

Page No.: 6  
Tot. Pages: 7  
Date: 3-NOV-87  
Invoice #: I-8725009  
P.O. #:

## CERTIFICATE OF ANALYSIS A8725009

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
4+50E 24+00S	201	---	0.9	<	5								
4+50E 24+50S	201	---	0.9	<	5								
4+50E 25+50S	201	---	0.2	<	5								
4+50E 26+00S	201	---	0.2	<	5								
4+50E 26+50S	201	---	0.1	<	5								
4+50E 27+00S	201	---	0.3	<	5								
5+00E 15+50S	201	---	0.3	<	5								
5+00E 16+00S	201	---	0.8	<	5								
5+00E 16+50S	201	---	1.1	<	5								
5+00E 17+00S	201	---	0.5	<	5								
5+00E 17+50S	201	---	1.7	<	5								
5+00E 18+00S	201	---	1.9	<	5								
5+00E 18+50S	201	---	0.6	<	5								
5+00E 19+00S	201	---	0.3	<	5								
5+00E 19+50S	201	---	0.4	<	5								
5+00E 20+00S	201	---	0.9	<	5								
5+00E 20+50S	201	---	1.6	<	5								
5+00E 21+00S	201	---	1.2	<	5								
5+00E 21+50S	201	---	0.2	<	5								
5+00E 22+00S	201	---	3.1	<	5								
5+00E 22+50S	201	---	0.7	<	5								
5+00E 23+00S	201	---	0.2	<	5								
5+00E 23+50S	201	---	0.5	<	5								
5+00E 24+00S	201	---	0.4	<	5								
5+00E 24+50S	201	---	1.6	12	5								
5+00E 25+50S	201	---	0.8	<	5								
5+00E 26+00S	201	---	1.3	<	5								
5+00E 26+50S	201	---	0.2	<	5								
5+00E 27+00S	201	---	0.4	10	5								
5+50E 15+50S	201	---	0.4	20	5								
5+50E 16+00S	201	---	0.3	<	5								
5+50E 16+50S	201	---	0.3	<	5								
5+50E 17+00S	201	---	0.3	<	5								
5+50E 17+50S	201	---	0.4	<	5								
5+50E 18+00S	201	---	0.4	<	5								
5+50E 18+50S	201	---	1.5	<	5								
5+50E 19+00S	201	---	0.5	<	5								
5+50E 19+50S	201	---	0.7	<	5								
5+50E 20+00S	201	---	0.5	<	5								
5+50E 20+50S	201	---	0.5	<	5								

CERTIFICATION: Hart Bichler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING  
301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3  
Project: BEL #1  
Comments:

Page No.: 7  
Tot. Pages: 7  
Date: 3-NOV-87  
Invoice #: I-8725009  
P.O. #:

## CERTIFICATE OF ANALYSIS A8725009

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
5+50E 21+00S	201	---	0.5	<	5								
5+50E 21+50S	201	---	0.3	<	5								
5+50E 22+00S	201	---	0.6	<	5								
5+50E 22+50S	201	---	2.0	<	5								
5+50E 23+00S	201	---	0.3	<	5								
5+50E 23+50S	201	---	1.8	<	5								
5+50E 24+00S	201	---	0.2	<	5								
5+50E 24+50S	201	---	0.7	<	5								
5+50E 25+50S	201	---	0.1	2	5								
5+50E 26+00S	201	---	0.2	<	5								
5+50E 26+50S	201	---	0.1	<	5								

CERTIFICATION: Hart Bichler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No. : 1  
Tot. Pages: 9  
Date : 17-NOV-87  
Invoice #: I-8725837  
P.O. # :

## CERTIFICATE OF ANALYSIS A8725837

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
6+00E 15+50S	201	---	0.4	< 5									
6+00E 16+00S	201	---	0.3	< 5									
6+00E 16+50S	201	---	0.3	< 5									
6+00E 17+00S	201	---	0.6	< 5									
6+00E 17+50S	201	---	0.5	< 5									
6+00E 18+00S	201	---	0.3	< 5									
6+00E 18+50S	201	---	0.2	< 5									
6+00E 19+00S	201	---	2.8	< 5									
6+00E 19+50S	201	---	0.4	< 5									
6+00E 20+00S	201	---	0.2	< 5									
6+00E 20+50S	201	---	0.5	< 5									
6+00E 21+00S	201	---	0.5	< 5									
6+00E 21+50S	201	---	0.5	< 5									
6+00E 22+00S	201	---	2.6	< 5									
6+00E 22+50S	201	---	1.5	< 5									
6+00E 23+00S	201	---	1.4	< 5									
6+00E 23+50S	201	---	0.7	< 5									
6+00E 24+00S	201	---	0.1	< 5									
6+00E 24+50S	201	---	0.2	< 5									
6+00E 25+50S	201	---	0.4	< 5									
6+00E 26+00S	201	---	1.0	< 5									
6+00E 26+50S	201	---	0.2	< 5									
6+50E 15+50S	201	---	0.3	< 5									
6+50E 16+00S	201	---	0.6	< 5									
6+50E 16+50S	201	---	0.7	< 5									
6+50E 17+00S	201	---	1.1	< 5									
6+50E 17+50S	201	---	0.4	< 5									
6+50E 18+00S	201	---	0.4	< 5									
6+50E 18+50S	201	---	0.1	< 5									
6+50E 19+00S	201	---	1.5	< 5									
6+50E 19+50S	201	---	2.6	< 5									
6+50E 20+00S	201	---	0.2	< 5									
6+50E 20+50S	201	---	0.2	< 5									
6+50E 21+00S	201	---	0.8	< 5									
6+50E 21+50S	201	---	0.2	< 20									
6+50E 22+00S	201	---	0.4	< 5									
6+50E 22+50S	201	---	0.7	< 5									
6+50E 23+00S	201	---	0.6	< 5									
6+50E 23+50S	201	---	1.7	< 5									
6+50E 24+00S	201	---	0.8	< 5									

CERTIFICATION : Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No. : 2  
Tot. Pages: 9  
Date : 17-NOV-87  
Invoice #: I-8725837  
P.O. # :

## CERTIFICATE OF ANALYSIS A8725837

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
6+50E 24+50S	201	---	0.3	< 15									
6+50E 25+50S	201	---	0.4	< 10									
6+50E 26+00S	201	---	0.4	< 5									
6+50E 26+50S	201	---	0.4	< 25									
7+00E 15+50S	201	---	0.4	< 5									
7+00E 16+00S	201	---	0.2	< 5									
7+00E 16+50S	201	---	0.3	< 5									
7+00E 17+00S	201	---	0.6	< 5									
7+00E 17+50S	201	---	0.6	< 5									
7+00E 18+00S	201	---	0.1	< 5									
7+00E 18+50S	201	---	0.3	< 5									
7+00E 19+00S	201	---	0.5	< 5									
7+00E 19+50S	201	---	0.4	< 5									
7+00E 20+00S	201	---	0.3	< 5									
7+00E 20+50S	201	---	0.1	< 5									
7+00E 21+00S	201	---	0.7	< 5									
7+00E 21+50S	201	---	1.1	< 5									
7+00E 22+00S	201	---	0.2	< 5									
7+00E 22+50S	201	---	1.0	< 10									
7+00E 23+00S	201	---	0.7	< 5									
7+00E 23+50S	201	---	0.6	< 5									
7+00E 24+00S	201	---	1.5	< 45									
7+00E 24+50S	201	---	0.1	< 5									
7+00E 25+50S	201	---	0.3	< 10									
7+00E 26+00S	201	---	0.5	< 5									
7+00E 26+50S	201	---	0.3	< 5									
7+50E 15+50S	201	---	0.3	< 5									
7+50E 16+00S	201	---	0.6	< 5									
7+50E 16+50S	201	---	0.3	< 5									
7+50E 17+00S	201	---	0.9	< 10									
7+50E 17+50S	201	---	0.9	< 5									
7+50E 18+00S	201	---	0.7	< 5									
7+50E 18+50S	201	---	0.2	< 5									
7+50E 19+00S	201	---	0.6	< 5									
7+50E 19+50S	201	---	0.5	< 5									
7+50E 20+00S	201	---	0.4	< 5									
7+50E 20+50S	201	---	0.5	< 10									
7+50E 21+00S	201	---	0.3	< 5									
7+50E 21+50S	201	---	0.4	< 5									
7+50E 22+00S	201	---	0.6	< 5									

CERTIFICATION : Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING  
301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3  
Project: BEL #1  
Comments:

Page No.: 3  
Tot. Pages: 9  
Date: 17-NOV-87  
Invoice #: I-8725837  
P.O. #:

## CERTIFICATE OF ANALYSIS A8725837

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
7+50E 22+50S	201	---	0.7	< 5									
7+50E 23+00S	201	---	0.2	< 5									
7+50E 23+50S	201	---	1.4	< 5									
7+50E 24+00S	201	---	0.1	< 5									
7+50E 24+50S	201	---	0.2	< 5									
7+50E 25+50S	201	---	0.4	< 5									
7+50E 26+00S	201	---	0.1	< 5									
8+00E 15+50S	201	---	0.3	< 5									
8+00E 16+00S A	201	---	0.1	< 5									
8+00E 16+00S B	---	---	0.8	< 5									
8+00E 16+50S	201	---	0.4	< 5									
8+00E 17+00S	201	---	0.3	< 5									
8+00E 17+50S	201	---	0.4	< 5									
8+00E 18+00S	201	---	0.9	< 5									
8+00E 18+50S	201	---	0.6	< 5									
8+00E 19+00S	201	---	0.3	< 5									
8+00E 19+50S	201	---	0.5	< 5									
8+00E 20+00S	201	---	0.1	< 5									
8+00E 20+50S	201	---	0.5	< 5									
8+00E 21+00S	201	---	1.0	< 5									
8+00E 21+50S	201	---	0.2	< 5									
8+00E 22+00S	201	---	1.2	< 5									
8+00E 22+50S	201	---	0.2	< 5									
8+00E 23+00S	201	---	1.6	< 5									
8+00E 23+50S	201	---	0.2	< 5									
8+00E 24+00S	201	---	0.3	< 5									
8+00E 24+50S	201	---	0.4	10									
8+00E 25+50S	201	---	0.9	10									
8+50E 15+50S	201	---	0.2	< 5									
8+50E 16+50S	201	---	0.5	< 5									
8+50E 17+00S	201	---	0.4	< 5									
8+50E 17+50S	201	---	0.3	< 5									
8+50E 18+00S	201	---	0.5	< 5									
8+50E 18+50S	201	---	1.7	< 5									
8+50E 19+00S	201	---	0.3	< 5									
8+50E 19+50S	201	---	0.3	< 5									
8+50E 20+00S	201	---	0.3	< 5									
8+50E 20+50S	201	---	0.1	< 5									
8+50E 21+00S	201	---	0.4	< 5									
8+50E 21+50S	201	---	0.9	< 5									

CERTIFICATION : Hautzschler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING  
301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3  
Project: BEL #1  
Comments:

Page No.: 4  
Tot. Pages: 9  
Date: 17-NOV-87  
Invoice #: I-8725837  
P.O. #:

## CERTIFICATE OF ANALYSIS A8725837

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
8+50E 22+00S	201	---	0.4	< 5									
8+50E 22+50S	201	---	0.8	< 5									
8+50E 23+00S	201	---	0.5	< 5									
8+50E 23+50S	201	---	0.7	< 5									
8+50E 24+00S	201	---	0.6	< 5									
8+50E 24+50S	201	---	1.3	< 5									
8+50E 25+50S	201	---	0.3	< 5									
8+50E 26+00S	201	---	0.7	< 5									
9+00E 15+50S	201	---	0.2	< 5									
9+00E 16+00S	201	---	0.6	< 5									
9+00E 16+50S	201	---	0.2	< 5									
9+00E 17+00S	201	---	0.3	10									
9+00E 17+50S	201	---	0.3	< 5									
9+00E 18+00S	201	---	1.3	< 5									
9+00E 18+50S	201	---	0.5	< 5									
9+00E 19+00S	201	---	0.5	< 5									
9+00E 19+50S	201	---	0.2	< 5									
9+00E 20+00S	201	---	0.2	< 5									
9+00E 20+50S	201	---	1.0	< 5									
9+00E 21+00S	201	---	0.6	< 5									
9+00E 21+50S	201	---	0.5	< 5									
9+00E 22+00S	201	---	0.6	< 5									
9+00E 22+50S	201	---	1.2	< 5									
9+00E 23+00S	201	---	1.8	< 5									
9+00E 23+50S	201	---	1.4	< 5									
9+00E 24+00S	201	---	0.2	< 5									
9+00E 24+50S	201	---	0.3	< 5									
9+00E 25+50S	201	---	0.1	< 5									
9+00E 26+00S	201	---	0.7	< 5									
9+50E 15+50S	201	---	1.0	< 5									
9+50E 16+00S	201	---	0.4	< 5									
9+50E 16+50S	217	---	0.7	< 5									
9+50E 17+00S	201	---	1.3	< 5									
9+50E 17+50S	201	---	0.8	< 5									
9+50E 18+00S	201	---	0.8	10									
9+50E 18+50S	201	---	1.3	< 5									
9+50E 19+00S	201	---	0.6	< 5									
9+50E 19+50S	201	---	0.3	< 5									
9+50E 20+00S	201	---	0.3	< 5									
9+50E 20+50S	201	---	0.2	< 5									

CERTIFICATION : Hautzschler





# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No. : 5  
Tot. Pages: 9  
Date : 17-NOV-87  
Invoice #: I-8725837  
P.O. # :

## CERTIFICATE OF ANALYSIS A8725837

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
9+50E 21+00S	201	---	0.5	<<<	5								
9+50E 21+50S	201	---	0.3	<<<	5								
9+50E 22+00S	201	---	1.5	<<<	5								
9+50E 22+50S	201	---	0.2	<<<	5								
9+50E 23+00S	201	---	0.3	<<<	5								
9+50E 23+50S	201	---	0.5	<<<	5								
9+50E 24+00S	201	---	0.7	<<<	5								
9+50E 24+50S	201	---	0.3	<<<	5								
9+50E 25+50S	201	---	0.2	<<<	5								
10+50E 15+50S	201	---	0.2	<<<	5								
10+50E 16+00S	201	---	0.3	<<<	5								
10+50E 16+50S	201	---	0.1	<<<	5								
10+50E 17+00S	201	---	0.2	<<<	5								
10+50E 17+50S	201	---	0.3	<<<	5								
10+50E 18+00S	201	---	1.0	<<<	5								
10+50E 18+50S	201	---	0.3	<<<	5								
10+50E 19+00S	201	---	0.3	<<<	5								
10+50E 19+50S	201	---	0.5	<<<	5								
10+50E 20+00S	201	---	0.6	<<<	5								
10+50E 20+50S	201	---	0.4	<<<	5								
10+50E 21+00S	201	---	0.8	<<<	5								
10+50E 21+50S	201	---	1.0	<<<	5								
10+50E 22+00S	201	---	0.3	<<<	5								
10+50E 22+50S	201	---	1.2	<<<	5								
10+50E 23+00S	201	---	0.9	<<<	5								
10+50E 23+50S	201	---	0.6	<<<	5								
10+50E 24+00S	201	---	0.3	<<<	5								
10+50E 24+50S	201	---	1.3	<<<	5								
11+00E 15+50S	201	---	0.4	<<<	5								
11+00E 16+00S	201	---	0.3	<<<	5								
11+00E 16+50S	201	---	0.4	<<<	5								
11+00E 17+00S	201	---	1.5	<<<	5								
11+00E 17+50S	201	---	1.1	<<<	5								
11+00E 18+00S	201	---	0.4	<<<	5								
11+00E 18+50S	201	---	0.1	<<<	5								
11+00E 19+00S	217	---	0.8	<<<	5								
11+00E 19+50S	201	---	0.3	<<<	5								
11+00E 20+00S	201	---	0.5	<<<	5								
11+00E 20+50S	201	---	0.4	<<<	5								
11+00E 21+00S	201	---	0.3	<<<	5								

CERTIFICATION : Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No. : 6  
Tot. Pages: 9  
Date : 17-NOV-87  
Invoice #: I-8725837  
P.O. # :

## CERTIFICATE OF ANALYSIS A8725837

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
11+00E 21+50S	201	---	0.7	<<<	5								
11+00E 22+00S	201	---	0.2	<<<	5								
11+00E 22+50S	201	---	0.9	<<<	5								
11+00E 23+00S	201	---	1.0	<<<	5								
11+00E 23+50S	201	---	1.3	<<<	5								
11+00E 24+00S	201	---	0.8	<<<	5								
11+00E 24+50S	201	---	0.3	<<<	5								
11+50E 15+50S	217	---	0.2	<<<	5								
11+50E 16+00S	201	---	0.5	<<<	5								
11+50E 16+50S	201	---	0.5	<<<	5								
11+50E 17+00S	201	---	0.3	<<<	5								
11+50E 17+50S	201	---	1.0	<<<	5								
11+50E 18+00S	201	---	0.6	<<<	5								
11+50E 18+50S	201	---	0.3	<<<	5								
11+50E 19+00S	201	---	0.2	<<<	5								
11+50E 19+50S	201	---	0.1	<<<	5								
11+50E 20+00S	201	---	0.1	<<<	5								
11+50E 20+50S	201	---	0.1	<<<	5								
11+50E 21+00S	201	---	0.1	<<<	5								
11+50E 21+50S	201	---	0.7	<<<	5								
11+50E 22+00S	201	---	0.7	<<<	5								
11+50E 22+50S	201	---	0.8	<<<	5								
11+50E 23+00S	201	---	0.5	<<<	5								
11+50E 23+50S	201	---	0.8	<<<	10								
11+50E 24+00S	201	---	0.8	<<<	5								
11+50E 24+50S	201	---	0.8	<<<	5								
12+00E 15+50S	201	---	0.6	<<<	5								
12+00E 16+00S	201	---	0.6	<<<	5								
12+00E 16+50S	201	---	0.6	<<<	5								
12+00E 17+00S	201	---	0.6	<<<	5								
12+00E 17+50S	201	---	0.5	<<<	5								
12+00E 18+00S	201	---	0.8	<<<	5								
12+00E 18+50S	201	---	1.7	<<<	5								
12+00E 19+00S	201	---	1.1	<<<	5								
12+00E 19+50S	201	---	0.8	<<<	5								
12+00E 20+00S	201	---	0.4	<<<	5								
12+00E 20+50S	201	---	0.4	<<<	5								
12+00E 21+00S	201	---	0.2	<<<	5								
12+00E 21+50S	201	---	1.0	<<<	5								
12+00E 22+00S	201	---	0.7	<<<	5								

CERTIFICATION : Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No.: 7  
Tot. Pages: 9  
Date: 17-NOV-87  
Invoice #: I-8725837  
P.O. #:

## CERTIFICATE OF ANALYSIS A8725837

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
12+00E 22+50S	201	---	0.5	^^^	5								
12+00E 23+00S	201	---	0.4	^^^	5								
12+00E 23+50S	201	---	0.7	^^^	5								
12+00E 24+00S	201	203	0.2	^^^	5								
12+00E 24+50S	201	---	0.3	^^^	5								
12+50E 15+50S	201	---	0.2	^^^	5								
12+50E 16+00S	201	---	0.1	^^^	5								
12+50E 16+50S	201	---	0.1	^^^	5								
12+50E 17+00S	201	---	1.1	^^^	5								
12+50E 17+50S	201	---	1.0	^^^	5								
12+50E 18+00S	201	---	1.0	^^^	5								
12+50E 18+50S	201	---	1.8	^^^	5								
12+50E 19+00S	201	---	1.4	^^^	5								
12+50E 19+50S	201	---	0.8	^^^	5								
12+50E 20+00S	201	---	1.2	^^^	5								
12+50E 20+50S	201	---	1.0	^^^	5								
12+50E 21+00S	201	---	0.5	^^^	5								
12+50E 21+50S	201	---	2.7	^^^	5								
12+50E 22+00S	201	---	0.7	^^^	5								
12+50E 22+50S	201	---	0.4	^^^	5								
12+50E 23+00S	201	---	1.3	^^^	5								
12+50E 23+50S	201	---	2.0	^^^	5								
12+50E 24+00S	201	---	0.2	^^^	5								
12+50E 24+50S	201	---	2.0	^^^	5								
13+00E 15+50S	201	---	0.3	^^^	5								
13+00E 16+00S	201	---	0.3	^^^	5								
13+00E 16+50S	201	---	0.5	^^^	5								
13+00E 17+00S	201	---	0.5	^^^	5								
13+00E 17+50S	201	---	1.1	^^^	5								
13+00E 18+00S	201	---	0.4	^^^	5								
13+00E 18+50S	201	---	0.4	^^^	5								
13+00E 19+00S	201	---	1.6	^^^	5								
13+00E 19+50S	201	---	0.7	^^^	5								
13+00E 20+00S	201	---	1.5	^^^	5								
13+00E 20+50S	201	---	0.9	^^^	5								
13+00E 21+00S	201	---	0.4	^^^	5								
13+00E 21+50S	201	---	0.7	^^^	5								
13+00E 22+00S	201	---	0.3	^^^	5								
13+00E 22+50S	201	---	1.1	^^^	5								
13+00E 23+00S	201	---	1.0	^^^	5								

CERTIFICATION: *Hart Buehler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL #1  
Comments:

Page No.: 8  
Tot. Pages: 9  
Date: 17-NOV-87  
Invoice #: I-8725837  
P.O. #:

## CERTIFICATE OF ANALYSIS A8725837

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
13+00E 23+50S	201	---	0.3	^^^	5								
13+00E 24+00S	201	---	0.9	^^^	5								
13+00E 24+50S	201	---	0.7	^^^	5								
13+50E 15+50S	201	---	1.0	^^^	5								
13+50E 16+00S	201	---	0.8	^^^	5								
13+50E 16+50S	201	---	0.5	^^^	15								
13+50E 17+00S	201	---	0.2	^^^	10								
13+50E 17+50S	201	---	0.6	^^^	5								
13+50E 18+00S	201	---	0.3	^^^	5								
13+50E 18+50S	201	---	0.2	^^^	5								
13+50E 19+00S	201	---	0.8	^^^	10								
13+50E 19+50S	201	---	0.3	^^^	5								
13+50E 20+00S	201	---	0.5	^^^	5								
13+50E 20+50S	201	---	0.9	^^^	5								
13+50E 21+00S	201	---	0.5	^^^	5								
13+50E 21+50S	201	---	0.9	^^^	5								
13+50E 22+00S	201	---	1.0	^^^	5								
13+50E 22+50S	201	---	1.2	^^^	5								
13+50E 23+00S	201	---	0.4	^^^	5								
13+50E 23+50S	201	---	0.4	^^^	5								
13+50E 24+00S	201	---	0.6	^^^	5								
13+50E 24+50S	201	---	0.3	^^^	5								
14+00E 15+50S	201	---	0.5	^^^	5								
14+00E 16+00S	201	---	0.3	^^^	5								
14+00E 16+50S	201	---	0.5	^^^	5								
14+00E 17+00S	201	---	0.3	^^^	5								
14+00E 17+50S	201	---	0.4	^^^	5								
14+00E 18+00S	201	---	0.3	^^^	5								
14+00E 18+50S	201	---	0.2	^^^	5								
14+00E 19+00S	201	---	0.6	^^^	5								
14+00E 19+50S	201	---	0.2	^^^	5								
14+00E 20+00S	201	---	0.1	^^^	5								
14+00E 20+50S	201	---	0.9	^^^	5								
14+00E 21+00S	201	---	0.3	^^^	5								
14+00E 21+50S	201	---	0.5	^^^	5								
14+00E 22+00S	201	---	0.7	^^^	5								
14+00E 22+50S	201	---	0.3	^^^	20								
14+00E 23+00S	201	---	0.4	^^^	10								
14+00E 23+50S	201	---	0.4	^^^	5								
14+00E 24+00S	201	---	0.7	^^^	5								

CERTIFICATION: *Hart Buehler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING  
301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3  
Project: BEL #1  
Comments:

Page No.: 9  
Tot. Pages: 9  
Date: 17-NOV-87  
Invoice #: I-8725837  
P.O. #:

## CERTIFICATE OF ANALYSIS A8725837

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
14+50E 15+50S	201	---	0.3	<	5								
14+50E 16+00S	201	---	0.3	<	10								
14+50E 16+50S	201	---	0.3	<	5								
14+50E 17+00S	201	---	0.4	<	5								
14+50E 17+50S	201	---	0.4	<	5								
14+50E 18+00S	201	---	0.5	<	5								
14+50E 18+50S	201	---	0.5	<	5								
14+50E 19+00S	201	---	0.5	<	5								
14+50E 19+50S	201	---	0.5	<	5								
14+50E 20+00S	201	---	0.6	<	5								
14+50E 20+50S	201	---	0.7	<	5								
14+50E 21+00S	201	---	0.1	<	5								
14+50E 21+50S	201	---	0.4	<	5								
14+50E 22+00S	201	---	1.1	<	5								
14+50E 22+50S	201	---	0.7	<	5								
14+50E 23+00S	201	---	0.3	<	5								
14+50E 23+50S	201	---	1.0	<	5								
14+50E 24+00S	201	---	0.3	<	5								
14+50E 24+50S	201	---	1.7	<	5								
15+00E 15+50S	201	---	0.3	<	5								
15+00E 16+00S	201	---	0.6	<	5								
15+00E 16+50S	201	---	1.8	<	5								
15+00E 17+00S	201	---	0.3	<	10								
15+00E 17+50S	201	---	0.3	<	5								
15+00E 18+00S	201	---	0.2	<	5								
15+00E 18+50S	201	---	0.4	<	5								
15+00E 19+00S	201	---	0.6	<	5								
15+00E 19+50S	201	---	0.5	<	60								
15+00E 20+00S	201	---	0.5	<	5								
15+00E 20+50S	201	---	0.3	<	5								
15+00E 21+00S	201	---	0.4	<	5								
15+00E 21+50S	201	---	0.5	<	5								
15+00E 22+00S	201	---	0.8	<	5								
15+00E 22+50S	201	---	0.6	<	10								
15+00E 23+00S	201	---	0.6	<	5								
15+00E 23+50S	201	---	0.2	<	5								
15+00E 24+00S	201	---	0.9	<	5								
15+00E 24+50S	201	---	0.2	<	5								

CERTIFICATION:

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING  
301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3  
Project: BEL II  
Comments:

Page No.: 1  
Tot. Pages: 12  
Date: 17-NOV-87  
Invoice #: I-8725845  
P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
1+00E 35+00S	201	---	1.4	<	5								
3+00E 27+50S	201	---	0.4	<	10								
3+00E 28+00S	201	---	1.7	<	5								
3+00E 28+50S	201	---	1.2	<	5								
3+00E 29+00S	201	---	0.5	<	40								
3+00E 29+50S	201	---	0.2	<	10								
3+00E 30+00S	201	---	0.1	<	20								
3+00E 30+50S	217	---	0.3	<	35								
3+00E 31+00S	201	---	0.7	<	5								
3+00E 31+50S	201	---	0.3	<	5								
3+00E 32+00S	201	---	0.2	<	5								
3+00E 32+50S	201	---	0.5	<	5								
3+00E 33+00S	201	---	0.2	<	5								
3+00E 33+50S	201	---	0.4	<	5								
3+00E 34+00S	201	---	0.5	<	5								
3+00E 34+50S	201	---	0.4	<	45								
3+00E 35+00S	201	---	0.6	<	5								
3+00E 35+50S	201	---	0.7	<	5								
3+00E 36+00S	201	---	0.9	<	5								
3+00E 36+50S	201	---	0.8	<	5								
3+00E 37+00S	201	---	0.3	<	15								
3+00E 37+50S	201	---	1.2	<	5								
3+00E 38+00S	201	---	0.5	<	5								
3+00E 38+50S	201	---	0.7	<	5								
3+00E 39+00S	201	---	0.7	<	10								
3+00E 39+50S	201	---	0.7	<	5								
3+00E 40+00S	201	---	1.0	<	5								
3+50E 28+00S	201	---	0.3	<	25								
3+50E 28+50S	217	---	0.4	<	25								
3+50E 29+00S	201	---	0.4	<	15								
3+50E 29+50S	201	---	0.2	<	15								
3+50E 30+00S	217	---	0.3	<	5								
3+50E 30+50S	201	---	0.3	<	10								
3+50E 31+00S	201	---	0.3	<	10								
3+50E 31+50S	201	---	1.4	<	10								
3+50E 32+00S	201	---	0.4	<	5								
3+50E 32+50S	201	---	0.2	<	5								
3+50E 33+00S	201	---	1.0	<	5								
3+50E 33+50S	201	---	0.4	<	5								
3+50E 34+00S	201	---	0.6	<	5								

CERTIFICATION:

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No. : 2  
Tot. Pages: 12  
Date : 17-NOV-87  
Invoice #: I-8725845  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
3+50E 34+50S	201	---	0.2	<<< 5									
3+50E 35+00S	201	---	0.2	<<< 5									
3+50E 35+50S	201	---	0.1	<<< 5									
3+50E 36+00S	201	---	0.4	<<< 5									
3+50E 36+50S	201	---	0.4	<<< 5									
3+50E 37+00S	201	---	0.2	<<< 5									
3+50E 37+50S	201	---	1.6	<<< 5									
3+50E 38+00S	201	---	0.7	<<< 5									
3+50E 38+50S	201	---	0.3	<<< 5									
3+50E 39+00S	201	---	1.1	<<< 5									
3+50E 39+50S	201	---	1.0	<< 5									
3+50E 40+00S	201	---	0.9	<< 5									
4+00E 27+50S	201	---	0.6	< 10									
4+00E 28+00S	201	---	0.3	<< 5									
4+00E 28+50S	201	---	0.4	<< 5									
4+00E 29+00S	201	---	0.3	<< 5									
4+00E 29+50S	201	---	0.4	<< 5									
4+00E 30+00S	201	---	0.6	<< 5									
4+00E 30+50S	201	---	0.3	< 10									
4+00E 31+00S	201	---	0.5	< 5									
4+00E 31+50S	201	---	0.3	<< 5									
4+00E 32+00S	201	---	0.2	<< 5									
4+00E 32+50S	201	---	0.9	<< 5									
4+00E 33+00S	201	---	0.6	<< 5									
4+00E 33+50S	201	---	0.8	<< 5									
4+00E 34+00S	201	---	0.7	<< 5									
4+00E 34+50S	201	---	0.2	<< 5									
4+00E 35+00S	201	---	0.3	<< 5									
4+00E 35+50S	201	---	0.7	<< 5									
4+00E 36+00S	201	---	0.6	<< 5									
4+00E 36+50S	201	---	0.2	<< 5									
4+00E 37+00S	201	---	0.3	<< 5									
4+00E 37+50S	201	---	0.8	<< 5									
4+00E 38+00S	201	---	0.7	< 10									
4+00E 38+50S	201	---	0.2	< 10									
4+00E 39+00S	201	---	0.6	<< 5									
4+00E 39+50S	201	---	0.4	<< 5									
4+00E 40+00S	201	---	0.3	<< 5									
4+50E 27+00S	201	---	0.4	<< 5									
4+50E 27+50S	201	---	0.2	<< 5									

CERTIFICATION :

*W. Beckler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No. : 3  
Tot. Pages: 12  
Date : 17-NOV-87  
Invoice #: I-8725845  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
4+50E 28+00S	201	---	0.7	<< 5									
4+50E 28+50S	201	---	2.2	<< 5									
4+50E 29+00S	201	---	0.3	< 10									
4+50E 29+50S	201	---	0.4	<< 5									
4+50E 30+00S	201	---	0.4	<< 5									
4+50E 30+50S	201	---	0.4	< 10									
4+50E 31+00S	201	---	0.4	<< 5									
4+50E 31+50S	201	---	0.6	<< 5									
4+50E 32+00S	201	---	0.5	<< 5									
4+50E 32+50S	201	---	0.5	<< 5									
4+50E 33+00S	201	---	0.6	<< 5									
4+50E 33+50S	201	---	0.4	<< 5									
4+50E 34+00S	201	---	0.5	<< 5									
4+50E 34+50S	201	---	0.8	<< 5									
4+50E 35+00S	201	---	0.4	< 5									
4+50E 35+50S	201	---	0.5	<< 5									
4+50E 36+00S	201	---	0.5	<< 5									
4+50E 36+50S	201	---	0.5	<< 5									
4+50E 37+00S	201	---	0.3	<< 5									
4+50E 37+50S	201	---	0.3	<< 5									
4+50E 38+00S	201	---	0.8	<< 5									
4+50E 38+50S	201	---	0.2	<< 5									
4+50E 39+00S	201	---	0.9	<< 5									
4+50E 39+50S	201	---	1.1	<< 5									
4+50E 40+00S	201	---	1.2	<< 5									
5+50E 27+50S	201	---	0.2	< 5									
5+50E 28+00S	201	---	0.5	< 10									
5+50E 28+50S	201	---	0.4	<< 5									
5+50E 29+00S	201	---	0.2	<< 5									
5+50E 29+50S	201	---	0.1	< 40									
5+50E 30+00S	201	---	0.1	<< 5									
5+50E 30+50S	201	---	0.1	<< 5									
5+50E 31+00S	201	---	1.1	<< 5									
5+50E 31+50S	201	---	0.1	<< 5									
5+50E 32+00S	201	---	0.1	<< 5									
5+50E 32+50S	201	---	1.7	<< 5									
5+50E 33+00S	201	---	1.3	<< 5									
5+50E 33+50S	201	---	0.3	<< 5									
5+50E 34+00S	201	---	0.9	<< 5									
5+50E 34+50S	201	---	0.3	<< 5									

CERTIFICATION :

*W. Beckler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No. : 4  
Tot. Pages: 12  
Date : 17-NOV-87  
Invoice #: I-8725845  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
5+50E 35+00S	201	---	0.2	<	5								
5+50E 35+50S	201	---	0.4	<	5								
5+50E 36+00S	201	---	1.8	<	5								
5+50E 36+50S	201	---	2.5	<	5								
5+50E 37+00S	201	---	1.2	<	5								
5+50E 37+50S	201	---	1.0	<	5								
5+50E 38+00S	201	---	1.1	<	5								
5+50E 38+50S	201	---	0.7	<	5								
5+50E 39+00S	201	---	1.8	<	5								
5+50E 39+50S	201	---	0.9	<	5								
5+50E 40+00S	201	---	0.4	<	5								
6+50E 27+00S	201	---	1.0	<	5								
6+50E 27+50S	201	---	0.6	<	5								
6+50E 28+00S	201	---	0.3	40	5								
6+50E 28+50S	201	---	0.5	<	5								
6+50E 29+00S	201	---	0.3	<	5								
6+50E 29+50S	201	---	0.5	<	5								
6+50E 30+00S	201	---	0.7	<	5								
6+50E 30+50S	201	---	0.2	10	5								
6+50E 31+00S	201	---	0.3	<	5								
6+50E 31+50S	201	---	0.6	<	5								
6+50E 32+00S	201	---	0.3	<	5								
6+50E 32+50S	201	---	1.1	<	5								
6+50E 33+00S	201	---	2.8	<	5								
6+50E 33+50S	201	---	0.4	<	5								
6+50E 34+00S	201	---	1.5	<	5								
6+50E 34+50S	201	---	0.9	<	5								
6+50E 35+00S	201	---	0.5	15	5								
6+50E 35+50S	201	---	1.8	<	5								
6+50E 36+00S	201	---	1.0	<	5								
6+50E 36+50S	201	---	0.8	<	5								
6+50E 37+00S	201	---	0.3	<	5								
6+50E 37+50S	201	---	1.5	<	5								
6+50E 38+00S	201	---	1.2	<	5								
6+50E 38+50S	201	---	0.7	<	5								
6+50E 39+00S	201	---	0.6	<	5								
6+50E 39+50S	201	---	0.9	<	5								
6+50E 40+00S	201	---	1.0	<	5								
7+00E 27+00S	201	---	0.7	<	5								
7+00E 27+50S	201	---	0.7	15	5								

CERTIFICATION : *Scott Buchler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No. : 5  
Tot. Pages: 12  
Date : 17-NOV-87  
Invoice #: I-8725845  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
7+00E 28+00S	201	---	0.7	<	5								
7+00E 28+50S	201	---	0.4	25	5								
7+00E 29+00S	201	---	0.6	<	5								
7+00E 29+50S	201	---	0.3	<	5								
7+00E 30+00S	201	---	0.3	<	5								
7+00E 30+50S	201	---	0.4	<	5								
7+00E 31+00S	201	---	0.4	<	5								
7+00E 31+50S	201	---	0.8	<	5								
7+00E 32+00S	201	---	0.8	<	5								
7+00E 32+50S	201	---	1.5	<	5								
7+00E 33+00S	201	---	0.7	<	5								
7+00E 33+50S	201	---	0.5	<	5								
7+00E 34+00S	201	---	1.7	<	5								
7+00E 34+50S	201	---	1.9	<	5								
7+00E 35+00S	201	---	1.2	<	5								
7+00E 35+50S	201	---	2.1	<	5								
7+00E 36+00S	201	---	1.3	<	5								
7+00E 36+50S	201	---	0.8	<	5								
7+00E 37+00S	201	---	0.9	<	5								
7+00E 37+50S	201	---	0.8	<	5								
7+00E 38+00S	201	---	1.8	<	5								
7+00E 38+50S	201	---	0.8	<	5								
7+00E 39+00S	201	---	1.5	<	5								
7+00E 39+50S	201	---	0.7	85	5								
7+00E 40+00S	201	---	1.5	15	5								
8+50E 26+50S	217	---	1.1	<	5								
8+50E 27+00S	201	---	2.0	<	5								
8+50E 27+50S	201	---	0.5	<	5								
8+50E 28+00S	201	---	0.8	<	5								
8+50E 28+50S	201	---	0.5	30	5								
8+50E 29+00S	201	---	0.4	<	5								
8+50E 29+50S	201	---	1.3	10	5								
8+50E 30+00S	201	---	0.4	10	5								
8+50E 30+50S	201	---	0.8	<	5								
8+50E 31+00S	201	---	1.0	<	5								
8+50E 31+50S	201	---	0.7	75	5								
8+50E 32+00S	201	---	0.9	<	5								
8+50E 32+50S	201	---	1.1	15	5								
8+50E 33+00S	201	---	0.3	65	5								
8+50E 33+50S	201	---	0.8	<	5								

CERTIFICATION : *Scott Buchler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No.: 6  
Tot. Pages: 12  
Date: 17-NOV-87  
Invoice #: I-8725845  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
8+50E 34+00S	201	---	0.5	15									
8+50E 34+50S	201	---	0.9	5									
8+50E 35+00S	201	---	1.0	5									
8+50E 35+50S	201	---	0.8	5									
8+50E 36+00S	201	---	0.1	5									
8+50E 36+50S	201	---	0.5	5									
8+50E 37+00S	201	---	0.7	5									
8+50E 37+50S	201	---	1.0	5									
8+50E 38+00S	201	---	0.5	5									
8+50E 38+50S	201	---	0.2	5									
8+50E 39+00S	201	---	0.3	5									
8+50E 39+50S	201	---	0.3	5									
8+50E 40+00S	201	---	0.9	5									
9+00E 26+50S	201	---	0.2	5									
9+00E 27+00S	217	---	0.4	5									
9+00E 27+50S	201	---	0.1	5									
9+00E 28+00S	201	---	0.4	5									
9+00E 28+50S	201	---	0.5	10									
9+00E 29+00S	201	---	0.6	5									
9+00E 29+50S	201	---	0.6	5									
9+00E 30+00S	201	---	0.2	5									
9+00E 30+50S	201	---	0.5	5									
9+00E 31+00S	201	---	0.5	5									
9+00E 31+50S	201	---	1.2	5									
9+00E 32+00S	201	---	0.7	5									
9+00E 32+50S	201	---	0.3	30									
9+00E 33+00S	201	---	0.6	5									
9+00E 33+50S	201	---	0.5	5									
9+00E 34+00S	201	---	0.5	5									
9+00E 34+50S	201	---	0.8	5									
9+00E 35+00S	201	---	1.1	5									
9+00E 35+50S	201	---	1.0	5									
9+00E 36+00S	201	---	0.4	5									
9+00E 36+50S	201	---	0.9	5									
9+00E 37+00S	201	---	0.6	5									
9+00E 37+50S	201	---	1.2	5									
9+00E 38+00S	201	---	0.6	5									
9+00E 38+50S	201	---	0.4	5									
9+00E 39+00S	201	---	0.3	5									
9+00E 39+50S	201	---	0.7	5									

CERTIFICATION: *Heidi Buchler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No.: 7  
Tot. Pages: 12  
Date: 17-NOV-87  
Invoice #: I-8725845  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
9+50E 40+00S	201	---	0.5	5									
9+50E 26+00S	201	---	0.2	5									
9+50E 26+50S	201	---	0.7	5									
9+50E 27+00S	217	---	0.5	5									
9+50E 27+50S	201	---	0.3	5									
9+50E 28+00S	201	---	0.7	20									
9+50E 28+50S	201	---	0.5	5									
9+50E 30+00S	201	---	0.1	5									
9+50E 30+50S	201	---	0.6	5									
9+50E 31+00S	201	---	0.7	5									
9+50E 31+50S	201	---	0.5	5									
9+50E 32+00S	201	---	0.9	5									
9+50E 32+50S	201	---	0.8	5									
9+50E 33+00S	201	---	0.1	5									
9+50E 33+50S	201	---	0.5	5									
9+50E 34+00S	201	---	0.1	5									
9+50E 34+50S	201	---	0.2	10									
9+50E 35+00S	201	---	0.5	10									
9+50E 35+50S	201	---	1.1	10									
9+50E 36+00S	201	---	0.5	5									
9+50E 36+50S	201	---	0.3	5									
9+50E 37+00S	201	---	0.6	5									
9+50E 37+50S	201	---	0.2	5									
9+50E 38+00S	201	---	0.8	5									
9+50E 38+50S	201	---	0.8	5									
9+50E 39+00S	201	---	0.6	5									
9+50E 39+50S	201	---	0.4	5									
9+50E 40+00S	201	---	0.4	5									
10+00E 25+50S	201	---	0.2	5									
10+00E 26+00S	201	---	0.4	5									
10+00E 26+50S	217	---	0.3	5									
10+00E 27+00S	201	---	2.1	5									
10+00E 27+50S	201	---	0.1	5									
10+00E 28+00S	217	---	0.2	5									
10+00E 28+50S	217	---	0.8	5									
10+00E 29+00S	201	---	0.3	5									
10+00E 29+50S	201	---	3.8	5									
10+00E 30+00S	201	---	1.3	5									
10+00E 30+50S	201	---	0.8	5									
10+00E 31+00S	201	---	0.4	5									

CERTIFICATION: *Heidi Buchler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No.: 8  
Tot. Pages: 12  
Date: 17-NOV-87  
Invoice #: I-8725845  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
10+00E 31+50S	201	---	0.6	<<	5									
10+00E 32+00S	201	---	0.2	<<<	5									
10+00E 32+50S	201	---	0.3	<<<<	5									
10+00E 33+00S	201	---	0.3	<<<<	5									
10+00E 33+50S	201	---	0.5	<<<<	5									
10+00E 34+00S	201	---	0.6	<<	5									
10+00E 34+50S	201	---	0.7	<<<	5									
10+00E 35+00S	201	---	0.7	<<<<	5									
10+00E 35+50S	201	---	0.7	<<<<	5									
10+00E 36+00S	201	---	0.6	<<<<	5									
10+00E 36+50S	201	---	0.3	<<	5									
10+00E 37+00S	201	---	1.2	<<<<	5									
10+00E 37+50S	201	---	0.3	<<<<	5									
10+00E 38+00S	201	---	0.5	<<<<	5									
10+00E 38+50S	201	---	0.6	<<<<	5									
10+00E 39+00S	201	---	1.2	<<	5									
10+00E 39+50S	201	---	0.5	<<<	5									
10+00E 40+00S	201	---	0.4	<<<<	5									
10+50E 25+50S	201	---	0.7	<	10									
10+50E 26+00S	201	---	0.4	<	5									
10+50E 26+50S	201	---	1.0	<	5									
10+50E 27+00S	201	---	1.2	<<	5									
10+50E 27+50S	217	---	0.4	<<	5									
10+50E 28+00S	201	---	0.7	<<	5									
10+50E 28+50S	201	---	0.3	<<	25									
10+50E 29+00S	201	---	2.0	<<	5									
10+50E 29+50S	201	---	0.8	<<<	5									
10+50E 30+00S	201	---	0.4	<<<<	5									
10+50E 30+50S	201	---	0.9	<<<<	5									
10+50E 31+00S	201	---	0.4	<<<<	5									
10+50E 31+50S	201	---	0.5	<<<<	5									
10+50E 32+00S	201	---	0.9	<<<<	5									
10+50E 32+50S	201	---	0.3	<<<<	5									
10+50E 33+00S	201	---	0.3	<<<<	5									
10+50E 33+50S	201	---	0.5	<<<<	10									
10+50E 34+00S	201	---	0.5	<<	5									
10+50E 34+50S	201	---	0.8	<<	5									
10+50E 35+00S	201	---	0.4	<<	45									
10+50E 35+50S	201	---	0.9	<<	5									
10+50E 36+00S	201	---	0.8	<<	5									

CERTIFICATION: *Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No.: 9  
Tot. Pages: 12  
Date: 17-NOV-87  
Invoice #: I-8725845  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
10+50E 36+50S	201	---	0.5	<<	5									
10+50E 37+00S	201	---	0.7	<<<	5									
10+50E 37+50S	201	---	0.5	<<<<	5									
10+50E 38+00S	201	---	0.8	<<<<	5									
10+50E 38+50S	201	---	0.8	<<<<	5									
10+50E 39+00S	201	---	1.1	<	5									
10+50E 39+50S	201	---	1.0	<	10									
10+50E 40+00S	201	---	1.0	<<	5									
11+00E 25+50S	201	---	0.3	<<	5									
11+00E 26+00S	201	---	0.5	<<	5									
11+00E 26+50S	201	---	not / ss	not / ss	5									
11+00E 27+00S	201	---	0.2	<<	5									
11+00E 27+50S	201	---	0.8	<<<	5									
11+00E 28+00S	201	---	0.2	<<<	5									
11+00E 28+50S	201	---	0.5	<<<	5									
11+00E 29+00S	201	---	0.2	<<	5									
11+00E 29+50S	201	---	1.6	<<<	5									
11+00E 30+00S	201	---	3.0	<<<<	5									
11+00E 30+50S	201	---	1.7	<<<<	5									
11+00E 31+00S	201	---	3.2	<<<<	5									
11+00E 31+50S	201	---	0.2	<<	5									
11+00E 32+00S	201	---	0.8	<<<	5									
11+00E 32+50S	201	---	0.9	<<<<	5									
11+00E 33+00S	201	---	0.5	<<<<	5									
11+00E 33+50S	201	---	0.6	<<<<	5									
11+00E 34+00S	201	---	0.8	<<	5									
11+00E 34+50S	201	---	0.6	<<<	5									
11+00E 35+00S	201	---	0.4	<<<<	5									
11+00E 35+50S	201	---	1.0	<	10									
11+00E 36+00S	201	---	1.1	<	5									
11+00E 36+50S	201	---	0.5	<<	15									
11+00E 37+00S	201	---	2.7	<<<	5									
11+00E 37+50S	201	---	1.3	<<<<	5									
11+00E 38+00S	201	---	0.6	<<<<	5									
11+00E 38+50S	201	---	1.1	<<<<	5									
11+00E 39+00S	201	---	0.6	<<	10									
11+00E 39+50S	201	---	1.3	<<	15									
11+00E 40+00S	201	---	0.4	<<	5									
11+50E 25+50S	201	---	0.2	<<	5									
11+50E 26+00S	201	---	0.7	<<	5									

CERTIFICATION: *Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No. : 10  
Tot. Pages: 12  
Date : 17-NOV-87  
Invoice #: I-8725845  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
11+50E 26+50S	201	---	1.2	<	5									
11+50E 27+00S	201	---	1.1	<	5									
11+50E 27+50S	203	---	0.3	<	5									
11+50E 28+00S	201	---	0.3	<	5									
11+50E 28+50S	201	---	0.2	<	5									
11+50E 29+00S	201	---	0.7	<	5									
11+50E 29+50S	201	---	0.4	<	5									
11+50E 30+00S	201	---	0.4	<	5									
11+50E 30+50S	201	---	0.8	<	5									
11+50E 31+00S	201	---	0.7	<	5									
11+50E 31+50S	201	---	0.1	<	5									
11+50E 32+00S	201	---	0.5	<	5									
11+50E 32+50S	201	---	0.7	<	5									
11+50E 33+00S	201	---	0.8	<	5									
11+50E 33+50S	201	---	0.6	<	5									
11+50E 34+00S	201	---	0.5	<	5									
11+50E 34+50S	201	---	0.9	<	5									
11+50E 35+00S	201	---	0.7	<	5									
11+50E 35+50S	201	---	2.1	<	5									
11+50E 36+00S	201	---	0.6	<	5									
11+50E 36+50S	201	---	0.4	<	5									
11+50E 37+00S	201	---	2.2	<	5									
11+50E 37+50S	201	---	1.8	<	5									
11+50E 38+00S	201	---	0.8	<	5									
11+50E 38+50S	201	---	0.6	<	5									
11+50E 39+00S	201	---	0.7	<	5									
11+50E 39+50S	201	---	1.3	<	5									
11+50E 40+00S	217	---	0.7	<	5									
14+50E 25+50S	201	---	0.3	<	5									
14+50E 26+00S	201	---	0.3	<	5									
14+50E 26+50S	201	---	2.2	<	5									
14+50E 27+00S	201	---	0.2	<	5									
14+50E 27+50S	201	---	0.4	<	5									
14+50E 28+00S	201	---	0.4	<	5									
14+50E 28+50S	201	---	0.2	<	5									
14+50E 29+00S	201	---	0.3	<	5									
14+50E 29+50S	201	---	0.4	<	5									
14+50E 30+00S A	201	---	0.2	<	5									
14+50E 30+00S B	201	---	0.7	<	5									
14+50E 30+50S	201	---	0.8	<	5									

CERTIFICATION :

*Herb Bichler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No. : 11  
Tot. Pages: 12  
Date : 17-NOV-87  
Invoice #: I-8725845  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
14+50E 31+00S	201	---	1.0	<	5									
14+50E 31+50S	201	---	0.3	<	5									
14+50E 32+00S	201	---	0.9	<	5									
14+50E 32+50S	201	---	0.9	<	5									
14+50E 33+00S	201	---	0.4	<	5									
14+50E 33+50S	201	---	1.0	<	5									
14+50E 34+00S	201	---	0.6	<	5									
14+50E 34+50S	201	---	0.8	<	5									
14+50E 35+00S	201	---	1.5	<	5									
14+50E 35+50S	201	---	0.1	<	5									
14+50E 36+00S	201	---	0.7	<	5									
14+50E 36+50S	201	---	1.1	<	5									
14+50E 37+00S	201	---	1.0	<	5									
14+50E 37+50S	201	---	1.3	<	5									
14+50E 38+00S	201	---	4.3	<	5									
14+50E 38+50S	201	---	1.0	<	5									
14+50E 39+00S	201	---	0.8	<	5									
14+50E 39+50S	201	---	0.7	<	5									
14+50E 40+00S	201	---	0.5	<	5									
15+00E 25+50S	201	---	0.1	<	5									
15+00E 26+00S	201	---	0.4	<	5									
15+00E 26+50S	201	---	0.1	<	5									
15+00E 27+00S	201	---	0.2	<	5									
15+00E 27+50S	201	---	1.5	<	5									
15+00E 28+00S	201	---	0.3	<	5									
15+00E 28+50S	201	---	0.2	<	5									
15+00E 29+00S	201	---	0.6	<	5									
15+00E 29+50S	201	---	0.1	<	5									
15+00E 30+00S	201	---	0.3	<	5									
15+00E 30+00S A	201	---	0.1	<	5									
15+00E 30+50S	201	---	0.1	<	5									
15+00E 31+00S	201	---	0.6	<	10									
15+00E 31+50S	201	---	0.5	<	5									
15+00E 32+00S	201	---	0.6	<	5									
15+00E 32+50S	201	---	0.6	<	5									
15+00E 33+00S	201	---	1.0	<	5									
15+00E 33+50S	201	---	2.4	<	5									
15+00E 34+00S	201	---	0.7	<	5									
15+00E 34+50S	201	---	1.2	<	5									
15+00E 35+00S	201	---	0.8	<	5									

CERTIFICATION :

*Herb Bichler*





# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No.: 12  
Tot. Pages: 12  
Date: 17-NOV-87  
Invoice #: I-8725845  
P.O. #: NONE

## CERTIFICATE OF ANALYSIS A8725845

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
15+00E 35+50S	201	---	2.0	< 5									
15+00E 36+00S	201	---	1.8	< 5									
15+00E 36+50S	201	---	1.7	< 5									
15+00E 37+00S	201	---	2.8	< 5									
15+00E 37+50S	201	---	0.6	< 5									
15+00E 38+00S	201	---	0.8	< 10									
15+00E 38+50S	201	---	0.7	< 5									
15+00E 39+00S	201	---	1.6	< 5									
15+00E 39+50S	201	---	2.6	< 10									
15+00E 40+00S	201	---	1.3	< 5									
9+50E 29+00S	201	---	0.8	< 5									

CERTIFICATION: *Hunter Bickler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No.: 1  
Tot. Pages: 7  
Date: 19-NOV-87  
Invoice #: I-8726018  
P.O. #:

## CERTIFICATE OF ANALYSIS A8726018

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
0+00 25+50S	201	203	0.9	< 5									
0+00 26+00S	201	---	0.1	135									
0+00 26+50S	201	203	0.2	5									
0+00 27+00S	201	---	0.2	20									
0+00 27+50S	201	---	0.1	20									
0+00 28+00S	201	---	0.2	< 5									
0+00 28+50S	201	---	0.1	30									
0+00 29+00S	201	---	0.2	10									
0+00 29+50S	201	---	0.3	< 5									
0+00 30+00S	201	---	1.2	30									
0+00 30+50S	201	---	2.0	10									
0+00 31+00S	201	---	1.2	< 5									
0+00 31+50S	201	---	0.4	< 5									
0+00 32+00S	201	---	1.0	55									
0+00 32+50S	201	---	1.0	5									
0+00 33+00S	201	---	0.4	< 5									
0+00 33+50S	201	---	0.4	< 5									
0+00 34+00S	201	---	0.2	< 5									
0+00 34+50S	201	---	0.6	< 5									
0+00 35+00S	201	---	0.3	< 5									
0+00 35+50S	201	---	0.2	250									
0+00 36+00S	201	---	0.2	< 5									
0+00 36+50S	201	---	0.6	< 5									
0+00 37+00S	201	---	0.4	< 5									
0+00 37+50S	201	---	1.0	< 5									
0+00 38+00S	201	---	1.2	< 5									
0+00 38+50S	201	---	0.1	< 5									
0+00 39+00S	201	---	0.3	70									
0+00 39+50S	201	---	0.4	< 5									
0+00 40+00S	201	---	0.8	< 5									
0+50E 25+50S	201	---	0.7	< 5									
0+50E 26+00S	201	---	0.9	< 5									
0+50E 26+50S	201	---	0.3	15									
0+50E 27+00S	201	---	0.3	< 5									
0+50E 27+50S	201	---	0.3	< 5									
0+50E 28+00S	201	---	0.2	< 5									
0+50E 28+50S	201	---	0.5	< 5									
0+50E 29+00S	201	---	0.4	< 5									
0+50E 29+50S	201	---	0.1	105									
0+50E 30+00S	201	---	0.1	105									

CERTIFICATION: *Hunter Bickler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL II  
Comments:

Page No.: 2  
Tot. Pages: 7  
Date: 19-NOV-87  
Invoice #: I-8726018  
P.O. #:

## CERTIFICATE OF ANALYSIS A8726018

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
0+50E 30+50S	203	---	0.7	< 5									
0+50E 31+00S	201	---	0.6	< 5									
0+50E 31+50S	203	---	0.3	< 5									
0+50E 32+00S	201	---	0.6	< 5									
0+50E 32+50S	201	---	0.3	< 5									
0+50E 33+00S	201	---	0.1	< 5									
0+50E 33+50S	201	---	0.4	< 5									
0+50E 34+00S	201	---	0.3	< 5									
0+50E 34+50S	201	---	0.2	< 5									
0+50E 35+00S	201	---	0.7	< 5									
0+50E 35+50S	201	---	0.6	< 5									
0+50E 36+00S	201	---	0.3	< 5									
0+50E 36+50S	201	---	0.6	< 20									
0+50E 37+00S	201	---	0.3	< 5									
0+50E 37+50S	201	---	0.5	< 5									
0+50E 38+00S	201	---	0.3	120									
0+50E 38+50S	201	---	0.3	< 5									
0+50E 39+00S	201	---	0.5	< 5									
0+50E 39+50S	201	---	1.0	< 5									
0+50E 40+00S	201	---	0.3	< 5									
1+00E 25+50S	201	---	0.4	< 5									
1+00E 26+00S	201	---	1.2	< 5									
1+00E 26+50S	201	---	0.2	< 5									
1+00E 27+00S	201	---	0.6	< 5									
1+00E 27+50S	201	---	0.2	< 5									
1+00E 28+00S	201	---	0.4	< 5									
1+00E 28+50S	201	---	0.3	< 5									
1+00E 29+00S	201	---	0.8	< 5									
1+00E 29+50S	201	---	0.3	300									
1+00E 30+00S	201	---	0.6	10									
1+00E 30+50S	203	---	0.2	< 5									
1+00E 31+00S	217	---	0.7	< 5									
1+00E 31+50S	201	---	0.1	< 5									
1+00E 32+00S	201	---	0.3	< 5									
1+00E 32+50S	201	---	1.0	< 5									
1+00E 33+00S	201	---	0.3	< 5									
1+00E 33+50S	201	---	0.2	< 5									
1+00E 34+00S	201	---	0.6	< 5									
1+00E 34+50S	201	---	0.2	< 5									
1+00E 35+50S	201	---	0.3	< 5									

CERTIFICATION: Hart Bechler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL II  
Comments:

Page No.: 3  
Tot. Pages: 7  
Date: 19-NOV-87  
Invoice #: I-8726018  
P.O. #:

## CERTIFICATE OF ANALYSIS A8726018

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
1+00E 36+00S	201	---	0.3	< 5									
1+00E 36+50S	201	---	0.4	< 5									
1+00E 37+00S	201	---	0.2	< 5									
1+00E 37+50S	201	---	0.5	< 5									
1+00E 38+00S	201	---	0.4	< 5									
1+00E 38+50S	201	---	0.2	< 5									
1+00E 39+00S	201	---	1.1	< 5									
1+00E 39+50S	201	---	0.6	< 5									
1+00E 40+00S	201	---	0.3	< 5									
1+50E 25+50S	201	---	0.3	< 5									
1+50E 26+00S	201	---	0.5	< 5									
1+50E 26+50S	201	---	0.1	< 5									
1+50E 27+00S	201	---	0.2	< 5									
1+50E 27+50S	201	---	0.3	< 5									
1+50E 28+00S A	201	---	0.7	250									
1+50E 28+00S B	201	---	0.5	< 5									
1+50S 28+50S	201	---	0.1	< 5									
1+50S 29+00S	201	---	0.1	10									
1+50S 29+50S	201	---	0.6	< 10									
1+50S 30+00S	201	---	0.3	< 5									
1+50S 30+50S	201	---	0.5	10									
1+50S 31+00S	201	---	0.5	135									
1+50S 31+50S	201	---	0.8	< 5									
1+50S 32+00S	201	---	0.3	< 5									
1+50S 32+50S	201	---	0.6	< 5									
1+50S 33+00S	201	---	0.9	< 5									
1+50S 33+50S	201	---	0.5	< 5									
1+50S 34+00S	201	---	0.3	< 5									
1+50S 34+50S	201	---	0.8	< 9									
1+50S 35+00S	201	---	0.6	< 5									
1+50S 35+50S	201	---	0.5	< 5									
1+50S 36+00S	201	---	0.8	< 5									
1+50S 36+50S	201	---	0.4	< 5									
1+50S 37+00S	201	---	1.3	< 5									
1+50S 37+50S	201	---	0.5	15									
1+50S 38+00S	201	---	0.6	< 5									
1+50S 38+50S	201	---	1.4	< 5									
1+50S 39+00S	201	---	1.0	80									
1+50S 39+50S	201	---	0.7	< 5									
1+50S 40+00S	201	---	1.6	< 5									

CERTIFICATION: Hart Bechler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No. : 4  
Tot. Pages: 7  
Date : 19-NOV-87  
Invoice #: I-8726018  
P.O. # :

## CERTIFICATE OF ANALYSIS A8726018

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
2+00E 25+50S	201	---	1.0	< 30										
2+00E 26+00S	201	---	0.6	< 5										
2+00E 26+50S	201	---	0.6	< 5										
2+00E 27+00S	201	---	0.3	< 5										
2+00E 27+50S	201	---	1.0	< 5										
2+00E 28+00S	201	---	1.1	< 5										
2+00E 28+50S	201	---	0.4	< 20										
2+00E 29+00S	201	---	0.7	< 5										
2+00E 29+50S	201	---	0.2	< 30										
2+00E 30+00S	201	---	2.2	< 5										
2+00E 30+50S	201	---	0.3	< 20										
2+00E 31+00S	201	---	0.6	< 5										
2+00E 31+50S	203	---	0.8	< 5										
2+00E 32+00S	201	---	0.7	< 5										
2+00E 32+50S	201	---	0.9	< 5										
2+00E 33+00S	201	---	0.6	< 5										
2+00E 33+50S	201	---	0.5	< 20										
2+00E 34+00S	201	---	0.9	< 5										
2+00E 34+50S	201	---	1.0	< 5										
2+00E 35+00S	201	---	1.3	< 5										
2+00E 35+50S	201	---	0.5	10										
2+00E 36+00S	201	---	0.3	5										
2+00E 36+50S	201	---	0.8	15										
2+00E 37+00S	201	---	1.6	< 5										
2+00E 37+50S	201	---	1.3	< 5										
2+00E 38+00S	201	---	0.5	< 5										
2+00E 38+50S	201	---	0.8	< 5										
2+00E 39+00S	201	---	0.3	< 5										
2+00E 39+50S	201	---	0.5	< 5										
2+00E 40+00S	201	---	0.8	< 5										
2+50E 25+50S	201	---	1.3	< 5										
2+50E 26+00S	201	---	0.8	< 5										
2+50E 26+50S	201	---	0.4	< 5										
2+50E 27+00S	201	---	0.7	< 5										
2+50E 27+50S	201	---	0.5	< 5										
2+50E 28+00S A	201	---	0.6	< 5										
2+50E 28+00S B	201	---	0.6	< 5										
2+50E 28+50S	201	---	0.8	< 5										
2+50E 29+00S	203	---	0.4	< 70										
2+50E 29+50S	201	---	0.2	< 5										

CERTIFICATION :

*Haut Bichler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No. : 5  
Tot. Pages: 7  
Date : 19-NOV-87  
Invoice #: I-8726018  
P.O. # :

## CERTIFICATE OF ANALYSIS A8726018

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
2+50E 30+00S	201	---	1.2	10										
2+50E 30+50S	201	---	0.5	45										
2+50E 31+00S	201	---	0.6	< 5										
2+50E 31+50S	201	---	0.7	< 5										
2+50E 32+00S	201	---	0.2	< 5										
2+50E 32+50S	201	---	0.5	< 5										
2+50E 33+00S	201	---	0.2	< 5										
2+50E 33+50S	201	---	0.5	< 5										
2+50E 34+00S	201	---	0.5	< 5										
2+50E 34+50S	201	---	1.1	< 5										
2+50E 35+00S	201	---	1.0	< 5										
2+50E 35+50S	201	---	0.5	< 5										
2+50E 36+00S	201	---	0.7	15										
2+50E 36+50S	201	---	0.5	10										
2+50E 37+00S	201	---	0.4	10										
2+50E 37+50S	201	---	0.9	< 5										
2+50E 38+00S	201	---	1.9	< 5										
2+50E 38+50S	201	---	0.3	< 5										
2+50E 39+00S	201	---	1.1	< 5										
2+50E 39+50S	201	---	0.7	< 5										
2+50E 40+00S	201	---	0.6	10										
5+00E 27+00S	201	---	0.1	70										
5+00E 27+50S	201	---	0.3	< 5										
5+00E 28+00S A	201	---	0.3	< 5										
5+00E 28+00S B	201	---	0.9	< 5										
5+00E 28+50S	203	---	0.5	< 5										
5+00E 29+00S	201	---	0.5	< 5										
5+00E 29+50S	201	---	0.6	< 5										
5+00E 30+00S	201	---	0.4	< 5										
5+00E 30+50S	201	---	0.6	< 5										
5+00E 31+00S	201	---	0.5	< 5										
5+00E 31+50S	201	---	0.4	< 5										
5+00E 32+00S	201	---	0.6	< 5										
5+00E 32+50S	201	---	0.8	< 5										
5+00E 33+00S	201	---	0.7	< 5										
5+00E 33+50S	201	---	0.4	< 5										
5+00E 34+00S	201	---	0.6	< 5										
5+00E 34+50S	201	---	0.5	< 5										
5+00E 35+00S	201	---	0.4	< 5										
5+00E 35+50S	201	---	0.4	5										

CERTIFICATION :

*Haut Bichler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No.: 6  
Tot. Pages: 7  
Date: 19-NOV-87  
Invoice #: I-8726018  
P.O. #

## CERTIFICATE OF ANALYSIS A8726018

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
5+00E 36+00S	201	---	0.3	70									
5+00E 36+50S	201	---	0.8	5									
5+00E 37+00S	201	---	2.4	< 5									
5+00E 37+50S	201	---	0.6	20									
5+00E 38+00S	201	---	0.5	5									
5+00E 38+50S	201	---	0.8	10									
5+00E 39+00S	201	---	1.0	< 5									
5+00E 39+50S	201	---	1.6	< 5									
5+00E 40+00S	201	---	0.5	< 5									
5+50E 27+00S	201	---	0.7	< 5									
6+00E 27+00S	201	---	0.5	< 5									
6+00E 27+50S	203	---	0.1	< 5									
6+00E 28+00S	201	---	2.2	< 5									
6+00E 28+50S	201	---	0.4	< 5									
6+00E 29+00S	201	---	1.0	< 5									
6+00E 29+50S	201	---	0.4	30									
6+00E 30+00S	201	---	0.3	100									
6+00E 30+50S	201	---	0.2	< 5									
6+00E 31+00S	201	---	0.4	< 5									
6+00E 31+50S	201	---	0.3	< 5									
6+00E 32+00S	201	---	1.5	< 5									
6+00E 32+50S	201	---	0.3	< 5									
6+00E 33+00S	201	---	0.3	< 5									
6+00E 33+50S	201	---	0.3	< 5									
6+00E 34+00S	201	---	0.2	< 5									
6+00E 34+50S	201	---	0.5	< 5									
6+00E 35+00S	201	---	0.7	< 5									
6+00E 35+50S	201	---	0.3	< 5									
6+00E 36+00S	201	---	0.6	25									
6+00E 36+50S	201	---	1.4	< 5									
6+00E 37+00S	201	---	1.0	< 5									
6+00E 37+50S	201	---	0.9	< 5									
6+00E 38+00S	201	---	1.8	< 5									
6+00E 38+50S	201	---	0.3	< 5									
6+00E 39+00S	201	---	0.6	< 5									
6+00E 39+50S	201	---	2.2	30									
6+00E 40+00S	201	---	0.3	< 5									
7+50E 26+50S	201	---	0.6	20									
7+50E 27+00S	201	---	2.2	< 5									
7+50E 27+50S	203	---	0.7	< 5									

CERTIFICATION: Haut Buchler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No.: 7  
Tot. Pages: 7  
Date: 19-NOV-87  
Invoice #: I-8726018  
P.O. #

## CERTIFICATE OF ANALYSIS A8726018

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
7+50E 28+00S	201	---	0.3	55									
7+50E 28+50S	201	---	0.7	15									
7+50E 29+00S	201	---	0.3	10									
7+50E 29+50S	201	---	0.5	< 5									
7+50E 30+00S	201	---	0.5	< 5									
7+50E 30+50S	201	---	0.6	30									
7+50E 31+00S	201	---	0.1	15									
7+50E 31+50S	201	---	0.3	< 5									
7+50E 32+00S	201	---	0.3	40									
7+50E 32+50S	201	---	0.5	10									
7+50E 33+00S	201	---	0.7	< 5									
7+50E 33+50S	201	---	0.4	< 10									
7+50E 34+00S	201	---	0.4	< 5									
7+50E 34+50S	201	---	0.6	< 5									
7+50E 35+00S	201	---	0.4	70									
7+50E 35+50S	201	---	0.4	< 5									
7+50E 36+00S	201	---	0.6	110									
7+50E 36+50S	201	---	0.8	5									
7+50E 37+00S	201	---	0.6	5									
7+50E 37+50S	201	---	0.9	10									
7+50E 38+00S	201	---	0.1	5									
7+50E 38+50S	201	---	0.5	< 20									
7+50E 39+00S	201	---	0.8	< 5									
7+50E 39+50S	201	---	0.5	10									
7+50E 40+00S	201	---	0.8	5									

CERTIFICATION: Haut Buchler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
112 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No. : 1  
Tot. Pages: 5  
Date : 20-NOV-87  
Invoice #: I-8726019  
P.O. # :

## CERTIFICATE OF ANALYSIS A8726019

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
8+00E 26+50S	201	---	0.7	< 25										
8+00E 27+00S	217	---	0.2	< 5										
8+00E 27+50S	201	---	0.6	< 5										
8+00E 28+00S	201	---	0.2	< 5										
8+00E 28+50S	201	---	0.3	< 20										
8+00E 29+00S	201	---	0.6	< 10										
8+00E 29+50S	201	---	1.2	< 10										
8+00E 30+00S	201	---	0.8	< 5										
8+00E 30+50S	201	---	1.0	< 35										
8+00E 31+00S	201	---	0.6	< 35										
8+00E 31+50S	201	---	0.4	< 95										
8+00E 32+00S	201	---	0.5	< 190										
8+00E 32+50S	201	---	0.4	< 165										
8+00E 33+00S	201	---	0.5	< 20										
8+00E 33+50S	201	---	0.5	< 25										
8+00E 34+00S	201	---	0.7	< 20										
8+00E 34+50S	201	---	0.9	< 10										
8+00E 35+00S	201	---	0.9	< 5										
8+00E 35+50S	201	---	1.0	< 20										
8+00E 36+00S	201	---	1.3	< 15										
8+00E 36+50S	201	---	1.0	< 40										
8+00E 37+00S	201	---	0.8	< 30										
8+00E 37+50S	201	---	1.0	< 30										
8+00E 38+00S	201	---	0.7	< 10										
8+00E 38+50S	201	---	1.1	< 5										
8+00E 39+00S	201	---	0.7	< 10										
8+00E 39+50S	203	---	1.0	< 10										
8+00E 40+00S	201	---	2.7	< 5										
12+00E 25+50S	201	---	0.3	< 5										
12+00E 26+00S	201	---	0.2	< 5										
12+00E 26+50S	201	---	0.2	< 5										
12+00E 27+00S	201	---	0.8	< 5										
12+00E 27+50S	201	---	0.6	< 5										
12+00E 28+00S	201	---	0.2	< 5										
12+00E 28+50S	201	---	0.2	< 5										
12+00E 29+00S	201	---	6.5	< 5										
12+00E 29+50S	201	---	0.4	< 5										
12+00E 30+00S	201	---	1.2	< 5										
12+00E 30+50S	201	---	0.8	< 5										
12+00E 31+00S	201	---	0.5	< 5										

CERTIFICATION : Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
112 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No. : 2  
Tot. Pages: 5  
Date : 20-NOV-87  
Invoice #: I-8726019  
P.O. # :

## CERTIFICATE OF ANALYSIS A8726019

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
12+00E 31+50S	201	---	0.5	< 5										
12+00E 32+00S	201	---	0.5	< 5										
12+00E 32+50S	201	---	1.2	< 5										
12+00E 33+00S	201	---	0.3	< 5										
12+00E 33+50S	201	---	0.9	< 5										
12+00E 34+00S	201	---	1.4	< 5										
12+00E 34+50S	201	---	0.7	< 5										
12+00E 35+00S	201	---	0.8	< 5										
12+00E 35+50S	201	---	0.5	< 5										
12+00E 36+00S	201	---	2.1	< 5										
12+00E 36+50S	201	---	1.4	< 5										
12+00E 37+00S	201	---	1.3	< 5										
12+00E 37+50S	201	---	1.1	< 5										
12+00E 38+00S	201	---	1.7	< 5										
12+00E 38+50S	201	---	0.4	< 5										
12+00E 39+00S	201	---	0.6	< 5										
12+00E 39+50S	201	---	2.3	< 5										
12+00E 40+00S	201	---	1.0	< 5										
12+50E 25+50S	201	---	0.9	< 5										
12+50E 26+00S	201	---	0.8	< 5										
12+50E 26+50S	201	---	0.3	< 5										
12+50E 27+00S	201	---	0.3	< 5										
12+50E 27+50S	201	---	0.1	< 5										
12+50E 28+00S	201	---	0.1	< 5										
12+50E 28+50S	203	---	0.4	< 5										
12+50E 29+00S	201	---	1.4	< 5										
12+50E 29+50S	201	---	0.8	< 5										
12+50E 30+00S	201	---	1.3	< 5										
12+50E 30+50S	201	---	1.4	< 5										
12+50E 31+00S	201	---	0.5	< 5										
12+50E 31+50S	201	---	0.5	< 5										
12+50E 32+00S	201	---	1.2	< 5										
12+50E 32+50S	201	---	1.2	< 5										
12+50E 33+00S	201	---	0.4	< 5										
12+50E 33+50S	201	---	0.6	< 5										
12+50E 34+00S	201	---	1.2	< 5										
12+50E 34+50S	201	---	1.1	< 5										
12+50E 35+00S	201	---	1.0	< 5										
12+50E 35+50S	201	---	0.3	< 5										
12+50E 36+00S	201	---	0.6	< 5										

CERTIFICATION : Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No.: 3  
Tot. Pages: 5  
Date: 20-NOV-87  
Invoice #: I-8726019  
P.O. #

## CERTIFICATE OF ANALYSIS A8726019

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
12+50E 36+50S	201	---	2.8	< 5										
12+50E 37+00S	201	---	1.1	< 5										
12+50E 37+50S	201	---	0.4	< 10										
12+50E 38+00S	201	---	0.3	< 5										
12+50E 38+50S	201	---	1.3	< 5										
12+50E 39+00S	201	---	0.6	< 5										
12+50E 39+50S	201	---	2.1	< 5										
12+50E 40+00S	201	---	0.7	< 15										
13+00E 25+50S	201	---	0.5	< 5										
13+00E 26+00S	201	---	0.5	< 5										
13+00E 26+50S	201	---	0.5	< 5										
13+00E 27+00S	201	---	0.3	600										
13+00E 27+50S	201	---	0.2	100										
13+00E 28+00S	201	---	0.5	45										
13+00E 28+50S	201	---	0.3	5										
13+00E 29+00S	201	---	0.8	< 5										
13+00E 29+50S	201	---	0.4	< 5										
13+00E 30+00S	201	---	0.3	< 5										
13+00E 30+50S	201	---	1.0	< 5										
13+00E 31+00S	201	---	0.1	< 5										
13+00E 31+50S	201	---	0.1	< 5										
13+00E 32+00S	201	---	0.3	< 5										
13+00E 32+50S	201	---	0.6	< 5										
13+00E 33+00S	201	---	0.8	< 5										
13+00E 33+50S	201	---	0.5	< 5										
13+00E 34+00S	201	---	0.6	< 10										
13+00E 34+50S	201	---	1.6	< 5										
13+00E 35+00S	201	---	0.3	< 5										
13+00E 35+50S	201	---	0.8	< 5										
13+00E 36+00S	201	---	0.7	< 5										
13+00E 36+50S	201	---	0.9	< 5										
13+00E 37+00S	201	---	0.4	< 5										
13+00E 37+50S	201	---	0.4	< 5										
13+00E 38+00S	201	---	0.5	< 5										
13+00E 38+50S	201	---	0.3	< 5										
13+00E 39+00S	201	---	0.1	< 20										
13+00E 39+50S	201	---	1.1	< 5										
13+00E 40+00S	201	---	0.9	< 10										
13+50E 25+50S	201	---	1.0	< 5										
13+50E 26+00S	201	---	0.7	< 5										

CERTIFICATION :

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No.: 4  
Tot. Pages: 5  
Date: 20-NOV-87  
Invoice #: I-8726019  
P.O. #

## CERTIFICATE OF ANALYSIS A8726019

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
13+50E 26+50S	201	---	0.4	< 5										
13+50E 27+00S	203	---	2.4	< 20										
13+50E 27+50S	201	---	0.3	< 5										
13+50E 28+00S	201	---	0.3	< 5										
13+50E 28+50S	201	---	0.5	< 5										
13+50E 29+00S	201	---	0.4	< 5										
13+50E 29+50S	201	---	0.9	< 5										
13+50E 30+00S	201	---	0.8	< 5										
13+50E 30+50S	201	---	0.3	< 5										
13+50E 31+00S	201	---	0.6	< 5										
13+50E 31+50S	201	---	2.6	< 5										
13+50E 32+00S	201	---	0.8	< 5										
13+50E 32+50S	201	---	0.7	< 5										
13+50E 33+00S	201	---	1.0	< 5										
13+50E 33+50S	201	---	1.2	< 5										
13+50E 34+00S	201	---	1.1	< 5										
13+50E 34+50S	201	---	1.1	< 5										
13+50E 35+00S	201	---	1.9	< 5										
13+50E 35+50S	201	---	1.1	< 5										
13+50E 36+00S	201	---	1.0	< 5										
13+50E 36+50S	201	---	1.1	< 5										
13+50E 37+00S	201	---	1.3	< 5										
13+50E 37+50S	201	---	2.5	< 5										
13+50E 38+00S	201	---	0.9	< 5										
13+50E 38+50S	201	---	1.2	< 5										
13+50E 39+00S	201	---	0.7	470										
14+00E 25+50S	201	---	0.9	30										
14+00E 26+00S	201	---	0.9	10										
14+00E 26+50S	201	---	0.5	< 5										
14+00E 27+00S	203	---	0.6	< 5										
14+00E 27+50S	201	---	0.5	< 5										
14+00E 28+00S	201	---	0.3	< 5										
14+00E 28+50S	201	---	0.9	< 5										
14+00E 29+00S	201	---	0.7	< 5										
14+00E 29+50S	201	---	0.8	< 5										
14+00E 30+00S	203	---	0.2	< 5										
14+00E 30+50S	201	---	0.9	10										
14+00E 31+00S	201	---	1.2	< 5										
14+00E 31+50S	201	---	1.5	< 5										
14+00E 32+00S	201	---	0.8	< 5										

CERTIFICATION :

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BEL 11  
Comments:

Page No. : 5  
Tot. Pages: 5  
Date : 20-NOV-87  
Invoice #: I-8726019  
P.O. # :

## CERTIFICATE OF ANALYSIS A8726019

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
14+00E 32+50S	201	---	1.0	< 5									
14+00E 33+00S	201	---	1.0	< 5									
14+00E 33+50S	201	---	1.4	< 5									
14+00E 34+00S	201	---	1.5	< 5									
14+00E 34+50S	201	---	1.0	< 5									
14+00E 35+00S	201	---	1.7	< 5									
14+00E 35+50S	201	---	0.9	< 5									
14+00E 36+00S	201	---	2.0	< 5									
14+00E 36+50S	201	---	0.6	< 5									
14+00E 37+00S	201	---	1.4	< 5									
14+00E 37+50S	201	---	2.1	< 5									
14+00E 38+00S	201	---	1.4	< 5									
14+00E 38+50S	201	---	2.5	< 5									
14+00E 39+00S	201	---	1.6	< 5									
14+00E 39+50S	201	---	1.8	15									
14+00E 40+00S	201	---	1.0	155									

CERTIFICATION :

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BELL 11  
Comments:

Page No. : 1  
Tot. Pages: 6  
Date : 24-NOV-87  
Invoice #: I-8726294  
P.O. # :

## CERTIFICATE OF ANALYSIS A8726294

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
0+50W 25+00S	201	---	0.1	15									
0+50W 25+50S	201	---	0.1	5									
0+50W 26+00S	201	---	0.1	10									
0+50W 26+50S	201	---	0.1	30									
0+50W 27+00S	201	---	0.2	15									
0+50W 27+50S	201	---	0.4	10									
0+50W 28+00S	201	---	0.5	15									
0+50W 28+50S	201	---	0.1	25									
0+50W 29+00S	201	---	0.2	55									
0+50W 29+50S	201	---	0.1	150									
0+50W 30+00S	201	---	0.4	10									
0+50W 30+50S	201	---	1.0	< 5									
0+50W 31+00S	201	---	1.9	30									
0+50W 31+50S	201	---	1.0	5									
0+50W 32+00S	201	---	0.8	80									
0+50W 32+50S	201	---	0.6	10									
0+50W 33+00S	201	---	0.2	< 5									
0+50W 33+50S	201	---	0.2	< 5									
0+50W 34+00S	201	---	0.4	< 5									
0+50W 34+50S	201	---	0.6	< 5									
0+50W 35+00S	201	---	1.7	< 5									
0+50W 35+50S	201	---	1.9	< 5									
0+50W 36+00S	201	---	1.3	< 5									
0+50W 36+50S	201	---	0.2	15									
0+50W 37+00S	201	---	0.5	< 5									
0+50W 37+50S	201	---	1.3	< 5									
0+50W 38+00S	201	---	1.4	< 5									
0+50W 38+50S	201	---	1.1	< 5									
0+50W 39+00S	201	---	0.7	< 5									
0+50W 39+50S	201	---	1.3	< 5									
0+50W 40+00S	201	---	3.0	< 5									
1+00W 25+00S	201	---	0.2	25									
1+00W 25+50S	201	---	0.2	20									
1+00W 26+00S	201	---	0.2	50									
1+00W 26+50S	201	---	0.3	10									
1+00W 27+00S	201	---	0.3	5									
1+00W 27+50S	201	---	0.1	5									
1+00W 28+00S	201	---	0.1	15									
1+00W 28+50S	201	---	0.1	20									
1+00W 29+00S	201	---	0.5	10									

CERTIFICATION :

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BELL II  
Comments:

Page No. : 2  
Tot. Pages: 6  
Date : 24-NOV-87  
Invoice #: I-8726294  
P.O. # :

## CERTIFICATE OF ANALYSIS A8726294

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
1+00W 29+50S	201	---	0.2	< 5									
1+00W 30+00S	201	---	0.5	15									
1+00W 30+50S	201	---	1.9	5									
1+00W 31+00S	201	---	2.0	5									
1+00W 31+50S	201	---	1.5	5									
1+00W 32+00S	201	---	0.4	< 5									
1+00W 32+50S	201	---	0.5	5									
1+00W 33+00S	201	---	0.4	20									
1+00W 33+50S	201	---	0.7	10									
1+00W 34+00S	201	---	1.5	< 5									
1+00W 34+50S	201	---	1.0	< 5									
1+00W 35+00S	201	---	0.8	5									
1+00W 35+00S A	201	---	1.0	10									
1+00W 36+00S	201	---	0.9	5									
1+00W 36+50S	201	---	0.5	5									
1+00W 37+00S	201	---	0.8	10									
1+00W 37+50S	201	---	1.2	5									
1+00W 38+00S	201	---	0.7	5									
1+00W 38+50S	201	---	0.8	5									
1+00W 39+00S	201	---	2.2	5									
1+00W 39+50S	201	---	1.9	< 5									
1+00W 40+00S	201	---	1.2	5									
1+50W 25+00S	201	---	0.2	70									
1+50W 25+50S	201	---	1.2	35									
1+50W 26+00S	201	---	0.1	15									
1+50W 26+50S	201	---	0.6	< 5									
1+50W 27+00S	201	---	0.1	10									
1+50W 27+50S	201	---	0.1	10									
1+50W 28+00S	201	---	0.2	15									
1+50W 28+50S	201	---	0.4	10									
1+50W 29+00S	201	---	0.1	40									
1+50W 29+50S	201	---	0.3	5									
1+50W 30+00S	201	---	0.3	< 5									
1+50W 30+50S	201	---	1.5	5									
1+50W 31+00S	201	---	0.6	10									
1+50W 31+50S	201	---	0.5	5									
1+50W 32+00S	201	---	1.0	5									
1+50W 32+50S	201	---	0.6	5									
1+50W 33+00S	201	---	0.6	5									
1+50W 33+50S	201	---	0.3	5									

CERTIFICATION : Hart Bichler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BELL II  
Comments:

Page No. : 3  
Tot. Pages: 6  
Date : 24-NOV-87  
Invoice #: I-8726294  
P.O. # :

## CERTIFICATE OF ANALYSIS A8726294

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
1+50W 34+00S	201	---	0.5	15									
1+50W 34+50S	201	---	0.7	10									
1+50W 35+00S	201	---	2.0	45									
1+50W 35+50S	201	---	0.7	10									
1+50W 36+00S	201	---	1.6	5									
1+50W 36+50S	201	---	1.1	< 5									
1+50W 37+00S	201	---	1.6	5									
1+50W 37+50S	201	---	0.1	5									
1+50W 38+00S	201	---	0.1	5									
1+50W 38+50S	201	---	0.1	5									
1+50W 39+00S	201	---	0.2	15									
1+50W 39+50S	201	---	0.2	10									
1+50W 40+00S	201	---	0.5	5									
2+00W 25+00S	201	---	0.2	5									
2+00W 25+50S	201	---	0.1	5									
2+00W 26+00S	201	---	0.4	15									
2+00W 26+50S	201	---	0.2	5									
2+00W 27+00S	201	---	0.1	5									
2+00W 27+50S	201	---	0.1	5									
2+00W 28+00S	201	---	0.1	5									
2+00W 28+50S	201	---	0.4	10									
2+00W 29+00S	201	---	0.1	5									
2+00W 29+50S	201	---	0.1	5									
2+00W 30+00S	201	---	0.1	5									
2+00W 30+50S	201	---	0.1	70									
2+00W 31+00S	201	---	0.1	30									
2+00W 31+50S	201	---	0.1	25									
2+00W 32+00S	201	---	0.1	20									
2+00W 32+50S	201	---	0.1	5									
2+00W 33+00S	201	---	0.1	< 5									
2+00W 33+50S	201	---	0.6	65									
2+00W 34+00S	201	---	0.5	5									
2+00W 34+50S	201	---	0.7	5									
2+00W 35+00S	201	---	0.1	5									
2+00W 35+50S	201	---	1.0	15									
2+00W 36+00S	201	---	1.1	5									
2+00W 36+50S	201	---	0.8	5									
2+00W 37+00S	201	---	0.1	5									
2+00W 37+50S	201	---	0.1	5									
2+00W 38+00S	201	---	0.1	5									

CERTIFICATION : Hart Bichler





# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BELL II  
Comments:

Page No.: 4  
Tot. Pages: 6  
Date: 24-NOV-87  
Invoice #: I-8726294  
P.O. #

## CERTIFICATE OF ANALYSIS A8726294

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA												
2+00W 38+50S	201	---	0.1	<	5										
2+00W 39+00S	201	---	0.1	<	90										
2+00W 39+50S	201	---	0.1	<	5										
2+00W 40+00S	201	---	1.4	<	5										
2+50W 25+00S	201	---	1.8	<	5										
2+50W 25+50S	201	---	0.8	<	5										
2+50W 26+00S	201	---	0.1	<	5										
2+50W 26+50S	201	---	0.1	<	5										
2+50W 27+00S	201	---	0.1	<	5										
2+50W 27+50S	201	---	0.1	<	5										
2+50W 28+00S	201	---	0.1	<	5										
2+50W 28+50S	201	---	0.1	<	5										
2+50W 29+00S	201	---	0.1	<	5										
2+50W 29+50S	201	---	0.1	<	5										
2+50W 30+00S	201	---	0.1	<	5										
2+50W 30+50S	201	---	0.1	<	35										
2+50W 31+00S	201	---	0.1	<	15										
2+50W 31+50S	201	---	0.1	<	10										
2+50W 32+00S	201	---	0.1	<	5										
2+50W 32+50S	201	---	0.1	<	10										
2+50W 33+00S	201	---	0.1	<	5										
2+50W 33+50S	201	---	0.8	<	5										
2+50W 34+00S	201	---	0.2	<	5										
2+50W 34+50S	201	---	0.4	<	5										
2+50W 35+00S	201	---	0.1	<	5										
2+50W 35+50S	201	---	0.6	<	5										
2+50W 36+00S	201	---	0.1	<	5										
2+50W 36+50S	201	---	0.1	<	5										
2+50W 37+00S	201	---	0.2	<	5										
2+50W 37+50S	201	---	0.2	<	5										
2+50W 38+00S	201	---	0.1	<	5										
2+50W 38+50S	201	---	1.3	<	5										
2+50W 39+00S	201	---	0.3	<	5										
2+50W 39+50S	201	---	0.1	<	5										
2+50W 40+00S	201	---	0.1	<	5										
3+00W 25+00S	201	---	1.0	<	5										
3+00W 25+50S	201	---	1.0	<	5										
3+00W 26+00S	201	---	0.6	<	5										
3+00W 26+50S	201	---	0.1	<	5										
3+00W 27+00S	201	---	0.1	<	5										

CERTIFICATION :

*Hart Bickler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BELL II  
Comments:

Page No.: 5  
Tot. Pages: 6  
Date: 24-NOV-87  
Invoice #: I-8726294  
P.O. #

## CERTIFICATE OF ANALYSIS A8726294

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA												
3+00W 27+50S	201	---	0.7	<	5										
3+00W 28+00S	201	---	0.5	<	5										
3+00W 28+50S	201	---	0.1	<	5										
3+00W 29+00S	201	---	2.0	<	5										
3+00W 29+50S	201	---	1.4	<	5										
3+00W 30+00S	201	---	0.1	<	70										
3+00W 30+50S	201	---	0.1	<	45										
3+00W 31+00S	201	---	0.1	<	5										
3+00W 31+50S	201	---	0.1	<	5										
3+00W 32+00S	201	---	0.1	<	5										
3+00W 32+50S	201	---	0.1	<	5										
3+00W 33+00S	201	---	0.2	<	5										
3+00W 33+50S	201	---	0.1	<	5										
3+00W 34+00S	201	---	0.1	<	5										
3+00W 34+50S	201	---	0.3	<	5										
3+00W 35+00S	201	---	0.1	<	5										
3+00W 35+50S	201	---	0.4	<	5										
3+00W 36+00S	201	---	0.2	<	5										
3+00W 36+50S	201	---	0.2	<	5										
3+00W 37+00S	201	---	0.9	<	5										
3+00W 37+50S	201	---	0.2	<	5										
3+00W 38+00S	201	---	0.3	<	25										
3+00W 38+50S	201	---	0.5	<	5										
3+00W 39+00S	201	---	0.9	<	5										
3+00W 39+50S	201	---	0.1	<	5										
3+50W 40+00S	201	---	0.7	<	10										
3+50W 25+00S	201	---	0.1	<	5										
3+50W 25+50S	201	---	0.1	<	10										
3+50W 26+00S	201	---	0.1	<	5										
3+50W 26+50S	201	---	1.0	<	5										
3+50W 27+00S	201	---	0.1	<	5										
3+50W 27+50S	201	---	0.1	<	5										
3+50W 28+00S	201	---	0.1	<	5										
3+50W 28+50S	201	---	0.8	<	5										
3+50W 29+00S	201	---	0.1	<	15										
3+50W 29+50S	201	---	0.1	<	5										
3+50W 30+00S	201	---	3.6	<	5										
3+50W 30+50S	203	---	0.1	<	10										
3+50W 31+00S	201	---	1.9	<	5										
3+50W 31+50S	203	---	0.1	<	20										

CERTIFICATION :

*Hart Bickler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BELL 11  
Comments:

Page No. : 6  
Tot. Pages: 6  
Date : 24-NOV-87  
Invoice #: I-8726294  
P.O. # :

## CERTIFICATE OF ANALYSIS A8726294

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
3+50W 32+00S	201	---	0.1	20									
3+50W 32+50S	201	---	0.2	5									
3+50W 33+00S	201	---	0.1	< 5									
3+50W 33+50S	201	---	0.5	< 5									
3+50W 34+00S	201	---	0.4	< 5									
3+50W 34+50S	201	---	1.1	< 5									
3+50W 35+00S	201	---	0.1	< 2.5									
3+50W 35+50S	201	---	0.2	< 5									
3+50W 36+00S	201	---	0.1	< 5									
3+50W 36+50S	201	---	0.4	< 5									
3+50W 37+00S	201	---	0.3	< 10									
3+50W 37+50S	201	---	0.5	< 5									
3+50W 38+00S	201	---	0.5	< 5									
3+50W 38+50S	201	---	0.6	< 10									
3+50W 39+00S	201	---	0.1	< 5									
3+50W 39+50S	201	---	0.1	< 5									
3+50W 40+00S	201	---	0.1	< 5									

CERTIFICATION : Hart Bichler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BELL 11  
Comments:

Page No. : 1  
Tot. Pages: 6  
Date : 25-NOV-87  
Invoice #: I-8726295  
P.O. # :

## CERTIFICATE OF ANALYSIS A8726295

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
4+00W 25+00S	201	---	0.1	< 5									
4+00W 25+50S	201	---	0.1	< 5									
4+00W 26+00S	201	---	0.1	< 10									
4+00W 26+50S	201	---	0.6	< 5									
4+00W 27+00S	201	---	0.2	< 5									
4+00W 27+50S	201	---	0.1	< 5									
4+00W 28+00S	201	---	0.1	< 5									
4+00W 28+50S	201	---	0.5	< 3.5									
4+00W 29+00S	201	---	0.1	< 5									
4+00W 29+50S	203	---	1.2	< 5									
4+00W 30+00S	201	---	0.5	< 10									
4+00W 30+50S	201	---	0.2	< 5									
4+00W 31+00S	201	---	0.1	< 5									
4+00W 31+50S	201	---	0.1	< 5									
4+00W 32+00S	201	---	0.1	< 5									
4+00W 32+50S	201	---	0.1	< 5									
4+00W 33+00S	201	---	0.1	< 5									
4+00W 33+50S	201	---	0.1	< 5									
4+00W 34+00S	201	---	0.6	< 5									
4+00W 34+50S	201	---	0.5	< 5									
4+00W 35+00S	201	---	0.4	< 5									
4+00W 35+50S	201	---	1.1	< 5									
4+00W 36+00S	201	---	0.2	< 5									
4+00W 36+50S	201	---	0.2	< 5									
4+00W 37+00S	201	---	0.4	< 5									
4+00W 37+50S	201	---	0.5	< 5									
4+00W 38+00S	201	---	1.3	< 5									
4+00W 38+50S	201	---	0.4	< 5									
4+00W 39+00S	201	---	0.1	< 5									
4+00W 39+50S	201	---	1.0	< 5									
4+00W 40+00S	201	---	0.5	< 5									
4+50W 25+00S	201	---	0.1	< 5									
4+50W 25+50S	201	---	0.1	< 5									
4+50W 26+00S	203	---	0.1	< 5									
4+50W 26+50S	201	---	0.1	< 5									
4+50W 27+00S	201	---	0.1	< 5									
4+50W 27+50S	201	---	1.0	< 5									
4+50W 28+00S	201	---	0.1	< 5									
4+50W 28+50S	201	---	0.1	< 5									
4+50W 29+00S	201	---	0.1	< 5									

CERTIFICATION : Hart Bichler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BELL 11  
Comments:

Page No. : 2  
Tot. Pages: 6  
Date : 25-NOV-87  
Invoice #: I-8726295  
P.O. # :

## CERTIFICATE OF ANALYSIS A8726295

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
4+50W 29+50S	201	---	0.1	<	5									
4+50W 30+00S	201	---	0.1	<	10									
4+50W 30+50S	201	---	0.1	<	5									
4+50W 31+00S	201	---	2.5	<	5									
4+50W 31+50S	201	---	0.1	<	5									
4+50W 32+00S	201	---	0.1	<	5									
4+50W 32+50S	201	---	0.1	<	5									
4+50W 33+00S	201	---	0.1	<	5									
4+50W 33+50S	201	---	0.2	<	5									
4+50W 34+00S	201	---	1.7	<	5									
4+50W 34+50S	201	---	1.1	<	5									
4+50W 35+00S	201	---	2.2	<	5									
4+50W 35+50S	201	---	1.0	<	10									
4+50W 36+00S	201	---	0.2	<	5									
4+50W 36+50S	201	---	1.4	<	5									
4+50W 37+00S	201	---	0.1	<	5									
4+50W 37+50S	201	---	0.2	<	5									
4+50W 38+00S	201	---	0.2	<	5									
4+50W 38+50S	201	---	0.1	<	50									
4+50W 39+00S	201	---	0.1	<	5									
4+50W 39+50S	201	---	0.1	<	5									
4+50W 40+00S	201	---	0.3	<	5									
5+00W 25+00S	201	---	0.1	<	5									
5+00W 25+50S	201	---	0.5	<	5									
5+00W 26+00S	201	---	0.1	<	5									
5+00W 26+50S	201	---	0.1	<	5									
5+00W 27+00S	201	---	0.1	<	5									
5+00W 27+50S	201	---	0.1	<	5									
5+00W 28+00S	201	---	0.6	<	5									
5+00W 28+50S	201	---	0.1	<	15									
5+00W 29+00S	201	---	0.1	<	30									
5+00W 29+50S	217	---	0.7	<	20									
5+00W 30+00S	217	---	0.1	<	5									
5+00W 30+50S	217	---	1.7	<	5									
5+00W 31+00S	201	---	0.1	<	5									
5+00W 31+50S	217	---	1.3	<	5									
5+00W 32+00S	217	---	0.1	<	5									
5+00W 32+50S	201	---	0.1	<	5									
5+00W 33+00S	201	---	0.1	<	5									
5+00W 33+50S	201	---	0.8	<	5									

CERTIFICATION :

*Hart Bickler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BELL 11  
Comments:

Page No. : 3  
Tot. Pages: 6  
Date : 25-NOV-87  
Invoice #: I-8726295  
P.O. # :

## CERTIFICATE OF ANALYSIS A8726295

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA											
5+00W 34+00S	201	---	0.3	<	5									
5+00W 34+50S	201	---	1.6	<	5									
5+00W 35+00S	201	---	1.0	<	5									
5+00W 35+50S	201	---	1.8	<	5									
5+00W 36+00S	201	---	1.0	<	5									
5+00W 36+50S	201	---	0.5	<	5									
5+00W 37+00S	201	---	0.8	<	5									
5+00W 37+50S	201	---	0.1	<	5									
5+00W 38+00S	201	---	0.2	<	5									
5+00W 38+50S	201	---	0.2	<	5									
5+00W 39+00S	201	---	0.1	<	10									
5+00W 39+50S	201	---	1.0	<	5									
5+00W 40+00S	201	---	0.1	<	5									
5+50W 25+00S	201	---	0.4	<	5									
5+50W 25+50S	201	---	0.2	<	5									
5+50W 26+00S	201	---	0.1	<	5									
5+50W 26+50S	201	---	0.1	<	5									
5+50W 27+00S	201	---	0.2	<	5									
5+50W 27+50S	201	---	0.2	<	5									
5+50W 28+00S	201	---	0.4	<	5									
5+50W 28+50S	201	---	0.1	<	5									
5+50W 29+00S	201	---	0.1	<	70									
5+50W 29+50S	201	---	1.4	<	5									
5+50W 30+00S	201	---	0.4	<	5									
5+50W 30+50S	201	---	1.5	<	5									
5+50W 31+00S	201	---	0.6	<	5									
5+50W 31+50S	203	---	4.0	<	5									
5+50W 32+00S	201	---	0.2	<	5									
5+50W 32+50S	201	---	0.4	<	5									
5+50W 33+00S	201	---	0.1	<	5									
5+50W 33+50S	203	---	0.5	<	5									
5+50W 34+00S	201	---	1.8	<	5									
5+50W 34+50S	201	---	0.2	<	5									
5+50W 35+00S	201	---	1.3	<	5									
5+50W 35+50S	201	---	1.0	<	5									
5+50W 36+00S	201	---	0.2	<	5									
5+50W 36+50S	201	---	0.1	<	5									
5+50W 37+00S	201	---	0.3	<	5									
5+50W 37+50S	201	---	0.4	<	5									
5+50W 38+00S	201	---	0.8	<	5									

CERTIFICATION :

*Hart Bickler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BELL 11  
Comments:

Page No.: 4  
Tot. Pages: 6  
Date: 25-NOV-87  
Invoice #: I-8726295  
P.O. #:

## CERTIFICATE OF ANALYSIS A8726295

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
5+50W 38+50S	201	---	0.4	< 5									
5+50W 39+00S	201	---	0.4	< 5									
5+50W 39+50S	201	---	0.5	< 5									
5+50W 40+00S	201	---	0.1	< 5									
6+00W 25+00S	201	---	0.1	< 5									
6+00W 25+50S	201	---	0.1	< 5									
6+00W 26+00S	201	---	0.1	< 5									
6+00W 26+50S	201	---	0.3	< 5									
6+00W 27+00S	201	---	0.1	< 5									
6+00W 27+50S	201	---	0.6	< 5									
6+00W 28+00S	201	---	0.1	< 5									
6+00W 28+50S A	201	---	0.7	< 5									
6+00W 28+50S B	201	---	0.1	< 5									
6+00W 29+00S	201	---	0.1	< 5									
6+00W 29+50S	201	---	0.4	< 5									
6+00W 30+00S	201	---	1.0	< 5									
6+00W 30+50S	201	---	0.6	< 20									
6+00W 31+00S	203	---	0.6	< 5									
6+00W 31+50S	203	---	0.1	< 5									
6+00W 32+00S	201	---	0.4	< 5									
6+00W 32+50S	203	---	0.1	< 5									
6+00W 33+00S	201	---	0.3	< 5									
6+00W 33+50S	201	---	0.3	< 5									
6+00W 34+00S	201	---	0.7	< 5									
6+00W 34+50S	201	---	1.0	< 5									
6+00W 35+00S	201	---	1.1	< 5									
6+00W 35+50S	201	---	0.5	< 5									
6+00W 36+00S	201	---	1.0	< 5									
6+00W 36+50S	201	---	0.2	< 5									
6+00W 37+00S	201	---	0.1	< 5									
6+00W 37+50S	201	---	0.1	< 5									
6+00W 38+00S	203	---	0.1	< 5									
6+00W 38+50S	201	---	0.6	< 5									
6+00W 39+00S	201	---	0.2	< 5									
6+00W 39+50S	201	---	0.1	< 5									
6+50W 40+00S	201	---	0.4	< 5									
6+50W 25+00S	201	---	0.3	< 5									
6+50W 25+50S	201	---	0.1	< 5									
6+50W 26+00S	201	---	0.6	< 5									
6+50W 26+50S	201	---	0.7	< 5									

CERTIFICATION: Hart Bichler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BELL 11  
Comments:

Page No.: 5  
Tot. Pages: 6  
Date: 25-NOV-87  
Invoice #: I-8726295  
P.O. #:

## CERTIFICATE OF ANALYSIS A8726295

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
6+50W 27+00S	201	---	0.3	< 5									
6+50W 27+50S	201	---	0.1	< 5									
6+50W 28+00S	201	---	0.1	< 5									
6+50W 28+50S	201	---	0.1	< 5									
6+50W 29+00S	201	---	0.2	< 5									
6+50W 29+50S	201	---	0.7	< 5									
6+50W 30+00S	201	---	0.8	< 5									
6+50W 30+50S	203	---	1.8	< 5									
6+50W 31+00S	201	---	0.1	< 5									
6+50W 31+50S	203	---	0.1	< 5									
6+50W 32+00S	201	---	0.1	15									
6+50W 32+50S	201	---	0.2	< 5									
6+50W 33+00S	201	---	0.1	145									
6+50W 33+50S	201	---	1.0	< 5									
6+50W 34+00S	201	---	0.9	< 5									
6+50W 34+50S	201	---	0.1	< 5									
6+50W 35+00S	201	---	0.1	< 5									
6+50W 35+50S	201	---	1.7	< 5									
6+50W 36+00S	201	---	1.7	< 5									
6+50W 36+50S	201	---	2.2	< 5									
6+50W 37+00S	201	---	0.7	< 5									
6+50W 37+50S	201	---	1.0	< 5									
6+50W 38+00S	201	---	0.4	< 5									
6+50W 38+50S	201	---	0.7	< 5									
6+50W 39+00S	201	---	1.0	< 5									
6+50W 39+50S	201	---	0.4	< 5									
6+50W 40+00S	201	---	0.5	10									
7+00W 25+00S	201	---	0.1	< 5									
7+00W 25+50S	201	---	1.0	< 5									
7+00W 26+00S	201	---	0.3	< 5									
7+00W 26+50S	201	---	0.5	< 5									
7+00W 27+00S	201	---	0.4	< 5									
7+00W 27+50S	201	---	0.2	< 5									
7+00W 28+00S	201	---	0.6	< 5									
7+00W 28+50S	201	---	0.3	< 5									
7+00W 29+00S	201	---	0.7	< 5									
7+00W 29+50S	201	---	0.8	< 5									
7+00W 30+00S	201	---	0.5	< 5									
7+00W 30+50S	203	---	1.2	< 5									
7+00W 31+00S	201	---	0.6	< 5									

CERTIFICATION: Hart Bichler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BELL II  
Comments:

Page No. : 6

Tot. Pages: 6

Date : 25-NOV-87

Invoice #: I-8726295

P.O. # :

## CERTIFICATE OF ANALYSIS A8726295

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
7+00W 31+50S	201	---	0.1	< 10									
7+00W 32+00S	201	---	0.1	< 5									
7+00W 32+50S	201	---	0.3	< 5									
7+00W 33+00S	201	---	0.1	< 5									
7+00W 33+50S	201	---	0.2	40									
7+00W 34+00S	201	---	0.7	< 5									
7+00W 34+50S	201	---	0.1	< 5									
7+00W 35+00S	201	---	0.4	< 5									
7+00W 35+50S	201	---	1.0	< 5									
7+00W 36+00S	201	---	0.6	< 5									
7+00W 36+50S	201	---	1.3	< 5									
7+00W 37+00S	201	---	0.4	< 5									
7+00W 37+50S	201	---	0.7	< 5									
7+00W 38+00S	201	---	1.0	< 5									
7+00W 38+50S	201	---	0.6	< 5									
7+00W 39+00S	201	---	0.8	< 5									
7+00W 39+50S	201	---	0.2	< 5									
7+00W 40+00S	203	---	0.1	< 5									

CERTIFICATION : Hautschler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BELL II  
Comments:

Page No. : 1

Tot. Pages: 5

Date : 25-NOV-87

Invoice #: I-8726297

P.O. # :

## CERTIFICATE OF ANALYSIS A8726297

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
7+50W 25+00S	201	---	0.6	< 5									
7+50W 25+50S	201	---	0.7	< 5									
7+50W 26+00S	201	---	0.2	< 5									
7+50W 26+50S	201	---	0.3	< 5									
7+50W 27+00S	201	---	0.7	< 5									
7+50W 27+50S	201	---	0.1	< 5									
7+50W 28+00S	201	---	0.1	< 5									
7+50W 28+50S	201	---	0.1	< 5									
7+50W 29+00S	201	---	0.2	< 15									
7+50W 29+50S	203	---	1.0	< 5									
7+50W 30+50S	201	---	2.4	< 5									
7+50W 31+00S	201	---	0.5	< 5									
7+50W 31+50S	201	---	2.2	< 5									
7+50W 32+00S	201	---	0.1	< 5									
7+50W 32+50S	201	---	0.4	< 5									
7+50W 33+00S	201	---	0.2	< 5									
7+50W 33+50S	201	---	0.1	< 5									
7+50W 34+00S	201	---	2.2	< 5									
7+50W 34+50S	201	---	0.3	< 5									
7+50W 35+00S	201	---	0.5	< 5									
7+50W 35+50S	201	---	0.2	< 5									
7+50W 36+00S	201	---	1.1	< 5									
7+50W 36+50S	201	---	1.2	< 5									
7+50W 37+00S	201	---	1.2	< 5									
7+50W 37+50S	201	---	0.9	< 5									
7+50W 38+00S	201	---	0.3	< 5									
7+50W 38+50S	201	---	0.4	< 5									
7+50W 39+00S	201	---	0.9	< 5									
7+50W 39+50S	201	---	0.7	< 5									
7+50W 40+00S	201	---	0.5	< 5									
8+00W 25+00S	201	---	0.5	< 5									
8+00W 25+50S	201	---	0.4	< 5									
8+00W 26+00S	201	---	0.1	< 5									
8+00W 26+50S	201	---	0.2	< 5									
8+00W 27+00S	217	---	1.9	< 5									
8+00W 27+50S	201	---	0.7	< 5									
8+00W 28+00S	201	---	0.8	< 5									
8+00W 28+50S	201	---	0.5	< 5									
8+00W 29+00S	201	---	1.3	< 5									
8+00W 29+50S	201	---	1.0	< 5									

CERTIFICATION : Hautschler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BELL 11  
Comments:

Page No. : 2  
Tot. Pages: 5  
Date : 25-NOV-87  
Invoice #: I-8726297  
P.O. # :

## CERTIFICATE OF ANALYSIS A8726297

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
8+00W 30+00S	201	---	0.3	^^	5								
8+00W 30+50S	201	---	0.2	^^	5								
8+00W 31+00S	201	---	3.8	^^	5								
8+00W 31+50S	201	---	0.2	^^	5								
8+00W 32+00S	201	---	0.6	^^	5								
8+00W 32+50S	201	---	0.5	^^	15								
8+00W 33+00S	201	---	0.6	^^	10								
8+00W 33+50S	201	---	1.6	^^	5								
8+00W 34+00S	201	---	2.4	^^	5								
8+00W 34+50S	201	---	1.7	^^	5								
8+00W 35+00S	201	---	0.2	^^	5								
8+00W 35+50S	201	---	1.6	^^	5								
8+00W 36+00S	201	---	1.4	^^	5								
8+00W 36+50S	201	---	0.4	^^	5								
8+00W 37+00S	201	---	0.2	^^	5								
8+00W 37+50S	201	---	0.6	^^	5								
8+00W 38+00S	201	---	0.3	^^	5								
8+00W 38+50S	201	---	1.4	^^	5								
8+00W 39+00S	201	---	0.5	^^	5								
8+00W 39+50S	201	---	0.3	^^	5								
8+00W 40+00S	201	---	1.7	^^	5								
8+50W 25+00S	201	---	1.1	^^	5								
8+50W 25+50S	201	---	0.1	^^	5								
8+50W 26+00S	201	---	0.7	^^	5								
8+50W 26+50S	201	---	0.1	^^	5								
8+50W 27+00S	201	---	0.9	^^	5								
8+50W 27+50S	201	---	0.1	^^	5								
8+50W 28+00S	201	---	0.6	^^	5								
8+50W 28+50S	201	---	1.2	^^	5								
8+50W 29+00S	201	---	0.6	^^	5								
8+50W 29+50S	201	---	0.5	^^	5								
8+50W 30+00S	201	---	5.0	^^	15								
8+50W 30+50S	201	---	1.7	^^	5								
8+50W 31+00S	201	---	0.4	^^	5								
8+50W 31+50S	201	---	0.2	^^	5								
8+50W 32+00S	201	---	2.0	^^	10								
8+50W 32+50S	201	---	0.2	^^	5								
8+50W 33+00S	201	---	0.2	^^	5								
8+50W 33+50S	201	---	0.6	^^	5								
8+50W 34+00S	201	---	0.3	^^	25								

CERTIFICATION :

*Hautschler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BELL 11  
Comments:

Page No. : 3  
Tot. Pages: 5  
Date : 25-NOV-87  
Invoice #: I-8726297  
P.O. # :

## CERTIFICATE OF ANALYSIS A8726297

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA										
8+50W 34+50S	201	---	0.7	^^	5								
8+50W 35+00S	201	---	1.3	^^	5								
8+50W 35+50S	201	---	0.5	^^	5								
8+50W 36+00S	201	---	0.7	^^	5								
8+50W 36+50S	201	---	1.8	^^	5								
8+50W 37+00S	201	---	1.0	^^	5								
8+50W 37+50S	201	---	0.3	^^	5								
8+50W 38+00S	201	---	0.6	^^	5								
8+50W 38+50S	201	---	1.0	^^	5								
8+50W 39+00S	201	---	2.0	^^	5								
8+50W 39+50S	201	---	0.8	^^	5								
8+50W 40+00S	201	---	0.7	^^	30								
9+00W 25+00S	201	---	0.3	^^	5								
9+00W 25+50S	201	---	0.9	^^	5								
9+00W 26+00S	201	---	0.1	^^	5								
9+00W 26+50S	201	---	1.6	^^	5								
9+00W 27+00S	201	---	1.1	^^	5								
9+00W 27+50S	201	---	1.2	^^	5								
9+00W 28+00S	201	---	1.6	^^	5								
9+00W 28+50S	201	---	0.7	^^	5								
9+00W 29+00S	201	---	0.9	^^	5								
9+00W 29+50S	201	---	0.4	^^	5								
9+00W 30+00S	201	---	0.2	^^	5								
9+00W 30+50S	201	---	0.1	^^	5								
9+00W 31+00S	201	---	0.4	^^	5								
9+00W 31+50S	201	---	0.3	^^	5								
9+00W 32+00S	201	---	0.2	^^	40								
9+00W 32+50S	201	---	0.5	^^	5								
9+00W 33+00S	201	---	0.1	^^	5								
9+00W 33+50S	201	---	0.3	^^	5								
9+00W 34+00S	201	---	0.1	^^	5								
9+00W 34+50S	201	---	0.8	^^	5								
9+00W 35+00S	201	---	0.4	^^	5								
9+00W 35+50S	201	---	0.3	^^	5								
9+00W 36+00S	201	---	1.0	^^	5								
9+00W 36+50S	201	---	0.7	^^	5								
9+00W 37+00S	201	---	0.1	^^	5								
9+00W 37+50S	201	---	0.4	^^	5								
9+00W 38+00S	201	---	0.9	^^	5								
9+00W 38+50S	201	---	0.7	^^	5								

CERTIFICATION :

*Hautschler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BELL II  
Comments:

Page No. : 4

Tot. Pages: 5

Date : 25-NOV-87

Invoice #: I-8726297

P.O. # :

## CERTIFICATE OF ANALYSIS A8726297

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA								
9+00W 39+00S	201	---	0.7	< 5							
9+00W 39+50S	201	---	0.5	< 5							
9+00W 40+00S	201	---	1.3	< 10							
9+50W 25+00S	201	---	1.0	< 5							
9+50W 25+50S	201	---	1.0	< 5							
9+50W 26+00S	201	---	0.8	< 5							
9+50W 26+50S	201	---	0.1	< 5							
9+50W 27+00S	201	---	0.7	< 5							
9+50W 27+50S	201	---	0.1	< 5							
9+50W 28+00S	201	---	1.0	< 5							
9+50W 28+50S	201	---	0.1	< 5							
9+50W 29+00S	217	---	0.1	< 5							
9+50W 29+50S	201	---	0.2	< 5							
9+50W 30+00S A	201	---	0.5	< 5							
9+50W 30+00S B	201	---	0.1	< 5							
9+50W 30+50S	201	---	0.9	< 5							
9+50W 31+00S	201	---	0.8	< 7.5							
9+50W 31+50S	201	---	0.2	< 10							
9+50W 32+00S	201	---	0.3	< 5							
9+50W 32+50S	201	---	0.3	< 5							
9+50W 33+00S	203	---	0.1	< 5							
9+50W 33+50S	201	---	0.3	< 5							
9+50W 34+00S	201	---	0.4	< 5							
9+50W 34+50S	201	---	1.5	< 5							
9+50W 35+00S	201	---	1.0	< 5							
9+50W 35+50S	201	---	0.1	< 5							
9+50W 36+00S	201	---	0.3	< 30							
9+50W 36+50S	201	---	1.0	< 5							
9+50W 37+00S	201	---	1.1	< 5							
9+50W 37+50S	201	---	1.1	< 5							
9+50W 38+00S	201	---	1.5	< 30							
9+50W 38+50S	201	---	0.3	< 5							
9+50W 39+00S	201	---	0.8	< 5							
9+50W 39+50S	201	---	0.4	< 5							
9+50W 40+00S	201	---	0.7	< 5							
10+00W 25+00S	201	---	0.1	< 5							
10+00W 25+50S	201	---	0.1	< 5							
10+00W 26+00S	201	---	0.1	< 20							
10+00W 26+50S	201	---	0.9	< 15							
10+00W 27+00S	201	---	0.5	< 5							

CERTIFICATION : Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

To: ARCTEX ENGINEERING

301 - 1855 BALSAM ST.  
VANCOUVER, B.C.  
V6K 3M3

Project: BELL II  
Comments:

Page No. : 5

Tot. Pages: 5

Date : 25-NOV-87



Invoice #: I-8726297

P.O. # :

## CERTIFICATE OF ANALYSIS A8726297

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb FA+AA								
10+00W 27+50S	201	---	0.4	< 10							
10+00W 28+00S	201	---	0.1	< 5							
10+00W 28+50S	203	---	0.6	< 20							
10+00W 29+00S	201	---	0.5	< 5							
10+00W 29+50S	201	---	1.3	< 5							
10+00W 30+00S	201	---	0.3	< 5							
10+00W 30+50S	201	---	0.7	< 5							
10+00W 31+00S	201	---	0.6	< 5							
10+00W 31+50S	201	---	0.6	< 5							
10+00W 32+00S	201	---	0.4	< 5							
10+00W 32+50S	201	---	0.1	< 5							
10+00W 33+00S	201	---	0.4	< 5							
10+00W 33+50S	203	---	1.7	< 5							
10+00W 34+00S	201	---	0.7	< 5							
10+00W 34+50S	201	---	2.0	< 5							
10+00W 35+00S	201	---	0.5	< 5							
10+00W 35+50S	201	---	1.1	< 5							
10+00W 36+00S	201	---	0.1	< 15							
10+00W 36+50S	201	---	1.2	< 5							
10+00W 37+00S	201	---	0.6	< 10							
10+00W 37+50S	201	---	0.7	< 5							
10+00W 38+00S	201	---	0.1	< 5							
10+00W 38+50S	201	---	0.1	< 5							
10+00W 39+00S	201	---	0.1	< 5							
10+00W 39+50S	201	---	0.2	< 5							
10+00W 40+00S	201	---	0.2	< 5							

CERTIFICATION : Hart Buchler



ARCTEX ENGINEERING SERVICES  
**Highgrade Ventures Ltd.**  
**BEL Claim Group**  
 N.T.S. E.C.L.T.W. Monashee Creek B.C. Vernon Mining Division

**Geology**  
 #1 & #2 VEIN AREA  
 showing rock geochemistry and assays



By accompany report by  
 Paul Kallack  
 geologist  
 Locke B. Goldsmith, P.Eng.  
 consulting geologist



DECEMBER 1987

HW 1.00 m. 27-1.25-0.010  
 FW 1.70 m. 60-7.58-0.036  
 V 0.30 m. 45-27.40-0.156  
 4+885 2+47E

4+885  
 2+44E  
 0.28 m.  
 17-0.50-0.004

100-50.90-0.051  
 4+885 0.33 m.  
 2+48E

4+885 2+50E  
 V 0.18 m. 12-7.31-0.107  
 FW 0.30 m. 6-0.31-0.004  
 HW 0.30 m. 5-0.17-<0.002


50-12.10-0.114  
 4+905 0.33 m.  
 2+40E  
 in outside trench: siliceous  
 argillite or quartzite with pyrite  
 and malachite.

malachite, azurite, gofena  
 on this wall, 0.07-0.1 m. wide  
 at stub crosscut corner.

0.33 m.  
 4+885 2+53E  
 35-9.33-0.130

0.44 m.  
 4+885 2+56E  
 7-0.20-0.004


4+885 2+47E HW 1.00 m. 27-1.25-0.010  
 sample location width As Ag Au  
 ppm oz/ton



ARCTEX ENGINEERING SERVICES  
**Highgrade Ventures Ltd.**  
**BEL Claim Group**

N.T.S. 82L1W Monashee Creek B.C. Vernon Mining Division  
 Subterranean  
**Geology**

#1 VEIN ADIT  
 showing rock geochemistry & assays



To accompany report by  
 Paul Kallack  
 geologist  
 Locke B. Goldsmith, P.Eng.  
 consulting geologist

DECEMBER 1987


48 foliation  
 40 bedding  
 35 quartz vein

Triassic  
 Sicamous Formation:  
 metasediments and lesser interbedded metavolcanics.






Notes: Contour interval 100m. Contours are to give orientation to clusters of prospect results. Prospect results are not shown in this diagram to or immediately adjacent to them. Prospect results are shown in separate sheets which should be read in conjunction with this diagram.




ARCTEX ENGINEERING SERVICES  
Highgrade Ventures Ltd.  
BEL Claim Group  
N.T.S. 82L1W  
1:2500  
GEO-CHEMISTRY  
As - Au in soils



ARCTEX ENGINEERING SERVICES  
Highgrade Ventures Ltd.  
BEL Claim Group


N.T.S. 82L1W Monashee Creek B.C. Vernon Mining Division

Geology  
#3 VEIN AREA



To accompany report by  
Paul Kallack  
GEOLOGIST  
Locke B. Goldsmith, P.Eng.  
CONSULTING GEOLOGIST

DECEMBER 1987



48 foliation  
40 bedding  
35 quartz vein  
outcrop area  
quartz  
TRIASSIC  
Sicamous Formation:  
metosediments and lesser interbedded metavolcanics.



CERTIFICATE

The foregoing constitutes full, true and plain disclosure of all material facts relating to the securities offered by this Prospectus as required by the Securities Act and its regulations.

DATED: April 13th, 1988

*J. Novak*  
Chief Executive Officer  
JOSEPH RICHARD NOVAK

*AC*  
Chief Financial Officer  
ANTHONY CHARLES D'EON

On behalf of the Directors of the Company:

*Orville Page*  
ORVILLE HAROLD PAGE  
- Director


*Orval Guy Bernardin*  
ORVAL GUY BERNARDIN  
- Director

*J. Novak*  
JOSEPH RICHARD NOVAK - Promoter

*AC*  
ANTHONY CHARLES D'EON - Promoter

*Orville Page*  
ORVILLE HAROLD PAGE - Promoter

*Orval Guy Bernardin*  
ORVAL GUY BERNARDIN - Promoter



**CERTIFICATE**

To the best of our knowledge, information and belief, the foregoing constitutes full, true and plain disclosure of all material facts relating to the securities offered by this Prospectus as required by the Securities Act and its regulations.

**YORKTON SECURITIES INC.**

**Per:** 

**DATED this 13th day of April, A.D. 1988.**