

FROM: Rich Meyers
KAMLOOPS

Re: Huntington/Lacana JV - BRETT


June 7, 1988

NOTE: HOLE DRILLED DOWN STRUCTURE TO TEST GOLD CONTINUITY
IN AREA OF HOLE 87-29 (DISCOVERY HOLE)

The Huntington Resources - Lacana Joint Venture on the Brett Property west of Vernon wishes to announce a truly exceptional gold intersection. This intersection averaging 2.03 oz/T gold over 235 feet comes from a recent reverse circulation hole RC-88-11 drilled on the Main Shear Zone. - E-W Structure in flat valley

The hole was targeted to test the continuity of high grade gold mineralization intersected by three diamond drill holes in 1987 (previously reported) on section 8+05N. This was achieved by drilling through and beyond these core intersections. The mineralization is largely in the footwall to the Main Shear Zone and includes an upper higher grade section of 145 feet averaging 2.95 oz/T Au with much visible gold and a section beneath with 90 feet averaging .548 oz/T Au. A summary table with details of individual assay sections follows

Intersection In Feet	Average of Gold Assay in oz/Ton	No. of Cuts From Reject	Coarse Gold
130-135	.13	2	Y
135-140	2.85	2	Y
140-145	5.66	4	Y
145-150	11.07	2	Y
150-155	3.65	3	Y
155-160	1.84	2	Y
160-165	2.47	2	Y
165-170	1.35	2	Y
170-175	1.56	2	Y
175-180	1.44	2	Y
180-185	3.55	3	Y
185-190	1.27	2	Y
190-195	9.02	3	Y
195-200	7.52	3	Y
200-205	5.83	2	Y
205-210	2.06	2	Y
210-215	5.08	3	Y
215-220	2.67	2	Y
220-225	4.25	3	Y
225-230	2.37	2	Y
230-235	2.53	3	Y
235-240	3.02	1	Y
240-245	1.01	1	Y
245-250	.58	1	Y
250-255	.347	1	Y
255-260	.395	1	No
260-265	.986	1	Y



265-270	.474	1	Y
270-275	.480	1	Y
275-280	.496	1	Y
280-285	.123	1	Y
285-290	.152	1	Y
290-295	.436	1	Y
295-300	.191	1	No
300-305	.863	1	Y
305-310	1.81	1	No
310-315	.189	1	Y
315-320	1.08	1	Y
320-325	.817	1	Y
325-330	.384	1	Y
330-335	.614	1	Y
335-340	.385	1	Y
340-345	.497	1	Y
345-350	.266	1	Y
350-355	.249	1	Y
355-360	.703	1	Y
360-365 (END OF HOLE)	.609	1	Y

*Assays and rechecks by KRAL
 *Y indicates Yes

HUNTINGTON RESOURCES INC.

(LACANA OPTION)



BRETT CLAIMS

VERNON M.D., B.C.

BRICAN
HUNTINGTON
(LACANA)



GOSSAN
ZONE



This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.





BRETT 1
BRETT 2

ASSAYS

HOLE No.	oz./t. Au	FEET
87-29	0.737	137.8 - 155.0
	0.274	170.9 - 178.0
87-30	0.144	263.0 - 273.0
	0.127	296.0 - 301.5
	0.092	311.9 - 329.0
87-31	0.094	158.0 - 161.3
	0.027	196.9 - 218.2
87-32	0.032	142.0 - 150.3
	0.039	273.6 - 275.1
87-33	0.053	101.0 - 109.9
	0.061	119.1 - 137.5
	0.037	140.3 - 145.2
87-34	0.036	80.4 - 85.0
87-35	0.037	298.6 - 309.0
	0.037	344.5 - 364.2
	0.037	379.0 - 388.8
87-36	0.054	126.3 - 128.0
	0.063	150.0 - 175.0
87-37	0.075	183.6 - 186.4
	0.104	212.9 - 234.6
	0.075	348.8 - 362.5
87-42	0.991	256.7 - 265.7
87-45	0.169	216.5 - 221.5
	0.125	226.4 - 232.9
87-46	0.085	93.4 - 124.7
	0.119	93.4 - 98.1
	0.107	105.0 - 119.8
	0.074	138.0 - 189.0
	0.111	170.9 - 186.0
87-47	0.133	259.2 - 279.0
	0.110	221.1 - 226.7
	0.980	245.1 - 248.1

LEGEND

- GOLD GEOCHEM. ANOMALIES
- SHEAR ZONE
- DIAMOND DRILL HOLE
- CREEK
- ROAD
- GOLD DISCOVERY OCT. 1987



DEC. 1987

HUNTINGTON RESOURCES INC.

- NEWS RELEASE
1987-5

September 16, 1987

Trading Symbol: HUN
Shares Outstanding: 2,020,000

BRETT 1 & 2


Drilling on the BRETT CLAIMS near Vernon, B.C. has encountered additional gold mineralization. The latest results are from DDH 87-30 and are between 100 and 200 feet vertically below those in DDH 87-29.

The results from both holes are summarized as follows:

<u>Drill Hole</u>	<u>Intersection (feet)</u>	<u>Grade (Oz./Ton Gold)</u>	<u>Width</u>
DDH 87-29	137.8-155.0	0.737	17.2
(Dip: 48)	170.9-178.0	0.274	7.1
DDH 87-30	263.0-273.0	0.144	10.0
(Dip: 74)	296.0-301.5	0.127	5.5
	311.9-329.0	0.092	17.1

The gold values in DDH 87-30 from 296 to 329 feet are associated with a flat lying tuff horizon that is a minimum of 60 feet thick. This tuff horizon is considered a favourable host to gold mineralization adjacent to the Main Shear Zone (as demonstrated by recent mineralization).

Current drilling will continue to test this, and other favourable targets to the south. Additional results will be announced as they become available.



Stirling D. McIlveen
President

The Vancouver Stock Exchange has neither approved nor disapproved this news release. It has been prepared by Stirling D. McIlveen, President of Huntington Resources Inc. who is responsible for its content.

HUNTINGTON RESOURCES INC.

- - NEWS RELEASE
1987-4

August 10, 1987


BRETT 1 & 2

Huntington's drilling exploration program is progressing on schedule. On the Brett Claim to date we have tested two separate zones which has revealed depths of intersections ranging from 100 feet to 500 feet below surface. Anomalous gold and silver values have been encountered in several instances and are being explored further.

The Discovery Zone, partially explored by trenching and drilling in 1986 is currently being tested. Drilling will concentrate on a mineralized structure referred to as the Main Shear Zone. To date this zone has been delineated over a strike length of approximately 1700 feet. One target within this zone will be the 1986 surface discovery that contained visible gold and assayed 2.052 oz/ton gold across 7.9 feet. This discovery is 400 feet south of the southernmost 1986 drill hole (DDH 86-16) that returned a value of 0.175 oz/ton gold across 11 feet at a depth of approximately 200 feet.

Recent trenching on the Main Shear Zone approximately 525 feet to the south of DDH 86-16 returned a value of 0.104 oz/ton gold across a true width of 16 feet within a shear zone in excess of 50 feet wide. This area will be tested at depth during this program.

Drilling results will be made available in the near future.



Stirling D. McIlveen
President

The Vancouver Stock Exchange has neither approved nor disapproved this news release. It has been prepared by Stirling D. McIlveen, President of Huntington Resources Inc. who is responsible for its content.