

006050

From ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716 @ CSV TEXT FORMAT
To B.C. Ministry of Energy and Mines (BC)

Acme file # A9001308 Received: APR 28 2000 * 5 samples in this disk file.

ELEMENT	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Pd	Pt
SAMPLES	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb
B 170501	0.37	6948.8	1.63	69.5	1852	22.6	20.4	437	4.62	0.8	<.1	245	0.3	15	0.13	0.05	0.16	63	1.84	0.16	3.2	31.5	0.89	13.4	0.08	1	1.18	0.19	0.08	<.2	4	0.02	1.02	9	5.8	0.97	6.4	22	3
B 170502	0.02	24263	<.01	947	8409	240	223	1726	12.7	1.8	<.1	565	<.1	5.5	2.05	<.02	0.7	84	4.62	0.11	4.7	37.6	2.19	6.7	0.11	18	2.59	0.07	0.03	0.5	5.1	<.02	0.28	<5	4.4	2.4	9	72	6
B 170503	0.27	21229	0.19	205	3085	55.2	85.9	455	7.2	1	<.1	1291	<.1	11.3	0.82	<.02	0.71	122	1.83	0.21	<.5	3.9	0.65	19.7	0.09	2	1.18	0.21	0.07	0.3	6.1	<.02	2.53	<5	14.4	1.21	6.7	17	3
B 170504	13	1767.4	1.21	90.7	643	19.3	25.1	510	3.27	0.4	<.1	19.4	0.1	5	0.3	0.04	0.18	113	1.53	0.08	1.5	30.8	0.77	11.8	0.16	2	1.08	0.16	0.08	0.4	4.8	<.02	0.25	<5	0.9	0.22	5.1	40	9
B 170505	<.01	99999	<.01	2610	19380	998	1137	70	28.8	0.8	<.1	702	<.1	2.7	6.93	<.02	0.27	13	0.6	0.19	0.9	8.8	0.11	2.9	0.01	33	0.15	0.02	<.01	<.2	0.6	<.02	2.92	8	70.2	10.4	1.6	74	5
RE B 170505	<.01	99999	<.01	2649	19581	1044	1195	76	29.9	0.7	<.1	765	<.1	2.8	6.82	0.07	0.23	18	0.5	0.2	0.9	10.5	0.11	2.7	0.01	32	0.15	0.02	<.01	<.2	0.1	<.02	3.03	<5	70.9	10.2	1.1	104	4

PROPERTY FILE

Sunro Property - Minfile 092C 073 - Jacques Houle - April 26, 2000

Sample #	Northing ⁰	Westing ⁰	Elevation'	Type	Dimension	Orientalior	Location	Description	Alteration	Mineralization	Mo(ppm)	Cu(ppm)	Ni(ppm)	Co(ppm)	Se(ppm)	Te(ppb)	Ag(ppb)	Au(ppb)	Pd(ppb)	Pt(ppb)
170501	48.26.968	124.01.926	1477?	outcrop grab	0.5m.wide	15/90	River Adit West Rib	foliated basalt	hornblende	pyrite, chalcopyrite	0.37	6948.84	22.6	20.4	5.8	0.97	1852	245.3	22	3
170502	50m east of 170501		same	outcrop grab	0.25m.wide	15/90	River Adit East Rib	foliated basalt	hbde,qtzstrngrs	cpy,az,mal,chalcocite	0.02	24263.22	240.0	222.8	4.4	2.40	8409	565.4	72	6
170503	100m @240 fr.170501		same	outcrop grab	0.25m.wide	105/90	Gordon Zone@river	massive basalt	hbde,qtzstrngrs	py,cpy,bornite	0.27	21228.68	55.2	85.9	14.4	1.21	3085	1290.6	17	3
170504	48.26.937	124.02.101	higher	outcrop grab	0.25m.wide	90/90	road @ switchback	massive basalt	hbde,qtzstrngrs	py,cpy	12.97	1767.44	19.3	25.1	0.9	0.22	643	19.4	40	9
170505	48.25.878	124.02.978	lower	float grab	n/a	n/a	5100 adit dump	massive basalt	hbde,qtzblebs	pyrr,cpy,tellurides?	<0.01	>100000	998.3	1136.5	70.2	10.41	19380	702.0	74	5

Acme Analytical Laboratories Ltd.

852 E. Hastings St., Vancouver, B.C.

V6A 1R6 Phone: 253-3158

N 48° 26.968'

SAMPLE: **B**

Nº 170501 W 124° 01.926'

1477 ft

Date

April 26, 2000

11:30 am

Location

SURRO R/W/ AG IT W, R73

Drill Hole

SURRO W/C SURRO G73

Footage

0.5 m @ 15°, 90°

Remarks

PHASE, PORTABLE?

Assay For: Cu, Pb, Zn, Ag, Au, Ni, Mo, W, As

Other

Rock Geochem

ICP

Acme Analytical Laboratories Ltd.

852 E. Hastings St., Vancouver, B.C.

V6A 1R6 Phone: 253-3158

Son east of

SAMPLE: **B** No 170502

170501

Date April 26 11:50 a

Location SUNRO River north E. R.B

Drill Hole SUNRO INO/C SOUTHERN

Footage 0.25 m @ 15° 90°

Remarks Chalcopyrite, Azurite, Malachite

Assay For: Cu, Pb, Zn, Ag, Au, Ni, Mo, W, As

Other _____

Rock Geochem

ICP

Acme Analytical Laboratories Ltd.

852 E. Hastings St., Vancouver, B.C.

V6A 1R6 Phone: 253-3158

100' m @
240° AZ
Fr 170501

SAMPLE: **B** **Nº 170503**

Date Apr 26 12:20

Location SUMMIT ~~CR~~ ZONE

Drill Hole PLANNED IN O/C SART 6M3

Footage 0.25 m @ 105°, 90°

Remarks Pyrite; Barite

Assay For: Cu, Pb, Zn, Ag, Au, Ni, Mo, W, As

Other _____

Rock Geochem

ICP

Acme Analytical Laboratories Ltd.

852 E. Hastings St., Vancouver, B.C.

V6A 1R6 Phone: 253-3158

48° 26.937N

SAMPLE: **B**

NO 170504

124° 02.101W

Date

APR 26

1:40p

Location

Sump W-SWITABA

Drill Hole

SUMMA IN O/C SUMP GRAB

Footage

0.25m @ 90°, 90°

Remarks

pyrite, pyromorphite

Assay For:

Cu, Pb, Zn, Ag, Au, Ni, Mo, W, As

Other

Rock Geochem



ICP

Acme Analytical Laboratories Ltd.

852 E. Hastings St., Vancouver, B.C.

V6A 1R6 Phone: 253-3158

48° 25.070' N
124° 02.976' W

SAMPLE: **B** **Nº 170505**

Date April 26 3 p

Location Sumo 5100 Lora ADIT

Drill Hole MAIN 10m03 76%

Footage FOOT AT BOSS - OPG IN WASTE BIN

Remarks PY, CO, CP, BO.

Assay For: Cu, Pb, Zn, Ag, Au, Ni, Mo, W, As

Other _____

Rock Geochem

ICP

P.02/02
604 253 1716 TO 12507517373
MAY 12'00 9:19 FR ACME LABS

ACME ANALYTICAL LABORATORIES LTD.
(ISO 9002 Accredited Co.)

852 B. HASTINGS ST. VANCOUVER BC V6A 1R6

PHONE(604)253-3158 FAX(604)253-1716



GEOCHEMICAL ANALYSIS CERTIFICATE



B.C. Ministry of Energy and Mines (BC) File # A001308
20808 Labloux Road, Nanaimo BC V9T 6J9 Submitted by: Jacques Houle

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Ti	B	Al	Na	K	M	Sc	Tl	S	Hg	Se	Te	Ga	Pd	Pt	
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppb	ppm	
B 170501	.37	6948.84	1.63	69.5	1852	22.6	20.4	437	4.62	.8	<1	245.3	.3	15.0	.13	.06	.16	63	1.84	.161	3.2	31.5	89	13.4	879	1	1.18	.186	.08	<2	4.8	.82	1.02	9	5.8	.97	6.4	22	3	
B 170502	.02	24263	22	<.01	947.2	8409	240.8	222.8	1726	12.78	1.8	<1	565.4	<1	5.5	2.05	<.02	.70	84	4.62	.112	4.7	37.6	2.19	6.7	.112	18	2.59	.070	.03	.4	5.1	<.02	.28	<5	4.4	2.40	9.0	72	5
B 170503	.27	21228	68	.19	205.3	3085	55.2	85.9	455	7.20	1.8	<1	1290.6	<1	11.3	.82	<.02	.71	122	1.83	.205	<.5	3.9	.65	19.7	.086	2	1.18	.209	.07	3	6.1	<.02	2.53	<5	14.4	1.23	6.7	17	3
B 170504	12.97	1767.44	1.21	90.7	643	19.3	25.1	510	3.27	.4	<1	19.4	.1	5.0	.30	.04	.18	113	1.53	.083	1.5	30.8	.77	11.8	.162	2	1.08	.162	.08	.4	4.8	<.02	.25	<5	.9	.22	5.1	40	9	
B 170505	<.01	99999.00	<.01	2610.4	19380	998.3	1136.5	70	28.79	.8	<1	702.0	<1	2.7	6.93	<.02	.27	13	.68	.186	.9	8.8	.11	2.9	.006	33	.15	.015	<.01	<.2	.6	<.02	2.92	8	78.2	10.41	1.6	74	5	
RE B 170505	<.01	99999.00	<.01	2649.8	19581	1043.6	1134.6	76	29.94	.7	<1	765.4	<1	2.8	6.82	.07	.23	18	.50	.198	.9	10.5	.11	2.7	.007	32	.15	.017	<.01	<.2	.1	<.02	3.03	<5	78.9	10.16	1.1	104	4	

GROUP 1F15 - 15.00 GM SAMPLE, 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 300 ML, ANALYSIS BY ICP/ES & MS.
UPPER LIMITS - AG, AU, HG, W, SE, TE, TL, GA, SN = 100 PPM; MO, CO, CD, SB, BI, TH, U, B = 2,000 PPM; CU, PB, ZN, NI, MN, AS, V, LA, CR = 10,000 PPM.
- SAMPLE TYPE: ROCK Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: APR 28 2000 DATE REPORT MAILED: May 11/2000 SIGNED BY: C. Leong... D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

PROPERTY FILE

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Date 11/FA

** TOTAL PAGE.002 **



GEOCHEMICAL ANALYSIS CERTIFICATE



B.C. Ministry of Energy and Mines (BC) File # A001308
2080B Labioux Road, Nanaimo BC V9T 6J9 Submitted by: Jacques Houle

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Pd	Pt
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	
B 170501	.37	6948.84	1.63	69.5	1852	22.6	20.4	437	4.62	.8	<.1	245.3	.3	15.0	.13	.05	.16	63	1.84	.161	3.2	31.5	.89	13.4	.079	1	1.18	.186	.08	<.2	4.0	.02	1.02	9	5.8	.97	6.4	22	3
B 170502	.02	24263.22	<.01	947.2	8409	240.0	222.8	1726	12.70	1.8	<.1	565.4	<.1	5.5	2.05	<.02	.70	84	4.62	.112	4.7	37.6	2.19	6.7	.112	18	2.59	.070	.03	.4	5.1	<.02	.28	<5	4.4	2.40	9.0	72	6
B 170503	.27	21228.68	.19	205.3	3085	55.2	85.9	455	7.20	1.0	<.1	1290.6	<.1	11.3	.82	<.02	.71	122	1.83	.205	<.5	3.9	.65	19.7	.086	2	1.18	.209	.07	.3	6.1	<.02	2.53	<5	14.4	1.21	6.7	17	3
B 170504	12.97	1767.44	1.21	90.7	643	19.3	25.1	510	3.27	.4	<.1	19.4	.1	5.0	.30	.04	.18	113	1.53	.083	1.5	30.8	.77	11.8	.162	2	1.08	.162	.08	.4	4.8	<.02	.25	<5	.9	.22	5.1	40	9
B 170505	<.01	99999.00	<.01	2610.4	19380	998.3	1136.5	70	28.79	.8	<.1	702.0	<.1	2.7	6.93	<.02	.27	13	.60	.186	.9	8.8	.11	2.9	.006	33	.15	.015	<.01	<.2	.6	<.02	2.92	8	70.2	10.41	1.6	74	5
RE B 170505	<.01	99999.00	<.01	2649.0	19581	1043.6	1194.6	76	29.94	.7	<.1	765.4	<.1	2.8	6.82	.07	.23	18	.50	.198	.9	10.5	.11	2.7	.007	32	.15	.017	<.01	<.2	.1	<.02	3.03	<5	70.9	10.16	1.1	104	4

GROUP 1F15 - 15.00 GM SAMPLE, 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 300 ML, ANALYSIS BY ICP/ES & MS.
UPPER LIMITS - AG, AU, HG, W, SE, TE, TL, GA, SN = 100 PPM; MO, CO, CD, SB, BI, TH, U, B = 2,000 PPM; CU, PB, ZN, NI, MN, AS, V, LA, CR = 10,000 PPM.
- SAMPLE TYPE: ROCK Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: APR 28 2000 DATE REPORT MAILED: *May 11/2000* SIGNED BY: *C. Leong* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

PROPERTY FILE