


92H/SE  
92H/SE-1


008791

HOLE LENGTH.

HOLE	LENGTH.
#11 RSE. 1	10
2	19
3	21
4	25
5	27
6	50
7	61
8	68
9	73
10	28
11	23
12	22
13	23
14	31
15	44
16	56
#9 RSE. 17	33
18	50
19	63
20	57
21	51
22	49
23	47
24	46
25	46
26	47
27	47
28	50
29	50
30	50
31	49
32	44
33	40
34	38
35	36
36	37
37	38
38	39
39	39
40	40
41	40
42	40



97 BLOCK. D.D. BLAST - 4L  
ELEV. 3643.00 - RING #3.  
Scale 1"=20'



BRITISH COLUMBIA GEOLOGICAL SURVEY  
This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

P.M.-97 BLOCK-3643 ELEV.

LOADING DATA.

RING #3.

#11 RS.

HOLE NO.	ACTUAL LENGTH	LOAD TO- FROM COLL.	No. OF STICKS	REMARKS.
1	10	0	23	
2	19	0	37	
3	21	10	24	
4	25	0	39	
5	27	14	24	
6	50	3	76	
7	61	30	54	
8	68	17	78	
9	73	0	120	
10	28	10	18	Cored 15' from Coll.
11	23	0	36	
12	22	7	28	
13	23	0	36	
14	31	6	44	
15	44	8	64	
16	56	0	67	Cored 40' from Coll.
17	33	0	52	
18	50	12	64	
19	63	6	100	
20	57	32	44	
21	51	0	84	
22	49	27	32	
23	47	6	72	
24	46	24	40	
25	46	0	76	
26	47	24	42	4-60' caps
27	47	6	72	20-30' "
28	50	25	44	60-16' "
29	50	0	98	
30	50	0	102	
31	49	27	44	
32	44	7	78	
33	40	22	42	
34	38	0	62	
35	36	19	35	
36	37	5	62	
37	38	20	37	
38	39	0	63	
39	39	20	35	
40	40	7	55	
41	40	21	31	
42	40	0	65	
	1747	415	2299 = 851 pounds.	
	1299' Loaded		0.655 pounds of powder / ft. loaded.	
	5670 Tons broken		0.15 " " " / ton broken.	

#9 RS.

DEF

R+200<sup>m</sup>

R+100<sup>m</sup>



SEC. 13

SEC. 14

SEC. 15

SEC. 16

SEC. 17



This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.

SUMMARY OF ORE RESERVES FOR YEAR 1943

COPPER MOUNTAIN

Block	Level	Grand Total Ore Developed to January 1, 1944		Total non-Recoverable to Jan. 1/44		Net Total Ore Developed to Jan. 1/44		Total Depletion to Jan. 1/44		Tot. Available Ore Reserves at Jan. 1/44		Estimated Dilution to Jan. 1/44		Estimated Total Extraction to Jan. 1/44		Gold	Silver
		Tons	Grade	Tons	Grade	Tons	Grade	Tons	Grade	Tons	Grade	Tons	Grade	Tons	Grade	Oz.	Oz.
20,12	2	66086	1.85	3304	1.85	62782	1.85	9463	1.69	53319	1.88	28078	.35	81397	1.35	.012	.270
	3	37565	1.85	3756	1.85	33809	1.85			33809	1.85	17804	.35	51613	1.33	.012	.270
51	2	486958	1.35	117501	1.44	369457	1.32	369457	1.32								
	3	20175	1.50	14005	1.68	6170	1.10	6170	1.10								
1,13	5-7	684519	1.31	68452	1.31	616067	1.31	166385	1.33	449682	1.30	236808	.35	686490	0.97	.010	.248
A14	3	1827399	1.34	188747	1.30	1638652	1.35	916847	1.30	721805	1.42	380111	.35	1101916	1.05	.009	.250
	4,5	582609	1.47	73621	1.45	508988	1.47	44056	0.91	464932	1.53	244839	.35	709771	1.12	.007	.265
122B	3	112696	1.31	11270	1.31	101426	1.31	77435	1.15	23991	1.83	12634	.35	36625	1.32	.006	.265
	4,5	301913	1.47	30191	1.47	271722	1.47	49133	1.09	222589	1.55	117218	.35	339807	1.14	.011	.271
53	3	134261	1.26	13426	1.26	120835	1.26	38677	1.15	82158	1.31	43265	.35	125423	0.98	.010	.315
40	5,6	497391	1.91	198608	1.92	298783	1.91	3093	1.06	295690	1.92	155713	.35	451403	1.38	.010	.250
13E	4,5	276869	1.55	27687	1.55	249182	1.55	1557	0.56	247625	1.56	130402	.35	378027	1.14	.012	.296
13N	5,6	269217	1.55	26922	1.55	242295	1.55	793	0.98	241502	1.55	127178	.35	368680	1.14	.010	.245
122E	4,5	844174	1.49	84417	1.49	759757	1.49	3156	1.04	756601	1.49	398435	.35	1155036	1.10	.010	.245
	6,7	462956	1.53	86834	1.56	376122	1.53	6346	1.01	369776	1.53	194728	.35	564504	1.13	.010	.228
122W	4-7	495651	1.34	174783	1.39	320868	1.32			320868	1.32	168973	.35	489841	0.98	.010	.301
50 (37)	3850 SL	518400	1.48	42887	1.48	475513	1.48	270571	1.49	204942	1.45	107925	.35	312867	1.07	.008	.270
	4	68035	1.26	2017	1.26	66018	1.26	2572	1.12	63446	1.27	33411	.35	96857	0.95	.008	.265
59	2	89739	1.05	24222	0.80	65517	1.14	65517	1.14								
63	2	254330	1.34	20393	0.30	233937	1.48	233937	1.48								
9B	2	96278	1.25	26171	0.90	70107	1.38	70107	1.38								
72#1#2	2	293217	1.31	81234	1.21	211983	1.35	211983	1.35								
	3	16696	1.21	15959	1.21	737	1.27	737	1.27								
72E	2	52870	1.45	52870	1.45												
8A,9A	2	655304	1.51	59395	2.27	595909	1.43	595909	1.43								
A	3	53914	1.41	52133	1.42	1781	1.04	1781	1.04								
32	4-7	532869	1.62	53287	1.62	479582	1.62	51045	1.68	428537	1.62	225673	.35	654210	1.18	.008	.236
34	2-7	780870	1.61	77500	1.62	653008	1.62	116252	1.36	536756	1.67	282662	.35	819418	1.22	.009	.245
A98	3	739826	1.46	66118	1.45	724070	1.47	490589	1.24	233481	1.95	122954	.35	356435	1.40	.009	.250
A98,A34	4-7	496347	1.40	49635	1.45	446712	1.40	79260	1.32	367452	1.42	193505	.35	560957	1.05	.009	.272
36	3	2226782	1.59	168295	1.52	2058487	1.60	1613266	1.56	445221	1.75	234459	.35	679680	1.27	.009	.272
	4-7	1137043	1.58	113704	1.58	1023339	1.58	418286	1.24	605053	1.81	318628	.35	923681	1.30	.009	.274
37	4-6	231652	1.50	23166	1.50	208486	1.50	2364	1.10	206122	1.50	108546	.35	314668	1.11	.008	.269
9-1	3	151304	1.39	15130	1.39	136174	1.39	74532	1.16	61642	1.66	32461	.35	94103	1.21	.007	.251
	4	46608	1.36	4661	1.36	41947	1.36	11221	0.96	30726	1.50	16181	.35	46907	1.10	.007	.251
9-1V	4	61219	1.42	6122	1.42	55097	1.42	16699	1.21	38398	1.51	20221	.35	58619	1.11	.008	.251
22,26,63-40	3-7	821216	1.47	82120	1.47	739096	1.47	393354	1.28	345742	1.68	182072	.35	527814	1.22	.008	.245
63,165	4-7	592003	1.64	59200	1.64	532803	1.64	329322	1.32	203481	2.16	107156	.35	310637	1.53	.011	.248
8,9-2,9-3	6-7	260523	1.74	26052	1.74	234471	1.74	58025	1.45	176446	1.84	92919	.35	269365	1.33	.011	.273
9-4	6-7	349914	2.30	34990	2.30	314924	2.30	24523	2.08	290401	2.32	152929	.35	443330	1.64	.014	.301
29 L & P	2	672000	1.37	258331	1.19	413669	1.48	413669	1.48								
91,92	2	544000	1.35	53252	1.37	490748	1.35	361635	1.32	129113	1.42	67992	.35	197105	1.05	.010	.248
	3	136000	1.40	19304	1.40	116696	1.40	8212	1.04	108484	1.43	57129	.35	165613	1.06	.010	.248
9-30	3300 SL	471998	1.70	47199	1.70	424799	1.70	17715	1.52	407084	1.71	214375	.35	621459	1.24	.011	.202
	6,7	165218	1.70	16522	1.70	148696	1.70	5481	1.72	143215	1.70	75419	.35	218634	1.23	.011	.202
9-32,9-36	4-6	154087	1.50	15411	1.50	138676	1.50	53138	1.12	85538	1.74	45045	.35	130583	1.26	.011	.272
CONTACT	6	4724522	1.63	424869	1.92	4299653	1.61	4299653	1.61								
	8	1249946	2.04	124994	2.04	1124952	2.04	38306	1.82	1086646	2.04	572241	.35	1658887	1.46	.013	.272
PR. MAY	3580 SL	360765	1.56	36077	1.56	324688	1.56	86708	1.31	237980	1.65	125323	.35	363303	1.20	.011	.253
	6	284800	1.55	28480	1.55	256320	1.55			256320	1.55	134981	.35	391301	1.14	.010	.252
PR. MAY H	6	175304	1.54	17530	1.54	157774	1.54			157774	1.54	83086	.35	240860	1.13	.010	.252
SC.	ALL LEVELS	20908	0.62			20908	0.62	20908	0.62								
TAL		26586946	1.55	3322754	1.55	23264192	1.55	12129845	1.46	11134347	1.66	5863479	.35	16997826	1.21	.009	.252
LOW GR.		381808	0.88	38181	0.88	343627	0.88	343627	0.88								
GR. TOTAL		26968754	1.54	3360935	1.55	23607819	1.54	12129845	1.46	11477974	1.63	5863479	.35	17341453	1.20	.009	.250
GR. TOTAL	JAN. 1/42	26621863	1.56	3094097	1.54	23527766	1.56	11074549	1.51	12453217	1.61	4459663	.35	16912880	1.28		
DIFFERENCE		346891	1.47	266838	1.61	80053	-3.92	1055296	1.23	-975243	1.36	1403816	.35	428573	-1.96		
ADD: WLN: FBI: AWS: VANG: FILE: AUD:																	

all drawn stops  
5,893,293

COPPER MOUNTAIN

BROKEN ORE RESERVES - TONNAGES AND GRADES - JANUARY 1944

BLOCK	LEVEL	BROKEN TO FEBRUARY 1, 1944		DRAINED TO FEBRUARY 1, 1944		RESERVE AT FEBRUARY 1, 1944	
		TONS	EST. GRADE	TONS	GRADE	TONS	EST. GRADE
22	6	56,486	1.39	42,848	1.27	*13,638	1.25
13	6	31,433	0.89	20,928	0.83	*10,505	0.90
122E	6	564	0.844	564	0.844	-	-
122B	3	76,200	1.30	73,007	1.004	3,193	1.00
53	3	103,357	1.24	24,323	1.154	79,034	1.10
A14N	3	511,013	1.11	158,313	0.86	352,700	0.95
A14S	3	395,881	1.30	148,804	0.90	247,077	1.00
A14 +5-+4	5	30,844	1.01	25,084	0.85	* 5,760	0.95
32	6	756	0.68	65	1.68	* 691	1.50
A34 (A95)	3	453,347	1.50	489,964	0.98	-36,617	-
34, A34	6	142,618	1.36	90,817	1.15	*51,801	1.30
36	3	1,048,525	1.52	1,136,228	1.165	-87,703	-
37	3	294,462	1.12	168,321	0.90	126,141	0.90
9-1	3	112,240	1.38	80,181	1.06	32,059	1.10
	4	15,577	0.86	7,620	1.02	*7,957	0.81
9-1V	4	75,641	1.33	13,400	1.10	62,241	1.30
63	6	21,630	1.48	-	-	*21,630	1.48
63-40	6	374,112	1.29	364,991	1.21	9,121	1.00
8, 9-2, 9-3	6	7,789	1.22	5,285	1.22	* 2,504	1.21
9-4	6	39,047	2.12	24,105	2.02	*14,942	2.00
91 & 92	2	472,938	1.36	418,326	1.16	*54,612	1.00
	3	74,650	1.38	12,032	1.01	62,618	1.30
9-30	6	27,068	2.23	12,407	1.757	*14,661	2.00
9-32, 9-36	6	156,019	1.34	51,357	1.15	*104,662	1.15
Pr. May	4	135,833	1.28	90,276	1.201	* 45,557	1.15
Contact	6	4,300,646	1.57	4,605,178	1.404	-304,532	-
	8	76,116	2.25	55,267	1.97	* 20,849	1.50
Misc.		229	1.125	229	1.125	-	-
Total		9,035,021	1.463	8,119,920	1.283	915,101	1.09
#1 Fkt.		553,201	1.24	553,201	1.60		
#3 Fkt.		594,763	1.365	594,763	1.35		
Gr. Total		10,182,985	1.445	9,267,884	1.306	915,101	1.09

369,769  
 \* Not immediately available. 369,765  
 Available 974,184  
 Overdrawn 428,852

2/14/44  
 bk