

NORANDA EXPLORATION CO. LTD.

Property: North Pacific - Dansey - B.C.
 Project No.: 1023

Hole No. P.D. #6

Sheet No. 1

Lat. 6+80S	Elev. 3700	Dip -90°	Collared Sept. 17, 1969	Core Size Percussion Chips
Dep. 2+10E	Depth 300'	Bearing	Completed Sept. 18, 1969	Logged by: D.E. Pegg

Footage	Rec'y	Rock Type/Alteration	Graphic Log	Mineralization/Structure	% Sulfides	Sample No.	Boss Assays			
							Ft.	Cu		Mo
0-5		Casing								
5-300		Fine gray sand & much		much muck indicative of altered, shear zones in altered Guichon qtz. dio.						
		5-10			<1%	M9541	5	0.04		
		10-20				2	10	0.03		Tr
		20-30				3	10	0.03		
		30-40				4	10	0.04		
		40-50				5	10	0.04		Tr
		50-60				6	10	0.04		
		60-70				7	10	0.03		
		70-80				8	10	0.03		Tr
		80-90				9	10	0.03		
		90-100				M9550	10	0.03		
		100-110				1	10	0.03		Tr
		110-120				2	10	0.03		
		120-130				3	10	0.03		
		130-140				4	10	0.03		Tr
		140-150				5	10	0.03		
		150-160				6	10	0.03		
		160-170				7	10	0.05		Tr
		170-180				8	10	0.05		
		180-190				9	10	0.03		
		190-200				M9560	10	0.04		Tr
		200-210				1	10	0.07		
		210-220				2	10	0.03		
		220-230				3	10	0.03		Tr
		230-240				4	10	0.08		
		240-250				5	10	0.30		

NORANDA EXPLORATION CO. LTD.

Property: North Pacific - Dansey

Project No.: 1023

Hole No. P.D. #7
Sheet No. 1

Lat. 10+00S	Elev. 3700	Dip -90	Collared Sept. 18, 1969	Core Size Percussion Chips
Dep. 4+50E	Depth 300'	Bearing	Completed Sept. 19, 1969	Logged by: D.E. Pegg

Footage	Rec'y	Rock Type/Alteration	Graphic Log	Mineralization/Structure	% Sulfides	Sample No.	Boss Assays							
							Ft	Cu		Mo				
0-8		Overburden												
8-30		Grey green fine sand & muck 30% mafics fine py. ecc. epy.			<1.0									
		8-20				M9576	12	0.03				Tr		
		20-30				7	10	0.04						
		30-40				8	10	0.03						
		40-50				9	10	0.09				Tr		
		50-60				M9580	10	0.06						
		60-70				1	10	0.06						
		70-80				2	10	0.04				Tr		
		80-90				3	10	0.05						
		90-100				4	10	0.04						
		100-110				5	10	0.10				Tr		
		110-120				6	10	0.35						
		120-130				7	10	0.25						
		130-140				8	10	0.13				Tr		
		140-150				9	10	0.13						
		150-160				M9590	10	0.10						
		160-170				1	10	0.13				Tr		
		170-180				2	10	0.10						
		180-190				3	10	0.09						
		190-200				4	10	0.09				Tr		
		200-210				5	10	0.08						
		210-220				6	10	0.09						
		220-230				7	10	0.09				Tr		
		230-240				8	10	0.07						
		240-250				9	10	0.07						
		250-260				M9600	10	0.09				Tr		
		260-270				1	10	0.07						
		270-280				2	10	0.14						
		280-290				3	10	0.12				Tr		
		290-300				4	10	0.13						

NORANDA EXPLORATION CO. LTD.

Property: North Pacific - Dansey - B.C.

Project No.: 1023

Hole No. P.D. #8

Sheet No. 1

Lat. 13+50S	Elev. 3680	Dip -90	Collared Sept. 19, 1969	Core Size Percussion Chips
Dep. 5+00E	Depth 300	Bearing	Completed Sept. 22, 1969	Logged by: D.E. Pegg

Footage	Rec'y	Rock Type/Alteration	Graphic Log	Mineralization/Structure	% Sulfides	Sample No.	Boss Assays			
							Ft.	Cu		Mo
0-20		Overburden								
20-300		Fine grey-green sand & muck.		20% mafics (Altered Guichon G.D.) Few specs malachite 20-50	<1.0					
		20-30				M9605	10	0.12		Tr
		30-40				6	10	0.16		
		40-50				7	10	0.13		
		50-60				8	10	0.08		Tr
		60-70				9	10	0.05		
		70-80				M9610	10	0.11		
		80-90				1	10	0.05		Tr
		90-100				2	10	0.05		
		100-110				3	10	0.08		
		110-120				4	10	0.06		Tr
		120-130				5	10	0.06		
		130-140				6	10	0.08		
		140-150				7	10	0.05		Tr
		150-160				8	10	0.06		
		160-170				9	10	0.09		
		170-180				M9620	10	0.05		Tr
		180-190				1	10	0.06		
		190-200				2	10	0.09		
		200-210				3	10	0.07		Tr
		210-220				4	10	0.07		
		220-230				5	10	0.10		
		230-240				6	10	0.08		
		240-250				7	10	0.14		
		250-260				8	10	0.16		
		260-270				9	10	0.15		Tr
		270-280				M9630	10	0.10		
		280-290				1	10	0.11		
		290-300				2	10	0.10		Tr

NORANDA EXPLORATION CO. LTD.

Property: North Pacific (Dansey) B.C.

Project No.: 1023

Hole No. P.D. #9

Sheet No. 1

Lat. 13+20S	Elev. 3740	Dip -90	Collared Sept. 23, 1969	Core Size Percussion Chips
Dep. 0+00W	Depth 300	Bearing	Completed Sept. 23, 1969	Logged by: D.E. Pegg

Footage	Rec'y	Rock Type/Alteration	Graphic Log	Mineralization/Structure	% Sulfides	Sample No.	Boss Assays			
							Ft.	Cu		Mo
0-10		Overburden								
10-300		Fine grey sand & muck 20% mafics			< 0.5					
		10-20				M9633	10	0.03		
		20-30				4	10	0.03		
		30-40				5	10	0.03		Tr
		40-50				6	10	0.03		
		50-60				7	10	0.07		
		60-70				8	10	0.03		Tr
		70-80				9	10	0.03		
		80-90				M9640	10	0.03		
		90-100				1	10	0.03		Tr
		100-110				2	10	0.03		
		110-120				3	10	0.03		
		120-130				4	10	0.03		Tr
		130-140				5	10	0.03		
		140-150				6	10	0.03		
		150-160				7	10	0.03		Tr
		160-170				8	10	0.02		
		170-180				9	10	0.03		
		180-190				M9650	10	0.03		Tr
		190-200				1	10	0.03		
		200-210				2	10	0.03		
		210-220				3	10	0.03		Tr
		220-230				4	10	0.03		
		230-240				5	10	0.03		
		240-250				6	10	0.04		Tr
		250-260				7	10	0.03		
		260-270				8	10	0.03		
		270-280				9	10	0.03		Tr
		280-290				M9660	10	0.03		
		290-300				1	10	0.03		

NORANDA EXPLORATION CO. LTD.

Property: North Pacific (Dansey) B.C.

Project No.: 1023

Hole No. P.D. #10

Sheet No. 1

Lat. 18+30S	Elev. 3740	Dip -90	Collared Sept. 24, 1969	Core Size Percussion Chips
Dep. 2+20W	Depth 300	Bearing	Completed Sept. 24, 1969	Logged by: D.E. Pegg

Footage	Rec'y	Rock Type/Alteration	Graphic Log	Mineralization/Structure	% Sulfides	Sample No.	Assays						
							Ft.	Cu		Mo			
0-15		Overburden											
15-300		Fine grey green sand & muck		Approx. 30% mafics (Quartz Diorite ?)	< 0.5								Hard drilling
		15-30				M9662	15	0.03				Tr	
		30-40				3	10	0.03					
		40-50				4	10	0.04					
		50-60				5	10	0.03				Tr	
		60-70				6	10	0.04					
		70-80				7	10	0.03					
		80-90				8	10	0.04				Tr	
		90-100				9	10	0.03					
		100-110				M9670	10	0.04					
		110-120				1	10	0.05				Tr	
		120-130				2	10	0.07					
		130-140				3	10	0.05					
		140-150				4	10	0.03				Tr	
		150-160				5	10	0.04					
		160-170				6	10	0.04					
		170-180				7	10	0.03				Tr	
		180-190				8	10	0.03					
		190-200				9	10	0.03					
		200-210				M9680	10	0.03				Tr	
		210-220				1	10	0.03					
		220-230				2	10	0.06					
		230-240				3	10	0.09				Tr	
		240-250				4	10	0.12					
		250-260				5	10	0.07					
		260-270				6	10	0.04				Tr	
		270-280				7	10	0.03					
		280-290				8	10	0.04					
		290-300				9	10	0.03				Tr	

NORANDA EXPLORATION CO. LTD.

Property: North Pacific (Dansey) B.C.

Project No.: 1023

Hole No.	P.D. #11
Sheet No.	1
Core Size	Percussion Chips
Logged by:	D.E. Pegg

Lat.	16+20S	Elev.	3820	Dip	-90°	Collared	Sept. 25, 1969
Dep.	4+20W	Depth		Bearing		Completed	Sept. 25, 1969

Footage	Rec'y	Rock Type/Alteration	Graphic Log	Mineralization/Structure	% Sulfides	Sample No.	Boss Assays					
							Ft	Cu		Mo		
0-8		Overburden										
8-300		Grey fine sand		30% mafics scattered vis. py.								Hard drilling
		8-20				M9690	12	0.03				
		20-30				1	10	0.03				
		30-40				2	10	0.05			Tr	
		40-50				3	10	0.04				
		50-60				4	10	0.04				
		60-70				5	10	0.03			Tr	
		70-80				6	10	0.04				
		80-90				7	10	0.03				
		90-100				8	10	0.02			Tr	
		100-110				9	10	0.03				
		110-120				M9700	10	0.04				
		120-130				1	10	0.04			Tr	
		130-140				2	10	0.03				
		140-150				3	10	0.06				
		150-160				4	10	0.04			Tr	
		160-170				5	10	0.05			0.01	
		170-180				6	10	0.03				
		180-190				7	10	0.03			Tr	
		190-200				M9708	10	0.04				
		200-210				M9718	10	0.05				
		210-220				M9709	10	0.06			Tr	
		220-230				M9710	10	0.06				
		230-240				1	10	0.04				
		240-250				2	10	0.04			Tr	
		250-260				3	10	0.03				
		260-270				4	10	0.04				
		270-280				5	10	0.04			Tr	
		280-290				6	10	0.03				
		290-300				7	10	0.03				

NORANDA EXPLORATION CO. LTD.

Property: North Pacific (Dansey) B.C.

Project No.: 1023

Hole No. P.D. #12

Sheet No. 1

Lat. 7+20S	Elev. 3880	Dip -90°	Collared Sept. 26, 1969	Core Size Percussion Chips
Dep. 11+00W	Depth 300	Bearing	Completed Sept. 27, 1969	Logged by: D.E. Pegg

Footage	Rec'y	Rock Type/Alteration	Graphic Log	Mineralization/Structure	% Sulfides	Sample No.	Boss Assays					
							Ft	Cu		Mo		
0-7		Overburden										
7-300		Grey coarse sand & chips		Some muck (i.e. alteration) 30% mafics, minor py.	< 1.0							Hard drilling
		7-20				M9719	13	0.04				
		20-30				M9720	10	0.05				
		30-40				1	10	0.28			Tr	
		40-50				2	10	0.04				
		50-60				3	10	0.04				
		60-70				4	10	0.03			Tr	
		70-80				5	10	0.04				
		80-90				6	10	0.03				
		90-100				7	10	0.03			Tr	
		90-100				8	10	0.03				
		110-120				9	10	0.03				
		120-130				M9730	10	0.03			Tr	
		130-140				1	10	0.03				
		140-150				2	10	0.03				
		150-160				3	10	0.03			Tr	
		160-170				4	10	0.04				
		170-180				5	10	0.04				
		180-190				6	10	0.04			Tr	
		190-200				7	10	0.04				
		200-210				8	10	0.04				
		210-220				9	10	0.05			Tr	
		220-230				M9740	10	0.03				
		230-240				1	10	0.04				
		240-250				2	10	0.04			Tr	
		250-260				3	10	0.08				
		260-270				4	10	0.04				
		270-280				5	10	0.06			Tr	
		280-290				6	10	0.04				
		290-300				7	10	0.04				

NORANDA EXPLORATION CO. LTD.

Property: North Pacific (Dansey)
Project No.: 1023

Hole No. P.D. 13

Sheet No. 1

Lat. 52+00N	Elev.	Dip -90°	Collared Sept. 29, 1969	Core Size Percussion Chips
Dep. 58+85W	Depth 300'	Bearing	Completed Sept. 30, 1969	Logged by: D.E. Pegg

Footage	Rec'y	Rock Type/Alteration	Graphic Log	Mineralization/Structure	% Sulfides	Sample No.	Boss Assays				
							Ft.	%Cu	%Mo		
0-4		Overburden									0-10 casing
4-300		Fine to coarse chips relatively fresh (quartz diorite ?) 4' - 30' few specks pea size malachite. Chrysocolla			0.5	to nil					Hard drilling
		4-20				M9748	16	0.07			
		20-30				9	10	0.05		Tr	
		30-40				M9750	10	0.08			
		40-50				1	10	0.05			
		50-60				2	10	0.04		Tr	
		60-70				3	10	0.05			
		70-80				4	10	0.04			
		80-90				5	10	0.04		Tr	
		90-100				6	10	0.05			
		100-110				7	10	0.03			
		110-120				8	10	0.03		Tr	
		120-130				9	10	0.09			
		130-140				M9760	10	0.04			
		140-150				1	10	0.07		Tr	
		150-160				2	10	0.04			
		160-170				3	10	0.04			
		170-180				4	10	0.05		Tr	
		180-190				5	10	0.03			
		190-200				6	10	0.05			
		200-210				7	10	0.04		Tr	
		210-220				8	10	0.29			
		220-230				9	10	0.03			
		230-240				M9770	10	0.03		Tr	
		240-250				1	10	0.05			
		250-260				2	10	0.04			
		260-270				3	10	0.03		Tr	
		270-280				4	10	0.04			
		280-290				5	10	0.03			
		290-300				6	10	0.03		Tr	

NORANDA EXPLORATION CO. LTD.

Property: North Pacific (Dansey) B.C.

Project No.: 1023

Hole No. P.D. #14

Sheet No. 1

Lat. 54+10N	Elev.	Dip -90°	Collared Sept. 30, 1969	Core Size Percussion Chips
Dep. 61+60W	Depth 300	Bearing	Completed Oct. 1, 1969	Logged by: D.E. Pegg

Footage	Rec'y	Rock Type/Alteration	Graphic Log	Mineralization/Structure	% Sulfides	Sample No.	Boss Assays			
							Ft.	%Cu	%Mo	
0-8		Overburden								
8-300		Fine to coarse grey chips 40% mafics very hard sparse pyrite			<0.5					Very hard (fresh rock)
		8-20				M9777	12	0.03		
		20-30				8	10	0.03		Tr
		30-40				9	10	0.04		
		40-50				M9780	10	0.28		
		50-60				1	10	0.05		Tr
		60-70				2	10	0.06		
		70-80				3	10	0.03		
		80-90				4	10	0.04		ND
		90-100				5	10	0.10		
		100-110				6	10	0.04		
		110-120				7	10	0.05		Tr
		120-130				8	10	0.04		
		130-140				9	10	0.04		
		140-150				M9790	10	0.05		Tr
		150-160				1	10	0.06		
		160-170				2	10	0.11		
		170-180				3	10	0.09		Tr
		180-190				4	10	0.07		
		190-200				5	10	0.04		
		200-210				6	10	0.04		Tr
		210-220				7	10	0.04		
		220-230				8	10	0.03		
		230-240				9	10	0.04		ND
		240-250				M9800	10	0.04		
		250-260				1	10	0.03		
		260-270				2	10	0.03		Tr
		270-280				3	10	0.03		
		280-290				4	10	0.03		
		290-300				5	10	0.03		ND

DANSEY PERCUSSION DRILLING

HOLES # 1-15