



SLUDGE ASSAYS

| D.D.H. C | Interval | % Cu | Notes |
|----------|---------------|------|--------------|
| D.D.H. 6 | 130.0 - 140.0 | 0.03 | % Cu |
| | 140.0 - 150.0 | 0.09 | " |
| | 150.0 - 160.0 | 0.05 | " |
| | 160.0 - 170.0 | 0.03 | " |
| | 170.0 - 180.0 | 0.03 | " |
| | 180.0 - 190.0 | 0.03 | " |
| | 190.0 - 200.0 | 0.03 | " |
| | 200.0 - 210.0 | 0.04 | " |
| | 210.0 - 220.0 | 0.05 | " |
| | 220.0 - 230.0 | 0.07 | " |
| | 230.0 - 240.0 | 0.06 | " |
| | 240.0 - 250.0 | 0.07 | " |
| | 250.0 - 260.0 | 0.07 | " |
| | 260.0 - 270.0 | 0.12 | " |
| | 270.0 - 280.0 | 0.14 | " |
| | 280.0 - 290.0 | 0.24 | " |
| | 290.0 - 300.0 | 0.13 | " |
| | 300.0 - 310.0 | 0.16 | " |
| | 310.0 - 320.0 | 0.24 | " |
| | 320.0 - 330.0 | 0.24 | " |
| D.D.H. 7 | 70.0 - 80.0 | 2.87 | } 2.85/19.0' |
| | 80.0 - 89.0 | 2.82 | |
| D.D.H. 8 | 70.0 - 80.0 | 0.07 | } 0.28/19.0' |
| | 80.0 - 90.0 | 0.35 | |
| | 90.0 - 95.0 | 0.15 | |
| D.D.H. 9 | 130.0 - 140.0 | " | } |
| | 140.0 - 150.0 | " | |
| | 190.0 - 200.0 | " | |
| | 200.0 - 210.0 | " | |
| | 210.0 - 220.0 | " | |
| | 220.0 - 229.0 | " | |



- LEGEND**
- Quartz-Diorite
 - Weak alteration - "pink"
 - Chlorite-sericite alteration
 - Chalcopyrite, chalcocite
 - Gouge



CHATAWAY EXPLORATION CO. LTD.
HIGHLAND VALLEY PROPERTY

CROSS SECTION
D.D.H. 6, 7, 8, 9

Scale in Feet

0 20 40 60

DATE: 28 JULY, 1965

010566