

015450

ACME ANALYTICAL LABORATORIES LTD.

Assaying & Trace Analysis
6455 Laurel St., Burnaby 2, B.C.

CHECKS
From old samples
in Kamloops
Tel: 299-5242

TO
Canadian Superior
Exploration Ltd.,
2201 - 1177 W. Hastings St., **ANALYSES CERTIFICATE**
Vancouver 1, B.C.

File No. 3170
Type of Samples Pulps
Disposition _____

No.	Sample	K (ppm)									No.
01	G82- 3	13000									01
02											02
03	G83- 1	5600									03
04	17	2400									04
05	140	10300									05
06	184	1900									06
07	194	11000									07
08	237	1900									08
09	335	17000									09
10	500	2300									10
11	514	4300									11
12	584	4200									12
13	610	6200									13
14	637	2600									14
15	G83-664	9000									15
16											16
17											17
18											18
19											19
20											20
21											21
22											22
23											23
24											24
25											25
26											26
27											27
28											28
29											29
30											30
31											31
32											32
33											33
34											34
35											35
36											36
37											37
38											38
39											39
40											40

All reports are the confidential property of clients.
All results are in parts per million.

DATE SAMPLES RECEIVED May 14, 1974
DATE REPORTS MAILED May 27, 1974
ANALYST Dean J. [Signature]

DUNGATE CREEK

ACME ANALYTICAL LABORATORIES LTD.

Assaying & Trace Analysis
6455 Laurel St., Burnaby 2, B.C.

Tel: 299-5242

TO

Cnaa
Canadian Superior
Exploration Ltd.,
2201 - 1177 W. Hastings St.,
Vancouver 1, B.C.

ANALYSES CERTIFICATE

File No. 3170

Type of Samples Pulps

Disposition _____

No.	Sample	K (ppm)							No.
01	10578	11400			PDH 74-1	10'	- 100'		01
02	10587	9000				100'	-190'		02
03	10596	5000				190'	- 300'		03
04	10731	8600			PDH 74-2	10'	-100'		04
05	10740	8000				100'	-200'		05
06	10750	7400				200'	-300'		06
07	10943	6000			PDH 74-3	10'	-100'		07
08	10952	5800				100'	-200'		08
09	10962	4900				200'	-300'		09
10	10551	5400			PDH 74-4	30'	-100'		10
11	10558	4200				100'	-200'		11
12	10568	3600				200'	-300'		12
13	10789	5000			PDH 74-5	10'	-100'		13
14	10798	3400				100'	- 200'		14
15	10933	3400				200'	-300'		15
16	10760	7000			PDH 74-6	10'	-100'		16
17	10769	6200				100'	-200'		17
18	10779	4400				200'	-300'		18
19									19
20									20
21									21
22									22
23									23
24									24
25									25
26									26
27									27
28									28
29									29
30									30
31									31
32									32
33									33
34									34
35									35
36									36
37									37
38									38
39									39
40									40

PROPERTY FILE

All reports are the confidential property of clients.
All results are in parts per million.
.5 g perchloric & nitric digestion for 1 hour,
diluted to 100 mls.

DATE SAMPLES RECEIVED May 14, 1974
DATE REPORTS MAILED May 27, 1974
ANALYST *Dean Joffe*