

PRIME LIME AND MARBLE LTD.

BOX 96
POUCE COUPE, B.C.
VOC 2C0
(604) 782-5112

Property File 016507

093 P023

Details as per of discussion:

- 1) Reclamation Bond - \$1000. - \$2500.
(to be submitted upon site approval)
- 2) Surface Permit - to be issued upon approval
- 3) Cross Section and building layout - see attached plan
- 4) Marketing Study - see attached
- 5) Magazine Permit - location, see mining plan
 - size
 - storage
 - type of explosives
 - type of detonators
- 6) Top soil must be stockpiled for reclamation. There is not expected to be much top soil, however, this will be stockpiled in the quarry staging area. This can be better determined when a mining inspector visits the property before excavation commences.
- 7) Blasting patterns: until we have the opportunity to test drill the property to determine the areas of highest purity we cannot determine a blasting pattern or whether blasting will be necessary.
- 8) Number of men on site: (3) - (1) shift boss
(1) cat operator
(1) loader operator
- 9) Type of Equipment - (1) D9 Cat with ripper
(1) 980 Cat loader
- 10) Reserves - see geological report
- 11) Stockpile Area - see quarry plan
- 12) First Aid Requirements - only if more than 4 men (W.C.B.)
- 13) Washroom Facilities - washhouse, coffee room and scale house combined - portable sewage tank.
- see quarry plan.
- 14) Output Plan - we are not expecting to interfere with any existing water systems, nor are we expecting to use any water for washing the rock. The method of transportation from quarry to processing plant will be via gravel truck and pup trailer.



PRIME LIME AND MARBLE LTD.

BOX 96
POUCE COUPE, B.C.
V0C 2C0
(604) 782 - 5112

October 9, 1983

Energy, Mines & Petroleum Resources
1652 Quinn Street
Prince George, B.C.
V2N 1X3

Attention: Mr. Terry VonThomas

ENERGY, MINES & PETROLEUM RESOURCES
Date: OCT 11 1983
Subject:
File:
PRINCE GEORGE, B.C.

Dear Sir:

Further to our discussion in Prince George regarding our application for a limestone quarry lease no. 8003640, I am forwarding a completed "Notice of Opening - Quarries" form with as much supporting information as is available at the present time.


The Victoria Gazette and Chetwynd Echo newspapers have received our "Notice of Work" ad and we will forward proof of advertising upon receipt. All other Ministries have been notified of our intentions.

We propose to open the quarry this winter and extract an initial quantity of 20,000 cubic metres to test the ag-lime market in the Peace River Region, with maximum production not exceeding 30,000 cubic metres for the year 1984. We feel this will be the beginning of a long awaited and much needed product for the farming community here and sales should reflect this need as the results of liming become known.

We are not expecting to use explosives for this initial quantity so information regarding the type of explosives and details regarding the magazine are not available, however, if explosives are required then the government specs will be met.

We trust this meets your approval. Should further information be required please contact the undersigned. Thank you.

Yours very truly,


R. F. Shearing, President



PRIME LIME AND MARBLE LTD.

BOX 96
POUCE COUPE, B.C.
V0C 2C0
(604) 782 - 5112

Details as per of discussion:

- 1) Reclamation Bond - \$1000. - \$2500.
(to be submitted upon site approval)
- 2) Surface Permit - to be issued upon approval
- 3) Cross Section and building layout - see attached plan
- 4) Marketing Study - see attached
- 5) Magazine Permit - location, see mining plan
 - size
 - storage
 - type of explosives
 - type of detonators
- 6) Top soil must be stockpiled for reclamation. There is not expected to be much top soil, however, this will be stockpiled in the quarry staging area. This can be better determined when a mining inspector visits the property before excavation commences.
- 7) Blasting patterns: until we have the opportunity to test drill the property to determine the areas of highest purity we cannot determine a blasting pattern or whether blasting will be necessary.
- 8) Number of men on site: (3) - (1) shift boss
(1) cat operator
(1) loader operator
- 9) Type of Equipment - (1) D9 Cat with ripper
(1) 980 Cat loader
- 10) Reserves - see geological report
- 11) Stockpile Area - see quarry plan
- 12) First Aid Requirements - only if more than 4 men (W.C.B.)
- 13) Washroom Facilities - washhouse, coffee room and scale house combined - portable sewage tank.
- see quarry plan.
- 14) Output Plan - we are not expecting to interfere with any existing water systems, nor are we expecting to use any water for washing the rock. The method of transportation from quarry to processing plant will be via gravel truck and pup trailer.