

DONNA MINES LTD. (NPL)
 642 CLARK DRIVE
 VANCOUVER 6, B. C.
 PHONE 255-8499



WIDTH	Ag	Pb	Zn
57'	3.5	5.3	2.7
63'	1.0	3.8	0.4
8'	0.4	2.2	tr
13'	0.7	2.8	0.7
13'	0.4	2.0	tr
25'	0.5	2.1	0.3
7'	0.6	2.1	0.1
29'	1.1	3.6	0.5
23'	1.7	5.9	1.2
68'	0.7	2.2	0.3
44'	1.3	4.0	0.4
34'	1.0	3.5	tr
23'	1.2	3.3	1.2

AV ASSAY DONNA MINES
 1.16 Ag 2.6 Pb
 Blank not sampled 0-60

AK ASSAY D.M.
 2.86 Ag 6.25 Pb
 Blank not sampled 0-60


WIDTH	Ag	Pb	Zn
12'	1.1	4.1	0.4
22'	1.3	4.0	0.2
18'	1.8	6.7	0.3
22'	1.8	4.5	0.6
25'	3.3	11.4	tr
18'	1.2	5.0	tr
12'	1.5	6.2	tr
5'	1.5	5.4	0.8
22'	1.0	3.3	tr
17'	1.4	4.3	1.2
25'	1.2	2.3	0.8
18'	2.5	8.0	tr

WIDTH	Ag	Pb	Zn
30'	1.9	8.3	1.2
30'	1.2	4.0	0.3
5'	1.5	17.5	0.9
13'	1.7	8.8	0.4
20'	1.0	3.4	0.6
10'	1.0	4.0	0.4
5'	3.8	13.2	2.2
10'	2.5	6.7	1.2
9'	3.8	9.9	3.2

WIDTH	Ag	Pb	Zn
19'	3.1	5.1	3.5
14'	6.6	15.3	6.6
14'	7.3	9.5	4.1
9'	3.7	1.2	4.0
7'	6.6	20.1	tr
13'	2.9	17.6	1.0
24'	1.5	6.4	0.3
19'	4.7	8.5	3.1

LEGEND

- LIMESTONE, banded relatively unaltered
- FERRODOLOMITE
- SCHIST, phyllite
- SHALE, slate
- ORE BOUNDARY (1947)
- SHEARS
- FAULT
- SURVEY STATION
- CLAIM POST
- MINERALIZED FLOAT
- TRENCH
- TRENCH GROUP
- TRAIL
- BEDDING
- SAMPLED INTERVAL IN TRENCH
- I.P. CHARGEABILITY
- I.P. ANOMALY



DONNA MINES LTD. (NPL)
 642 CLARK DRIVE
 VANCOUVER 6, B. C.
 PHONE 255-8499

DONNA MINES LTD.	
GEOLOGY, SAMPLING, and INDUCED POLARIZATION SURVEY	
ALBAE EXPLORATION LTD. GEOLOGISTS AND ENGINEERS VANCOUVER, B. C.	
DESIGNED: R.G.J.	SCALE: HOR. VERT. 1" = 100'
DRAWN: M.R.L.	CHECKED: R.G.J.
DATE: SEPTEMBER, 1967	DWG. No.