

017568

REPORT  
ON

TASU  
ROCKS  
AND  
SECTIONS

---

J. MCDOUGALL  
Jan. 1957

MINING DIVISION

Geologist  
~~ENGINEER~~

## TASU ROCK SECTIONS

### (A) TUNNEL DEPOSIT ROCK TYPES

#### 1. Basement Rock

Megascopically a greenish-gray, fine to medium grained altered volcanic containing numerous calcite and chlorite stringers plus some epidote.

Occurs - appears to be the footwall rock below the tunnel copper-magnetite deposit.

#### Microscopically

T 38 @ 365'

A highly altered, granular andesite

Feldspar - 40% - almost completely altered to carbonate

Quartz - 30% - fine grained groundmass

Chlorite, epidote - 25% - probably resulting from the alteration of the ferro-mags in large part.

Plus trace of apatite, 1% metallics, etc.;

Differs from dykes and/or other volcanics in the ore zone by being almost completely altered and containing considerable quartz.

#### 2. "Dark, fine grained dyke rock" - T 26

Occurs - rarely in the tunnel deposit as narrow post ore dykes; more common on the T-Bone.

Microscopically - a fine grained, crystalline aggregate

composed of:

Feldspar - 50% - labradorite

Augite (or diopside?) 35%

Chlorite and epidote - 10%

Apatite - as needles - 1%

Metallics - replacement in part - 2%

Plus slight quartz

Differs in being well crystallized with only slight alteration. Apatite needles are distinctive. The rock can best be described as a basalt.

3. "Fresh andesite porphyry" - T 27 @ 132'

Occurs - as wide, steeply dipping dykes, probably related to pre-ore faults in the 'tunnel copper magnetite zone'.

Megoscopically - a grayish, slightly altered, andesite porphyry.

Microscopically

Composed of:

Plagioclase - 60% - An<sub>53</sub> - (Labradorite)

Epidote (clinzoisite), plus chlorite - 20%

Carbonate - 5%

Plus 3% metallics, slight quartz, etc.

Differs - presence of ultra-blue (anomalous) firefringence, moderate alteration, and slight quartz. Absence of ferro-mags phenocrysts well developed.

4. "Fine grained, fresh greenstone porphyry"

T 26 @ 168'

Occurs - Dykes similar to #3.

Megoscopically - a fine grained, grayish andesite with feldspar phenocrysts only slightly developed.

Microscopically

Composed of:-

Plagioclase - 60% - An<sub>55</sub> (labradorite)

Chlorite - etc. 20% plus

Carbonate - 5% plus

Quartz - less than 5%

Plus 3% disseminated metallics.

Rock is a slightly porphyritic andesite

Differs - alteration only slight, feldspar lathes appear fresh.

5. "Close-grained porphyry"

T 29 @ 67'

Occurs - dyke rock similar to #4 and #5.

Megoscopically - small greenish-yellow feldspar phenocrysts in a light-gray, finely granular groundmass. Numerous calcite stringers. Appears a slightly porphyritic andesite.

Microscopically

Composed of:

Plagioclase - 20% (An<sub>45</sub> - Andesive) - mainly as phenocrysts now replaced by ferro-mags.

Plus Feldspathic groundmass - 50%

Ferro-mag - 20% - mottled, identification very difficult - replaces feldspar phenocrysts.

Quartz 5%

Plus trace of metallics and apatite and veined by calcite and quartz plus an isotropic mineral.

Differs - light in color, slightly granular appearance - the replacement of the phenocrysts is almost complete thus a distinctive feature (the opposite of a diabase).

6. "Diorite Porphyry"

T 38 @ 386'

Occurs - rarely as small dykes in the copper-magnetite zone.

May be related to an underlying intrusive.

Megoscopically

Medium grained, greenish-gray slightly granular rock with well-defined hornblende and some large, but diffused, plagioclase phenocrysts.

Microscopically

Plagioclase - 40% - An<sub>50</sub> (Labradorite)

Hornblende - 20% (some alteration to chlorite)

Quartz - 5%

Trace of apatite. Remainder is fine grained, feldspathic groundmass

Differs - presence of hornblende and large feldspar phenocrysts.

Rock could be termed a "hornblende-diorite porphyry".

GENERAL

The Tasu field terms for rocks are o.k. to date. Quartz is low in all rocks but the basement. No true granitic rock has yet been encountered.

Jas. J. McDougall

Geologist

Vancouver, B.C.  
Jan. 17th, 1957.

TE 10 - 60

0-93-sl. go. then lms

93-95 - mag — 2

95-104 - gho

104-114 - 25% mag — 10

114-123 - lms

123-226 — — 103

226-231 - along — 5

231 - rough. — 118

127

~~231~~

231

104

127

Home maybe finished  
by end of mo  
or 15<sup>th</sup> July

original survey completely  
haywire

8° out

- China Boy tetra  
line 1650 'long

- doesn't reach land  
to a fraction left between  
Bluhbird  
+ it !!

check elevator cable - Union  
- Serry sent ??

Harry's bits & screws  
- badly needed

A

A



Harry for return ??

April 16

Margate - Panel Post

78

