



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 984-0221
 AREA CODE: 604
 TELEX: 04-352597

520114
 92I/8W

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: Esperanza Explorations Ltd.,
 1027 - 470 Granville St.,
 Vancouver, B.C.
 V6C 1V5

ATTN: Robert Holland

CC. Kamloops, B.C.

CERTIFICATE NO. 53454

INVOICE NO. 36336

RECEIVED June 10/80

ANALYSED June 19/80

SAMPLE NO. :	PPM Cu	PPM Pb	PPM Zn	PPM Ag
0+00N 5+25W	132	4	26	0.1
5+50	148	2	28	0.1
5+75	210	2	26	0.1
6+00	194	1	22	0.1
6+25	190	1	30	0.2
6+50	245	1	24	0.1
6+75	375	2	28	0.1
0+00N 7+00W	255	1	32	0.1
1+50S 5+25W	72	1	52	0.1
5+50	220	1	60	0.1
5+75	590	1	38	0.1
6+00	176	1	48	0.1
6+25	106	1	38	0.1
6+50	390	1	22	0.1
6+75W	210	1	36	0.1
1+50S 7+00W	295	1	26	0.2
3+00N 5+25W	250	1	24	0.1
5+50	144	1	30	0.1
5+75	270	1	32	0.1
6+00	545	1	28	0.1
6+25	340	1	30	0.1
6+50	295	1	58	0.1
6+75	400	1	58	0.1
3+00N 7+00W	790	1	56	0.2
3+00S 0+25E	76	4	90	0.1
3+00S 0+45E	82	6	82	0.2
L4+50N 3+00E	52	2	70	0.1
3+25	26	2	60	0.1
3+50	38	1	94	0.1
3+75	30	2	68	0.1
4+00	24	1	80	0.1
4+25	30	2	86	0.1
4+50	22	2	40	0.1
4+75	16	1	38	0.1
L4+50N 5+00E	24	1	76	0.1
4+50N 5+25W	156	1	60	0.1
5+30	152	1	40	0.1
5+50	425	1	54	0.1
5+75	635	1	48	0.1
6+00	24	1	46	0.1
4+50N 6+25W	64	1	38	0.2



MEMBER
 CANADIAN TESTING

CERTIFIED BY:

Hart Biddle



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 984-0221
 AREA CODE: 604
 TELEX: 04-352597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 53455

TO: Esperanza Explorations Ltd.,
 1027 - 470 Granville St.,
 Vancouver, B.C.
 V6C 1V5

INVOICE NO. 36336

RECEIVED June 10/80

ATTN: Robert Holland

CC. Kamloops, B.C.

ANALYSED June 19/80

SAMPLE NO. :	PPM	PPM	PPM	PPM
	Cu	Pb	Zn	Ag
4+50N 6+50W	605	4	88	0.1
6+75	330	1	62	0.1
4+50N 7+00W	138	1	52	0.1
4+50S 0+25E	64	2	58	0.1
0+50	42	2	48	0.1
4+50S 0+75E	66	2	52	0.1
6+00N 0+25E	14	2	38	0.1
6+00S 0+50E	34	2	44	0.1
6+00S 1+00E	16	1	48	0.1
7+50S 0+25E	26	1	50	0.2
0+50	14	6	74	0.1
0+75	12	2	66	0.1
1+00	16	2	82	0.1
1+25	18	1	46	0.1
1+50	16	1	68	0.1
7+50S 1+75E	118	1	58	0.1
7+50S 0+00W	20	2	46	0.1
0+25	50	2	44	0.1
0+50	34	1	44	0.1
0+75	136	2	136	0.1
1+00	40	1	66	0.1
1+25	44	4	66	0.1
1+50	58	2	59	0.1
1+75	66	1	64	0.1
2+00	58	2	78	0.1
2+25	70	6	104	0.1
2+50	86	2	86	0.1
2+75	94	1	82	0.1
3+00	74	2	84	0.1
3+25	76	1	96	0.1
3+50	72	1	112	0.1
3+75	40	2	110	0.1
4+00	58	4	104	0.1
4+25	44	2	88	0.1
4+50	46	1	90	0.1
4+75	40	2	80	0.1
5+00	26	1	64	0.1
5+25	28	1	66	0.1
5+50	24	2	66	0.1
7+50S 5+75W	20	1	74	0.1



MEMBER
 CANADIAN TESTING

CERTIFIED BY:

Hart Biddle



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 984-0221
 AREA CODE: 604
 TELEX: 04-352597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 53456

TO: Esperanza Explorations Ltd.,
 1027 - 470 Granville St.,
 Vancouver, B.C.

INVOICE NO. 36336

ATTN: V6C 1V5
 Robert Holland

CC. Kamloops, B.C.

RECEIVED June 10/80

ANALYSED June 19/80

SAMPLE NO. :	PPM Cu	PPM Pb	PPM Zn	PPM Ag
7+50S 6+00N	24	1	56	0.1
6+25	58	2	54	0.1
6+50	1050	1	38	0.1
6+75	46	1	64	0.1
7+50S 7+00W	52	1	66	0.1
9+00S 0+50E	24	1	34	0.1
0+75	62	1	72	0.1
1+00	54	1	78	0.1
1+25	52	2	138	0.1
1+50	68	1	96	0.1
1+75	40	2	114	0.1
2+00	78	1	56	0.1
9+00S 2+25E	18	1	84	0.1
9+00S 0+00W	82	1	64	0.1
0+25	76	2	62	0.1
0+50	18	4	68	0.1
0+75	18	1	44	0.1
1+00	26	1	46	0.2
1+25	28	1	44	0.1
1+50	34	2	78	0.1
1+75	42	1	90	0.1
2+00	46	2	104	0.1
2+25	48	2	90	0.1
2+50	66	1	82	0.1
2+75	48	1	88	0.1
3+00	54	4	104	0.1
3+25	66	2	100	0.1
3+50	52	2	66	0.1
3+75	68	1	70	0.1
4+00	62	2	94	0.1
4+25	62	2	84	0.1
4+50	32	2	62	0.1
4+75	56	1	86	0.1
5+00	34	1	68	0.1
5+25	24	1	46	0.1
5+50	22	1	50	0.1
5+75	18	1	40	0.1
6+00	22	2	52	0.1
6+25	24	1	50	0.1
9+00S 6+50W	210	1	84	0.1



MEMBER
 CANADIAN TESTING

CERTIFIED BY:

Hart Biddle

