

			Au	Ag	
57376	P-81-1	10-15	0.2	20	
77	"	-20	0.2	10	
78		-25	0.2	10	
79		-30	0.2	45	
80		-35	0.5	165	
81		-40	0.4	20	
82		-45	0.2	20	
83		-50	9.8	3640	> assay <del>9.8 3640</del>
84		-55	0.5	220	
85		-60	0.6	65	
86		-65	0.3	20	
87		-70	1.8	60	
88		-75	1.0	80	
89		-80	0.2	20	
90		-85	0.2	10	
91		-90	0.2	ND	
92		-95	0.2	ND	
93		-100	0.2	15	
94		-105	0.2	15	
95		-110	0.2	35	
96		-115	0.2	50	

P-81-1B

		Au	Ag			Au	Ag
57618	8-10			57650	165-170	0.2	20
19	-15	0.4	20	51	-175	<del>0.2</del>	-
20	-20	0.5	25	52	-180	0.2	5
21	-25	1.0	20	53	-185	0.2	5
22	-30	0.6	10	54	-190	0.2	5
23	-35	1.4	455	55	-195	0.2	5
24	-40	0.3	10	56	-200	0.2	10
25	-45	0.8	50				
26	-50	2.1-560	- assay				
27	-55	0.6	60				
28	-60	0.8	25				
29	-65	0.8	25				
30	-70	1.1	25				
31	-75	1.9	50				
32	-80	0.8	30				
33	-85	0.5	10				
34	-90	0.3	5				
35	-95	0.2	5				
36	-100	0.2	10				
37	-105	0.2	10				
38	-110	0.2	ND				
39	-115	0.2	5				
40	-120	0.2	15				
41	-125	0.2	5				
42	-130	0.2	5				
43	-135	0.4	10				
44	-140	0.2	10				
45	-145	0.2	10				
46	-150	0.2	5				
47	-155	0.4	15				
48	-160	0.5	10				
49	-165	0.7	30				

P81-2

		Ag	Ag			Au	Ag
57759	0-5'	0.2	20	57791	-165	1.0	5
60	10	0.2	ND	92	-170	.5	"
61	-15			93	-175	.2	"
62	-20			94	-180	.2	ND
63	-25			95	-185	.2	5
64	-30			96	-190	.2	ND
65	-35			97	-195	"	"
66	-40			98	-200	"	"
67	-45						
68	-50						
69	-55						
70	-60						
71	-65						
72	-70						
73	-75						
74	-80						
75	-85	0.6					
76	-90	0.7					
77	-95	0.4					
78	-100						
79	-105						
80	-110						
81	-115						
82	-120						
83	-125						
84	-130	.2	35				
85	-135	0.2	5				
86	-140	"	"				
87	-145	"	ND				
88	-150	"	"				
89	155	"	"				
90	160	"	"				

Diorite total hole

P81-3

		Ag	Ag			Au	Ag
57469	5-10	1.0	180	57501	-170	0.2	15
70	-15	0.5	80				
71	-20	0.4	110				
72	-25	0.2	50				
73	-30	0.2	10				
74	-35	0.2	40				
75	-40	0.2	ND				
76	-45	485	3.6			Au	Ag
77	-50	145	3.2			"	"
78	-55	0.8	75				
79	-60	0.2	30				
80	-65	(100 80)	3.0	100		Au	Ag
81	-70	1.2	30				
82	-75	0.3	15				
83	-80	0.2	60				
84	-85	0.2	90				
85	-90	345	0.4			Au, Ag	
86	-95	115	0.2			↓	
87	-900	225	0.2				
88	-105	0.2	30				
89	-110	0.2	35				
90	-115	0.2	15				
91	-120	0.2	5				
92	-125	0.4	20				
93	-130	0.4	35				
94	-135	0.2	5				
95	-140	0.2	5				
96	-145	0.2	40				
97	-150	0.2	15				
98	-155	0.2	10				
99	-160	0.2	10				
57500	-165	0.3	5				

P81-4

		Av	Ag			Av	Ag
57502	8-10'	0.6	30	33	-170	0.2	45
03	-15	0.2	20	34	-175	0.4	130
04	-20	0.4	35	35	-180	0.3	80
05	-25	0.4	45	36	-185	0.2	40
06	-30	0.4	30	37	-190	0.2	35
07	-35	0.8	40	38	-195	0.8	105
08	-40	0.7	30	39	-200	0.3	50
09	-45	0.2	35				
10	-50	0.2	10				
11	-55	0.2	10				
12	-60	0.2	10				
13	-65	0.3	15				
14	-70	0.3	35				
57514B	-75	0.4	120				
15	-80	0.3	10				
16	-85	0.2	5				
17	-90	0.2	10				
18	-95						
19	-100	0.2	5				
20	-105	0.2	35				
21	-110	0.4	80				
22	-115	0.6	40				
23	-120	0.7	260				
24	-125	0.4	120				
25	-130	0.2	120				
26	-135	0.2	55				
27	-140	0.2	50				
28	-145	0.6	50				
29	-150	0.3	40				
30	-155	0.2	50				
31	-160	0.4	55				
32	-165	0.2	15				

P81-5

		Au	Ag			Au	Ag
57540	5-10	0.2	20	57572	-170	0.2	105
41	-15	0.2	25	73	-175	0.2	70
42	-20	0.2	25	74	-180	0.2 <sup>6</sup>	75
43	-25	0.2	60	75	-185	0.4	65
44	-30	0.2	25	76	-190	0.2	40
45	-35	0.2	30	77	-195	0.3	15
46	-40	0.3	235	78	-200	0.4	30
47	-45	0.2	50				
48	-50	0.2	15				
49	-55	0.2	5				
50	-60	0.2	10				
51	-65	0.2	195				
52	-70	0.5	75				
53	-75	0.2	55				
54	-80	2.0	1160	} 75-90 -15.0' - 1.0 Au - 678 Ag.			
55	-85	0.4	295				
56	-90	0.7	580				
57	-95	0.2	110				
58	-100	0.2	55				
59	-105	0.5	50				
60	-110	0.2	45				
61	-115	0.3	35				
62	120	0.2	20				
63	125	0.3	15				
64	130	0.2	15				
65	135	0.2	30				
66	140	0.3	60				
67	145	0.2	60				
68	150	0.2	35				
69	155	0.2	40				
70	160	0.2	110				
71	165	0.2	55				

P81-6

		Ag	Ag			Au	Ag
57657	5-10	0.2	5	14	-170	0.4	15
58	15	0.2	15	15	-175	0.2	10
59	20	0.2	15	16	-180	0.2	15
60	25	0.2	5	17	-185	0.2	15
61	30	0.2	ND	18	-190	0.2	10
62	35	0.2	30	19	-195	0.2	ND
63	40	0.2	5	20	-200	0.2	5
64	45	0.2	ND				
65	50	0.2	10				
66	55	0.2	330				
67	60	1.2	35				
68	65	0.2	5				
69	70	0.2	ND				
70	75	0.2	5				
71	80	0.2	ND				
72	85	0.2	15				
73	90	0.2	25				
74	95	0.2	5				
75	100	0.2	10				
57701	105	0.2	ND				
02	110	0.2	10				
03	115	0.4	190				
04	120	0.2	10				
05	125	0.2	15				
06	130	0.2	15				
07	135	0.2	30				
08	140	0.2	20				
09	145	0.2	10				
10	150	0.3	30				
11	155	0.2	10				
12	160	0.2	5				
13	165	0.2	10				

P81-7		Ag	Age			Ag	Age
57721	10-15	0.2	20	54	-180	0.2	10
22	-20	0.2	15	55	-185	0.5	10
23	-25	0.2	ND	56	-190	0.3	5
24	-30	0.3	30	57	-195	0.4	10
25	-35	0.2	25	58	-200	0.2	20
26	-40	NO SAMPLE					
27	-45	0.6	25				
28	-50	0.4	20				
29	-55	0.5	25				
30	-60	0.6	15				
31	-65	0.2	10				
32	-70	1.1	20				
33	-75	0.3	ND				
34	-80	0.4	15				
35	-85	0.2	10				
36	-90	0.2	15				
37	-95	0.4	15				
38	-100	0.3	20				
39	-105	0.7	20				
40	-110	5.4	20				
41	-115	4.5	<del>20</del> 20				
42	-120	3.9	20				
43	-125	3.2	15				
44	-130	2.2	25				
45	-135	1.8	15				
46	-140	1.6	10				
47	-145	1.3	10				
48	-150	1.0	15				
49	-155	1.3	10				
50	-160	0.8	10				
51	-165	0.6	20				
52	-170	0.8	15				
53	-175	0.4	10				

Diorite



Pg 1-9		Ag	Al		Ag	Al
57414	5-10	1.2	70	47	-170	0.2 25
15	-15	0.7	85	48	-175	0.2 30
16	-20	0.5	115	49	-180	0.2 25
17	-25	0.2	25	50	-185	0.2 35
18	-30	0.4	15	51	-190	0.2 35
19	-35	0.3	5			
20	-40	1.2	10			
21	-45	0.2	5			
22	-50	0.6	10			
23	-55	0.9	30			
24	-60	0.7	25			
25	-65	0.7	10			
26	-70	0.7	40			
27	-75	1.8	430	} 70-80-10.0-1.5-245		
28	-80	1.3	60			
29	-85	0.3	60			
30	-90	0.7	85			
VOID 574 31	VOID	VOID	1.0	60		
32	<del>95</del>		0.8	65		
33	<del>100</del>					
34	<del>105</del>	0.9	80			
35	<del>110</del>	0.3	45			
36	<del>115</del>	0.3	35			
37	<del>120</del>	0.6	65			
38	<del>125</del>	0.5	55			
39	<del>130</del>	0.3	65			
40	<del>135</del>	1.0	70			
41	<del>140</del>	0.4	45			
42	<del>145</del>	0.2	35			
43	<del>150</del>	0.2	45			
44	<del>155</del>	0.2	35			
45	-160	0.2	15			
46	-165	0.2	30			

P81 - 9A		Ag	Al
57464	5-10	.8	60
65	10-15	3.6	125
<u>66</u>	15-20	1.1 <del>810</del>	95 50
67	20-25	750	810 (2.76 <sup>alt</sup> Ag)
68	25-30	1.4	25

P81 - 9B

57455 - ~~57455~~ 15-20

Ag Ag

0.2 10

56 -25 0.2 10

57 -30 0.5 40

58 -35 0.2 10

59 -40 0.5 25

60 -45 0.2 70

61 -50 0.6 60

62 -55 0.2 40

63 -60 0.2 35

6

P81-9C

		Ag	Al			Ag	Al
57579	0-5	0.4	40	11	-165	0.2	10
80	-10	0.2	45	12	-170	0.2	15
81	-15	0.2	15	13	-175	0.2	10
82	-20	0.2	ND	14	-180	0.2	10
83	-25	0.2	10	15	-185	0.2	15
84	-30	0.2	20	16	-190	0.2	15
85	-35	0.2	40	17	-195	0.2	15
86	-40	0.2	40				
87	-45	0.2	10				
88	-50	0.2	10				
89	-55	0.2	5				
90	-60	0.2	5				
91	-65	0.3	10				
92	-70	0.2	20				
93	-75	0.3	50				
94	-80	0.4	20				
95	-85	0.5	25				
96	-90	0.4	25				
97	-95	0.2	10				
98	-100	0.2	15				
99	-105	0.2	5				
600	-110	0.2	5				
601	-115	0.2	55				
02	-120	0.3	15				
03	-125	0.2	10				
04	-130	0.5	15				
05	-135	0.6	20				
06	-140	0.5	125				
07	-145	0.2	25				
08	-150	0.4	210				
09	-155	0.3	30				
10	-160	0.2	25				

P81-10

		Au	Ag			Au	Ag
57799	5-10	135	1.4	31	-170	10	.2
800	-15	<del>135</del> 2200	17.0	32	-175	"	"
01	-20	425	4.8	33	-180	5	.2
02	-25	5170	25.0	34	-185	15	"
03	-30	895	9.0	35	-190	10	"
04	-35	175	1.8	36	-195	65	.2
05	40	40	.8	37	-200	10	.2
06	-45	180	1.6				
07	-50	70	1.0				
08	-55	175	1.0				
09	-60	25	.8				
10	-65	40	.2				
11	-70	30	.6				
12	-75	50	.2				
13	-70	10	.3				
14	-85	95	.3				
15	-90	15	.2				
16	-95	20	.2				
17	-100	5	.2				
18	-105	80	.2				
19	-110	70	.2				
20	-115	65	.4				
21	-120	40	.4				
22	-125	295	1.7				
23	-130	45	.3				
24	-135	45	.4				
25	-140	65	.7				
26	-145	40	.3				
27	150	15	.2				
28	155	"	"				
29	160	30	.2				
30	165	15	"				

P81-11

		Ag	Al			Ag	Al
57838	5-10	2.3	460	70	-170	1.0	20
39	10-15	3.9	75	71	-175	1.1	25
40	20	2.9	385	72	180	0.7	25
41	25	1.2	95	73	85	0.2	45
42	30	.2	30	74	180	0.6	30
43	35	.6	10	75	195	1.8	45
44	40	1.1	55	76	200	0.9	45
45	45	.2	5				
46	50	.2	10				
47	55	.2	10				
48	60	"	"				
49	65	"	5				
50	70	"	10				
51	75	"	35				
52	80	"	15				
53	85	"	25				
54	90	"	10				
✓ 55	95	0.4	30				
56	100	0.2	10				
57	105	0.2	10				
58	110	0.5	20				
59	115	0.5	10				
60	120	1.5	30				
61	125	0.7	20				
62	130	0.3	20				
63	135	0.2	20				
64	140	0.2	20				
65	145	0.4	10				
66	150	0.4	30				
67	155	1.0	25				
68	160	0.7	40				
69	165	1.8	20				

P81-12

		Ag	A <sub>μ</sub>			Ag	A <sub>μ</sub>
57877	8-10	0.5	15	09	-170	0.4	75
78	-15	0.4	5	10	-175	0.3	120
79	-20	4.2	50	11	-180	0.3	90
80	-25	1.8	50	12	-185	0.6	175
81	-30	1.5	40	13	-190	0.2	60
82	-35	9.7	6450	14	-195	0.2	65
83	-40	1.1	315	15	-200	0.3	95
84	-45	.9	320				
85	-50	.4	105				
86	-55	0.5	100				
87	-60	<del>8</del> 0.8	65				
88	-65	0.3	50				
89	- <del>70</del> 70	0.4	55				
90	-75	0.2	35				
91	-80	0.2	40				
92	-85	0.2	25				
93	-90	0.2	10				
94	-95	0.2	10				
95	-100	0.4	120				
96	-105	1.6	235				
97	-110	1.2	145				
98	-115	0.7	105				
99	-120	0.8	40				
900	-125	0.5	45				
901	-130	0.7	55				
02	-135	0.6	180				
03	-140	0.5	125				
04	-145	0.6	135				
05	-150	0.9	60				
06	-155	0.7	120				
07	-160	0.3	90				
08	-165	0.6 <del>8</del>	230				

P81-13

		Ag	Ap			Ag	Ap
57916	8-10	0.6	25	48	170	0.2	15
17	-15	0.5	20	49	175	0.2	20
18	-20	0.2	ND	50	80	0.8	75
19	-25	0.2	ND				
20	-30	.4	20				
21	-35	6.1	25				
22	-40	8.2	395				
23	-45	1.0	25				
24	-50	.4	10				
25	-55	.8	30				
		.9	<del>85</del>				
26	-60	1.6	1120				
27	-65	.9	85				
28	<del>70</del> 70	.5	105				
29	-75	.5	50				
30	-80	1.6	1590				
31	-85	.6	530				
32	-90	.6	365				
33	-95	.6	460				
34	-100	.6	275				
35	-105	0.2	45				
36	-110	0.2	35				
37	-115	0.2	55				
38	-120	.8	375				
39	-125	<del>0.6</del> 0.6	160				
40	-130	0.2	35				
41	-135	0.4	25				
42	-140	0.9	40				
43	-145	0.8	45				
44	-150	5.2	355				
45	-155	5.5	250				
46	-160	1.9	60				
47	-165	.5	30				



P81-14

		Ag	Au			Ag	Au
57951	5-10	2.2	80	83	<del>83</del> -170	1.0	530
52	-15	3.3	70	84	-175	.7	350
53	-20	2.3	20	85	-180	0.5	85
54	-25	1.0	25	86	-185	0.2	40
55	-30	0.8	30	87	-190	0.2	35
56	-35	0.4	25	88	-195	0.2	40
57	-40	0.2	25	89	-200	0.2	10
58	-45	0.2	35				
59	-50	0.3	10				
60	-55	0.5	10				
61	-60	0.8	30				
62	-65	0.3	60				
63	-70	0.2	15				
64	-75	0.2	10				
65	-80	0.2	35				
66	-85	0.7	80				
67	-90	0.6	30				
68	-95	0.2	35				
69	-100	0.3	20				
70	-105	0.4	40				
71	-110	0.4	35				
72	-115	0.2	20				
73	-120	<del>0.2</del>	<del>20</del>				
74	-125	3.5	2420				
75	-130	.4	160				
76	-135	.8	440				
77	-140	.6	80				
78	-145	2.6	265				
79	-150	1.5	90				
80	-155	.6	50				
81	-160	.4	60				
82	-165	8.3	4450				

	Au	Ag
57799	0.004	.02
57800	.08	.62
801	.005	.04
802	0.11	0.78