









ASSAY TAG No.	SAMPLE INTERVAL		SAMPLE LENGTH		Au	Ag			DESCRIPTION
	Metres	Feet	Metres	Feet					
3341	156.3	to 163	6.7		.004	.18			Silicified Tuff.
42	163	to 169.8	6.8		.063	1.28			Silicified Tuff: 20% Qtz.
43	169.8	to 172.8	3.0		.032	.34			Quartz vein, 6% sulphides (Py)
44	172.8	to 176.4	3.6		.284	3.41	True thickness ~1'		1022 Au } $\frac{Int}{3.6}$ $\frac{Au}{.28}$ $\frac{Ag}{3.4}$ Malonitic
45	176.4	to 180	3.6		.091	2.86			-hem.
46	180	to 182.5	2.5		.061	2.20			
47	182.5	to 185	2.5		.154	3.32			
48	185	to 190	5.0		.402	10.73		4'	
49	190	to 193.7	3.7		.432	11.70			
50	193.7	to 195.1	1.4		.024	3.38		10'	
51	195.1	to 201.4	6.3		.283	25.08			
52	201.4	to 205	3.6		.140	2.22		5.5'	
53	205	to 210	5.0		.172	2.23			
54	210	to 215	5.0		.017	.17			
55	215	to 220	5.0		.004	.12			
56	220	to 223.5	3.5		.027	.21			
57	223.5	to 229.5	6.0		.222	8.17		4.0'	
58	229.5	to 235	5.5		.086	6.82			

Handwritten summary on pink paper:

0.385	8.3	} $\frac{Int}{3.6}$ $\frac{Au}{.28}$ $\frac{Ag}{3.4}$
2.01	53.65	
1.60	43.29	
0.034	4.73	
1.78	158.00	
13.5'		
0.50	7.99	} $\frac{Int}{3.6}$ $\frac{Au}{.28}$ $\frac{Ag}{3.4}$
0.86	11.15	
1.332	49.02	} $\frac{Int}{3.6}$ $\frac{Au}{.28}$ $\frac{Ag}{3.4}$
0.473	37.51	

Additional notes on pink paper:

- 0.36 Au, 9.40 Ag
- 11.2'
- 0.52 Au, 10.44 Ag
- 27.5'
- 0.21 Au, 11.89 Ag
- 14.9'
- 0.35 Au equiv. frags.
- 0.16 Au, 7.52 Ag
- 11.5'

UNION GOLD PROJECT - 1984

DIAMOND DRILL LEDGER

DDH No.

P11-5

ASSAY TAG No.	SAMPLE INTERVAL		SAMPLE LENGTH		Au	Ag			DESCRIPTION
	Metres	Feet	Metres	Feet					
3341	156.3	to 163	6.7		.004	.18			Silicified Tuff.
42	163	to 169.8	6.8		.063	1.28			Silicified Tuff: 20% Qtz.
43	169.8	to 172.8	3.0		.032	.34			Quartz vein, 6% sulphides (Py)
44	172.8	to 176.4	3.6		.284	3.41		~1'	Quartz vein, 2% sulphides, chlorite
45	176.4	to 180	3.6		.091	2.86			Quartz vein, Massive $\frac{1}{2}$ Bx fd, Tr-tron.
46	180	to 182.5	2.5		.061	2.20			Quartz vein, 3-5% Py.
47	182.5	to 185	2.5		.154	3.32			Quartz vein.
48	185	to 190	5.0		.402	10.73		4'	Quartz vein.
49	190	to 193.7	3.7		.432	11.70			Quartz vein, 10-15% Ser, 5-8% Py.
50	193.7	to 195.1	1.4		.024	3.38		10'	Silicified Tuff.
51	195.1	to 201.4	6.3		.283	25.08			Quartz vein, 8-10% ser. in patches.
52	201.4	to 205	3.6		.140	2.22		5.5'	Quartz vein (same as 3351)
53	205	to 210	5.0		.172	2.23			Quartz vein. Massive. 5-8% Py
54	210	to 215	5.0		.017	.17			Quartz vein 20% Rx. frags.
55	215	to 220	5.0		.004	.12			Quartz vein, 20% Tuff frags
56	220	to 223.5	3.5		.027	.21			Quartz vein, with 20% rock frags.
57	223.5	to 229.5	6.0		.222	8.17		4.0'	Quartz vein, massive, sph-cpy-ga.
58	229.5	to 235	5.5		.086	6.82			Silicified Tuff. 3% Py















UNION GOLD PROJECT - 1984

DIAMOND DRILL LEDGER

DDH No. P4-11

SAY TAG No.	SAMPLE INTERVAL		SAMPLE LENGTH		Au	Ag	DESCRIPTION
	<del>Metres</del>	Feet	Metres	Feet			
3382	105	108		3	.001	.01	Silicified welded tuff. 25% Qtz
83	159.1	162		2.9	.001	.01	Silicified multi-lithic conglom
84	162	162.5		0.5	.001	.06	Quartz vein. Tr. py & Chlorite
85	162.5	163.2		0.7	.001	.06	Silicified multi-lithic conglom, 20%
86	168	169.4		1.4	.001	.05	Silicified multi-lithic conglom. 15%
87	175	176.1		1.1	.001	.06	Silicified multi-lithic breccia, 15% Qtz
88	176.1	176.9		0.8	.001	.04	dacite tuff.
89	176.9	178.6		1.7	.001	.03	Silicified multi-lithic breccia, 20% Qtz
90	178.6	180.2		1.6	.001	.01	" " " " 15% Qtz
91	180.2	180.6		0.4	.002	.06	Quartz vein. Py 2%, Tr-hem-sph.
92	180.6	183		2.4	.001	.03	Silicified dacite breccia; 15% Qtz
93	189.1	190.4		1.3	.001	.01	Silicified dacite tuff; 25% Qtz, Py to
94	190.4	191.2		0.8	.001	.07	Quartz vein. Py-hem stringers.
95	191.2	192		0.8	.001	.01	Silicified dacite breccia
96	183	184.1		1.1	.001	.01	Silicified breccia, 35% Qtz
97	184.1	185		0.9	.001	.01	Quartz vein, 1-2% Sulphides.
3398	185	189.1		4.1	.001	.01	Wdly silicified tuff. 10% Qtz













