



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 984-0221
 AREA CODE: 604
 TELEX: 04-352597

520260
 Anderson
 (Moore Creek)
 92I/8W

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: Esperanza Explorations
 1027 - 470 Granville St.
 Vancouver, B.C.
 V6C 1V5

ATTN: CC: R. Holland

CERTIFICATE NO. 53200
 INVOICE NO. 36096
 RECEIVED May 28/80
 ANALYSED June 9/80

SAMPLE NO.	PPM Cu	PPM Pb	PPM Zn	PPM Ag
9+00N 4+00E	36 \	2	56 X	0.1 X
4+25	40 \	2	56 X	0.2 X
4+50	40 \	4	64 X	0.2 X
4+75	38 \	1	54 X	0.1 X
5+00E (PPB)	24 X	1	56 X	0.1 X
0+00W <10	24 \	1	56 X	0.1 X
0+25 <10	92 \	2	192 X	0.1 X
0+50 <10	14 \	2	50 X	0.1 X
0+75 <10	28 \	1	90 X	0.1 X
1+00 <10	70 \	1	116 X	0.2 X
1+25 <10	24 \	1	82 X	0.2 X
1+75A <10	24 \	4	128 X	0.1 X
1+75B <10	14	2	38	0.1
2+00 10	56 \	2	30 X	0.1 X
2+25 <10	24 \	1	74 X	0.1 X
2+50 <10	12 \	1	66 X	0.1 X
2+75 <10	20 \	2	60 X	0.1 X
3+00 <10	28 \	2	38 X	0.2 X
3+25 <10	84 \	1	54 X	0.1 X
3+50 <10	50 \	2	38 X	0.1 X
3+75 <10	126 \	1	52 X	0.1 X
4+00 <10	200 \	2	102 X	0.1 X
4+25 <10	56 \	1	42 X	0.1 X
4+50 <10	42 \	2	44 X	0.1 X
4+75A <10	22 \	2	36 X	0.1
4+75B <10	12	2	36	0.2 X
5+25 <10	8 \	2	28 X	0.2 X
5+50 <10	14 \	2	52 X	0.1 X
5+75 <10	12 \	2	48 X	0.1 X
6+00 10	10 \	1	36 X	0.1 X
6+25 10	8 \	1	28 X	0.1 X
6+50 <10	10 \	1	22 X	0.1 X
6+75 <10	8 \	1	34 X	0.2 X
9+00N 7+00W <10	36 \	1	30 X	0.1 X
10+50N 0+25E	66 X	1	255 X	0.1 X
0+50	14 X	1	48 X	0.1 X
0+75	14 \	2	74 X	0.1 X
1+00	12 \	1	70 X	0.1 X
1+25	20 \	2	74 X	0.1 X
10+50N 1+50E	12 \	2	34 \	0.1 X

By Phone
Apr. 7th

Sent for
analysis
Gold.
Apr. 1/81

Hart Biddle