

520724



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : LACANA MINING CORP.
ATTN: DAVE DUNN
BOX 52
LIKELY, B.C.
VOL 1N0

CERT. # : A8311804-003-A
INVOICE # : I8311804
DATE : 20-JUN-83
P.O. # : NONE

ATTN: D. DUNN

Sample description	Prep code	AU-AA ppb	Sb ppm				
SPEV35+00W15+50S	202	<10	0.6	--	--	--	--
SPEV35+00W15+75S	202	<10	0.6	--	--	--	--
SPEV35+00W16+00S	202	<10	0.8	--	--	--	--
SPEV35+00W16+25S	202	<10	1.0	--	--	--	--
SPEV35+00W16+50S	202	<10	1.0	--	--	--	--
SPEV35+00W16+75S	202	<10	0.8	--	--	--	--
SPEV36+00W10+25S	202	<10	0.4	--	--	--	--
SPEV36+00W10+50S	202	<10	0.4	--	--	--	--
SPEV36+00W10+75S	202	<10	0.6	--	--	--	--
SPEV36+00W11+00S	202	<10	0.8	--	--	--	--
SPEV36+00W11+25S	202	<10	1.0	--	--	--	--
SPEV36+00W11+50S	202	<10	5.0	--	--	--	--
SPEV36+00W11+75S	202	<10	1.8	--	--	--	--
SPEV36+00W12+00S	202	<10	3.0	--	--	--	--
SPEV36+00W12+25S	202	<10	0.8	--	--	--	--
SPEV36+00W12+50S	202	<10	0.9	--	--	--	--
SPEV36+00W12+75S	202	<10	0.8	--	--	--	--
SPEV36+00W13+00S	202	<10	0.6	--	--	--	--
SPEV36+00W13+25S	202	<10	2.0	--	--	--	--
SPEV36+00W13+50S	202	<10	1.6	--	--	--	--
SPEV36+00W13+75S	202	<10	3.8	--	--	--	--
SPEV36+00W14+00S	202	<10	0.8	--	--	--	--
SPEV36+00W14+25S	202	<10	0.8	--	--	--	--
SPEV36+00W14+50S	202	<10	1.4	--	--	--	--
SPEV36+00W14+75S	202	<10	1.0	--	--	--	--
SPEV36+00W15+00S	202	<10	1.4	--	--	--	--
SPEV36+00W15+25S	202	<10	1.2	--	--	--	--
SPEV36+00W15+50S	202	<10	0.8	--	--	--	--
SPEV36+00W15+75S	202	<10	1.0	--	--	--	--
SPEV36+00W16+00S	202	<10	1.0	--	--	--	--
SPEV36+00W16+25S	202	<10	1.0	--	--	--	--
SPEV36+00W16+50S	202	<10	1.0	--	--	--	--
SPEV36+00W16+75S	202	<10	1.0	--	--	--	--
SPEV36+00W17+00S	202	<10	1.4	--	--	--	--
SPEV36+00W17+25S	202	<10	0.8	--	--	--	--
SPEV36+00W17+50S	202	<10	1.2	--	--	--	--
SPEV37+00W 9+25S	202	<10	0.8	--	--	--	--
SPEV37+00W 9+50S	202	<10	0.1	--	--	--	--
SPEV37+00W 9+75S	202	<10	0.6	--	--	--	--
SPEV37+00W10+25S	202	<10	0.8	--	--	--	--

Hart Bechler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : LACANA MINING CORP.
ATTN: DAVE DUNN
BOX 52
LIKELY, B.C.
VOL 1N0

CERT. # : A8311804-004-A
INVOICE # : I8311804
DATE : 20-JUN-83
P.O. # : NONE

ATTN: D. DUNN

Sample description	Prep code	AU-AA ppb	Sb ppm				
SPEV37+00W10+50S	202	MISSING	MISSING	--	--	--	--
SPEV37+00W10+75S	202	<10	1.0	--	--	--	--
SPEV37+00W11+00S	202	<10	1.8	--	--	--	--
SPEV37+00W11+25S	202	<10	1.0	--	--	--	--
SPEV37+00W11+50S	202	<10	0.6	--	--	--	--
SPEV37+00W11+75S	202	<10	1.0	--	--	--	--
SPEV37+00W12+00S	202	<10	1.6	--	--	--	--
SPEV37+00W12+25S	202	20	0.9	--	--	--	--
SPEV37+00W12+50S	202	<10	0.6	--	--	--	--
SPEV37+00W12+75S	202	<10	1.0	--	--	--	--
SPEV37+00W13+00S	202	<10	0.8	--	--	--	--
SPEV37+00W13+25S	202	<10	1.0	--	--	--	--
SPEV37+00W13+50S	202	<10	1.2	--	--	--	--
SPEV37+00W13+75S	202	<10	2.0	--	--	--	--
SPEV37+00W14+00S	202	<10	0.6	--	--	--	--
SPEV37+00W14+25S	202	<10	1.0	--	--	--	--
SPEV37+00W14+50S	202	<10	1.6	--	--	--	--
SPEV37+00W14+75S	202	<10	1.8	--	--	--	--
SPEV37+00W15+00S	202	<10	1.2	--	--	--	--
SPEV37+00W15+25S	202	<10	0.8	--	--	--	--
SPEV37+00W15+50S	202	<10	0.8	--	--	--	--
SPEV37+00W15+75S	202	<10	0.6	--	--	--	--
SPEV37+00W16+00S	202	<10	0.8	--	--	--	--
SPEV37+00W16+25S	202	<10	0.8	--	--	--	--
SPEV37+00W16+50S	202	<10	1.6	--	--	--	--
SPEV37+00W16+75S	202	<10	0.5	--	--	--	--
SPEV37+00W17+00S	202	<10	0.8	--	--	--	--
SPEV37+00W17+25S	202	<10	0.6	--	--	--	--
SPEV37+00W17+50S	202	<10	0.2	--	--	--	--
SPEV37+00W17+75S	202	<10	1.0	--	--	--	--
SPEV37+00W18+00S	202	<10	0.6	--	--	--	--
SPEV38+00W 9+00S	202	<10	0.4	--	--	--	--
SPEV38+00W 9+25S	202	<10	0.4	--	--	--	--
SPEV38+00W 9+50S	202	<10	1.0	--	--	--	--
SPEV38+00W 9+75S	202	<10	0.4	--	--	--	--
SPEV38+00W10+50S	202	<10	0.0	--	--	--	--
SPEV38+00W10+75S	202	<10	0.4	--	--	--	--
SPEV38+00W11+00S	202	140	0.6	--	--	--	--
SPEV38+00W11+25S	202	<10	1.0	--	--	--	--
SPEV38+00W11+50S	202	<10	0.4	--	--	--	--



Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : LACANA MINING CORP.
ATTN: DAVE DUNN
BOX 52
LIKELY, B.C.
VOL 1NO

CERT. # : A8311804-005-A
INVOICE # : I8311804
DATE : 20-JUN-83
P.O. # : NONE

ATTN: D. DUNN

Sample description	Prep code	AU-AA ppb	Sb ppm				
SPEV38+00W11+75S	202	<10	1.4	--	--	--	--
SPEV38+00W12+00S	202	<10	1.0	--	--	--	--
SPEV38+00W12+25S	202	<10	0.6	--	--	--	--
SPEV38+00W12+50S	202	<10	0.4	--	--	--	--
SPEV38+00W12+75S	202	<10	0.1	--	--	--	--
SPEV38+00W13+00S	202	<10	0.2	--	--	--	--
SPEV38+00W13+25S	202	<10	0.8	--	--	--	--
SPEV38+00W13+50S	202	<10	1.6	--	--	--	--
SPEV36+00W13+75S	202	<10	1.0	--	--	--	--
SPEV38+00W14+00S	202	<10	0.6	--	--	--	--
SPEV38+00W14+25S	202	<10	0.8	--	--	--	--
SPEV38+00W14+50S	202	<10	0.1	--	--	--	--
SPEV38+00W14+75S	202	<10	0.2	--	--	--	--
SPEV38+00W15+00S	202	<10	0.2	--	--	--	--
SPEV38+00W15+25S	202	<10	0.4	--	--	--	--
SPEV38+00W15+50S	202	<10	0.6	--	--	--	--
SPEV38+00W15+75S	202	<10	0.8	--	--	--	--
SPEV38+00W16+00S	202	<10	0.8	--	--	--	--
SPEV38+00W16+25S	202	<10	1.0	--	--	--	--
SPEV38+00W16+50S	202	<10	0.8	--	--	--	--
SPEV38+00W16+75S	202	<10	0.6	--	--	--	--
SPEV38+00W17+00S	202	<10	1.0	--	--	--	--
SPEV38+00W17+25S	202	<10	1.2	--	--	--	--
SPEV38+00W17+50S	202	<10	1.2	--	--	--	--
SPEV38+00W17+75S	202	<10	1.2	--	--	--	--
SPEV39+00W 9+00S	202	<10	1.0	--	--	--	--
SPEV39+00W 9+25S	202	<10	0.8	--	--	--	--
SPEV39+00W 9+50S	202	<10	0.4	--	--	--	--
SPEV39+00W 9+75S	202	80	0.6	--	--	--	--
SPEV39+00W10+25S	202	<10	0.6	--	--	--	--
SPEV39+00W10+50S	202	<10	1.2	--	--	--	--
SPEV39+00W10+75S	202	<10	0.6	--	--	--	--
SPEV39+00W11+00S	202	<10	0.6	--	--	--	--
SPEV39+00W11+25S	202	<10	1.6	--	--	--	--
SPEV39+00W11+50S	202	10	1.6	--	--	--	--
SPEV39+00W11+75S	202	<10	0.6	--	--	--	--
SPEV39+00W12+00S	202	<10	0.6	--	--	--	--
SPEV39+00W12+25S	202	<10	0.8	--	--	--	--
SPEV39+00W12+50S	202	<10	3.2	--	--	--	--
SPEV39+00W12+75S	202	<10	1.8	--	--	--	--



Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : LACANA MINING CORP.
 ATTN: DAVE DUNN
 BOX 52
 LIKELY, B.C.
 VOL 1N0

CERT. # : A8311804-006-A
 INVOICE # : I8311804
 DATE : 20-JUN-83
 P.O. # : NONE

ATTN: D. DUNN

Sample description	Prep code	AU-AA ppb	Sb ppm				
SPEV39+00W13+00S	202	<10	0.8	--	--	--	--
SPEV39+00W13+25S	202	10	0.4	--	--	--	--
SPEV39+00W13+50S	202	<10	1.4	--	--	--	--
SPEV39+00W13+75S	202	<10	1.2	--	--	--	--
SPEV39+00W14+00S	202	<10	1.4	--	--	--	--
SPEV39+00W14+25S	202	<10	0.8	--	--	--	--
SPEV39+00W14+50S	202	<10	0.6	--	--	--	--
SPEV39+00W14+75S	202	<10	0.4	--	--	--	--
SPEV39+00W15+00S	202	<10	0.2	--	--	--	--
SPEV39+00W15+25S	202	<10	3.0	--	--	--	--
SPEV39+00W15+50S	202	<10	0.6	--	--	--	--
SPEV39+00W15+75S	202	<10	0.5	--	--	--	--
SPEV39+00W16+00S	202	<10	0.6	--	--	--	--
SPEV39+00W16+25S	202	<10	2.4	--	--	--	--
SPEV39+00W16+50S	202	<10	1.4	--	--	--	--
SPEV39+00W16+75S	202	<10	2.4	--	--	--	--
SPEV39+00W17+00S	202	<10	0.8	--	--	--	--
SPEV39+00W17+25S	202	<10	0.6	--	--	--	--
SPEV39+00W17+50S	202	<10	0.8	--	--	--	--
SPEV39+00W17+75S	202	<10	0.8	--	--	--	--
SPEV39+00W18+00S	202	<10	0.6	--	--	--	--
SPEV40+00W 8+75S	202	<10	0.8	--	--	--	--
SPEV40+00W 9+00S	202	10	1.0	--	--	--	--
SPEV40+00W 9+25S	202	<10	0.4	--	--	--	--
SPEV40+00W 9+50S	202	<10	0.8	--	--	--	--
SPEV40+00W 9+75S	202	<10	0.6	--	--	--	--
SPEV40+00W10+25S	202	<10	0.4	--	--	--	--
SPEV40+00W10+50S	202	<10	0.6	--	--	--	--
SPEV40+00W10+75S	202	<10	0.8	--	--	--	--
SPEV40+00W11+00S	202	<10	1.6	--	--	--	--
SPEV40+00W11+25S	202	<10	0.8	--	--	--	--
SPEV40+00W11+50S	202	<10	0.8	--	--	--	--
SPEV40+00W11+75S	202	<10	0.8	--	--	--	--
SPEV40+00W12+00S	202	<10	0.8	--	--	--	--
SPEV40+00W12+25S	202	<10	0.6	--	--	--	--
SPEV40+00W12+50S	202	<10	1.0	--	--	--	--
SPEV40+00W12+75S	202	<10	0.4	--	--	--	--
SPEV40+00W13+00S	202	<10	1.0	--	--	--	--
SPEV40+00W13+25S	202	<10	0.1	--	--	--	--
SPEV40+00W13+50S	202	<10	1.0	--	--	--	--

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : LACANA MINING CORP.
ATTN: DAVE DUNN
BOX 52
LIKELY, B.C.
VOL 1N0

CERT. # : A8311804-007-A
INVOICE # : I8311804
DATE : 20-JUN-83
P.O. # : NONE

ATTN: D. DUNN

Sample description	Prep code	AU-AA ppb	Sb ppm				
SPEV40+00W13+75S	202	<10	1.0	--	--	--	--
SPEV40+00W14+00S	202	<10	1.0	--	--	--	--
SPEV40+00W14+25S	202	<10	0.8	--	--	--	--
SPEV40+00W14+75S	202	<10	0.6	--	--	--	--
SPEV40+00W15+00S	202	<10	0.6	--	--	--	--
SPEV40+00W15+25S	202	<10	1.0	--	--	--	--
SPEV40+00W15+50S	202	<10	1.0	--	--	--	--
SPEV40+00W15+75S	202	<10	0.8	--	--	--	--
SPEV40+00W16+00S	202	<10	0.4	--	--	--	--
SPEV40+00W16+25S	202	<10	3.6	--	--	--	--
SPEV40+00W16+50S	202	<10	2.2	--	--	--	--
SPEV40+00W16+75S	202	<10	0.6	--	--	--	--
SPEV40+00W17+00S	202	<10	0.6	--	--	--	--
SPEV40+00W17+25S	202	<10	0.4	--	--	--	--
SPEV40+00W17+50S	202	<10	0.1	--	--	--	--
SPEV40+00W17+75S	202	<10	0.8	--	--	--	--
SPEV40+00W18+00S	202	<10	0.4	--	--	--	--
SPEV40+00W18+25S	202	<10	0.4	--	--	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : LACANA MINING CORP.
 ATTN: DAVE DUNN
 BOX 52
 LIKELY, B.C. ✓
 VOL 1N0

CERT. # : A8311805-001-A
 INVOICE # : I8311805
 DATE : 27-JUN-83
 P.O. # : NONE
 6907

ATTN: D. DUNN

Sample description	Prep code	AU-AA ppb	Sb ppm				
SPEV41+00W 8+25S	202	<10	1.0	--	--	--	--
SPEV41+00W 8+50S	202	<10	0.8	--	--	--	--
SPEV41+00W 8+75S	202	<10	0.2	--	--	--	--
SPEV41+00W 9+00S	202	<10	0.6	--	--	--	--
SPEV41+00W 9+25S	202	<10	0.2	--	--	--	--
SPEV41+00W 9+50S	202	<10	0.4	--	--	--	--
SPEV41+00W 9+75S	202	<10	0.6	--	--	--	--
SPEV41+00W10+00S	202	<10	0.6	--	--	--	--
SPEV41+00W10+25S	202	<10	0.3	--	--	--	--
SPEV41+00W10+50S	202	<10	1.0	--	--	--	--
SPEV41+00W10+75S	202	<10	0.4	--	--	--	--
SPEV41+00W11+00S	202	<10	0.6	--	--	--	--
SPEV41+00W11+25S	202	<10	0.4	--	--	--	--
SPEV41+00W11+50S	202	<10	0.1	--	--	--	--
SPEV41+00W11+75S	202	<10	0.6	--	--	--	--
SPEV41+00W12+00S	202	<10	0.8	--	--	--	--
SPEV41+00W12+25S	202	<10	1.2	--	--	--	--
SPEV41+00W12+50S	202	<10	0.4	--	--	--	--
SPEV41+00W12+75S	202	<10	1.0	--	--	--	--
SPEV41+00W13+00S	202	<10	1.2	--	--	--	--
SPEV41+00W15+25S	202	<10	1.4	--	--	--	--
SPEV41+00W13+50S	202	<10	0.8	--	--	--	--
SPEV41+00W13+75S	202	<10	1.2	--	--	--	--
SPEV41+00W14+00S	202	<10	0.9	--	--	--	--
SPEV41+00W14+25S	202	<10	0.8	--	--	--	--
SPEV41+00W14+50S	202	<10	1.0	--	--	--	--
SPEV41+00W14+75S	202	<10	1.1	--	--	--	--
SPEV41+00W15+00S	202	<10	0.8	--	--	--	--
SPEV41+00W15+25S	202	<10	1.8	--	--	--	--
SPEV41+00W15+50S	202	<10	1.1	--	--	--	--
SPEV41+00W15+75S	202	<10	1.4	--	--	--	--
SPEV41+00W16+00S	202	<10	3.6	--	--	--	--
SPEV41+00W16+25S	202	<10	1.6	--	--	--	--
SPEV41+00W16+50S	202	<10	1.0	--	--	--	--
SPEV41+00W16+75S	202	<10	1.4	--	--	--	--
SPEV41+00W17+00S	202	<10	1.2	--	--	--	--
SPEV41+00W17+25S	202	<10	1.0	--	--	--	--
SPEV41+00W17+50S	202	<10	1.0	--	--	--	--
SPEV41+00W17+75S	202	<10	0.8	--	--	--	--
SPEV41+00W18+00S	202	<10	0.8	--	--	--	--

Certified by *Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : LACANA MINING CORP.
ATTN: DAVE DUNN
BOX 52
LIKELY, B.C.
VOL 1NO

CERT. # : A8311805-002-A
INVOICE # : I8311805
DATE : 27-JUN-83
P.O. # : NONE
6907

ATTN: D. DUNN

Sample description	Prep code	AU-AA ppb	Sb ppm				
SPEV41+00W18+25S	202	<10	1.0	--	--	--	--
SPEV41+00W18+50S	202	<10	0.5	--	--	--	--
SPEV41+00W18+75S	202	<10	0.4	--	--	--	--
SPEV41+00W18+90S	202	<10	0.4	--	--	--	--
SPEV42+00W 8+00S	202	70	0.7	--	--	--	--
SPEV42+00W 8+25S	202	<10	1.0	--	--	--	--
SPEV42+00W 8+50S	202	<10	0.6	--	--	--	--
SPEV42+00W 8+75S	202	<10	1.6	--	--	--	--
SPEV42+00W 9+00S	202	<10	0.1	--	--	--	--
SPEV42+00W 9+25S	202	10	0.1	--	--	--	--
SPEV42+00W 9+50S	202	<10	0.6	--	--	--	--
SPEV42+00W 9+75S	202	<10	0.4	--	--	--	--
SPEV42+00W10+25S	202	<10	0.8	--	--	--	--
SPEV42+00W10+50S	202	<10	0.8	--	--	--	--
SPEV42+00W10+75S	202	<10	0.8	--	--	--	--
SPEV42+00W11+00S	202	<10	1.2	--	--	--	--
SPEV42+00W11+25S	202	<10	0.7	--	--	--	--
SPEV42+00W11+75S	202	<10	0.6	--	--	--	--
SPEV42+00W12+00S	202	<10	0.6	--	--	--	--
SPEV42+00W12+25S	202	20	1.0	--	--	--	--
SPEV42+00W12+50S	202	<10	1.2	--	--	--	--
SPEV42+00W12+75S	202	<10	1.1	--	--	--	--
SPEV42+00W13+00S	202	<10	0.8	--	--	--	--
SPEV42+00W13+25S	202	<10	1.0	--	--	--	--
SPEV42+00W13+50S	202	<10	0.8	--	--	--	--
SPEV42+00W13+75S	202	<10	0.8	--	--	--	--
SPEV42+00W14+00S	202	<10	0.8	--	--	--	--
SPEV42+00W14+25S	202	<10	1.0	--	--	--	--
SPEV42+00W14+50S	202	<10	0.8	--	--	--	--
SPEV42+00W14+75S	202	<10	1.1	--	--	--	--
SPEV42+00W15+00S	202	<10	1.2	--	--	--	--
SPEV42+00W15+25S	202	<10	1.2	--	--	--	--
SPEV42+00W15+50S	202	<10	1.1	--	--	--	--
SPEV42+00W15+75S	202	<10	1.2	--	--	--	--
SPEV42+00W16+00S	202	<10	1.1	--	--	--	--
SPEV42+00W16+25S	202	<10	1.2	--	--	--	--
SPEV42+00W16+50S	202	<10	0.9	--	--	--	--
SPEV42+00W16+75S	202	<10	1.2	--	--	--	--
SPEV42+00W17+00S	202	<10	1.0	--	--	--	--
SPEV42+00W17+25S	202	<10	1.0	--	--	--	--

Hart Buchler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : LACANA MINING CORP.
ATTN: DAVE DUNN
BOX 52
LIKELY, B.C.
VOL 1NO

CERT. # : A8311805-003-A
INVOICE # : I8311805
DATE : 27-JUN-83
P.C. # : NONE
6907

ATTN: D. DUNN

Sample description	Prep code	AU-AA ppb	Sb ppm				
SPEV42+00W17+50S	202	<10	0.4	--	--	--	--
SPEV42+00W17+75S	202	<10	0.2	--	--	--	--
SPEV42+00W18+00S	202	<10	0.4	--	--	--	--
SPEV42+00W18+25S	202	<10	0.2	--	--	--	--
SPEV42+00W18+50S	202	<10	0.6	--	--	--	--
SPEV42+00W18+75S	202	<10	0.1	--	--	--	--
SPEV43+00W 7+25S	202	10	1.2	--	--	--	--
SPEV43+00W 7+50S	202	<10	2.4	--	--	--	--
SPEV43+00W 8+00S	202	<10	0.3	--	--	--	--
SPEV43+00W 8+25S	202	<10	0.4	--	--	--	--
SPEV43+00W 8+50S	202	<10	0.8	--	--	--	--
SPEV43+00W 8+75S	202	<10	0.2	--	--	--	--
SPEV43+00W 9+00S	202	<10	0.4	--	--	--	--
SPEV43+00W 9+25S	202	<10	0.7	--	--	--	--
SPEV43+00W 9+50S	202	<10	1.0	--	--	--	--
SPEV43+00W 9+75S	202	<10	0.9	--	--	--	--
SPEV43+00W10+25S	202	<10	0.8	--	--	--	--
SPEV43+00W10+50S	202	<10	0.5	--	--	--	--
SPEV43+00W10+75S	202	60	1.2	--	--	--	--
SPEV43+00W11+00S	202	<10	1.0	--	--	--	--
SPEV43+00W11+50S	202	<10	1.1	--	--	--	--
SPEV43+00W11+75S	202	<10	0.5	--	--	--	--
SPEV43+00W12+00S	202	70	0.4	--	--	--	--
SPEV43+00W12+25S	202	<10	0.4	--	--	--	--
SPEV43+00W12+50S	202	<10	0.6	--	--	--	--
SPEV43+00W12+75S	202	40	0.8	--	--	--	--
SPEV43+00W13+00S	202	<10	1.2	--	--	--	--
SPEV43+00W13+25S	202	<10	1.0	--	--	--	--
SPEV43+00W13+50S	202	<10	0.5	--	--	--	--
SPEV43+00W13+75S	202	<10	0.6	--	--	--	--
SPEV43+00W14+00S	202	<10	1.2	--	--	--	--
SPEV43+00W14+25S	202	<10	0.6	--	--	--	--
SPEV43+00W14+50S	202	<10	0.7	--	--	--	--
SPEV43+00W14+75S	202	<10	0.4	--	--	--	--
SPEV43+00W15+00S	202	<10	0.6	--	--	--	--
SPEV43+00W15+25S	202	<10	0.7	--	--	--	--
SPEV43+00W15+50S	202	<10	0.6	--	--	--	--
SPEV43+00W15+75S	202	<10	1.0	--	--	--	--
SPEV43+00W16+00S	202	<10	0.8	--	--	--	--
SPEV43+00W16+25S	202	<10	1.1	--	--	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : LACANA MINING CORP.
ATTN: DAVE DUNN
80X 52
LIKELY, B.C.
VOL 1N0

CERT. # : A8311805-004-A
INVOICE # : 18311805
DATE : 27-JUN-83
P.O. # : NONE
6907

ATTN: D. DUNN

Sample description	Prep code	AU-AA ppb	Sb ppm				
SPEV43+00W16+50S	202	<10	1.0	--	--	--	--
SPEV43+00W16+75S	202	<10	1.2	--	--	--	--
SPEV43+00W17+00S	202	<10	0.4	--	--	--	--
SPEV43+00W17+25S	202	<10	0.4	--	--	--	--
SPEV43+00W17+50S	202	<10	0.2	--	--	--	--
SPEV43+00W17+75S	202	<10	0.1	--	--	--	--
SPEV43+00W18+00S	202	<10	0.2	--	--	--	--
SPEV43+00W18+25S	202	<10	0.2	--	--	--	--
SPEV43+00W18+50S	202	<10	0.2	--	--	--	--
SPEV43+00W18+75S	202	<10	0.1	--	--	--	--
SPEV43+00W19+00S	202	<10	0.2	--	--	--	--
SPEV44+00W 6+50S	202	<10	0.2	--	--	--	--
SPEV44+00W 6+75S	202	<10	0.9	--	--	--	--
SPEV44+00W 7+00S	202	<10	0.4	--	--	--	--
SPEV44+00W 7+25S	202	<10	1.0	--	--	--	--
SPEV44+00W 7+50S	202	<10	0.2	--	--	--	--
SPEV44+00W 7+75S	202	<10	1.4	--	--	--	--
SPEV44+00W 8+00S	202	<10	0.2	--	--	--	--
SPEV44+00W 8+25S	202	<10	5.2	--	--	--	--
SPEV44+00W 8+50S	202	240	0.6	--	--	--	--
SPEV44+00W 8+75S	202	1000	0.6	--	--	--	--
SPEV44+00W 9+00S	202	<10	0.5	--	--	--	--
SPEV44+00W 9+25S	202	<10	0.2	--	--	--	--
SPEV44+00W 9+50S	202	<10	0.2	--	--	--	--
SPEV44+00W 9+75S	202	<10	0.2	--	--	--	--
SPEV44+00W10+00S	202	<10	0.5	--	--	--	--
SPEV44+00W10+25S	202	<10	0.6	--	--	--	--
SPEV44+00W10+50S	202	<10	0.6	--	--	--	--
SPEV44+00W10+75S	202	<10	0.4	--	--	--	--
SPEV44+00W11+00S	202	<10	0.2	--	--	--	--
SPEV44+00W11+25S	202	<10	0.3	--	--	--	--
SPEV44+00W11+50S	202	<10	0.2	--	--	--	--
SPEV44+00W11+75S	202	<10	0.2	--	--	--	--
SPEV44+00W12+00S	202	<10	0.7	--	--	--	--
SPEV44+00W12+25S	202	<10	0.9	--	--	--	--
SPEV44+00W12+50S	202	<10	0.2	--	--	--	--
SPEV44+00W12+75S	202	<10	0.1	--	--	--	--
SPEV44+00W13+00S	202	<10	0.6	--	--	--	--
SPEV44+00W13+25S	202	<10	0.1	--	--	--	--
SPEV44+00W13+50S	202	<10	0.1	--	--	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : LACANA MINING CORP.
 ATTN: DAVE DUNN
 BOX 52
 LIKELY, B.C.
 VOL 1N0

CERT. # : A8311805-005-A
 INVOICE # : I8311805
 DATE : 27-JUN-83
 P.O. # : NONE
 6907

ATTN: D. DUNN

Sample description	Prep code	AU-AA ppb	Sb ppm				
SPEV44+00W13+75S	202	<10	0.1	--	--	--	--
SPEV44+00W14+00S	202	<10	0.1	--	--	--	--
SPEV44+00W14+25S	202	10	0.2	--	--	--	--
SPEV44+00W14+50S	202	60	0.6	--	--	--	--
SPEV44+00W14+75S	202	<10	0.8	--	--	--	--
SPEV44+00W15+00S	202	<10	0.4	--	--	--	--
SPEV44+00W15+25S	202	<10	0.4	--	--	--	--
SPEV44+00W15+50S	202	<10	0.9	--	--	--	--
SPEV44+00W15+75S	202	<10	0.9	--	--	--	--
SPEV44+00W16+00S	202	<10	1.2	--	--	--	--
SPEV44+00W16+25S	202	10	0.4	--	--	--	--
SPEV44+00W16+50S	202	40	0.3	--	--	--	--
SPEV44+00W16+75S	202	10	11.4	--	--	--	--
SPEV44+00W17+00S	202	700	8.6	--	--	--	--
SPEV44+00W17+25S	202	10	0.1	--	--	--	--
SPEV44+00W17+75S	202	<10	0.1	--	--	--	--
SPEV44+00W18+00S	202	<10	0.8	--	--	--	--
SPEV44+00W18+25S	202	<10	0.1	--	--	--	--
SPEV44+00W18+50S	202	<10	0.1	--	--	--	--
SPEV44+00W18+75S	202	<10	0.1	--	--	--	--
SPEV44+00W19+00S	202	<10	0.1	--	--	--	--
SPEV44+00W19+25S	202	<10	0.1	--	--	--	--
SPEV44+00W19+50S	202	<10	0.1	--	--	--	--
SPEV45+00W 6+75S	202	<10	6.0	--	--	--	--
SPEV45+00W 7+00S	202	<10	1.2	--	--	--	--
SPEV45+00W 7+25S	202	<10	1.6	--	--	--	--
SPEV45+00W 7+50S	202	10	1.2	--	--	--	--
SPEV45+00W 7+75S	202	<10	1.8	--	--	--	--
SPEV45+00W 8+00S	202	120	0.6	--	--	--	--
SPEV45+00W 8+25S	202	<10	0.4	--	--	--	--
SPEV45+00W 8+50S	202	40	0.1	--	--	--	--
SPEV45+00W 8+75S	202	20	0.1	--	--	--	--
SPEV45+00W 9+00S	202	10	0.5	--	--	--	--
SPEV45+00W 9+25S	202	<10	0.2	--	--	--	--
SPEV45+00W 9+50S	202	<10	0.2	--	--	--	--
SPEV45+00W 9+75S	202	<10	0.2	--	--	--	--
SPEV45+00W10+25S	202	<10	0.4	--	--	--	--
SPEV45+00W10+50S	202	<10	0.4	--	--	--	--
SPEV45+00W11+00S	202	<10	0.6	--	--	--	--
SPEV45+00W11+25S	202	<10	0.5	--	--	--	--

Certified by ... *Hart Bichler* ...





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : LACANA MINING CORP.
ATTN: DAVE DUNN
BOX 52
LIKELY, B.C.
VOL 1N0

CERT. # : A8311805-006-A
INVOICE # : I8311805
DATE : 27-JUN-83
P.O. # : NONE
6907

ATTN: D. DUNN

Sample description	Prep code	AU-AA ppb	Sb ppm				
SPEV45+00W11+50S	202	<10	0.4	--	--	--	--
SPEV45+00W11+75S	202	<10	0.8	--	--	--	--
SPEV45+00W12+00S	202	<10	0.4	--	--	--	--
SPEV45+00W12+25S	202	70	1.0	--	--	--	--
SPEV45+00W12+50S	202	<10	0.8	--	--	--	--
SPEV45+00W12+75S	202	<10	0.6	--	--	--	--
SPEV45+00W13+00S	202	<10	0.7	--	--	--	--
SPEV45+00W13+25S	202	360	1.0	--	--	--	--
SPEV45+00W13+50S	202	10	0.6	--	--	--	--
SPEV45+00W13+75S	202	<10	0.2	--	--	--	--
SPEV45+00W14+00S	202	<10	0.2	--	--	--	--
SPEV45+00W14+25S	202	<10	0.5	--	--	--	--
SPEV45+00W14+50S	202	<10	0.4	--	--	--	--
SPEV45+00W14+75S	202	<10	0.5	--	--	--	--
SPEV45+00W15+00S	202	<10	0.6	--	--	--	--
SPEV45+00W15+25S	202	<10	0.7	--	--	--	--
SPEV45+00W15+50S	202	50	0.5	--	--	--	--
SPEV45+00W15+75S	202	10	0.6	--	--	--	--
SPEV46+00W 6+75S	202	20	1.2	--	--	--	--
SPEV46+00W 7+00S	202	20	0.6	--	--	--	--
SPEV46+00W 7+25S	202	<10	0.4	--	--	--	--
SPEV46+00W 7+50S	202	30	0.9	--	--	--	--
SPEV46+00W 7+75S	202	<10	0.1	--	--	--	--
SPEV46+00W 8+00S	202	<10	0.1	--	--	--	--
SPEV46+00W 8+25S	202	40	1.8	--	--	--	--
SPEV46+00W 8+50S	202	30	2.0	--	--	--	--
SPEV46+00W 8+75S	202	<10	0.1	--	--	--	--
SPEV46+00W 9+00S	202	30	0.2	--	--	--	--
SPEV46+00W 9+25S	202	10	0.1	--	--	--	--
SPEV46+00W 9+50S	202	<10	0.4	--	--	--	--
SPEV46+00W 9+75S	202	<10	0.1	--	--	--	--
SPEV46+00W10+50S	202	70	0.1	--	--	--	--
SPEV46+00W10+75S	202	<10	0.1	--	--	--	--
SPEV46+00W11+50S	202	10	0.4	--	--	--	--
SPEV46+00W11+75S	202	<10	0.6	--	--	--	--
SPEV46+00W12+00S	202	20	0.5	--	--	--	--
SPEV46+00W12+25S	202	10	0.7	--	--	--	--
SPEV46+00W12+50S	202	<10	0.4	--	--	--	--
SPEV46+00W12+75S	202	10	0.6	--	--	--	--
SPEV46+00W13+00S	202	<10	0.7	--	--	--	--

Hart Buchler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : LACANA MINING CORP.
ATTN: DAVE DUNN
BOX 52
LIKELY, B.C.
VOL 1NO

CERT. # : A8311805-007-A
INVOICE # : 18311805
DATE : 27-JUN-83
P.C. # : NONE
6907

ATTN: D. DUNN

Sample description	Prep code	AU-AA ppb	Sb ppm				
SPEV47+00W	6+00S 202	20	0.6	--	--	--	--
SPEV47+00W	6+25S 202	30	0.9	--	--	--	--
SPEV47+00W	6+50S 202	10	2.2	--	--	--	--
SPEV47+00W	6+75S 202	<10	0.1	--	--	--	--
SPEV47+00W	7+00S 202	10	0.1	--	--	--	--
SPEV47+00W	7+25S 202	<10	1.0	--	--	--	--
SPEV47+00W	7+50S 202	20	0.6	--	--	--	--
SPEV47+00W	7+75S 202	60	1.0	--	--	--	--
SPEV47+00W	8+00S 202	60	1.2	--	--	--	--
SPEV47+00W	8+25S 202	50	0.4	--	--	--	--
SPEV47+00W	8+50S 202	20	0.5	--	--	--	--
SPEV47+00W	8+75S 202	20	0.2	--	--	--	--
SPEV47+00W	9+00S 202	10	0.2	--	--	--	--
SPEV47+00W	9+25S 202	60	0.9	--	--	--	--
SPEV47+00W	9+50S 202	220	1.2	--	--	--	--
SPEV47+00W	9+75S 202	<10	0.5	--	--	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : LACANA MINING CORP.
ATTN: DAVE DUNN
BOX 52
LIKELY, B.C.
VOL 1N0

CERT. # : A8311804-001-
INVOICE # : I8311804
DATE : 20-JUN-83
P.O. # : NONE

ATTN: D. DUNN

Sample description	Prep code	AU-AA ppb	Sb ppm				
SPEV10+00S35+00W	202	<10	0.8	--	--	--	--
SPEV10+00S35+25W	202	<10	0.1	--	--	--	--
SPEV10+00S35+50W	202	<10	1.0	--	--	--	--
SPEV10+00S35+75W	202	<10	0.6	--	--	--	--
SPEV10+00S36+00W	202	<10	0.6	--	--	--	--
SPEV10+00S36+25W	202	<10	0.1	--	--	--	--
SPEV10+00S36+50W	202	<10	0.6	--	--	--	--
SPEV10+00S36+75W	202	<10	0.6	--	--	--	--
SPEV10+00S37+00W	202	10	0.2	--	--	--	--
SPEV10+00S37+25W	202	<10	0.6	--	--	--	--
SPEV10+00S37+50W	202	<10	0.4	--	--	--	--
SPEV10+00S37+75W	202	<10	0.2	--	--	--	--
SPEV10+00S38+00W	202	<10	1.8	--	--	--	--
SPEV10+00S38+25W	202	<10	1.0	--	--	--	--
SPEV10+00S38+50W	202	40	0.6	--	--	--	--
SPEV10+00S38+75W	202	<10	1.0	--	--	--	--
SPEV10+00S39+00W	202	<10	1.6	--	--	--	--
SPEV10+00S39+25W	202	<10	0.6	--	--	--	--
SPEV10+00S39+50W	202	<10	0.6	--	--	--	--
SPEV10+00S39+75W	202	<10	0.4	--	--	--	--
SPEV10+00S40+00W	202	<10	0.6	--	--	--	--
SPEV10+00S40+25W	202	<10	0.2	--	--	--	--
SPEV10+00S40+50W	202	<10	0.6	--	--	--	--
SPEV10+00S40+75W	202	<10	0.2	--	--	--	--
SPEV10+00S41+25W	202	<10	0.2	--	--	--	--
SPEV10+00S41+50W	202	<10	0.8	--	--	--	--
SPEV10+00S41+75W	202	<10	0.2	--	--	--	--
SPEV10+00S42+00W	202	<10	0.2	--	--	--	--
SPEV10+00S42+25W	202	<10	0.2	--	--	--	--
SPEV10+00S42+50W	202	<10	0.8	--	--	--	--
SPEV10+00S42+75W	202	<10	0.4	--	--	--	--
SPEV10+00S43+00W	202	<10	0.4	--	--	--	--
SPEV10+00S43+25W	202	10	0.6	--	--	--	--
SPEV10+00S43+50W	202	<10	0.6	--	--	--	--
SPEV10+00S43+75W	202	10	0.4	--	--	--	--
SPEV10+00S44+25W	202	<10	0.4	--	--	--	--
SPEV10+00S44+50W	202	<10	0.6	--	--	--	--
SPEV10+00S44+75W	202	<10	0.4	--	--	--	--
SPEV10+00S45+00W	202	<10	0.2	--	--	--	--
SPEV10+00S45+25W	202	<10	0.4	--	--	--	--

Hart Bichler

Certified by



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : LACANA MINING CORP.
ATTN: DAVE DUNN
BOX 52
LIKELY, B.C.
VOL 1N0

CERT. # : A8311804-002-A
INVOICE # : I8311804
DATE : 20-JUN-83
P.O. # : NONE

ATTN: D. DUNN

Sample description	Prep code	AU-AA ppb	Sb ppm				
SPEV10+00S45+50W	202	<10	0.2	--	--	--	--
SPEV10+00S45+75W	202	<10	0.1	--	--	--	--
SPEV10+00S46+00W	202	<10	0.5	--	--	--	--
SPEV10+00S46+25W	202	<10	0.8	--	--	--	--
SPEV10+00S46+50W	202	<10	0.1	--	--	--	--
SPEV10+00S46+75W	202	<10	0.1	--	--	--	--
SPEV10+00S47+00W	202	<10	0.4	--	--	--	--
SPEV10+00S47+25W	202	140	0.6	--	--	--	--
SPEV10+00S47+50W	202	<10	0.6	--	--	--	--
SPEV10+00S47+75W	202	<10	0.4	--	--	--	--
SPEV10+00S48+00W	202	<10	0.8	--	--	--	--
SPEV10+00S48+25W	202	<10	0.4	--	--	--	--
SPEV10+00S48+50W	202	<10	0.3	--	--	--	--
SPEV10+00S48+75W	202	<10	0.4	--	--	--	--
SPEV10+00S49+00W	202	<10	0.2	--	--	--	--
SPEV10+00S49+25W	202	<10	0.4	--	--	--	--
SPEV10+00S49+50W	202	20	0.4	--	--	--	--
SPEV10+00S49+75W	202	<10	0.6	--	--	--	--
SPEV10+00S50+00W	202	<10	0.2	--	--	--	--
SPEV35+00W10+25S	202	<10	0.8	--	--	--	--
SPEV35+00W10+50S	202	<10	0.6	--	--	--	--
SPEV35+00W10+75S	202	<10	0.6	--	--	--	--
SPEV35+00W11+00S	202	<10	0.4	--	--	--	--
SPEV35+00W11+25S	202	<10	0.8	--	--	--	--
SPEV35+00W11+50S	202	<10	1.0	--	--	--	--
SPEV35+00W11+75S	202	<10	0.9	--	--	--	--
SPEV35+00W12+00S	202	<10	1.2	--	--	--	--
SPEV35+00W12+25S	202	<10	0.9	--	--	--	--
SPEV35+00W12+50S	202	<10	0.6	--	--	--	--
SPEV35+00W12+75S	202	<10	0.6	--	--	--	--
SPEV35+00W13+00S	202	<10	1.0	--	--	--	--
SPEV35+00W13+25S	202	<10	0.9	--	--	--	--
SPEV35+00W13+50S	202	<10	0.8	--	--	--	--
SPEV35+00W13+75S	202	<10	1.6	--	--	--	--
SPEV35+00W14+00S	202	<10	1.4	--	--	--	--
SPEV35+00W14+25S	202	<10	1.2	--	--	--	--
SPEV35+00W14+50S	202	<10	0.8	--	--	--	--
SPEV35+00W14+75S	202	<10	1.2	--	--	--	--
SPEV35+00W15+00S	202	<10	1.0	--	--	--	--
SPEV35+00W15+25S	202	<10	0.9	--	--	--	--



Certified by *Hart Bichler*