

520901  
93L-12/13

LOUISE LAKE 1989 DRILL PROGRAM  
HOLE= DDH-89-18 AZIMUTH=189

CORONA CORP.  
DIP=-60 LENGTH=121.0m

SAMPLE #	FROM	TO	INTERVAL	Cu(ppm)	Cu(%)	Au(ppb)	Au(oz/t)*	Au(oz/t)&
C 97701	3.7	5.8	2.1	2504	0.25	189	0.006	
C 97702	5.8	7.1	1.3	814	0.08	124	0.004	
C 97703	7.1	8.1	1.0	1388	0.14	200	0.006	
C 97704	8.1	11.1	3.0	3395	0.34	260	0.008	
C 97705	11.1	13.1	2.0	2648	0.26	280	0.008	
C 97706	13.1	16.1	3.0	2614	0.26	210	0.006	
C 97707	16.1	19.1	3.0	1815	0.18	230	0.007	
C 97708	19.1	22.1	3.0	1950	0.20	210	0.006	
C 97709	22.1	25.1	3.0	2291	0.23	260	0.008	
C 97710	25.1	28.1	3.0	2239	0.22	270	0.008	
C 97711	28.1	29.9	1.8	1087	0.11	117	0.003	
C 97712	29.9	34.6	4.7	1309	0.13	610	0.018	
C 97713	34.6	35.4	0.8	1977	0.20	220	0.006	
C 97714	35.4	37.3	1.9	1898	0.19	300	0.009	
C 97715	37.3	39.1	1.8	1922	0.19	270	0.008	
C 97716	39.1	40.1	1.0	3601	0.36	360	0.011	
C 97717	40.1	41.8	1.7	2001	0.20	175	0.005	
C 97718	41.8	42.5	0.7	1331	0.13	118	0.003	
C 97719	42.5	44.8	2.3	1306	0.13	86	0.003	
C 97720	44.8	45.7	0.9	1899	0.19	157	0.005	
C 97721	45.7	48.7	3.0	2574	0.26	260	0.008	
C 97722	48.7	51.7	3.0	1993	0.20	159	0.005	
C 97723	51.7	54.7	3.0	2058	0.21	159	0.005	
C 97724	54.7	57.7	3.0	1277	0.13	105	0.003	
C 97725	57.7	60.7	3.0	1764	0.18	117	0.003	
C 97726	60.7	63.7	3.0	2571	0.26	250	0.007	
C 97727	63.7	64.3	0.6	5251	0.53	530	0.015	
C 97728	64.3	67.3	3.0	5218	0.52	550	0.016	
C 97729	67.3	70.3	3.0	3054	0.31	380	0.011	
C 97730	70.3	72.0	1.7	3553	0.36	400	0.012	
C 97731	72.0	75.8	3.8	1484	0.15	169	0.005	
C 97732	75.8	76.6	0.8	889	0.09	115	0.003	
C 97733	76.6	79.6	3.0	484	0.05	59	0.002	
C 97734	79.6	82.6	3.0	2963	0.30	153	0.004	
C 97735	82.6	85.6	3.0	1184	0.12	109	0.003	
C 97736	85.6	88.6	3.0	507	0.05	50	0.001	
C 97737	88.6	91.6	3.0	746	0.07	68	0.002	
C 97738	91.6	94.6	3.0	978	0.10	95	0.003	
C 97739	94.6	97.6	3.0	4713	0.47	480	0.014	0.017
C 97740	97.6	100.6	3.0	3891	0.39	370	0.011	0.013
C 97741	100.6	103.6	3.0	5441	0.54	610	0.018	0.015
C 97742	103.6	106.6	3.0	3856	0.39	400	0.012	0.013
C 97743	106.6	109.6	3.0	3251	0.33	260	0.008	0.009
C 97744	109.6	112.6	3.0	3587	0.36	410	0.012	0.010
C 97745	112.6	115.6	3.0	3909	0.39	430	0.013	0.012
C 97746	115.6	118.6	3.0	5150	0.52	450	0.013	0.016
C 97747	118.6	121.0	2.4	2991	0.30	240	0.007	0.008

\* determined by conversion factor of 1(ppb)/34280(oz/t)  
& determined by 1 ton fire assay

AVERAGES DDH-89-18				(conversion factor)				
SAMPLE #	FROM	TO	INTERVAL	Cu(ppm)	Cu(%)	Au(ppb)	Au(oz/t)*	Au(oz/t)&
	3.7	121.0	117.3		0.25	265	0.008	
INCLUDES								
	3.7	5.8	2.1		0.25	189	0.006	
	8.1	16.1	8.0		0.29	246	0.007	
	22.1	28.1	6.0		0.23	265	0.008	
	39.1	41.8	2.7		0.26	244	0.007	
	45.7	48.7	3.0		0.26	260	0.008	
	51.7	54.7	3.0		0.21	159	0.005	
	60.7	72.0	11.3		0.37	402	0.012	
	79.6	82.6	3.0		0.30	153	0.004	
	94.6	121.0	26.4		0.41	409	0.012	

---

Determinations by 5 ton fire assay				
	FROM	TO	INTERVAL	Au(oz/t)
	94.6	109.6	15.0	0.013
	109.6	121	11.4	0.011

## LOUISE LAKE FEBRUARY 1989 DRILL PROGRAM

CORONA CORP.

HOLE= DDH-89-19

AZIMUTH=189

DIP=-60

LENGTH=182.0m

SAMPLE #	FROM	TO	INTERVAL	Cu(ppm)	Cu(%)	Au(ppb)	Au(oz/t)*	Au(oz/t)&
97748	3.7	6.7	3.0	2436	0.24	210	0.006	
97749	6.7	9.7	3.0	2011	0.20	155	0.005	
97750	9.7	12.7	3.0	938	0.09	148	0.004	
97751	12.7	15.7	3.0	1043	0.10	136	0.004	
97752	15.7	18.7	3.0	1121	0.11	97	0.003	
97753	18.7	21.7	3.0	517	0.05	162	0.005	
97754	21.7	25.4	3.7	1079	0.11	160	0.005	
97755	25.4	28.4	3.0	1893	0.19	193	0.006	
97756	28.4	31.4	3.0	1412	0.14	156	0.005	
97757	31.4	34.4	3.0	2082	0.21	168	0.005	
97758	34.4	37.4	3.0	1874	0.19	193	0.006	
97759	37.4	40.4	3.0	1219	0.12	139	0.004	
97760	40.4	44.8	4.4	3102	0.31	300	0.009	
97761	44.8	46.6	1.0	2224	0.22	310	0.009	
97762	46.6	49.6	3.0	2479	0.25	460	0.013	
97763	49.6	52.6	3.0	3483	0.35	460	0.013	
97764	52.6	55.6	3.0	4753	0.48	580	0.017	
97765	55.6	58.6	3.0	5509	0.55	605	0.018	
97766	58.6	61.6	3.0	3557	0.36	505	0.015	
97767	61.6	64.6	3.0	3502	0.35	385	0.011	
97768	64.6	67.7	3.1	2400	0.24	295	0.009	
97769	67.7	70.7	3.0	1547	0.15	93	0.003	
97770	70.7	73.7	3.0	1259	0.13	108	0.003	
97771	73.7	76.7	3.0	948	0.09	37	0.001	
97772	76.7	79.7	3.0	1464	0.15	180	0.005	
97773	79.7	81.4	1.7	2026	0.20	182	0.005	
97774	81.4	84.4	3.0	1402	0.14	198	0.006	
97775	84.4	87.4	3.0	2021	0.20	250	0.007	
97776	87.4	90.4	3.0	1953	0.20	205	0.006	
97777	90.4	93.4	3.0	2089	0.21	250	0.007	
97778	93.4	96.4	3.0	1975	0.20	245	0.007	
97779	96.4	101.3	4.9	1919	0.19	220	0.006	
97780	101.3	103.8	2.5	1552	0.16	175	0.005	
97781	103.8	106.8	3.0	2271	0.23	235	0.007	
97782	106.8	109.8	3.0	2602	0.26	225	0.007	
97783	109.8	112.8	3.0	1481	0.15	148	0.004	
97784	112.8	115.1	2.3	1376	0.14	52	0.002	
97785	115.1	118.1	3.0	1402	0.14	79	0.002	
97786	118.1	121.1	3.0	1759	0.18	132	0.004	
97787	121.1	124.1	3.0	2003	0.20	91	0.003	
97788	124.1	127.1	3.0	3030	0.30	315	0.009	0.008
97789	127.1	130.1	3.0	2901	0.29	285	0.008	0.010
97790	130.1	133.1	3.0	3548	0.35	360	0.011	0.013
97791	133.1	136.1	3.0	3951	0.40	420	0.012	0.013
97792	136.1	139.1	3.0	4059	0.41	350	0.010	0.013
97793	139.1	143.0	3.9	3399	0.34	320	0.009	0.009
97794	143.0	146.0	3.0	3829	0.38	465	0.014	0.014
97795	146.0	149.0	3.0	3858	0.39	495	0.014	0.011
97796	149.0	151.5	2.5	4228	0.42	580	0.017	0.016
97797	151.5	154.5	3.0	3968	0.40	505	0.015	0.014
97798	154.5	157.5	3.0	3558	0.36	480	0.014	0.014
97799	157.5	160.5	3.0	3795	0.38	420	0.012	0.013

SAMPLE #	FROM	TO	INTERVAL	Cu(ppm)	Cu(%)	Au(ppb)	Au(oz/t)*	Au(oz/t)&
97800	160.5	163.5	3.0	3629	0.36	480	0.014	0.013
97801	163.5	165.6	2.1	1797	0.18	265	0.008	0.007
97802	165.6	167.8	2.2	3588	0.36	390	0.011	0.013
97803	167.8	170.8	3.0	2037	0.20	121	0.004	
97804	170.8	173.8	3.0	268	0.03	20	0.001	
97805	173.8	176.6	2.8	387	0.04	44	0.001	
97806	176.6	179.6	3.0	2865	0.29	410	0.012	
97807	179.6	182.0	2.4	3007	0.30	245	0.007	

\* determined by conversion factor of 1(ppb)/34280(oz/t)  
& determined by 1 ton fire assay

AVERAGES DDH-89-19								
SAMPLE #	FROM	TO	INTERVAL	Cu(ppm)	Cu(%)	Au(ppb)	Au(oz/t)*	
	3.7	182	178.3		0.24	265	0.008	
INCLUDES								
	3.7	9.7	6.0		0.22	183	0.005	
	31.4	34.4	3.0		0.21	168	0.005	
	40.4	67.7	27.3		0.35	431	0.013	
	79.7	81.4	1.7		0.20	182	0.005	
	84.4	87.4	3.0		0.20	250	0.007	
	90.4	93.4	3.0		0.21	250	0.007	
	103.8	109.8	6.0		0.24	230	0.007	
	121.1	170.8	49.7		0.34	372	0.011	
	176.6	182	5.4		0.29	337	0.010	

---

Determinations by 5 ton fire assay			
FROM	TO	INTERVAL	Au(oz/t)
124.1	139.1	15.0	0.010
139.1	154.5	15.4	0.013

LOUISE LAKE FEBRUARY 1989 DRILL PROGRAM      CORONA CORP.  
 HOLE= DDH-89-20      AZIMUTH=189      DIP=-60      LENGTH=121.0m

SAMPLE #	FROM	TO	INTERVAL	Cu(ppm)	Cu(%)	Au(ppb)	Au(oz/t)*	Au(oz/t)&
97808	3.7	8.0	4.3	899	0.09	93	0.003	
97809	8.0	11.0	3.0	1000	0.10	133	0.004	
97810	11.0	14.3	3.3	1289	0.13	111	0.003	
97811	14.3	17.3	3.0	115	0.01	36	0.001	
97812	17.3	20.4	3.1	507	0.05	33	0.001	
97813	20.4	23.4	3.0	1006	0.10	130	0.004	
97814	23.4	26.4	3.0	1159	0.12	215	0.006	
97815	26.4	30.2	3.8	862	0.09	24	0.001	
97816	30.2	33.2	3.0	1479	0.15	245	0.007	
97817	33.2	35.3	2.1	2253	0.23	285	0.008	
97818	35.3	37.3	2.0	2456	0.25	305	0.009	
97819	37.3	40.3	3.0	2153	0.22	360	0.011	
97820	40.3	43.3	3.0	2462	0.25	325	0.009	
97821	43.3	46.3	3.0	2293	0.23	245	0.007	
97822	46.3	48.2	1.9	2955	0.30	385	0.011	
97823	48.2	48.9	0.7	3675	0.37	490	0.014	
97824	48.9	51.9	3.0	3212	0.32	480	0.014	
97825	51.9	53.0	1.1	2245	0.22	320	0.009	
97826	53.0	55.9	2.9	2641	0.26	385	0.011	
97827	55.9	57.4	1.5	540	0.05	71	0.002	
97828	57.4	59.4	2.0	947	0.09	15	0.000	
97829	59.4	62.4	3.0	1095	0.11	83	0.002	
97830	62.4	65.3	2.9	1787	0.18	212	0.006	
97831	65.3	68.3	3.0	1705	0.17	152	0.004	
97832	68.3	71.3	3.0	1804	0.18	146	0.004	
97833	71.3	74.1	2.8	1441	0.14	145	0.004	
97834	74.1	77.1	3.0	1735	0.17	164	0.005	
97835	77.1	80.1	3.0	2670	0.27	187	0.005	
97836	80.1	83.1	3.0	2355	0.24	210	0.006	
97837	83.1	86.1	3.0	1525	0.15	134	0.004	
97838	86.1	89.1	3.0	582	0.06	840	0.025	
97839	89.1	91.1	2.0	1114	0.11	73	0.002	
97840	91.1	91.8	0.7	1538	0.15	60	0.002	
97841	91.8	94.1	2.3	1330	0.13	133	0.004	
97842	94.1	95.6	1.5	2236	0.22	141	0.004	
97843	95.6	97.6	2.0	1333	0.13	117	0.003	
97844	97.6	99.9	2.3	1693	0.17	116	0.003	
97845	99.9	101.7	1.8	1719	0.17	110	0.003	
97846	101.7	102.4	0.7	2067	0.21	116	0.003	
97847	102.4	105.4	3.0	2162	0.22	106	0.003	
97848	105.4	108.7	3.3	2378	0.24	157	0.005	
97849	108.7	110.9	2.2	1622	0.16	146	0.004	
97850	110.9	113.9	3.0	1447	0.14	107	0.003	
97851	113.9	116.2	2.3	1618	0.16	121	0.004	
97852	116.2	118.6	2.4	2671	0.27	159	0.005	
97853	118.6	121.0	2.4	1991	0.20	150	0.004	

AVERAGES DDH-89-20

SAMPLE #	FROM	TO	INTERVAL	Cu(ppm)	Cu(%)	Au(ppb)	Au(oz/t)*
	4.3	121.0	116.7		0.17	189	0.006
	includes						
	33.2	55.9	22.7		0.26	352	0.010
	77.1	83.1	6.0		0.25	199	0.006
	94.1	95.6	1.5		0.22	141	0.004
	101.7	108.7	7.0		0.23	131	0.004
	116.2	118.6	2.4		0.27	159	0.005

## LOUISE LAKE JANUARY 1989 DRILL PROGRAM

CORONA CORP.

HOLE= DDH-89-21

AZIMUTH=189

DIP=-60

LENGTH=185.0m

SAMPLE #	FROM	TO	INTERVAL	Cu(ppm)	Cu(%)	Au(ppb)	Au(oz/t)*	Au(oz/t)&
97854	12.8	13.9	1.1	511	0.05	73	0.002	
97855	13.9	16.9	3.0	159	0.02	26	0.001	
97856	16.9	19.9	3.0	79	0.01	39	0.001	
97857	19.9	22.9	3.0	135	0.01	28	0.001	
97858	22.9	26.0	3.1	458	0.05	46	0.001	
97859	26.0	29.0	3.0	95	0.01	17	0.000	
97860	29.0	32.0	3.0	120	0.01	51	0.001	
97861	32.0	35.0	3.0	108	0.01	36	0.001	
97862	35.0	37.1	2.1	487	0.05	80	0.002	
97863	37.1	39.3	2.2	351	0.04	81	0.002	
97864	39.3	42.7	3.4	225	0.02	32	0.001	
97865	42.7	45.7	3.0	326	0.03	39	0.001	
97866	45.7	48.2	2.5	186	0.02	43	0.001	
97867	48.2	50.1	1.9	564	0.06	64	0.002	
97868	50.1	50.7	0.6	969	0.10	154	0.004	
97869	50.7	53.7	3.0	715	0.07	85	0.002	
97870	53.7	56.7	3.0	445	0.04	76	0.002	
97871	56.7	59.7	3.0	1003	0.10	108	0.003	
97872	59.7	62.7	3.0	776	0.08	150	0.004	
97873	62.7	63.6	0.9	1079	0.11	122	0.004	
97874	63.6	66.6	3.0	1582	0.16	240	0.007	
97875	66.6	69.6	3.0	1557	0.16	210	0.006	
97876	69.6	72.6	3.0	1147	0.11	157	0.005	
97877	72.6	75.6	3.0	1579	0.16	119	0.003	
97878	75.6	78.6	3.0	1095	0.11	240	0.007	
97879	78.6	81.8	3.2	3313	0.33	290	0.008	
97880	81.8	83.8	2.0	1460	0.15	109	0.003	
97881	83.8	86.8	3.0	1888	0.19	280	0.008	
97882	86.8	89.6	2.8	1998	0.20	210	0.006	
97883	89.6	92.3	2.7	3205	0.32	380	0.011	
97884	92.3	95.4	3.1	1936	0.19	260	0.008	
97885	95.4	97.0	1.6	4353	0.44	620	0.018	
97886	97.0	98.5	1.5	3226	0.32	390	0.011	
97887	98.5	101.5	3.0	2662	0.27	350	0.010	
97888	101.5	103.5	2.0	3246	0.32	410	0.012	
97889	103.5	106.5	3.0	3589	0.36	390	0.011	
97890	106.5	109.5	3.0	2508	0.25	400	0.012	
97891	109.5	112.5	3.0	945	0.09	250	0.007	
97892	112.5	115.5	3.0	2158	0.22	460	0.013	
97893	115.5	118.5	3.0	2485	0.25	280	0.008	
97894	118.5	121.7	3.2	1836	0.18	220	0.006	
97895	121.7	124.9	3.2	1243	0.12	138	0.004	
97896	124.9	125.6	0.7	2856	0.29	250	0.007	
97897	125.6	128.4	2.8	2516	0.25	270	0.008	
97898	128.4	130.6	2.2	2990	0.30	350	0.010	
97899	130.6	131.9	1.3	1485	0.15	158	0.005	
97900	131.9	134.2	2.3	2879	0.29	320	0.009	
97901	134.2	136.0	1.8	2170	0.22	240	0.007	
97902	136.0	136.9	0.9	1532	0.15	136	0.004	
97903	136.9	138.4	1.5	1174	0.12	77	0.002	
97904	138.4	139.3	0.9	1755	0.18	118	0.003	

SAMPLE #	FROM	TO	INTERVAL	Cu(ppm)	Cu(%)	Au(ppb)	Au(oz/t)*	Au(oz/t)&
97905	139.3	141.2	1.9	1345	0.13	87	0.003	
97906	141.2	143.1	1.9	1137	0.11	77	0.002	
97907	143.1	143.9	0.8	2438	0.24	210	0.006	
97908	143.9	146.9	3.0	1857	0.19	200	0.006	
97909	146.9	149.2	2.3	1746	0.17	220	0.006	
97910	149.2	151.2	2.0	2352	0.24	158	0.005	
97911	151.2	154.2	3.0	1809	0.18	128	0.004	
97912	154.2	157.2	3.0	1210	0.12	77	0.002	
97913	157.2	160.2	3.0	1261	0.13	81	0.002	
97914	160.2	163.2	3.0	1174	0.12	62	0.002	
97915	163.2	166.2	3.0	829	0.08	52	0.002	
97916	166.2	169.2	3.0	1259	0.13	88	0.003	
97917	169.2	172.2	3.0	711	0.07	50	0.001	
97918	172.2	175.2	3.0	1104	0.11	74	0.002	
97919	175.2	178.2	3.0	1336	0.13	71	0.002	
97920	178.2	180.4	2.2	1256	0.13	97	0.003	
97921	180.4	182.7	2.3	1076	0.11	77	0.002	
97922	182.7	185.0	2.3	1576	0.16	106	0.003	

\* determined by conversion factor of 1(ppb)/34280(oz/t)

& determined by 1 ton fire assay

AVERAGES DDH-89-21								
SAMPLE #	FROM	TO	INTERVAL	Cu(ppm)	Cu(%)	Au(ppb)	Au(oz/t)*	
	12.8	185.0	172.2		0.14	164	0.005	
	includes							
	78.6	81.8	3.2		0.33	290	0.008	
	89.6	92.3	2.7		0.32	380	0.011	
	95.4	109.5	14.1		0.32	413	0.012	
	112.5	118.5	6.0		0.23	370	0.011	
	124.9	130.6	5.7		0.27	298	0.009	
	131.9	136.0	4.1		0.26	285	0.008	
	143.1	143.9	0.8		0.24	210	0.006	
	149.2	151.2	2.0		0.24	158	0.005	



## LOUISE LAKE FEBRUARY 1989 DRILL PROGRAM

CORONA CORP.

HOLE= DDH-89-22

AZIMUTH=189

DIP=-60

LENGTH=306.9m

SAMPLE #	FROM	TO	INTERVAL	Cu(ppm)	Cu(%)	Au(ppb)	Au(oz/t)*	Au(oz/t)&
97923	9.1	11.6	2.5	137	0.01	38	0.001	
97924	11.6	14.2	2.6	142	0.01	37	0.001	
97925	14.2	17.1	2.9	162	0.02	49	0.001	
97926	17.1	20.1	3.0	141	0.01	57	0.002	
97927	20.1	23.1	3.0	289	0.03	93	0.003	
97928	23.1	25.7	2.6	540	0.05	143	0.004	
97929	25.7	28.3	2.6	2440	0.24	240	0.007	
97930	28.3	31.3	3.0	1519	0.15	128	0.004	
97931	31.3	34.3	3.0	1507	0.15	156	0.005	
97932	34.3	36.5	2.2	1560	0.16	940	0.027	
97933	36.5	38.7	2.2	1563	0.16	230	0.007	
97934	38.7	41.0	2.3	1411	0.14	210	0.006	
97935	41.0	42.7	1.7	1262	0.13	155	0.005	
97936	42.7	44.5	1.8	1145	0.11	121	0.004	
97937	44.5	47.5	3.0	142	0.01	162	0.005	
97938	47.5	49.8	2.3	553	0.06	81	0.002	
97939	49.8	52.1	2.3	414	0.04	112	0.003	
97940	52.1	54.0	1.9	2132	0.21	210	0.006	
97941	54.0	57.0	3.0	876	0.09	220	0.006	
97942	57.0	60.0	3.0	402	0.04	112	0.003	
97943	60.0	62.0	2.0	121	0.01	73	0.002	
97944	62.0	64.0	2.0	230	0.02	61	0.002	
97945	64.0	65.7	1.7	410	0.04	72	0.002	
97946	65.7	67.4	1.7	1589	0.16	157	0.005	
97947	67.4	69.4	2.0	882	0.09	88	0.003	
97948	69.4	71.4	2.0	1547	0.15	143	0.004	
97949	71.4	74.1	2.7	1388	0.14	152	0.004	
97950	74.1	76.7	2.6	1566	0.16	158	0.005	
97951	76.7	78.9	2.2	1508	0.15	230	0.007	
97952	78.9	81.0	2.1	1114	0.11	106	0.003	
97953	81.0	83.0	2.0	1556	0.16	125	0.004	
97954	83.0	86.0	3.0	1286	0.13	122	0.004	
97955	86.0	88.4	2.4	1359	0.14	440	0.013	
97956	88.4	90.5	2.1	1447	0.14	187	0.005	
97957	90.5	93.5	3.0	1848	0.18	350	0.010	
97958	93.5	96.5	3.0	3745	0.37	380	0.011	
97959	96.5	99.5	3.0	5695	0.57	490	0.014	
97960	99.5	102.5	3.0	3631	0.36	370	0.011	
97961	102.5	104.5	2.0	1913	0.19	210	0.006	
97962	104.5	107.6	3.1	1619	0.16	520	0.015	
97963	107.6	110.6	3.0	3782	0.38	340	0.010	
97964	110.6	113.6	3.0	2639	0.26	320	0.009	
97965	113.6	115.7	2.1	1804	0.18	230	0.007	
97966	115.7	117.7	2.0	2302	0.23	250	0.007	0.009
97967	117.7	120.4	2.7	3432	0.34	380	0.011	0.011
97968	120.4	123.1	2.7	3864	0.39	410	0.012	0.014
97969	123.1	126.2	3.1	2911	0.29	280	0.008	0.009
97970	126.2	129.4	3.2	2367	0.24	300	0.009	0.009
97971	129.4	132.1	2.7	3583	0.36	460	0.013	0.016
97972	132.1	134.5	2.4	3545	0.35	370	0.011	0.012

SAMPLE #	FROM	TO	INTERVAL	Cu(ppm)	Cu(%)	Au(ppb)	Au(oz/t)*	Au(oz/t)&
97973	134.5	137.5	3.0	4001	0.40	680	0.020	0.011
97974	137.5	140.5	3.0	2558	0.26	330	0.010	0.010
97975	140.5	143.5	3.0	2796	0.28	380	0.011	0.014
97976	143.5	146.5	3.0	3518	0.35	510	0.015	0.011
97977	146.5	149.5	3.0	3265	0.33	360	0.011	0.010
97978	149.5	152.5	3.0	2733	0.27	310	0.009	0.009
97979	152.5	155.5	3.0	2027	0.20	280	0.008	0.016
97980	155.5	157.5	2.0	3134	0.31	430	0.013	
97981	157.5	160.5	3.0	1934	0.19	230	0.007	
97982	160.5	163.5	3.0	2024	0.20	260	0.008	
97983	163.5	166.5	3.0	2058	0.21	280	0.008	
97984	166.5	168.8	2.3	2377	0.24	330	0.010	
97985	168.8	171.0	2.2	3428	0.34	480	0.014	
97986	171.0	173.0	2.0	3513	0.35	610	0.018	
97987	173.0	174.9	1.9	3276	0.33	550	0.016	
97988	174.9	176.5	1.6	3304	0.33	420	0.012	
97989	176.5	179.4	2.9	3094	0.31	159	0.005	
97990	179.4	180.6	1.2	3348	0.33	260	0.008	
97991	180.6	183.0	2.4	2166	0.22	131	0.004	
97992	183.0	185.4	2.4	1843	0.18	102	0.003	
97993	185.4	187.8	2.4	1902	0.19	153	0.004	
97994	187.8	189.5	1.7	2122	0.21	127	0.004	
97995	189.5	191.1	1.6	2009	0.20	177	0.005	
97996	191.1	193.2	2.1	2244	0.22	230	0.007	
97997	193.2	195.1	1.9	1992	0.20	200	0.006	
97998	195.1	195.5	0.4	21569	2.16	2930	0.085	
97999	195.5	198.5	3.0	1516	0.15	171	0.005	
98000	198.5	201.5	3.0	1548	0.15	164	0.005	
4751	201.5	204.1	2.6	2643	0.26	285	0.008	
4752	204.1	207.1	3.0	1930	0.19	165	0.005	
4753	207.1	209.4	2.3	1669	0.17	185	0.005	
4754	209.4	211.7	2.3	1929	0.19	180	0.005	
4755	211.7	214.1	2.4	1842	0.18	190	0.006	
4756	214.1	216.1	2.0	2971	0.30	420	0.012	
4757	216.1	219.1	3.0	2485	0.25	310	0.009	
4758	219.1	222.1	3.0	2853	0.29	205	0.006	
4759	222.1	225.1	3.0	1748	0.17	250	0.007	
4760	225.1	226.2	1.1	3550	0.36	480	0.014	
4761	226.2	227.2	1.0	4409	0.44	490	0.014	
4762	227.2	230.2	3.0	2630	0.26	345	0.010	
4763	230.2	233.2	3.0	3419	0.34	720	0.021	
4764	233.2	236.2	3.0	2617	0.26	305	0.009	
4765	236.2	239.2	3.0	1985	0.20	320	0.009	
4766	239.2	242.2	3.0	1884	0.19	190	0.006	
4767	242.2	245.2	3.0	1931	0.19	255	0.007	
4768	245.2	248.2	3.0	1850	0.19	260	0.008	
4769	248.2	251.2	3.0	1845	0.18	185	0.005	
4770	251.2	254.2	3.0	2294	0.23	230	0.007	
4771	254.2	257.2	3.0	2412	0.24	290	0.008	
4772	257.2	259.7	2.5	3450	0.35	270	0.008	
4773	259.7	261.0	1.3	2328	0.23	195	0.006	
4774	261.0	264.0	3.0	1838	0.18	210	0.006	
4775	264.0	267.0	3.0	2231	0.22	280	0.008	

SAMPLE #	FROM	TO	INTERVAL	Cu(ppm)	Cu(%)	Au(ppb)	Au(oz/t)*	Au(oz/t)&
4776	267.0	270.0	3.0	2151	0.22	210	0.006	
4777	270.0	273.0	3.0	2230	0.22	250	0.007	
4778	273.0	276.0	3.0	2751	0.28	380	0.011	
4779	276.0	279.0	3.0	2187	0.22	250	0.007	
4780	279.0	282.9	3.9	2475	0.25	260	0.008	
4781	282.9	285.4	2.5	992	0.10	98	0.003	
4782	285.4	287.9	2.5	1135	0.11	41	0.001	
4783	287.9	290.6	2.7	1907	0.19	230	0.007	
4784	290.6	292.9	2.3	837	0.08	22	0.001	
4785	292.9	295.3	2.4	1361	0.14	16	0.000	
4786	295.3	297.2	1.9	282	0.03	29	0.001	
4787	297.2	299.3	2.1	101	0.01	2	0.000	
4788	299.3	302.1	2.8	103	0.01	8	0.000	
4789	302.1	304.5	2.4	247	0.02	49	0.001	
4790	304.5	306.9	2.4	128	0.01	29	0.001	

\* determined by conversion factor of 1(ppb)/34280(oz/t)  
 & determined by 1 ton fire assay

AVERAGES DDH-89-22								
SAMPLE #	FROM	TO	INTERVAL	Cu(ppm)	Cu(%)	Au(ppb)	Au(oz/t)*	
	9.1	306.9	297.8		0.20	251	0.007	
	25.7	28.3	2.6		0.24	240	0.007	
	34.3	36.5	2.2		0.16	940	0.027	
	52.1	54.0	1.9		0.21	210	0.006	
	86.0	110.6	24.6		0.29	377	0.011	
	117.7	183.0	65.3		0.29	362	0.011	
	187.8	193.2	5.4		0.21	182	0.005	
	195.1	195.5	0.4		2.16	2930	0.085	
	201.5	204.1	2.6		0.26	285	0.008	
	214.1	222.1	8.0		0.27	298	0.009	
	225.1	236.2	11.1		0.31	462	0.013	
	251.2	261.0	9.8		0.26	254	0.007	
	264.0	282.9	18.9		0.23	271	0.008	

---

Determinations by 5 ton fire assay

FROM	TO	INTERVAL	Au(oz/t)
115.7	129.4	13.7	0.011
129.4	143.5	14.1	0.013
143.5	157.5	14.0	0.011