

520979
Ione Claim
104N/11

Legend, Inc.

125 Manuel St.
Reno, Nevada 89502
Phone: (702) 786-3003

Certificate of Analysis

Submitted By: Science Consultants, Inc.

Laboratory # 20219

Client Number:

Date: 11/12/94 Page 1 of

Attention:

Method:

Lab Code:

Element:

Units:

Sample Marks

2012

GOLD

oz/t

2012

SILVER

oz/t

CHECK

GOLD

oz/t

CHECK

SILVER

oz/t

Ione 1	<0.003	<0.05	<0.003	<0.05
Ione 2	<0.003	<0.05		
Ione 3	<0.003	<0.05		
Ione 4	<0.003	<0.05		
Ione 5	<0.003	<0.05	<0.003	<0.05
Ione 6	<0.003	<0.05		
Ione 7	<0.003	<0.05		
Ione 8	<0.003	<0.05		
Ione 9	<0.003	<0.05		
Ione 10	<0.003	<0.05		
Ione 11	<0.003	<0.05		
Ione 12	<0.003	<0.05		
Ione 13	<0.003	<0.05		
Ione 14	<0.003	<0.05		
Ione 15	<0.003	<0.05		
Ione 16	<0.003	<0.05		
Ione 17	<0.003	<0.05		
Ione 18	<0.003	<0.05		
Ione 19	<0.003	<0.05		
Ione 20	<0.003	<0.05		

A minus sign (-) is to be read "less than."

1 ppm = 0.0001%

1 Troy oz./ton = 34.286 ppm

1 ppm = 0.029167 Troy oz./ton

Legend, Inc.

125 Manuel St.
Reno, Nevada 89502
Phone: (702) 786-3003

Certificate of Analysis

Submitted By: Science Consultants, Inc.

Laboratory # 20219

Client Number:

Attention:

Date: 11/12/94 Page 2 of 3

Method:

Lab Code:

2012

2012

CHECK

CHECK

Element:

GOLD

SILVER

GOLD

SILVER

Units:

oz/t

oz/t

oz/t

oz/t

Sample Marks

	=====	=====	=====	=====
Ione 21	<0.003	<0.05		
Ione 22	<0.003	<0.05		
Ione 23	<0.003	<0.05		
Ione 24	<0.003	<0.05		
Ione 25	<0.003	<0.05		
Ione 26	<0.003	<0.05		
Ione 27	<0.003	<0.05		
Ione 28	<0.003	<0.05		
Ione 29	<0.003	<0.05		
Ione 30	<0.003	<0.05		
Ione 31	<0.003	<0.05		
Ione 32	<0.003	<0.05		
Ione 33	<0.003	<0.05		
Ione 34	<0.003	<0.05		
Ione 35	<0.003	<0.05	<0.003	<0.05
Ione 36	<0.003	<0.05		
Ione 37	<0.003	<0.05		
Ione 38	<0.003	<0.05		
Ione 39	<0.003	<0.05		
Ione 40	<0.003	<0.05		

A minus sign (-) is to be read "less than."

1 ppm = 0.0001%

1 Troy oz./ton = 34.286 ppm

1 ppm = 0.029167 Troy oz./ton

Legend, Inc.

125 Manuel St.
Reno, Nevada 89502
Phone: (702) 786-3003

Certificate of Analysis

Submitted By: Science Consultants, Inc.

Laboratory # 20219

Client Number:

Attention:

Date: 11/12/94 Page 3 of 3

Method:

Lab Code:	2012	2012	CHECK	CHECK
Element:	GOLD	SILVER	GOLD	SILVER
Units:	oz/t	oz/t	oz/t	oz/t
Sample Marks	=====	=====	=====	=====

Ione 41	<0.003	<0.05		
Ione 42	<0.003	<0.05		
Ione 43	<0.003	<0.05		
Ione 44	<0.003	<0.05		
Ione 45	<0.003	<0.05	<0.003	<0.05
Ione 46	<0.003	<0.05		
Ione 47	<0.003	<0.05		
Ione 48	<0.003	<0.05		
Ione 49	<0.003	<0.05		

By: _____


Mark F. Lewis
Manager/Metallurgist