

521339

Date: Mar 19 / 85

MINERAL PROPERTY SUBMITTAL

Submittal # 85-146

Submitted to: (Company) \_\_\_\_\_ Commodity Au Property Name: AMAI

Lat/Long \_\_\_\_\_ MINDEP/Other \_\_\_\_\_ NTS: 92-L-3 Area/Province Amor inf

SUBMITTOR: Name: Jeff Franzen.  
Address: \_\_\_\_\_  
Phone: \_\_\_\_\_

OWNER: Cal Denver? Randy Reifel.  
- Oil + Gas - us. Vendor?  
- Placer Au. - us. Torade

CLAIMS: Total No. \_\_\_\_\_ Due Dates: \_\_\_\_\_

PRIOR WORK BY: - road access. - "Bull in the woods" - Gordon Gibson, Sr.  
- held by WLP Group 79/80  
- found little encouragement!

CAPSULIZED GEOLOGY:

DEPOSIT TYPE:  
TARGET DESCRIPTION: Length 500' Width 1' Down Dip ~ 400'

MINERALIZATION & ASSAYS:

- EWLN - Group evaluated 79-80
- little geochem response (Au in soils)
- re-sampling - narrow 7" - 10" veins
- average grade 1.8/7.

NEIGHBOURING PROPERTY OWNERS:

- TERMS REQUESTED:
- High down - \$25,000 | prop. Breakwater had previous to work there.
  - 4yr exp. of Quail to earn 60% of property.
  - mining pattern opt. of additional 20% of additional work or coal to Ca Denver
  - 85 - \$200,000 - work.
  - Cal Denver - prop. not drilled, paid orig vendor. 100,000 - one paid 3yr.
  - for another \$100,000 buy out 100% + 5% N.S.R.

INTERVIEWED BY: R

- OVERVIEW:
- Too narrow & small to high grade
  - No apparent evidence for veins to thicken with depth.
  - Tough deal - 2 mill over 4yr for 60%!


RECOMMENDATIONS:

- JSB
- WR - EWLN Group held opt. for 4yr into in files confirming earlier reports of narrow
- AS < 10" erratic high grade shoots. - very low priority - tough deal!
- JMc

FILED NTS: 1) Claim Map 2) Data Submitted 3) Exam report 4) 1 copy this form


FINAL DISPOSITION:





UNIVERSAL TRANSVERSE MERCATOR GRID  
 ZONE 9  
 QUADRILLAGE DE MILLE MÈTRES  
 TRANSVERSE UNIVERSEL DE MERCATOR

GRID ZONE DESIGNATION DESIGNATION DE LA ZONE DU QUADRILLAGE:	100,000 M. SQUARE IDENTIFICATION IDENTIFICATION DU CARRÉ DE 100,000 M.
9U	XF



REFERENCE POINT POINT DE REPÈRE	CHURCH - ÉGLISE (as above) (ci-dessus)	
EASTING: Read number on grid line immediately to left of point: LONGITUDE EST: Noter le chiffre de la ligne du quadrillage immédiatement à gauche du repère:		97
Estimate tenths of a square from this line eastward to point: Estimer le nombre de dixièmes du carré entre cette ligne et le repère en direction est:		5 975
NORTHING: Read number on grid line immediately below point: LATITUDE NORD: Noter le chiffre de la ligne du quadrillage immédiatement en-dessous du repère:		98
Estimate tenths of a square from this line northward to point: Estimer le nombre de dixièmes du carré entre cette ligne et le repère en direction nord:		4 984
GRID REFERENCE: RÉFÉRENCE AU QUADRILLAGE:		975984
Nearest similar grid reference 100 000 metres (about 63 miles) La prochaine référence similaire est à 100.000 mètres (environ 63 milles)		


TABLEAU D'ASSEMBLAGE DU SYSTÈME NATIONAL DE RÉFÉRENCE CARTOGRAPHIQUE

128°00'	126°30'	
50°30'	92 L/5	92 L/6
	92 L/4	92 L/3
		92 E/14
49°45'	126°30'	49°45'


INDEX TO ADJOINING MAPS OF THE NATIONAL TOPOGRAPHIC SYSTEM



LEGEND  
 CROWN-GRANTED MINERAL CLAIM  
 REVERTED C.G. MINERAL CLAIM  
 FORFEITED MINERAL CLAIM  
 VERIFIED LEGAL CORNER POST  
 LEGAL SURVEY  
 LEGAL CORNER POST & TAG NUMBER




UNLESS VERIFIED OR SURVEYED, THE MAP POSITION OF A LEGAL CORNER POST IS BASED ON THE LOCATOR'S SKETCH. FOR FURTHER INFORMATION, APPLY TO THE OFFICE OF THE MINING DIVISION CONCERNED.  
 DATE OF MICROFILM: 85-02-21





DEPARTMENT OF MINES AND PETROLEUM RESOURCES

This map is prepared only as a guide to the location of mineral claims and Placer Mining Leases as





MAP OF WORKINGS  
PATMORE GOLD MINE  
Deep Inlet, Kyugot Sound  
Scale: 1" = 40'

- GRANODIORITE
- APLITE
- LAMPROPHYRE



W.D.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
W.D.	4411	4407	4403	4399	4395	4391	4387	4383	4379	4375	4371	4367	4363	4359	4355	4351	4347	4343	4339	4335
W.D.	4411	4407	4403	4399	4395	4391	4387	4383	4379	4375	4371	4367	4363	4359	4355	4351	4347	4343	4339	4335
W.D.	4411	4407	4403	4399	4395	4391	4387	4383	4379	4375	4371	4367	4363	4359	4355	4351	4347	4343	4339	4335



W.D.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
W.D.	4411	4407	4403	4399	4395	4391	4387	4383	4379	4375	4371	4367	4363	4359	4355	4351	4347	4343	4339	4335
W.D.	4411	4407	4403	4399	4395	4391	4387	4383	4379	4375	4371	4367	4363	4359	4355	4351	4347	4343	4339	4335
W.D.	4411	4407	4403	4399	4395	4391	4387	4383	4379	4375	4371	4367	4363	4359	4355	4351	4347	4343	4339	4335





AMAI GOLD  
L.C.P.

AMAI GOLD  
S.D. Post 18

AMAI  
L.00






Fig 5  
AMAI GOLD GROUP

AMAI INLET  
N15 92L3E 0 92E4E  
Soil Gold Results  
ppb  
SCALE 1:125

*[Handwritten Signature]*  
Dec 18-78





AMAI  
10 P.  
15 24



**No 1 TUNNEL**

Sample No	Width inch	Au oz/ton
4414	16	26
4413	9	08
4412	12	52
4401	11	12
4402	12	91
4403	6	25
4404	10	08
4405	7	37
4406	9	112
4407	17	184
A 4408	26	42
4409	20	103
4410	11	32
4411	10	20

35'  $\frac{0.58 \text{ opt}}{1.03'}$




**No. 2 TUNNEL**

Sample No	Width inch	Au oz/ton
4415	4	138
4416	4	208
4417	3	..

50'  $\frac{1.340}{0.67}$   
30'  $\frac{1.700}{0.86}$

4449	15	27
4450	21	42
4451	16	17
4452	5	51
4453	6	43
4454	3	96
4455	6	64
4456	6	19
4457	55	12
4458	5	07
4459	5	31
4460	4	27
4461	4	121
4462	5	158
4463	5	82
4464	7	84
4465	8	175
4466	10	137
4467	45	86
4468	3	10
4469	9	08
4470	3	208
4471	4	304
4472	6	161
4473	17	572
A 4474	13	334
B 4474	7	391
4475	10	596
4476	10	111
4477	10	142
4478	5	57
4479	6	14
4480	4	88
4481	5	42
4482	18	122
4483	16	191
4484	10	138
4485	14	177
4486	12	201
4487	12	40
4488	14	115
4489	12	156
4490	10	93
4491	18	15
4507	4	83
4506	3	488
4505	15	118
4504	3	42
4492	8	79
4493	11	171
4494	12	150
4495	13	20
4496	8	408
4497	7	156
4498	12	48
4499	45	166
4500	8	24
4501	4	147
4502	25	35
4503	15	71

107'  $\frac{1.660 \text{ opt}}{0.76'}$



4435	2	01
4436	2	16
4437	3	10
4438	3	32
4439	3	42
4440	4	150
4441	6	77
A 4442	16	207
B 4442	CHUCK	290
4443	6	342
4444	8	210
4445	10	64
A 4446	7	192
B 4446	27	1560
A 4447	15	204
B 4447	12	96
4448	30	3520

38'  $\frac{1.29 \text{ opt}}{0.54'}$

**LEGEND**


- TUNNEL (ADIT)
- BOULDER FILLED CREEK
- FELSIC DIKE
- QUARTZ VEIN + GOUGE
- FAULT

**ASSAY DATA**  
 NUMBER WIDTH(INCH) Au oz/T Ag oz/T Cu %  
 0014 12" 10056 251 103

**ASSAY DATA TABULATED**  
 4412 - 12 - 052 (FROM PREVIOUS WORK)








TL 1293



**LEGEND**

- PORPHYRY FLOW
- VOLCANICS
- VOLCANIC - GRANITE
- MOBILE PHASE
- GRANITE
- BIOLOGICAL CONTACT
- RIVER
- ROAD
- TRAIL
- DRY-ON-ROCK
- C&D

**Fig 4**  
**AMAI GOLD GROUP**  
 ALBERTA MINING DIVISION  
 PHYSICAL WORK & TOPO MAP  
 MTS 92136 & 926 146  
 SCALE 1:5000  
 May 21, 1978  
*[Handwritten signature]*  
 DE 18-78



GRANITE

AMAI  
INLET

PHIL MILL

ADAM

GRANITE

VOLCANICS

CHACHALOT  
GOLD

AMAI  
GOLD

STONE  
NIPPLES  
GRANITE






AREA  
OF  
WORKINGS

VOLCANICS

REMARKABLE

NARROW  
GUT GOLD

**LEGEND**

-  GEOLOGICAL CONTACT
-  STREAM
-  SHEAR OR FAULT
-  PROPERTY BOUNDARY
-  GATE OR FENCE

BY MAPPING BY D. MURPHY 1978



RED MOUNTAIN RESOURCES LTD.  
REGIONAL GEOLOGICAL  
AMAI INLET PROJECT  
ALBERTA MINING DIVISION, B.C.  
JOHN R. POLONI & ASSOCIATES  
GEOL. ENG. 1978