

To: *See Nels Hais, 1951 Springer City, N.M. on 2/1/63*
Works for Conquest. Lives in Vanc.
 Canex Aerial Exploration Ltd., *per Al Lonergan*

521612

CABLE ADDRESS "ELDRICO"

FILE NO. A.3-C.8-63 8505

700-1030 W. Georgia Street,
 Vancouver, B.C.

Certificate of Assay

DATE October 9, 1963

COAST ELDRIDGE

ENGINEERS & CHEMISTS LTD.

125 EAST 4TH AVE. VANCOUVER 10, CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted Ore samples

MARKED	GOLD		SILVER	Lead (Pb)	Zinc (Zn)	Arsenic (As)		
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
		\$					02. ^{Pb} / _{Ag}	PER CENT.
							02: %	PER CENT.
							Ag: Pb	PER CENT.
5187	0.02	0.70	11.1	4.15	3.35	trace	Au: As;	1: 555.
5188	0.04	1.40	1.0	trace	0.25	trace	1: 373	1: 25.0
5189	0.02	0.70	0.1	trace	0.51	trace		1: 5.0
5190	0.04	1.40	17.4	3.79	12.14	trace	1: 217	1: 435.
5191	0.12	4.20	8.8	0.10	0.81	2.87	1: 23.9	1: 73.3
5192	0.02	0.70	1.7	trace	0.25	1.72	1: 86.0	1: 85.0
5193 } vein material	0.68	23.80	4.4	0.61	0.71	11.90	1: 17.5	1: 6.47
5194 } gouge	0.04	1.40	0.5	trace	0.15	1.01	1: 25.2	1: 12.5
						Aug.	1: 38.1	1: 186
							or	
							0262 02	
							per % As	

93494 from area 1 mile SE from showing
 Property - Tommy Jack Creek,
 Samples sent in by W.D. Tompson
 Copies to: JDL, EAS, JAM, WDT, File

Gold calculated at \$.....per ounce

Aug 5187-92: .06 Au, 13.3 Ag, 2.7% Pb, 7.5% Zn
 for \$57.26 over 15.4 ft
 T.C.L., 1968
 H. Sherges

Note: Rejects retained one week.
 Pulps retained one month.
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Provincial Assayer



PHONE: TRINITY 6-4111

CABLE ADDRESS "ELDRICO"

FILE NO. **A.3.C.8-64** 12761DATE **July 20, 1964**

To:

Canex Aerial Exploration Ltd.**700 - 1030 West Georgia Street****Vancouver, B. C.**

Certificate of Assay
COAST ELDRIDGE
ENGINEERS & CHEMISTS LTD.

125 EAST 4TH AVE. VANCOUVER 10, CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted Ore samples

MARKED	GOLD		SILVER	PER CENT.	Load (lb)	PER CENT.	Zinc (Zn)	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON		PER CENT.		PER CENT.		
5206 6.2' - Trench #1.	Trace	\$	Trace		Trace		0.18		Tommy Jack Creek Venture 59 W. Tompson - July 13, 1964
5207 9.0' Trench #1.	0.01	0.35	0.3		0.10		0.33		
5208 14.0' - Trench #1	0.02	0.70	1.0		0.47		0.20		
5209 3.5' "	0.02	0.70	0.4		0.16		0.18		
5210 6.5' - Trench #2	0.01	0.35	0.1		Trace		0.05		
5211 6.7' - Trench #3.	0.01	0.35	0.2		0.10		0.61		
5212 6.4' Sa - Trench #4.	0.02	0.70	0.4		Trace		0.00		
5213 2' Sa - Trench #5.	0.30	13.30	1.6		0.03		0.25		

Gold calculated at \$..... per ounce

Note: Rejects retained one week.
Pulps retained one month.
Pulps and rejects may be stored for a maximum of one year by special arrangement.

H. Sherges

Provincial Assayer



PHONE: TRINITY 6-4111

CABLE ADDRESS "ELDRICO"

FILE NO. **A.3-C.8-63**
(7568)

DATE **August 27th., 1963**

To: **Canex Aerial Exploration**
700 - 1030 West Georgia St.
Vancouver, B.C.

Certificate of Assay
COAST ELDRIDGE
ENGINEERS & CHEMISTS LTD.
125 EAST 4TH AVE. VANCOUVER 10, CANADA

We Hereby Certify that the following are the results of assays made by us upon submitted **Ore** samples

MARKED	GOLD		SILVER	Lead (Pb)	Zinc (Zn)	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.				
		\$							
5204	0.24	8.40	69.0	16.09	5.66				
5205	0.02	0.70	55.6	18.85	25.45				

Samples taken by: **W. D. Tompson** Property: **Tommy Jack Creek** Date: **August 13, 1963**

cc: **J. A. Mitchell, W. D. Tompson**

Gold calculated at \$..... per ounce

Note: Rejects retained one week.
Pulps retained one month.
Pulps and rejects may be stored for a maximum of one year by special arrangement.

H. Sharkey

Provincial Assayer

DATE Sept 4th 1963FILE NO. 1673-18

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE

P.O. BOX 346, WHITEHORSE, YUKON

RECEIVED FROM Mr. Lonergan, Magnum Consolidated, Canex Aerial Explorations Ltd.

SAMPLE NO.		GOLD OZ. PER TON	SILVER OZ. PER TON	Lead	Ratio Ag : Pb			
5676	5676	.20	1.70	0.2	1 : .118			
77	77	.03	13.8	2.9	1 : .210			
78	78	.04	3.00	Trace	—			
79	79	.12	8.12	1.3	1 : .160			
80	80	.16	10.4	0.3	1 : .077			
88	88	.10	1.80	0.2	1 : .111			
89	89	.005	.14	Trace	—			
90	90	.06	20.5	5.1	1 : .249			
91		.04	8.46	0.9	1 : .106			
92		.54	68.5	7.0	1 : .102			
93		.28	21.2	1.2	1 : .053			
94		.005	.50	Trace	—			
95		.02	2.52	0.2	1 : .079			
96		.01	1.40	0.3	1 : .214			
97		.005	.26	Trace	—			
98		.005	2.84	Trace	—			
99		.14	9.40	1.5	1 : .160			
5700	5700	.01	4.80	0.9	1 : .187			
				AVG	1 : .140			

ASSAYER


Geo Spalding

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

2225 S. SPRINGER AVE.,
BURNABY, B.C.
CANADA
TELEPHONE: 299-6910
AREA CODE: 604

to Ran



ASSAY WORKSHEET

PROJECT: MORANDA EXPLORATION.

TOMMY JACK C.R.

CERTIFICATE: 84389

INVOICE NO.:

DATE RECEIVED:

DATE ANALYZED: 84/09/12

PROJECT: 40 8409-035

Sample	pH	oz/E Au	oz/E Ag	% Pb	% Zn	% AS				No.
12026		0.028	2.34	0.18	0.38	.82	qv	chip	2.4m	01
12027		0.034	14.80	3.48	10.60	.08	qv (same)	chip	1.5	02
12028		0.460	4.80	0.96	0.18	.60	qv (same)	grab		03
12029		0.390	7.20	3.24	1.48	.22	"			04
12030		0.015	82.00	9.10	46.40	.06	"		massive sph	05
12031		0.060	17.20	1.34	3.06	1.20	qv (not row)			06
12032		0.112	10.20	3.46	1.36	1.20	qv & sed.	min py gal sph		07
12033		0.204	36.00	1.86	2.76	4.98	qv	chip	0.15m	08
12034		0.002	51.00	25.20	35.00	.10	massive sph,	galena		09
										10
										11
										12
										13
										14
										15
										16
										17
										18
										19
										20
										21
										22
										23
										24
										25
										26

main showing
"
"
"
gal-py "
a long strike from main show
do
do
downstream from main showing