

LEGEND

Plutonic rock

- Tertiary
- Quotoon pluton
- Cretaceous
- Dyke complex
- Ecstall pluton
- Jurassic/Cretaceous?
- Mafic-ultramafic complex

Orthogneiss

- Jurassic
- Foch Lake
- Johnson Lake
- Devonian
- Big Falls

MM sedimentary and volcanic rocks

- Proterozoic?/Paleozoic
- Metavolcanic unit
- Metasedimentary unit
- Quartzite unit
- Layered gneiss unit

2 0 2 4 6 8 km

Scale Approx 1:450,000

Project: APP		Area: NORTH COAST RANGE	
SCOTIA - QUAAŁ METAMORPHIC BELT			
Compiled by ARNEX RESOURCES LTD.		NTS: 103 H, 1	Figure: 15
		BCGS:	Date 11/93
			Revised:

521665
103I/4E

NOTE: Modified after Gareau CJES Vol. 28, 1991

HOLE	FROM	TO	LENGTH (m)	Cu (%)	Zn (%)	Pb (%)	Ag (g/t)	Au (g/t)
S-1	16.1	23.8	7.7	0.34	19.89	0.92	26.2	0.1
S-2	3.5	7.0	3.5	0.16	14.58	1.28	30.2	0.0
S-2	14.9	17.2	2.3	0.61	14.29	0.25	21.3	0.0
S-6	17.1	21.3	4.2	0.17	9.15	1.13	13.7	0.0
S-6	29.3	33.1	3.8	0.41	28.73	4.44	68.6	0.7
S-7	29.9	34.1	4.2	0.16	11.39	1.93	81.1	1.3
S-9	36.9	39.1	2.2	0.13	12.33	2.29	16.4	0.3
S-9	44.9	48.3	3.4	0.12	11.56	1.18	13.3	0.0
S-9	53.1	55.6	2.5	0.22	9.13	1.50	14.1	0.0
S-10	57.4	61.3	3.9	0.13	19.80	2.41	22.8	0.6
S-11	63.3	81.4	18.1	0.08	9.78	1.01	13.7	0.1
S-12	64.6	67.2	2.6	0.10	4.89	0.23	18.1	0.3
S-13	59.2	62.0	2.8	0.32	7.50	0.99	29.6	0.5
S-14	132.1	135.5	3.4	0.06	7.83	0.27	9.9	0.1
S-16	69.0	73.7	4.7	0.26	2.84	1.79	29.6	0.2

APPENDIX B

SUMMARY OF AGGREGATE DRILL HOLE INTERSECTIONS - 1980

<u>DDH No.</u>	<u>METRES</u>	<u>INTERCEPT</u>	<u>AGGREGATE ASSAY</u>		
			<u>%Pb</u>	<u>%Zn</u>	<u>oz/T Ag</u>
S-11-80	63.30 - 65.38	2.05	1.0	28.7	0.6
	71.40 - 72.24	0.84	2.7	33.5	0.9
	76.07 - 76.74	0.67	8.1	24.4	4.5
	79.28 - 81.43	2.15	3.2	35.9	0.7
	<u>or</u> 63.30 - 81.43	18.13	1.0	9.7	0.5
S-12-80	64.55 - 65.36	0.81	0.1	11.3	0.2
	77.30 - 77.80	0.50	0.3	18.0	0.4
S-13-80	59.15 - 62.00	2.85	1.0	7.4	0.9
S-14-80	132.13 - 135.50	3.37	0.3	7.9	0.3
S-15-80	66.5 - 73.7	7.2	1.6	7.1	0.8

TABLE #3

Summary of Significant 1984, Silver-Zinc, Assays of BQ Drill Core.

<u>D.D.H. No.</u>	<u>Azimuth</u>	<u>Dip</u>	<u>From</u>	<u>To</u>	<u>Interval (Feet)</u>	<u>Zn. %</u>	<u>Ag. (Oz./Ton)</u>
AR-84-1	070°	-45°	18.5	25.7	6.2	11.25	0.69
			59.6	63.8	4.2	20.81	1.16
AR-84-2	050°	-45°	18.6	27.8	9.2	17.74	0.67
			57.8	68.4	10.6	22.75	0.40
			102.7	103.9	1.2	38.83	0.02
AR-84-3	105°	-61½°	67.8	77.9	10.1	12.38	1.07
			84.0	121.0	37.0	25.84	0.94
			154.8	156.6	1.8	17.24	1.44
AR-84-4	075°	-60°	51.9	65.8	13.9	16.21	0.80
			86.0	116.1	30.1	20.55	1.30
AR-84-5	090°	-45°	143.7	149.7	6.0	8.11	1.06
			187.8	203.4	15.6	21.41	1.16
			208.8	211.5	2.7	20.27	1.62
AR-84-6	090°	-65°	136.9	152.6	15.7	2.52	2.08
			201.7	210.4	8.7	21.38	0.64
AR-84-7	090°	-60°	205.4	207.0	1.6	13.88	0.62
			207.0	211.0	4.0	Dike	
			211.0	221.4	10.4	32.03	0.50
			247.0	250.7	3.7	24.44	1.06
			260.6	263.1	2.5	29.01	2.60
			271.6	276.2	4.6	17.63	1.32
AR-84-8	090°	-60°	110.6	118.4	7.9	18.84	0.49
			181.5	182.6	1.1	32.19	0.28
			228.3	230.1	1.8	9.69	3.62
AR-84-9	070°	-45°	215.7	216.8	1.1	5.63	1.18
			228.0	229.7	1.2	11.55	0.76
AR-84-10	090°	-45°	52.8	64.6	11.8	14.72	0.64
			79.0	101.5	22.5	22.86	0.37
			106.6	108.7	2.1	17.04	0.74
AR-84-11	070°	-45°	69.5	72.9	3.4	8.49	1.40
			79.3	107.0	27.7	18.27	0.47
			124.3	127.0	2.7	9.02	0.98

TABLE #4

Summary Of Weighted Averaged Assays 1960 And 1980, Gold-Silver-Lead-Zinc, Assays Of BQ Drill Core, From Related Drill Holes To The 1984 Drill Program.


<u>D.D.H. No.</u>	<u>From</u>	<u>To</u>	<u>Interval Feet</u>	<u>Ag Oz./T</u>	<u>Au Oz./T</u>	<u>Pb %</u>	<u>Zn %</u>
S-6-60	56.0	70.0	14.0	0.40	Tr	1.13	9.15
	96.1	108.6	12.5	2.00	0.02	4.45	28.76
	114.6	116.4	1.8	1.00	0.01	1.26	27.62
	142.8	147.5	4.7	1.40	Tr	3.12	8.77
S-7-60	98.2	103.4	5.2	2.90	0.02	2.90	26.28
	103.4	112.0	8.6	2.05	0.047	0.42	2.23
	139.2	140.6	1.4	1.40	Tr	4.51	30.57
S-9-60	147.5	150.4	2.9	0.60	----	----	7.49
	154.1	158.6	4.5	0.60	----	----	25.04
	174.1	176.6	2.5	0.70	----	----	31.21
	184.5	191.5	7.0	0.59	----	8.33	8.34
S-10-60	188.2	196.3	8.1	1.01	----	3.83	29.73
	196.3	201.3	5.0	0.10	----	----	3.75

S-11-80	207.7	214.5	6.8	0.57	0.005	0.94	28.36
	234.3	237.0	2.7	0.89	0.003	2.75	33.49
	249.6	251.8	2.2	4.47	0.012	8.15	24.38
	260.1	267.2	7.1	0.71	0.004	3.20	35.89
S-12-80	205.7	220.6	14.9	0.43	----	----	3.73
	238.6	253.6	15.0	0.30	----	----	1.05
	253.6	255.3	1.7	0.37	0.003	0.33	18.02
	257.7	299.2	41.5	0.19	----	----	1.36
	305.1	308.6	3.5	0.18	0.002	0.09	1.54
S-15-80	337.9	347.8	9.9	0.09	----	----	1.01
S-16-80	147.6	157.5	9.9	0.11	----	----	1.20
	167.3	218.2	50.9	0.26	0.003	0.18	2.17
	218.2	224.7	6.5	0.66	0.008	1.07	18.70
	226.4	241.8	15.4	0.86	0.008	1.79	2.84

TABLE #5

1984 Gold-Silver-Lead-Zinc Weighted Assay Averages Of BQ Drill Core.

<u>D.D.H. No.</u>	<u>From</u>	<u>To</u>	<u>Interval Feet</u>	<u>Ag Oz./T</u>	<u>Au Oz./T</u>	<u>Pb %</u>	<u>Zn %</u>
AR-84-1	18.5	25.7	6.2	0.69	0.03	1.85	11.25
	56.0	63.8	7.8	0.77	0.005	0.28	11.91
AR-84-2	18.6	27.8	9.2	0.78	0.014	2.19	17.74
	57.8	68.4	10.6	0.40	0.007	0.47	22.75
	102.7	103.9	1.2	0.20	0.004	0.19	38.83
AR-84-3	58.0	67.8	9.8	0.57	0.012	1.07	1.49
	67.8	77.8	10.1	1.07	0.011	2.38	12.38
	84.4	121.0	36.5	0.96	0.010	0.92	25.97
	154.8	162.1	5.8	0.65	0.009	0.83	6.47
AR-84-4	51.9	65.8	13.9	0.80	0.014	0.78	16.21
	86.1	116.7	29.6	1.21	0.017	2.70	20.55
	137.0	143.5	6.5	0.84	0.006	1.19	3.56
AR-84-5	143.7	149.7	6.0	1.06	0.006	1.07	8.11
	187.8	203.4	15.6	1.16	0.003	3.02	21.42
	208.8	211.5	2.7	1.62	0.006	5.82	20.27
	234.1	236.3	2.2	0.52	Tr	0.79	3.60
	241.3	243.3	2.0	0.60	0.002	0.43	1.98
AR-84-6	136.9	147.8	10.9	1.87	0.025	1.76	2.75
	163.6	175.9	12.3	1.28	0.027	0.94	1.81
	201.7	210.4	8.7	0.64	0.001	1.38	21.38
AR-84-7	205.4	221.4	16.0	0.39	0.005	0.89	22.23
	241.4	250.7	9.3	0.79	0.003	2.42	12.63
	260.6	278.0	17.4	0.94	0.003	2.69	9.97
AR-84-8	110.6	118.5	7.9	0.49	0.025	0.80	18.84
	181.5	182.6	1.1	0.28	0.022	0.02	32.19
	228.3	230.1	1.8	3.68	0.018	8.82	9.69
AR-84-9	215.7	216.8	1.1	1.18	0.006	2.09	5.63
	228.5	229.7	1.2	0.76	0.004	2.02	11.55
AR-84-10	52.8	64.6	11.8	0.64	0.009	1.72	14.72
	68.1	76.0	7.9	0.52	0.002	1.12	1.59
	79.0	101.5	22.5	0.37	0.005	0.82	22.86
	106.6	108.7	2.1	0.74	0.008	1.07	17.04
	126.2	130.0	3.8	1.12	0.004	1.41	2.06
AR-84-11	54.8	59.7	4.9	0.32	Tr	0.82	4.64
	69.5	72.9	3.4	1.40	0.008	1.63	8.49
	79.3	107.0	27.7	0.47	0.007	1.46	18.27
	124.3	127.0	2.7	0.98	0.004	0.55	9.02



(35) L(m) PZu₆

ANDAUREX RESOURCES INC.
 WEST SCOTIA PROPERTY - B.C.
 DRILL HOLE LOCATIONS PLAN

