

MT ALCOCK

Property

SAMPLE LEDGER

SAY TAG No.	SAMPLE INTERVAL		SAMPLE LENGTH		Au	03/7 Ag	% Pb	% Zn	DESCRIPTION
	Metres	Feet	Metres	Feet					
8651		grabs				1.93	7.85	.08	rusty limonite-barite.
8652		0-5'		5.0'		.88	4.33	.02	grabs, Baso4 + Pbs NW slope
18653		5'-7'		2.0'		.41	1.00	.03	grabs, " " " NW slope
8654		7'-15'		8.0'		.94	5.41	.03	" " " " " "
18655		0-10'		10.0'		.70	4.01	.01	" " " " " " 40' uphill from 18652
18656		0-4'		4.0'		.64	2.97	.03	" " " " " " 60' " " "
18657		grabs				.43	.25	.02	grabs, rusty weathered Baso4, no vis Pbs, less smilskinite
8658		0-2'		2.0'		.31	2.83	.76	grabs, dk grey, Baso4 + vis Pbs, NORTH SLOPE
8659		0-1'		1.0'		.41	2.84	.69	" " " " " " " " 10' above 18656
8660		0-3.3'		3.3'	} 19'	.53	6.25	1.11	continuous chip, dk grey Baso4 + vis Pbs, S.E. slope
18661		3.3-7.0'		3.7'		.53	3.50	1.87	" " " " " " " "
8662		7.0-13'		6.0'		.41	3.05	1.31	" " " " " " " "
18663		0-6'		6.0'		.40	2.84	1.60	" " " " " " " "
18664		13'-53'		40'		.53	3.59	1.03	grabs, rusty wire, dk grey Baso4, No vis Pbs, SE slope.
						Pb PPM	Zn PPM		
ALK 1						56	500		
2						24	192		
3						398	2240		

