

TO:

Anchor Mines
 402 Granville Street,
 Vancouver, B. C.



671005

TAKLA SILVER



Member
 Canadian Testing
 Association

PHONE: (604) 876-4111
 TELEX: 04-50353
 CABLE ADDRESS:
 ELDRICO

Certificate of Assay
COAST ELDRIDGE
 PROFESSIONAL SERVICES DIVISION
 WARNOCK HERSEY INTERNATIONAL LIMITED
 125 EAST 4TH AVE. VANCOUVER 10, B.C., CANADA

FILE NO. A.3-A.1-68-482

DATE July 25, 1968

We Hereby Certify that the following are the results of assays made by us upon submitted Ore samples

MARKED	GOLD		SILVER	Zinc (Zn)					
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
		\$							
15137	0.02	0.70	0.5	5.84					
15138	0.02	0.70	0.2	0.20					
15139	0.11	3.85	1.3	1.20					
15140	0.07	2.45	8.2	1.82					
15141	0.14	4.90	40.1	0.25					
15144	0.21	7.35	47.2	5.26					
15145	0.01	0.35	2.0	0.05					
15146	0.33	11.55	4.8	1.27					

/cr

Gold calculated at \$ _____ per ounce

Note. Rejects retained one week.
 Pulps retained one month.
 Pulps and rejects may be stored for a maximum
 of one year by special arrangement.

Unless it is specifically stated otherwise, gold
 and silver values reported on these sheets have
 not been adjusted to compensate for losses and
 gains inherent in the fire assay process.

[Signature] Provincial Assayer



PHONE: TRINITY 6-4111
CABLE ADDRESS "ELDRICO"

To:
Anchor Mines,
402 Granville Street,
Vancouver, B. C.

SEMI QUANTITATIVE SPECTROGRAPHIC ANALYSES
COAST ELDRIDGE
ENGINEERS & CHEMISTS LTD.
125 EAST 4TH AVE. VANCOUVER 10, CANADA

FILE No. **A.3-A.1-68-482**
DATE **July 25, 1968**

We Hereby Certify that the following are the results of semi quantitative spectrographic analyses made on Ore samples submitted.

SAMPLE IDENTIFICATION	Al	Sb	As	Ba	Be	Bi	B	Cd	Ca	Cr	Co	Cu	Ga	Au	Fe
15137	0.5	Major	Major	0.01	ND	0.01	0.001	0.08	0.1	Trace	0.001	0.1	ND	Trace	Major
SAMPLE IDENTIFICATION	Pb	Mg	Mn	Mo	Nb	Ni	Si	Ag	Sr	Ta	Sn	Ti	W	V	Zn
	0.1	0.5	0.05	0.01	ND	0.001	1.0	0.001	0.005	ND	0.003	0.1	ND	0.001	Major

All results are expressed as percent by weight. TRACE - Detected but below normal spectrographic range.
Note: Rejects retained one week. MAJOR = Above normal spectrographic range. COAST ELDRIDGE ENGINEERS & CHEMISTS LTD.
Pulps retained three months. N.D. = Not Detected.

ALL REPORTS ARE THE CONFIDENTIAL PROPERTY OF CLIENTS. PUBLICATION OF STATEMENTS, CONCLUSIONS OR EXTRACTS FROM OR REGARDING OUR REPORTS IS NOT PERMITTED WITHOUT OUR WRITTEN APPROVAL. ANY LIABILITY ATTACHED THERETO IS LIMITED TO THE FEE CHARGED.

/cr

CHIEF CHEMIST 

TO:

Bacon & Crowhurst Consulting Engineers

102 - 1111 West Georgia Street

Vancouver, B.C.



Certificate of Assay
COAST ELDRIDGE
PROFESSIONAL SERVICES DIVISION
WARNOCK HERSEY INTERNATIONAL LIMITED
 125 EAST 4TH AVE. VANCOUVER 10, B.C., CANADA



PHONE: (604) 876-4111
 TELEX: 04-50353
 CABLE ADDRESS:
 ELDRICO

FILE NO. A.3-B.4-68-2371

DATE October 22, 1968

We Hereby Certify that the following are the results of assays made by us upon submitted PULPS samples

MARKED	GOLD		SILVER	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON						
		\$							
26451	0.03	1.05	Trace						
26452	0.01	0.35	0.1						
26453	0.01	0.35	Trace						
26454	0.02	0.70	6.4						
26455	Trace	-	Trace						
26456	Trace	-	Trace						
26457	Trace	-	Trace						
26458	Trace	-	Trace						
26459	Trace	-	Trace						
26460	0.01	0.35	Trace						
26461	0.06	2.10	25.4						
26462	0.02	0.70	3.7						
26463	Trace	-	0.3						
26464	Trace	-	0.7						
26465	Trace	-	0.1						

TAKLA
PULPS

/jp

Gold calculated at \$ per ounce

Note. Rejects retained one week.
 Pulps retained one month.
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

H. Shaffer

Provincial Assayer

TO:

Bacon & Crowhurst Consulting Engineers (2)



PHONE: (604) 876-4111
 TELEX: 04-50353
 CABLE ADDRESS:
 ELDRICO

Certificate of Assay
COAST ELDRIDGE
 PROFESSIONAL SERVICES DIVISION
 WARNOCK HERSEY INTERNATIONAL LIMITED
 125 EAST 4TH AVE. VANCOUVER 10, B.C., CANADA

FILE NO. A.3-B.4-68-2371

DATE October 22, 1968

We Hereby Certify that the following are the results of assays made by us upon submitted PULP samples

MARKED	GOLD		SILVER	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON						
26466	Trace	\$ -	0.2						
26467	Trace	-	0.1						
26468	Trace	-	0.1						
26469	Trace	-	0.1						
26470	Trace	-	0.1						
26471	Trace	-	0.1						
26472	Trace	-	Trace						
26473	Trace	-	0.1						
26474	Trace	-	Trace						
26475	Trace	-	0.2						
26476	Trace	-	Trace						
26477	0.02	0.70	0.2						
26478	0.02	0.70	0.5						
26479	Trace	-	0.3						
26480	Trace	-	0.1						

same as Chemex

Gold calculated at \$ _____ per ounce

Note. Rejects retained one week.
 Pulps retained one month.
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

H. Stanger

Provincial Assayer

TO:

Bacon & Crowhurst Consulting Engineer (3)



PHONE: (604) 876-4111
 TELEX: 04-50353
 CABLE ADDRESS:
 ELDRICO

Certificate of Assay
COAST ELDRIDGE
 PROFESSIONAL SERVICES DIVISION
 WARNOCK HERSEY INTERNATIONAL LIMITED
 125 EAST 4TH AVE. VANCOUVER 10, B.C., CANADA

FILE NO. A.3-B.4-68-2371

DATE October 22, 1968

We Hereby Certify that the following are the results of assays made by us upon submitted PULP samples

MARKED	GOLD		SILVER	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON						
26481	Trace	\$ -	0.2						
26482	Trace	-	Trace						
26483	Trace	-	0.2						
26484	Trace	-	0.2						
26485	0.01	0.35	0.4						
26486	0.01	0.35	0.8						
26487	0.02	0.70	0.9						
26488	0.02	0.70	0.3						
26489	Trace	-	0.7						
26490	Trace	-	Trace						
26491	Trace	-	Trace						
26492	Trace	-	0.2						
26493	0.09	3.15	6.4						
26494	0.06	2.10	1.3						
26495	0.01	0.35	Trace						

Same as Cheney

Gold calculated at \$ _____ per ounce

Note. Rejects retained one week.
 Pulps retained one month.
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

H. Shaffer

Provincial Assayer

TO:

Bacon & Crowhurst Ltd.,
 102 - 1111 West Georgia Street,
 Vancouver, B.C.



PHONE: (604) 876-4111
 TELEX: 04-50353
 CABLE ADDRESS:
 ELDRICO

Certificate of Assay
COAST ELDRIDGE
 PROFESSIONAL SERVICES DIVISION
 WARNOCK HERSEY INTERNATIONAL LIMITED
 125 EAST 4TH AVE. VANCOUVER 10, B.C., CANADA

FILE NO. A.3-B.3-68-2529

DATE October 28, 1968

We Hereby Certify that the following are the results of assays made by us upon submitted Drill Core samples

MARKED	GOLD		SILVER	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON						
		\$							
26401 ✓	trace	-	trace						
26402 ✓	trace	-	trace						
26403 ✓	0.01	0.35	trace						
26404 ✓	0.07	2.45	5.8						
26405 ✓	0.01	0.35	0.1						
26406 ✓	0.01	0.35	1.2						
26407 ✓	0.01	0.35	trace						
26408 ✓	0.01	0.35	0.1						
26409 ✓	trace	-	trace						
26410 ✓	trace	-	trace						
26411 ✓	trace	-	trace						
26412 ✓	trace	-	trace						
26413 ✓	0.01	0.35	0.1						
26414 ✓	0.01	0.35	trace						
26415 ✓	0.06	2.40	6.0						

/ah Gold calculated at \$ _____ per ounce

...2

Note. Rejects retained one week.
 Pulps retained one month.
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

H. Shays

Provincial Assayer

TO:

Bacon & Crowhurst Ltd.

PAGE 2.



PHONE: (604) 876-4111
 TELEX: 04-50353
 CABLE ADDRESS:
 ELDRICO

Certificate of Assay
COAST ELDRIDGE
 PROFESSIONAL SERVICES DIVISION
 WARNOCK HERSEY INTERNATIONAL LIMITED
 125 EAST 4TH AVE. VANCOUVER 10, B.C., CANADA

FILE NO. A.3-B.3-68-2529

DATE October 28, 1968

We Hereby Certify that the following are the results of assays made by us upon submitted Drill Core samples

MARKED	GOLD		SILVER	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON						
26416✓	0.01	\$ 0.35	1.4						
26417✓	trace	-	trace						
26418✓	trace	-	trace						
26419✓	trace	-	0.1						
26420✓	0.10	3.50	21.0						
26421✓	0.01	0.35	1.2						
26422✓	0.01	0.35	trace						
26423✓	trace	-	0.1						
26424✓	0.01	0.35	trace						
26425✓	0.01	0.35	trace						
26426✓	trace	-	trace						
26427✓	trace	-	trace						
26428✓	trace	-	trace						
26429✓	0.01	0.35	trace						
26430✓	0.01	0.35	trace						

Gold calculated at \$ _____ per ounce

.....3

Note. Rejects retained one week.
 Pulps retained one month.
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

H. Hayes

Provincial Assayer

TO:

Bacon & Crowhurst Ltd.

PAGE 3.



PHONE: (604) 876-4111
TELEX: 04-50353
CABLE ADDRESS:
ELDRICO

Member
Canadian Testing
Association

Certificate of Assay
COAST ELDRIDGE
PROFESSIONAL SERVICES DIVISION
WARNOCK HERSEY INTERNATIONAL LIMITED
125 EAST 4TH AVE. VANCOUVER 10, B.C., CANADA

FILE NO. A.3-B.3-68-2529

DATE October 28, 1968

We Hereby Certify that the following are the results of assays made by us upon submitted Drill Core samples

MARKED	GOLD		SILVER	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON						
		\$							
26431✓	0.01	0.35	trace						
26432✓	trace	-	trace						
26433✓	trace	-	0.1						
26434✓	trace	-	trace						
26435✓	0.01	0.35	0.7						
26436✓	0.01	0.35	1.9						
26437✓	0.01	0.35	0.2						
26438✓	0.02	0.70	4.4						
26439✓	0.01	0.35	trace						
26440✓	0.01	0.35	0.4						
26441✓	trace	-	trace						
26442✓	trace	-	trace						
26443✓	trace	-	0.2						
26444✓	0.01	0.35	1.6						
26445✓	0.01	0.35	0.7						

Gold calculated at \$ per ounce

.....4

Note. Rejects retained one week.
Pulps retained one month.
Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

H. Sheffer

Provincial Assayer

TO:

Bacon & Crowhurst Ltd.

PAGE 4.


 PHONE: (604) 876-4111
 TELEX: 04-50353
 CABLE ADDRESS:
 ELDRICO

Certificate of Assay
COAST ELDRIDGE
PROFESSIONAL SERVICES DIVISION
WARNOCK HERSEY INTERNATIONAL LIMITED
 125 EAST 4TH AVE. VANCOUVER 10, B.C., CANADA

FILE NO. A.3-B.3-68-2529

DATE October 28, 1968

We Hereby Certify that the following are the results of assays made by us upon submitted Drill Core samples

MARKED	GOLD		SILVER	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON						
26446 ✓	0.03	\$ 1.05	4.1						
26447 ✓	0.03	1.05	6.7						
26448 ✓	0.01	0.35	0.3						
26449 ✓	0.01	0.35	trace						
26450 ✓	trace	-	trace						
26496 ✓	trace	-	trace						
26497 ✓	trace	-	trace						
26498 ✓	0.01	0.35	trace						
26499 ✓	trace	-	trace						
26500 ✓	0.01	0.35	trace						
16001 ✓	trace	-	trace						
16002 ✓	trace	-	trace						
16003 ✓	trace	-	trace						
16004	0.01	0.35	0.1						
16005 ✓	0.01	0.35	0.5						

Gold calculated at \$ per ounce

.....5

Note. Rejects retained one week.
 Pulps retained one month.
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

Provincial Assayer

TO:

Bacon & Crowhurst Ltd.

PAGE 5.



PHONE: (604) 876-4111
 TELEX: 04-50353
 CABLE ADDRESS:
 ELDRICO

Certificate of Assay
COAST ELDRIDGE
 PROFESSIONAL SERVICES DIVISION
 WARNOCK HERSEY INTERNATIONAL LIMITED
 125 EAST 4TH AVE. VANCOUVER 10, B.C., CANADA

FILE NO. A.3-B.3-68-2529

DATE October 28, 1968

We Hereby Certify that the following are the results of assays made by us upon submitted Drill Core samples

MARKED	GOLD		SILVER	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON						
		\$							
16006 ✓	0.07	2.45	1.7						
16007 ✓	0.01	0.35	trace						
16008	0.01	0.35	0.2						

Gold calculated at \$ _____ per ounce

Note. Rejects retained one week.
 Pulps retained one month.
 Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gains inherent in the fire assay process.

H. Hayes

Provincial Assayer

TAKLA SAMPLES

<u>HOLE</u>	<u>No</u>	<u>INTERVAL</u>	
68 S-1	26451	69.5' - 72.0'	= 2.5'
68UG-2	26452	144.5' - 147.0'	= 2.5'
	26453	99.0' - 101.0'	= 2.0'
68UG-3	26465	129.5' - 136.5'	= 7.0'
	26466	136.5' - 138.5'	= 2.0'
	26467	155.0' - 160.0'	= 5.0'
	26468	160.0' - 163.0'	= 3.0'
68UG-4	26454	11.0' - 12.0'	= 1.0' - 7.3
	26455	12.0' - 15.0'	= 3.0'
	26456	16.0' - 30.5'	= 4.5'
68 U.G. 5	26457	12.5' - 17.5'	= 5.0'
	26458	17.5' - 18.5'	= 1.0'
	26462	18.5' - 25.5'	= 7.0' 3.80
	26459	25.5' - 30.0'	= 4.5'
	26463	30.0' - 35.0'	= 5.0'
	26460	35.0' - 40.0'	= 5.0'
	26461	40.0' - 43.5'	= 3.5' 28.6'
	26464	51.0' - 55.0'	= 4.0'
68 S-2	26469	48.0' - 56.0'	= 8.0'
	26470	56.0' - 59.5'	= 3.5'
	26471	59.5' - 64.0'	= 4.5'
	26472	64.0' - 67.0' ^{70.0'}	= 6.0'
	26473	70.0' - 77.0'	= 7.0'
	26474	77.0' - 83.0'	= 6.0'
	26475	127.0' - 129.0'	= 2.0'
	26476	170.0' - 175.0'	= 5.0'

No 15137

TAIKLA

**TO: COAST ELDRIDGE
ENGINEERS AND CHEMISTS LTD.**

125 E. 4th AVE.
Vancouver 10, B.C.

Date..... 10 JULY 68.
Place..... AB ZONE (M7X)
Width..... 48"
Description..... DOVE CAMERON
..... Au, Ag, Zn
.....
Assayed for..... Spectrographic

Nº 15138

**TO: COAST ELDRIDGE
ENGINEERS AND CHEMISTS LTD.**

125 E. 4th AVE.
Vancouver 10, B.C.

Date

10 JULY 68.

Place

4 B ZONE - M-8.

Width

72"

Description

DOUG.

Au Ag Zn

Assayed for

No 15139

TAKLA

TO: COAST ELDRIDGE
ENGINEERS AND CHEMISTS LTD.

125 E. 4th AVE.
Vancouver 10, B.C.

Date 10 JULY 68
Place " 3 ZONE
Width 40"
Description Oxidized face
south side of trench
Assayed for Au, Ag, Zn

Nº 15140

**TO: COAST ELDRIDGE
ENGINEERS AND CHEMISTS LTD.**

125 E. 4th AVE.
Vancouver 10, B.C.

Date 10 JULY 68.

Place R2 ZONE

Width 27"

Description

Assayed for AU Ag Zn

N^o 15141

**TO: COAST ELDRIDGE
ENGINEERS AND CHEMISTS LTD.**

125 E. 4th AVE.
Vancouver 10, B.C.

Date 10 July 65

Place "

Width 15

Description #1 ZONE - NORTH END

Assayed for _____

N^o 15142

TO: COAST ELDRIDGE
ENGINEERS AND CHEMISTS LTD.

125 E. 4th AVE.
Vancouver 10, B.C.

Date..... 10 July 68

Place..... #1 ZONE - WEST SIDE

Width..... ~~#~~ 51"

Description..... Large Cut

DOUG.

Assayed for.....

N^o 15143

**TO: COAST ELDRIDGE
ENGINEERS AND CHEMISTS LTD.**

125 E. 4th AVE.
Vancouver 10, B.C.

Date 10 FEB 68.

Place 01 ZONE - Middle.

Width 72"

Description JJC.

Assayed for Pb, Ag, Zn

Nº 15144

**TO: COAST ELDRIDGE
ENGINEERS AND CHEMISTS LTD.**

125 E. 4th AVE.
Vancouver 10, B.C.

Date 10 July 68.

Place #1 X-CUT (To Right).

Width 18"

Description U/E.

Assayed for Au, Ag, Zn

No 15145

**TO: COAST ELDRIDGE
ENGINEERS AND CHEMISTS LTD.**

125 E. 4th AVE.
Vancouver 10, B.C.

Date.....

10 July 68

Place.....

2X-CUT (LEFT)

Width.....

24"

Description.....

Shear Zone

Assayed for.....

Au, Ag, Zn

N^o 15146

**TO: COAST ELDRIDGE
ENGINEERS AND CHEMISTS LTD.**

125 E. 4th AVE.
Vancouver 10, B.C.

Date..... 10 July 68
Place..... DRIFT AHEAD
Width..... 10"
Description.....
Back Sample
Assayed for..... Au Ag Zn