

Jean
J.W. 671368

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA
TELEPHONE: 985-0648

• CHEMISTS • GEOCHEMISTS • ANALYSTS • ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 11897

TO: N. B. C. Syndicate
c/o Bacon & Crowhurst,
#1720 - 1055 W. Hastings St.,
Vancouver, B. C.

INVOICE NO. 4058

DATE RECEIVED September 10/70

DATE ANALYSED September 17/70

ATTN: cc: N. B. C. Syndicate c/o Northern Mtn. Airlines

SAMPLE NO.:	% Copper	% Molybdenum		
48001	0.03	0.002	JW-2	15-20
48002	0.03	0.006		20-30
48003	0.02	0.004		- 40
48004	0.03	0.005		- 50
48005	0.03	0.004		- 60
48006	0.06	0.004		- 70
48007	0.05	0.008		- 80
48008	0.07	0.040		- 90
48009	0.04	0.006		- 100
48010	0.02	0.009		- 110
48011	0.08	0.031		- 120
48012	0.07	0.017		- 130
48013	0.07	0.010		- 140
48014	0.07	0.014		- 150
48015	0.06	0.042		- 160
48016	0.08	0.008		- 166
48017	0.03	0.004	JW-1	18-20
48018	0.01	0.003		20-30
48019	0.11	0.008		30-40

Core
JW-2

Certified by H. P. Stollard



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA
TELEPHONE: 985-0648

• CHEMISTS • GEOCHEMISTS • ANALYSTS • ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 11863

TO: N.B.C. Syndicate,
c/o Bacon & Crowhurst,
#1720 1055 W. Hastings St.,
Vancouver, B.C.

INVOICE NO. 4044


DATE RECEIVED Sept. 7, 1970


DATE ANALYSED Sept. 16, 1970

ATTN:

cc: Ft. St. James, B.C.

SAMPLE NO.:	% Copper	% Molybdenum	
12670	0.06	0.016	246-249
12671	0.08	0.022	249-254 JW-1
12672	0.06	0.022	254-261 1/2
12673	0.07	0.034	261 1/2 - 267
12674	0.07	0.037	267 - 276
12675	0.05	0.027	276 - 285
12676	0.06	0.027 ✓	285-289
12677	0.05	0.024	289-295
12678	0.04	0.021	295-301
12679	0.09	0.050	22 1/2 - 31 JW-2
12680	0.03	0.020	31 - 41
12681	0.08	0.014	41 - 51
12682	0.10	0.025	51 - 58 1/2
12683	0.11	0.026	58 1/2 - 67
12684	0.11	0.032	67 - 84 Sludge
12685	0.07	0.025	84 - 93
12686	0.05	0.019	93 - 102
12687	0.04	0.015	102 - 113
12688	0.08	0.031	113 - 124
12689	0.04	0.016	124 - 130 1/2
12690	0.11	0.026	130 1/2 - 141
12691	0.07	0.025	141 - 151
12692	0.11	0.102	151 - 162
12693	0.06	0.014	162 - 165 1/2

Certified by 



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA
TELEPHONE: 985-0648

• CHEMISTS • GEOCHEMISTS • ANALYSTS • ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 11529

INVOICE NO. 3931

TO: N. B. C. Syndicate
c/o Bacon & Crowhurst
#1720 - 1055 W. Hastings
Vancouver, B. C.

DATE RECEIVED August 29/70

DATE ANALYSED Sept. 5/70


ATTN:

Sludge

SAMPLE NO.:	% Copper	% Molybdenum	
JW1 12651	0.18	0.007	113 - 122 ^{1/2}
12652	0.29	0.026	122 ^{1/2} - 136 ^{1/2}
12653	0.09	0.028	136 - 142 ^{1/2}
12654	0.11	0.014	142 ^{1/2} - 150
12655	0.08	0.015	150 - 157.5
12657	0.12	0.014	157.5 - 167
12658	0.11	0.020	167 - 172
12659	0.12	0.022	172 - 177
12660	0.10	0.024	177 - 182
12661	0.08	0.020	182 - 187 ^{1/2}
12662	0.08	0.030	187 ^{1/2} - 198
12663	0.17	0.024	198 - 203
12664	0.07	0.025	203 - 209
12665	0.08	0.015	209 - 213.5
12666	0.07	0.025	213.5 - 220
12667	0.07	0.026	220 - 231 ^{1/2}
12668	0.08	0.034	231 ^{1/2} - 239
JW1 = 12669 12670 - 693	0.09	0.025	239 - 246

JW-1 Sludge

Certified by 



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA
TELEPHONE: 985-0648


• CHEMISTS • GEOCHEMISTS • ANALYSTS • ASSAYERS


CERTIFICATE OF ANALYSIS

TO: N. B. C. Syndicate
c/o Bacon & Crowhurst,
#1720 - 1055 W. Hastings St.,
Vancouver, B. C.
ATTN: cc: N. B. C. Syndicate, North Vancouver

CERTIFICATE NO. 11982
INVOICE NO. 4094
DATE RECEIVED September 14/70
DATE ANALYSED September 22/70

SAMPLE NO.:	%	%
	Copper	Molybdenum
48017	0.03	0.004
48018	0.01	0.003
48019	0.11	0.008 <i>30-40</i>
48021	0.01	0.009

Certified by 



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA
TELEPHONE: 985-0648

• CHEMISTS • GEOCHEMISTS • ANALYSTS • ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 11911

TO: N.B.C. Syndicate
c/o Bacon & Crowhurst,
#1720 1055 W. Hastings St.,
Vancouver, B.C.

INVOICE NO. 4044

DATE RECEIVED Sept. 11, 1970

DATE ANALYSED Sept. 16, 1970

ATTN:

cc: Ft. St. James, B.C.

SAMPLE NO.:	% Copper	% Molybdenum	
48020	0.18	0.018	40-50
48021	0.21	0.029	50-60
48022	0.09	0.017	60-70
48023	0.03	0.014	70-80
48024	0.03	0.006	80-90
48025	0.01	0.002	90-100
48026	0.04	0.008	100-110
48027	0.06	0.003	110-120
48028	0.31	0.030	120-130
48029	0.24	0.029	
48030	0.05	0.006	
48031	0.02	0.001	
48032	0.07	0.015	
48033	0.16	0.047	170-180
48034	0.01	0.006	
48035	0.10	0.012	
48036	Mixed together with Sample #48035		
48037	0.02	0.008	
48038	0.07	0.005	
48039	<0.01	0.004	
48040	0.03	<0.001	
48041	0.02	0.003	
48042	<0.01	0.001	
48043	0.03	0.001	
48044	0.02	0.020	
48045	0.01	0.004	

*Cover
JK-1*

Certified by



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA
TELEPHONE: 985-0648

• CHEMISTS • GEOCHEMISTS • ANALYSTS • ASSAYERS


CERTIFICATE OF ANALYSIS

TO: **N. B. C. Syndicate**
c/o Bacon & Crowhurst
#1720 - 1055 W. Hastings,
Vancouver, B. C.

CERTIFICATE NO. **10836**
INVOICE NO. **3597**
DATE RECEIVED **August 11/70**
DATE ANALYSED **August 13/70**

ATTN: cc: **Fort S. T. James.**

SAMPLE NO.:	% Copper	% Molybdenum	J-1
53551	0.38	0.004	10-20
53552	0.13	0.014	20-30
53553	0.22	0.22	30-40
53554	0.02	0.002	40-50
53555	0.06	0.001	50-60
53556	< 0.01	< 0.001	60-70
53557	< 0.01	< 0.001	70-80
53558	0.02	0.001	80-90
53559	0.03	0.005	90-100
53560	0.06	0.001	100-110
53561	0.01	0.001	110-120

Certified by 



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA
TELEPHONE: 985-0648

• CHEMISTS • GEOCHEMISTS • ANALYSTS • ASSAYERS

CERTIFICATE OF ANALYSIS
H.B.C. Syndicate,
9/6 Bacon & Crowhurst,
#1720 1055 W. Hastings St.,
Vancouver, B.C.

CERTIFICATE NO. 11167
INVOICE NO. 3784
DATE RECEIVED Aug. 19, 1970
DATE ANALYSED Aug. 27, 1970

ATTN: cc: Fort St. James, B.C.

SAMPLE NO.:	% Copper	% Molybdenum
53562	0.02	<0.001
53563	0.01	<0.001
53564	<0.01	<0.001
53565	<0.01	<0.001
53566	0.02	<0.001
53567	0.04	0.003
53568	0.14	0.029
53569	0.01	0.020
53570	0.02	0.014
53571	0.06	0.047
53572	0.05	0.017
53573	0.06	0.005
53574	0.03	0.013
53575	<0.01	<0.001
53576	<0.01	<0.001
53577	<0.01	<0.001
53578	<0.01	<0.001
53579	<0.01	<0.001
53580	<0.01	<0.001
53581	<0.01	0.004
53582	<0.01	<0.001
53583	<0.01	<0.001
53584	<0.01	<0.001
53585	<0.01	<0.001
53586	0.04	<0.001
53587	0.02	0.004
53588	0.02	0.003
53589	0.03	0.062
53590	0.01	0.001
53591	0.67	0.009
53592	0.09	0.001

400-408
10.20
20.70

Certified by



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA
TELEPHONE: 985-0648

• CHEMISTS • GEOCHEMISTS • ANALYSTS • ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 11864

TO: N. B. C. Syndicate
c/o Bacon & Crowhurst,
#1720 - 1055 W. Hastings
Vancouver, B. C.

C
O
P_Y

INVOICE NO. 4024

DATE RECEIVED Sept. 7/70


DATE ANALYSED Sept. 11/70

ATTN:

Cc: Fort St. James

SAMPLE NO.:	% Copper	% Molybdenum	
53593	0.13	< 0.001	30-40
53594	< 0.01	< 0.001	-50
53595	0.03	< 0.001	-60
53596	< 0.01	< 0.001	-70
53597	0.01	< 0.001	-80
53598	0.22	< 0.001	80-90
53599	0.33	< 0.001	90-100
53600	< 0.01	< 0.001	-110
53703	< 0.01	< 0.001	-120
53704	< 0.01	< 0.001	-130
53705	< 0.01	< 0.001	-140
53706	< 0.01	< 0.001	-150
53707	< 0.01	< 0.001	-160
53708	0.01	0.006 -	-170
53709	0.05	0.006 -	-180
53710	0.07	0.001 -	-190
53711	< 0.01	< 0.001	-200
53712	< 0.01	< 0.001	200-204
53713	0.01	< 0.001	
53714	< 0.01	< 0.001	
53715	0.05	< 0.001	
53716	0.01	< 0.001	
53717	< 0.01	< 0.001	
53718	0.01	< 0.001	
53719	< 0.01	< 0.001	
53720	< 0.01	< 0.001	
53721	< 0.01	< 0.001	
53722	< 0.01	< 0.001	
53723	0.03	< 0.001	
53724	0.02	< 0.001	
53725	0.06	0.002	
53726	0.02	< 0.001	
53727	0.06	< 0.001	
53728	< 0.01	< 0.001	
53729	0.05	0.000	
53730	0.01	0.003	
53731	0.01	< 0.001	
53732	0.01	< 0.001	
53733	< 0.01	< 0.001	
53734	< 0.01	0.003	

Certified by



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA
TELEPHONE: 985-0648

- CHEMISTS
- GEOCHEMISTS
- ANALYSTS
- ASSAYERS

CERTIFICATE OF ANALYSIS

TO: N. B. C. Syndicate,
c/o Bacon & Crowhurst,
#1720 - 1055 W. Hastings,
Vancouver, B. C.

CERTIFICATE NO. **11865**
INVOICE NO. **4024**
DATE RECEIVED **Sept. 7/70**
DATE ANALYSED **Sept. 11/70**

ATTN:

cc: Fort St. James, B. C.

SAMPLE NO.:	% Copper	% Molybdenum
53735	0.01	< 0.001
53736	0.03	0.002
53737	0.02	0.002
53738	0.02	0.030
53739	< 0.01	0.002
53740	0.06	0.001
53741	0.01	< 0.001
53742	< 0.01	< 0.001

Certified by



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA
TELEPHONE: 985-0648

• CHEMISTS • GEOCHEMISTS • ANALYSTS • ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. **11982**

INVOICE NO. **4094**

TO: **N. B. C. Syndicate**
c/o Bacon & Crowhurst,
#1720 - 1055 W. Hastings St.,
Vancouver, B. C.

DATE RECEIVED **September 14/70**

ATTN: **cc: N. B. C. Syndicate, North Vancouver**

DATE ANALYSED **September 22/70**

SAMPLE NO.:	% Copper	% Molybdenum
48017	0.03	0.004
48018	0.01	0.003
48019	0.11	0.008
48021	0.01	0.009

Certified by 