

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA
TELEPHONE: 985-0648

Jean JW
671370

- CHEMISTS
- GEOCHEMISTS
- ANALYSTS
- ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 13372
 INVOICE NO. 4800
 DATE RECEIVED March. 18/71
 DATE ANALYSED March. 22/71

TO: Bacon & Crowhurst Ltd.,
 Ste. 1720 - 1055 W. Hastings St.,
 Vancouver. 1. B. C.


ATTN:

SAMPLE NO.:	PPM Copper	PPM Molybdenum	
67001	54	5	64-70
67002	13	0	70-80
67003	18	0	80-90
67004	13	0	90-100
67005	10	0	100-110 -
67006	14	0	110-120
67007	21	0	120-130
67008	16	0	130-140
67009	12	0	140-147
67010	26	10	147-150
67011	12	0	150-160
67012	12	0	160-170
67013	54	0	170-180
67014	14	0	180-190
67015	28	55	190-200
67016	50	53	200-210
67017	21	8	210-220
67018	12	1	220-230
67019	8	0	230-240
67020	8	0	240-250
67021	12	4	250-260
67022	12	0	260-270
67023	8	0	270-280
67024	72	20	280-290
67025	8	0	290-300

JW 71-2

Rock Geochem

Certified by *[Signature]*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA
TELEPHONE: 985-0648

• CHEMISTS • GEOCHEMISTS • ANALYSTS • ASSAYERS

CERTIFICATE OF ANALYSIS


CERTIFICATE NO. 13373
INVOICE NO. 4811
DATE RECEIVED March. 22/71
DATE ANALYSED March. 25/71

TO: Bacon & Crowhurst Ltd.,
Ste. 1720 - 1055 W. Hastings St.,
Vancouver. 1. B. C.

ATTN:

SAMPLE NO.:	PPM Copper	PPM Molybdenum		Rock Geochem
67026	68	0		52'-60'
67027	22	0		60 - 70
67028	60	18		70- 80
67029	68	0		80 -90
67030	13	0		90 -100
67031	8	0		100 -110
67032	31	4		110 -120
67033	90	2		120 -130
67034	14	840		130 -140
67035	8	5		140 -150
67036	10	0		150 -160
67037	224	7	JW 71-3	160 -170
67058	33	10	JW 71-3	170 -180
67039	10	1	JW 71-3	180 -190
67040	10	0	JW 71-2	190 -200
67041	8	5	JW 71-3	200 -210
67042	7	0	JW 71-3	210 -220
67043	14	10	JW 71-3	220 -230
67044	8	0	JW 71-3	230 -240
67045	14	0	JW 71-3	240 -250
67046	14	0	JW 71-3	250 -260
67047	13	0	JW 71-3	260 -270
67048	22	0	JW 71-3	270 -280
67049	8	0	JW 71-3	280 -290
67050	12	0	JW 71-3	290 -303
67051	13	0	JW 71-1	104 -110
67052	10	0	JW 71-1	110 -120
67053	8	0	JW 71-1	120 -130
67054	8	0	JW 71-1	130 -140
67055	8	0	JW 71-1	140 -150
67056	6	1	JW 71-1	150 -160
67057	6	0	JW 71-1	160 -170
67058	6	0	JW 71-1	170 -180
67059	6	0	JW 71-1	180 -190
67060	12	0	JW 71-1	190 -200
67061	8	0	JW 71-1	200 -210
67062	20	1	JW 71-1	210 -220
67063	10	1	JW 71-1	220 -230
67064	12	1	JW 71-1	230 -240
67065	7	0	JW 71-1	240 -250
Std.	66	16		

Certified by



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA
TELEPHONE: 985-0648

• CHEMISTS • GEOCHEMISTS • ANALYSTS • ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 13374

TO: Bacon & Crowhurst Ltd.,
Ste. 1720 - 1055 W. Hastings St.,
Vancouver. 1. B. C.

INVOICE NO. 4811


DATE RECEIVED March. 22/71

DATE ANALYSED March. 25/71

ATTN:

SAMPLE NO.:	PPM Copper	PPM Molybdenum		
67066	8	0	JW 71-1	250'-260'
67067	16	0	JW 71-1	260 -270
67068	12	0	JW 71-1	270 -280
67069	10	0	JW 71-1	280- 290
67070	10	0	JW 71-1	290 -299

Certified by Field Emery



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA
TELEPHONE: 985-0648

• CHEMISTS • GEOCHEMISTS • ANALYSTS • ASSAYERS

CERTIFICATE OF ANALYSIS

TO: **Bacon & Crowhurst Ltd.,**
Ste. 1720 - 1055 W. Hastings St.,
Vancouver, 1. B. C.


CERTIFICATE NO. **13389**
INVOICE NO. **4826**
DATE RECEIVED **March 29/71**
DATE ANALYSED **April 2/71**

ATTN:

"N.B.C."

SAMPLE NO.:	PPM Copper	PPM Molybdenum	
67071	18	0	51'-60'
67072	4	0	60 -70
67073	4	0	70 -80
67074	4	0	80 -90
67075	4	0	90 -100
67076	4	0	100 -110
67077	14	17	110 -120
67078	6	0	120 -130
67079	7	0	130 -140
67080	3	0	140 -150
67081	3	0	150 -160
67082	3	0	160 -170
67083	8	0	170 -180
67084	7	0	180 -190
67085	4	0	190 -200
67086	4	0	200 -210
67087	3	0	210 -220
67088	6	0	220 -230
67089	4	0	230 -240
67090	4	1	240 -250
67091	6	0	250 -260
67092	7	0	260 -270
67093	6	6	270 -280
67094	10	0	280 -290
67095	26	12	290 -300
67096	36	7	137 -140
67097	8	2	140 -150
67098	38	14	150 -160
67099	70	12	160 -170
67100	30	8	170 -180
67101	22	11	180 -190
67102	14	3	190 -200
67103	10	2	200 -210
67104	31	69	210 -220
67105	48	20	220 -230
67106	34	20	230 -240
67107	21	11	240 -250
67108	18	3	250 -260
67109	12	6	260 -270
67110	56	4	270 -280
Std.	68	15	

Certified by



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA
TELEPHONE: 985-0648

• CHEMISTS • GEOCHEMISTS • ANALYSTS • ASSAYERS


CERTIFICATE OF ANALYSIS


CERTIFICATE NO. 13390
INVOICE NO. 4826
DATE RECEIVED March 29/71
DATE ANALYSED April 2/71

TO: Bacon & Crowhurst Ltd.,
Ste. 1720 - 1055 W. Hastings St.,
Vancouver. 1. B. C.

ATTN: "N.B.C."

SAMPLE NO.:	PPM Copper	PPM Molybdenum	
67111	4	0	280'-290'
67112	12	1	290'-301'

Certified by 



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA
TELEPHONE: 985-0648

• CHEMISTS • GEOCHEMISTS • ANALYSTS • ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. **13392**
INVOICE NO. **4830**
DATE RECEIVED **Maych 31/71**
DATE ANALYSED **April 5/71**


TO: **Bacon & Crowhurst Ltd.,
Ste. 1720 - 1055 W. Hastings St.,
Vancouver. 1. B. C.**

ATTN: **"N.B.C."**

SAMPLE NO.:	% Copper	% Molybdenum
67113	0.02	0.004
67114	0.11	0.006
67115	< 0.01	0.002
67116	< 0.01	< 0.001
67117	< 0.01	< 0.001
67118	0.01	0.002
67119	< 0.01	< 0.001
67120	< 0.01	0.001
67121	< 0.01	< 0.001
67122	< 0.01	0.006
67123	< 0.01	< 0.001
67124	0.02	< 0.001
67125	< 0.01	< 0.001
67126	< 0.01	0.004
67127	0.03	0.010
67128	< 0.01	0.011
67129	< 0.01	< 0.001

Hole #7

Certified by B.L. Twaites



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA
TELEPHONE: 985-0648

• CHEMISTS • GEOCHEMISTS • ANALYSTS • ASSAYERS

CERTIFICATE OF ANALYSIS


TO: Bacon & Crowhurst Ltd.,
Ste. 1720 - 1055 W. Hastings St.,
Vancouver. 1. B. C.

CERTIFICATE NO. 13422
INVOICE NO. 4856
DATE RECEIVED April 14/71
DATE ANALYSED April 19/71

ATTN: "N.B.C."

SAMPLE NO.:	PPM Copper	PPM Molybdenum		
67187	1040	95	JW 71-9	11-20
67188	128	15		20-30
67189	178	1		30-40
67190	63	22		40-50
67191	12	2		50-60
67192	20	3		60-70
67193	72	280		70 -80
67194	18	5		80-90
67195	42	0		90-100
67196	102	1		100-110
67197	21	20		110-120
67198	48	25		120-130
67199	562	85		130-140
67200	30	22		140-150
67201	58	1		150-160
67202	118	4		160-170
67203	50	8		170-180
67204	270	15		180-190
67205	36	6		190-200
67206	36	8		200-210
67207	63	14		210-220
67208	48	85		220-230
67209	40	25		230-240
67210	62	5		240-250
67211	386	83		250-260
67212	94	1		260-270
67213	20	6		270-280
67214	66	3		280-290
67215	500	145	JW 71-9	290-301
67216	154	15	JW 71-10	32-40
67217	62	1		40-50
67218	218	105		50-60
67219	168	22		60-70
67220	620	130		70 -80
67221	645	200		80-90
67222	670	250		90-100
67223	467	46		100-110
67224	1400	20		110-120
67225	1040	185		120-130
67226	248	53		130-140
Std.	64	15		

Certified by *[Signature]*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA
TELEPHONE: 985-0648

• CHEMISTS • GEOCHEMISTS • ANALYSTS • ASSAYERS

CERTIFICATE OF ANALYSIS

TO: Bacon & Crowhurst Ltd.,
Ste. 1720 - 1055 W. Hastings St.,
Vancouver. 1. B. C.

CERTIFICATE NO. 13423
INVOICE NO. 4856
DATE RECEIVED April 14/71
DATE ANALYSED April 19/71

ATTN: "N.B.C."

SAMPLE NO.:	PPM	PPM		
	Copper	Molybdenum		
67227	168	95	JW 71-10	140-150
67228	74	30		150-160
67229	152	13		160-170
67230	424	340		170-180
67231	80	7		180-190
67232	154	11		190-200
67233	600	7		200-210
67234	102	34		210-220
67235	33	0		220-230
67236	68	5		230-240
67237	262	11		240-250
67238	330	76		250-260
67239	4800	68		260-270
67240	3850	13		270-280
67241	100	7		280-290
67242	484	160	JW 71-10	290-300
Std.	66	15		

Certified by *R. A. ...*