

SEATTLE

Station	Vert	IP	Vert	Q	Hor	Fld	Information
0.	-20			3	69.50	09:57:14	
25.E	-18	-18		2	65.40	09:59:43	
50.E	-12	-15		3	71.00	10:02:32	
75.E	-8	-9		2	70.70	10:04:30	
100.E	-7	-14		-1	71.20	10:06:53	
125.E	-4	-22		-2	67.60	10:09:07	
150.E	3	+23		-2	65.50	10:10:58	
175.E	8	+68		0	71.90	10:12:35	
200.E	-32	+20		-0	73.90	10:14:16	
225.E	-25	-20		5	68.90	10:16:46	
250.E	-19	-13		6	68.90	10:20:07	
275.E	-18	-16		1	66.10	10:22:12	
300.E	-13	-19		-4	59.80	10:24:01	
325.E	-8	-8		-3	60.90	10:26:17	
350.E	-4	+5		-3	63.30	10:27:39	
375.E	-9	+1		-6	66.00	10:29:15	
400.E	-8	-6		-6	63.10	10:30:37	
425.E	-6	-2		-4	62.40	10:31:59	
450.E	-5	+1		-2	67.40	10:33:13	
475.E	-7	+6		-2	66.90	10:34:43	
500.E	-5	+12		-1	68.30	10:36:19	
525.E	-13	-2		-3	68.00	10:37:57	
550.E	-11	-18		-3	68.80	10:39:51	
575.E	-5	-15		-1	65.40	10:41:58	
600.E	-1	-9		-0	73.00	10:44:29	
625.E	0	-9		1	76.40	10:47:22	
700.E	3	+10		4	82.90	10:56:46	
725.E	5	+28		5	71.80	10:57:58	
750.E	-12	+8		-1	71.40	10:59:43	
775.E	-8	-11		1	72.10	11:01:53	
800.E	-7	-9		-0	70.00	11:03:51	
825.E	-2	-3		-0	64.20	11:05:12	
850.E	-4	+7		-2	70.50	11:06:44	
875.E	-2	+15		-1	70.80	11:11:37	
900.E	-11	+14		-4	73.80	11:13:07	
925.E	-10	+15		4	69.10	11:14:32	
950.E	-17	+8		6	66.30	11:16:03	
975.E	-19			4	68.90	11:17:52	
1000.E	-16			0	76.20	11:19:16	

671889

SEATTLE

Station	Vert	IP	Vert	Q	Hor	Fld	Information
1000.E	-14			1	85.60	11:33:27	
975.E	-5	-6		1	84.30	11:37:29	NOTE:STATION
950.E	-11	-6		1	82.70	11:41:37	PROBLEM?
925.E	-14	-2		1	82.60	11:45:07	
900.E	-8	-2		2	77.80	11:50:08	
875.E	-19	+8		2	78.40	11:52:09	
850.E	-5	-9		-4	81.00	11:55:59	
825.E	-14	+2		-4	84.50	11:57:48	
800.E	-19	+40		-5	84.20	11:59:47	
775.E	2	+27		-1	96.20	12:02:17	
750.E	5	+1		-1	82.80	12:04:30	
725.E	5			-1	77.20	12:07:00	
700.E	3			-0	72.70	12:08:46	

SCINTREX V1.6 VLF M-Field R1.5

VLF #1 24.8KHz SEATTLE

Ser No:412233.

Line: 2800.N Grid: 1. Job: 1. Date: 88/12/14 Operator:

Station	Vert	IP	Vert	Q	Hor	Fld	Information
0.	-17		-1		75.70	09:13:31	
25.E	-21		-1		69.20	09:15:49	
50.E	-13	-16	0		55.30	09:17:59	
75.E	-9	-25	0		53.00	09:20:01	
100.E	0	-23	2		73.20	09:21:41	
125.E	1	+3	2		88.40	09:22:59	
150.E	-13	+37	6		91.80	09:25:24	
175.E	-23	+28	3		83.90	09:27:38	
200.E	-17	-1	4		84.20	09:29:12	
225.E	-18	-2	4		80.90	09:31:13	
250.E	-20	-7	-1		69.40	09:33:06	
275.E	-8	-22	-0		67.70	09:34:44	
300.E	-8	-12	-1		72.60	09:36:11	
325.E	-8	-5	-2		76.70	09:37:57	
350.E	-3	-13	-2		77.90	09:39:46	
375.E	-0	-10	-4		79.30	09:41:43	
400.E	-1	-1	-6		82.50	09:43:25	
425.E	-1	-3	-8		80.60	09:47:15	
450.E	3	-7	-3		41.80	10:02:24	
475.E	2	0	-3		38.40	10:04:17	
500.E	0	+3	-4		40.60	10:06:50	
525.E	2	+7	-3		41.70	10:09:00	
550.E	-7	+14	-5		37.90	10:11:38	
575.E	-5	+1	-4		34.60	10:13:41	
600.E	-1	-14	-5		35.00	10:15:41	
625.E	3	-10	-4		34.70	10:17:23	
650.E	1	+1	-5		36.40	10:19:49	
675.E	-0	+6	-10		37.20	10:22:25	
700.E	-2	-7	-13		38.60	10:25:23	
725.E	10	-11	-7		45.30	10:28:18	
750.E	-1	+20	-8		45.80	10:30:16	
775.E	-11	+31	-3		48.80	10:32:32	
800.E	-11	+9	-1		49.30	10:42:06	
825.E	-10	+4	0		55.90	10:45:08	
850.E	-16	+5	-3		57.70	10:49:22	
875.E	-10	-13	-6		56.90	10:51:26	
900.E	-3	-20	-7		52.60	10:54:42	
925.E	-3	+12	-4		59.60	10:56:31	
950.E	-22	+32	-1		60.60	10:58:52	
975.E	-16	+5	0		60.50	11:00:33	
1000.E	-14		0		59.80	11:02:19	

SCINTREX V1.6 VLF M-Field R1.5

VLF #1 24.8KHz SEATTLE

Ser No:412233.

Line: 2900.N Grid: 1. Job: 1. Date: 88/12/14 Operator:

Station	Vert	IP	Vert	Q	Hor	Fld	Information
1000.E	-21		3		67.40	11:15:20	
975.E	-11		1		63.90	11:20:48	
950.E	-2		1		58.20	11:24:28	
925.E	-15		-5		78.70	11:29:41	
900.E	-17		-3		99.90	11:31:54	
875.E	-7		-5		96.00	11:41:27	

Station	Vert	IP	Vert	Q	Hor	Fld	Information
1000.E	-21			3		67.40	11:15:20
975.E	-11	+15		1		63.90	11:20:48
950.E	-2	-19		1		58.20	11:24:28
925.E	-15	-7		-5		78.70	11:29:41
900.E	-17	+2		-3		99.90	11:31:54
875.E	-7	-21		-5		96.00	11:41:27
850.E	-23	-2		-4		88.50	11:43:54
825.E	-22	+34		1		96.40	11:46:18
800.E	-10	+29		-1	103.00		11:48:40
775.E	-1	+13		-3		86.40	11:51:17
750.E	-2	+14		-5		81.10	11:53:09
725.E	4	+5		-9		75.40	11:56:17
700.E	7	-11		-9		56.60	12:01:26
675.E	-0	-2		-9		51.10	12:03:26
650.E	-0	+10		-6		50.00	12:05:38
625.E	5	-5		-3		47.40	12:07:38
600.E	5	-19		-3		44.00	12:11:15
575.E	-5	-2		-1		45.20	12:16:17
550.E	-4	+11		-4		49.00	12:18:31
525.E	2	+6		-5		80.70	12:21:26
500.E	-0	+6		-5		72.10	12:40:12
475.E	4	-4		-3		67.00	12:42:05
450.E	4	-23		-2		58.00	12:45:04
425.E	-4	-28		-1		51.20	12:55:06
400.E	-11	-25		-3		53.00	13:09:13
375.E	-17	-12		-5		55.40	13:17:04
350.E	-23	+7		-10		53.90	13:23:05
325.E	-17	+14		-4		61.00	13:26:31
300.E	-16	+9		-2		64.50	13:29:17
275.E	-10	+15		3		66.40	13:33:33
250.E	-14	+28		1		56.80	13:37:51
225.E	3	+12		8		50.30	13:41:35
200.E	1	-4		7		39.70	13:44:59
175.E	0	-11		6		36.20	13:46:57
150.E	0	-30		12		31.50	13:48:48
125.E	-10	-17		8		30.30	13:51:42
100.E	-20	+24		8		33.70	13:55:34
75.E	-7	+28		3		41.70	13:58:29
50.E	1	+8		0		45.00	14:08:34
0.	0	+1		1		115.00	09:29:54
25.W	2	-11		-0		101.00	09:33:10
50.W	0	-17		-0		91.60	09:35:35
75.W	-9	+7		-6		94.70	09:38:02
100.W	-6	+28		-5		102.00	09:41:13
125.W	4	+11		-4		102.00	09:44:05
150.W	9	-13		-2		97.80	09:47:46
175.W	0	-14		-5		92.30	09:50:28
200.W	-0	-10		-3		90.80	09:52:57
225.W	-5	+4		-2		87.50	09:55:45
250.W	-5	+22		-3		89.10	10:00:32
275.W	4	+15		-0		94.20	10:02:01
300.W	8	-1		0		89.00	10:04:31
325.W	6	-2		-0		85.40	10:06:53
350.W	5	+4		-2		92.90	10:09:20
375.W	7	+12		-6		87.00	10:15:16
400.W	8	+14		-6		93.00	10:20:26
425.W	16	-4		-2		86.10	10:23:36
450.W	13	-219		-2		83.00	10:26:43
475.W	7	-17		-2		80.20	10:29:22
500.W	3	-11		-2		81.00	10:31:26
525.W	0	-7		-1		79.60	10:35:53
550.W	-1	-5		-0		80.90	10:39:25
575.W	-3			-0		81.70	10:41:46
600.W	-3			0		81.00	10:45:48

Station	Vert	IP	Vert	Q	Hor	Fld	Information
600.W	-6			4		79.70	10:56:45
575.W	-4			3		79.00	10:59:35
550.W	-3			1		77.10	11:01:33
525.W	-2			-0		76.80	11:04:08
500.W	-0			-1		78.10	11:06:21
475.W	3			-1		78.20	11:08:15
450.W	7			-1		74.40	11:11:35

550.W	-1	-0	80.90	10:39:25
575.W	-3	-0	81.70	10:41:46
600.W	-3	0	81.00	10:45:48

SCINTREX V1.6 VLF M-Field R1.5

VLF #1 24.8KHz SEATTLE

Ser No:931913.

Line: 3000.N Grid: 1. Job: 1. Date: 88/12/17 Operator: 1.

Station	Vert	IP	Vert	Q	Hor	Fld	Information
600.W	-6		4		79.70		10:56:45
575.W	-4	-5	3		79.00		10:59:35
550.W	-3	-5	1		77.10		11:01:33
525.W	-2	-8	-0		76.80		11:04:08
500.W	-0	-12	-1		78.10		11:06:21
475.W	3	-13	-1		78.20		11:08:15
450.W	7	-1	-1		74.40		11:11:35
425.W	9	+8	-1		84.30		11:13:45
400.W	2	+7	-5		84.00		11:16:24
375.W	6	+10	-1		86.20		11:19:00
350.W	-2	0	-0		87.10		11:21:05
325.W	-0	-8	0		86.90		11:25:04
300.W	4	+11	0		89.90		11:27:51
275.W	2	+15	0		95.50		11:30:07
250.W	-9	-5	-0		90.20		11:33:00
225.W	-0	-2	2		92.90		11:35:59
200.W	-2	+3	1		96.10		11:38:35
175.W	-5	-11	-4		91.80		11:40:50
150.W	-0	-12	-4		88.30		11:42:16
125.W	4	-3	-3		92.80		11:45:19
100.W	3	+3	-5		95.50		11:47:08
75.W	4	+11	-5		102.00		11:48:34
50.W	-0	+8	-5		107.00		11:50:45
25.W	-4	-4	-6		94.60		11:52:46
0.	0	+9	-3		95.30		11:54:41
25.E	-0	+29	1		94.50		10:09:59
50.E	-13	+11	5		104.00		10:11:08
75.E	-16	-21	9		88.30		10:12:27
100.E	-8	-22	10		84.60		10:13:59
125.E	0	-4	13		89.30		10:16:15
150.E	-2	+6	7		91.70		10:18:25
175.E	-2	+14	6		88.30		10:20:05
200.E	-6	+13	2		95.60		10:21:46
225.E	-12	+4	-1		90.80		10:23:00
250.E	-9	+7	1		88.00		10:25:22
275.E	-13	+20	-1		88.10		10:27:06
300.E	-15	+20	-4		77.90		10:28:27
325.E	-27	-11	-5		71.90		10:30:17
350.E	-21	-38	-4		62.10		10:32:01
375.E	-10	-40	-0		48.70		10:36:09
400.E	-0	-25	5		43.50		10:40:18
425.E	9	-4	2		52.70		10:45:27
450.E	6	0	-0		62.50		10:47:03
475.E	7	+13	4		70.40		10:49:11
500.E	8	+31	4		76.20		10:50:43
525.E	-8	+10	-1		81.30		10:53:45
550.E	-8	-17	-3		69.10		10:55:45
575.E	-2	-12	-3		69.70		10:57:41
600.E	3	+1	-1		70.30		11:01:30
625.E	-1	+1	-5		72.00		11:04:53
650.E	1	-16	-10		74.00		11:07:21
675.E	0	-26	-15		74.70		11:09:19
700.E	16	+6	-11		78.10		11:11:42
725.E	11	+28	-6		87.30		11:16:27
750.E	-1	+15	-2		91.10		11:18:43
775.E	0	+28	-4		91.30		11:21:33
800.E	-5	+37	1		109.00		11:23:11
825.E	-24	-8	1		87.20		11:25:03
850.E	-18	-37	-0		80.00		11:27:05
875.E	-3	-9	-1		81.80		11:28:33
900.E	-4	+1	-1		86.50		11:30:07
925.E	-8	+13	-5		81.50		11:31:26
950.E	-0	+37	-0		83.90		11:33:16
975.E	-25		1		78.50		11:35:05
1000.E	-20		10		77.00		11:36:39

SCINTREX V1.6 VLF M-Field R1.5

VLF #1 24.8KHz SEATTLE

Ser No:931913.

Line: 3100.N Grid: 1. Job: 1. Date: 88/12/17 Operator: 1.

Station	Vert	IP	Vert	Q	Hor	Fld	Information
1000.E	-30		7		166.00		11:53:17

875.E	-3	-1	81.00	11:28:33
900.E	-4	-1	86.50	11:30:07
925.E	-8	-5	81.50	11:31:26
950.E	-0	-0	83.90	11:33:16
975.E	-25	1	78.50	11:35:05
1000.E	-20	10	77.00	11:36:39

SCINTREX V1.6 VLF M-Field R1.5

VLF #1 24.8KHz SEATTLE

Ser No:931913.

Line: 3100.N Grid: 1. Job: 1. Date: 88/12/17 Operator: 1

Station	Vert	IP	Vert	Q	Hor	Fld	Information
1000.E	-30		7		166.00	11:53:17	
975.E	-22	+45	2		180.00	11:56:36	
950.E	-3	+27	-1		192.00	11:59:43	
925.E	-4	+18	-2		183.00	12:02:55	
900.E	6	0	3		167.00	12:05:15	
875.E	5	-28	1		150.00	12:07:34	
850.E	-3	-38	0		145.00	12:09:43	
825.E	-14	-3	1		146.00	12:13:49	
800.E	-22	+40	4		167.00	12:17:17	
775.E	2	+25	-4		165.00	12:19:58	
750.E	2	-1	-7		158.00	12:22:33	
725.E	3	+2	-6		152.00	12:24:30	
700.E	0	+7	-15		149.00	12:26:43	
675.E	7	-3	-11		139.00	12:30:32	
650.E	3	-6	-10		130.00	12:33:15	
625.E	1	+2	-6		130.00	12:35:16	
600.E	3	+2	0		130.00	12:37:29	
575.E	3	-4	1		127.00	12:39:32	
550.E	3	+1	1		123.00	12:41:26	
525.E	-1	+16	1		124.00	12:43:14	
500.E	8	+13	4		122.00	12:45:20	
475.E	10	+2	4		124.00	12:55:33	
450.E	10	-7	3		116.00	12:57:31	
425.E	10	-35	4		102.00	12:59:16	
400.E	3	-30	6		88.50	13:01:16	
375.E	-18	-42	-1		76.10	13:06:54	
350.E	-25	-20	-6		85.60	13:21:01	
325.E	-32	+17	-5		90.70	13:24:54	
300.E	-31	+48	-8		101.00	13:27:54	
275.E	-9	+28	-3		117.00	13:33:07	
250.E	-6	+8	-3		102.00	13:38:40	
225.E	-6	+9	-2		97.30	13:46:11	
200.E	-1	+2	1		90.00	13:51:09	
175.E	-2	-1	4		79.50	13:55:54	
150.E	-3	-1	8		77.50	13:57:32	
125.E	-1	-5	15		73.00	13:59:21	
100.E	-5	-1	13		70.40	14:00:39	
75.E	-4	+3	7		67.40	14:02:13	
50.E	-3	+4	-0		68.20	14:04:21	
25.E	-3	+7	-6		66.70	14:06:54	
0.	0	+9	-8		64.70	14:08:42	
25.W	1	+4	-11		108.00	12:26:26	
50.W	5	-7	-7		99.90	12:29:15	
75.W	-0	-8	-8		91.50	12:32:38	
100.W	-1	-5	-4		95.50	12:36:45	
125.W	-2	+4	-2		92.50	12:38:57	
150.W	-4	+11	-2		94.90	12:40:59	
175.W	5	-1	4		95.60	12:43:36	
200.W	0	-4	4		91.60	12:45:16	
225.W	-0	+2	4		92.60	12:46:56	
250.W	1	+3	6		92.20	12:49:19	
275.W	1	+15	6		95.90	12:51:10	
300.W	3	+25	3		101.00	12:52:59	
325.W	14	+6	1		101.00	12:55:04	
350.W	15	-9	2		95.90	12:56:56	
375.W	8	-1	-0		90.30	12:59:47	
400.W	12	-2	4		91.60	13:01:56	
425.W	10	-9	4		86.20	13:03:58	
450.W	8	-9	4		86.70	13:05:40	
475.W	5	-9	6		83.50	13:07:24	
500.W	4	-15	0		83.20	13:09:52	
525.W	-0	-18	-2		81.10	13:12:37	
550.W	-6	-8	-1		81.70	13:17:44	
575.W	-8		-3		82.20	13:20:35	
600.W	-6		-2		83.10	13:23:10	

SCINTREX V1.6 VLF M-Field R1.5

VLF #1 24.8KHz SEATTLE

Ser No:931913.

SCINTREX V1.6 VLF M-Field R1.5

VLF #1 24.8KHz SEATTLE

Ser No:931913.

Line: 3200.N Grid: 1. Job: 1. Date: 88/12/17 Operator: 1.

Station	Vert	IP	Vert	Q	Hor	Fld	Information
600.W		12		2		90.30	13:33:00
575.W		17	+14	3		94.10	13:39:24
550.W		15	+39	0		98.50	13:41:46
525.W		0	+22	-3		94.40	13:44:50
500.W		-7	-12	-1		85.70	13:48:25
475.W		-0	-17	2		81.90	13:52:30
450.W		5	-5	5		85.70	13:57:55
425.W		5	0	4		87.90	14:01:08
400.W		5	-8	4		90.30	14:05:13
375.W		5	-18	2		86.40	14:07:41
350.W		13	-6	3		90.40	14:10:05
325.W		15	+19	5		98.20	14:14:32
300.W		9	+25	4		105.00	14:18:00
275.W		-0	+14	6		103.00	14:28:22
250.W		-1	+4	4		99.00	14:30:35
225.W		-4	-2	3		100.00	14:32:58
200.W		-1	+6	5		93.00	14:36:04
175.W		-2	+8	3		90.40	14:39:26
150.W		-9	-4	1		87.00	14:41:01
125.W		-2	-9	0		84.30	14:42:41
100.W		-5	-15	-2		90.60	14:44:42
75.W		3	-15	-4		93.70	14:46:27
50.W		5	-13	-8		94.60	14:47:52
25.W		8	+5	-9		97.80	14:49:37
0.		13	+26	-7		67.10	14:15:21
25.E		-5	+7	-13		63.10	14:17:24
50.E		-0	-3	-10		68.40	14:19:05
75.E		1	+7	-4		74.50	14:20:19
100.E		-3	+6	1		73.80	14:23:17
125.E		-3	+7	8		61.10	14:25:36
150.E		-5	+5	10		47.60	14:29:16
175.E		-8	-4	4		31.40	14:35:02
200.E		-5	-10	0		40.40	14:37:59
225.E		-4	-3	-0		44.60	14:40:00
250.E		1	+15	0		50.90	14:41:42
275.E		-7	+19	-4		58.90	14:43:18
300.E		-11	+4	-2		66.50	14:46:03
325.E		-14	-12	-0		66.90	14:48:44
350.E		-8	-18	3		65.60	14:53:08
375.E		-5	-28	1		62.10	14:55:29
400.E		1	-29	4		58.60	14:57:58
425.E		14	-5	7		89.90	15:03:11
450.E		11	+12	6		128.00	15:06:40
475.E		9	+12	4		132.00	15:08:40
500.E		4	+7	4		140.00	15:10:48
525.E		4	+1	3		132.00	15:13:00
550.E		2	-2	0		140.00	15:14:38
575.E		5	-3	-0		132.00	15:17:16
600.E		3	-10	-3		127.00	15:20:09
625.E		7	-5	-5		125.00	15:22:16
650.E		11	+24	-5		124.00	15:23:29
675.E		4	+19	-5		143.00	15:25:13
700.E		-10	+21	-8		120.00	15:26:32
725.E		6	+50	-3		107.00	15:30:43
750.E		-33	+9	12		105.00	15:32:53
775.E		-22	-39	12		95.60	15:34:33
800.E		-14	-38	4		79.00	15:36:32
825.E		-2	-25	2		87.10	15:39:14
850.E		3	-1	2		93.20	15:41:21
875.E		6	+21	4		97.30	15:43:20
900.E		-4	+17	-2		96.70	15:45:38
925.E		-8	+11	-4		99.90	15:47:44
950.E		-7	+21	-0		109.00	15:49:16
975.E		-16		2		118.00	15:50:47
1000.E		-20		5		104.00	15:52:29

SCINTREX V1.6 VLF M-Field R1.5

VLF #1 24.8KHz SEATTLE

Ser No:412233.

Line: 3300.N Grid: 1. Job: 1. Date: 88/12/12 Operator: 1.

Station	Vert	IP	Vert	Q	Hor	Fld	Information
---------	------	----	------	---	-----	-----	-------------

SCINTREX V1.6 VLF M-Field R1.5

VLF #1 24.8KHz *SEATTLE*

Ser No:412233.

Line: 3300.N Grid: 1. Job: 1. Date: 88/12/12 Operator: 1.

Station	Vert	IP	Vert	Q	Hor	Fld	Information
700.W		-3		-4	111.00	10:28:42	
675.W		1	-16	-2	111.00	10:31:31	
650.W		5	-16	-1	110.00	10:33:30	
625.W		9	-15	-2	109.00	10:35:25	
600.W		13	-8	-2	117.00	10:38:44	
575.W		16	-1	-3	123.00	10:40:20	
525.W		14	+5	-2	122.00	10:43:05	
500.W		16	+9	2	128.00	10:48:42	
475.W		9	-3	-0	128.00	10:51:27	
450.W		12	-18	-1	117.00	10:54:20	
425.W		16	-19	-1	114.00	10:56:18	
400.W		23	-6	2	113.00	10:59:29	
375.W		24	+5	0	118.00	11:02:07	
350.W		21	-1	-3	124.00	11:04:11	
325.W		21	-15	-7	122.00	11:07:25	
300.W		25	-6	-3	124.00	11:12:14	
275.W		32	+27	-1	131.00	11:14:07	
250.W		20	+35	-0	156.00	11:19:53	
225.W		10	+19	-0	142.00	11:23:39	
200.W		7	+13	3	125.00	11:26:29	
175.W		4	+15	4	129.00	11:29:31	
150.W		0	+16	5	127.00	11:31:21	
125.W		-4	+9	4	124.00	11:33:51	
100.W		-8	-7	2	110.00	11:37:16	
75.W		-5	-19	-0	98.40	11:40:06	
50.W		0	-25	-0	96.50	11:42:21	
25.W		6	-33	-3	95.00	11:45:35	
0.		14		-2	92.90	11:47:31	
0.		20	-20	-4	52.30	13:33:02	
25.OE		25	+17	-4	56.40	13:42:58	
50.OE		15	+24	-8	45.30	13:52:23	
75.OE		7	+1	-14	46.10	13:57:50	
100.OE		9	+21	-6	46.60	14:02:35	
125.OE		12	+54	4	56.60	14:08:46	
150.OE		-17	+41	3	81.30	14:12:56	
175.OE		-16	-1	5	58.00	14:16:40	
200.OE		-30	-24	6	33.80	14:19:57	
225.OE		-2	-3	1	56.20	14:26:04	
250.OE		-10	+30	-1	51.00	14:30:19	
275.OE		-19	+16	-2	59.60	14:33:34	
300.OE		-23	-15	-1	63.70	14:37:24	
325.OE		-22	-34	1	56.60	14:41:43	
350.OE		-5	+4	1	64.00	14:44:41	
375.OE		-6	+18	2	63.80	14:47:34	
400.OE		-25	-33	-11	50.90	14:50:20	
425.OE		-4	-31	-0	55.00	14:53:50	
450.OE		6	-3	5	94.80	15:06:18	
475.OE		-4	-20	12	47.30	15:09:52	
500.OE		9	-14	6	99.00	15:12:44	
525.OE		13	+18	8	97.30	15:14:31	
550.OE		6	+18	3	109.00	15:16:44	
575.OE		-2	-2	-1	94.60	15:18:54	
600.OE		3	-2	-3	113.00	15:20:51	
625.OE		3	-6	-6	105.00	15:23:00	
650.OE		0	-6	0	106.00	15:25:03	
675.OE		12	+12	-7	124.00	15:27:33	
700.OE		-3	+17	-5	134.00	15:29:48	
725.OE		3	+60	-2	129.00	15:32:23	
750.OE		-11	+69	6	182.00	15:34:29	
775.OE		-49	-20	1	120.00	15:36:59	
800.OE		-28	-74	7	100.00	15:39:21	
825.OE		-12	-54	6	92.20	15:41:15	
850.OE		9	+18	7	113.00	15:44:28	
875.OE		5	+46	5	153.00	15:45:57	
900.OE		-26	-16	-5	104.00	15:48:02	
925.OE		-6	-24	3	124.00	15:49:34	
950.OE		1		6	140.00	15:51:51	
975.OE		-9		2	162.00	15:54:09	

SCINTREX V1.6 VLF M-Field R1.5

VLF #2 24.0KHz *CUTLER*

Ser No:412233.

Line: 2600.N Grid: 1. Job: 1. Date: 88/12/13 Operator: 1.

Station Vert IP Vert Q Hor Fld Information