

Comex  
CEDAR CLAIM GROUP

671890

SEATTLE

33+00N  
88/12/18

25.W	6	-3	95.00	11:45:35	+6	+9
50.W	0	-0	96.50	11:42:21	-5	-19
75.W	-5	-0	98.40	11:40:06	-13	-7
100.W	-8	2	110.00	11:37:16	-12	+9
125.W	-4	4	124.00	11:33:51	-4	+16
150.W	0	5	127.00	11:31:21	+4	+15
175.W	4	4	129.00	11:29:31	+11	+13
200.W	7	3	125.00	11:26:29	+17	+19
225.W	10	-0	142.00	11:23:39	+30	+15
250.W	20	-0	156.00	11:19:53	+32	+27
275.W	32	-1	131.00	11:14:07	+57	+14
300.W	25	-3	124.00	11:12:14	+46	-15
325.W	21	-7	122.00	11:07:25	+42	-1
350.W	21	-3	124.00	11:04:11	+43	+5
375.W	24	0	118.00	11:02:07	+47	-6
400.W	23	2	113.00	10:59:29	+39	-19
425.W	16	-1	114.00	10:56:18	+28	-18
450.W	12	-1	117.00	10:54:20	+21	-3
475.W	9	-0	128.00	10:51:27	+25	+9
500.W	16	2	128.00	10:48:42	+30	
525.W	14	-2	122.00	10:43:05		
575.W	16	-3	123.00	10:40:20	29	
600.W	13	-2	117.00	10:38:44	22	-15
625.W	9	-2	109.00	10:35:25	14	-16
650.W	5	-1	110.00	10:33:30	6	-16
675.W	1	-2	111.00	10:31:31		-2
700.W	-3	-4	111.00	10:28:42		

Seattle??

# CEDAR CLAIM GROUP

## SEATTLE TRANSMITTER

H:	1.	3600.N	24.8	39		
	0.	-11		-7	8.30	- 08:54:03
	25.E	-6	-17	-8	6.90	-08:56:01
	50.E	-0	6	-4	5.20	08:57:42
	75.E	+5		-2	8.80	08:59:47
	100.E	+8		-6	2.70	09:02:05
	125.E	+18		-0	4.80	09:04:02
	150.E	+4		1	0.00	09:05:35
	175.E	-24	-35	4	7.10	09:07:30
	200.E	-13	-37	5	7.80	09:15:44
	225.E	-2	-15	10	5.80	09:17:35
	250.E	-1	3	7	2.80	09:20:04
	275.E	-4	5	0	1.20	09:25:04
	300.E	-2	6	0	2.30	09:28:14
	325.E	+3	+1	2	0.40	09:30:19
	350.E	+5		3	1.30	09:32:12
	375.E	+5		5	6.20	09:35:18
	400.E	+7	+10	4	7.50	09:40:12
	425.E	+9	+16	2	4.70	09:42:42
	450.E	+8	+17	2	4.10	09:45:03
	475.E	+6	+14	1	0.00	09:47:13
	500.E	+16	+22	2	9.90	09:49:08
	525.E	+9	+25	-0	3.10	09:50:59
	550.E	+3	+12	-5	5.80	09:53:03
	575.E	+8	+11	-3	9.30	10:02:30
	600.E	+10	+18	-3	7.50	10:04:29
	625.E	+18	+28	-5	9.20	10:06:21
	650.E	+19	+27	-3	4.90	10:08:29
	675.E	-17	2	11	7.20	10:10:14
	700.E	-16	-33	12	9.40	10:12:39
	725.E	-15	-31	1	0.20	10:14:14
	750.E	-1	-16	3	6.10	10:18:09
	775.E	2	+1	8	5.50	10:19:48
	800.E	-18	-16	10	0.90	10:21:38
	825.E	-7	-25	12	7.40	10:24:26
	850.E	-9	-16	8	5.60	10:27:28
	875.E	-10	-19	6	9.30	10:30:03
	900.E	-10	-20	6	9.50	10:32:23
	925.E	-19	-29	1	8.10	10:36:29
	950.E	-6	-25	7	7.00	10:38:02

*Checked*  
*[Signature]*

H:	1.	3700.N	24.B	30	
	700.W	5	-17	4.80	10:42:49
	675.W	14	-11	7.50	10:45:00
	650.W	-8	-1	5.10	10:48:13
	625.W	-21	2	8.50	10:51:47
	600.W	-14	4	6.20	10:55:37
	575.W	-9	4	5.80	11:00:15
	550.W	-1	6	3.20	11:05:55
	525.W	0	4	7.90	11:11:04
	500.W	-2	3	1.70	11:12:50
	475.W	6	2	1.70	11:15:53
	450.W	15	2	3.60	11:19:21
	425.W	17	-2	5.60	11:21:49
	400.W	19	-1	4.70	11:27:04
	375.W	24	-1	5.10	11:29:44
	350.W	20	-1	1.50	11:39:23
	325.W	14	1	6.90	11:44:15
	300.W	9	-0	3.60	11:47:07
	275.W	7	-0	5.10	11:49:17
	250.W	6	-0	4.30	11:52:19
	225.W	8	-2	1.30	11:55:44
	200.W	4	-1	0.90	11:59:45
	175.W	3	0	9.60	12:03:06
	150.W	3	3	2.80	12:05:42
	125.W	2	3	3.80	12:07:04
	100.W	-1	5	6.90	12:14:28
	75.W	-14	-0	7.70	12:17:08
	50.W	-18	0	8.30	12:19:41
	25.W	-16	0	9.90	12:21:34
H:	1.	3700.N	24.B	41	
	0.	-12	-0	0.00	13:14:58
	25.E	-8	-1	9.30	13:12:38
	50.E	-3	0	1.30	13:09:25
	75.E	-0	-0	5.70	13:06:51
	100.E	-1	-4	6.70	13:01:29
	125.E	9	4	8.30	12:55:26

	150.E	-0	2	9.40	12:48:51
	175.E	-15	0	9.30	12:46:47
	200.E	-9	2	2.40	12:44:34
	225.E	0	4	9.70	12:41:05
	250.E	-3	-3	0.20	12:39:22
	275.E	-5	-5	3.00	12:38:03
	300.E	-5	-5	0.40	12:31:16
	325.E	4	0	8.70	12:29:34
	350.E	6	3	4.40	12:27:54
	375.E	9	5	4.90	12:26:15
	400.E	15	5	0.20	12:24:54
	425.E	12	0	8.40	12:23:16
	450.E	14	-0	9.70	12:21:59
	475.E	9	1	8.10	12:15:47
	500.E	14	-1	2.00	12:13:29
	525.E	12	-2	8.90	12:09:24
	550.E	8	-2	8.80	12:06:45
	575.E	3	-6	6.40	12:04:05
	600.E	21	-2	3.70	12:01:57
	625.E	9	-4	3.00	11:59:59
	650.E	-3	6	1.00	11:58:23
	675.E	-22	6	7.00	11:55:47
	700.E	-14	4	6.00	11:51:27
	725.E	-7	3	9.60	11:47:31
	750.E	-0	6	1.00	11:40:00
	775.E	-20	8	8.70	11:31:47
	800.E	-12	7	4.80	11:29:00
	825.E	-14	3	8.00	11:26:23
	850.E	-10	6	8.80	11:24:46
	875.E	-10	6	2.00	11:22:10
	900.E	-19	1	8.30	11:20:16
	925.E	-14	3	0.40	11:18:33
	950.E	-9	4	8.50	11:12:03
	975.E	-2	5	0.00	11:07:53
	1000.E	5	9	7.20	10:57:03





H:	1.	4000.N	24.8	61			
500.W	4	8	5.10	08:37:41	12		
475.W	8	10	4.80	08:39:21	19	+3	
450.W	11	11	2.10	08:41:07	9	+33	
425.W	-2	6	3.50	08:43:34	-14	+11	
400.W	-12	14	5.00	08:47:53	-20	+11	
375.W	-16	22	3.70	08:53:53	-25	-16	
350.W	-9	22	4.30	08:56:27	-12	-17	
325.W	-3	18	4.30	09:00:24	-8	-5	
300.W	-5	13	4.00	09:03:02	-7	-9	
275.W	-2	15	9.90	09:08:04	+1	-16	
250.W	3	13	2.00	09:10:24	+9	-12	
225.W	6	9	1.10	09:13:23	+13	-3	
200.W	7	6	4.70	09:15:55	+12	+1	
175.W	5	2	8.50	09:17:40	+12	+1	
150.W	7	0	2.60	09:21:46	+11	-6	
125.W	4	1	0.60	09:24:37	+18	-17	
100.W	14	6	0.50	09:28:40	+28	-2	
75.W	14	8	3.00	09:31:12	+20	+29	
50.W	6	5	1.00	09:33:39	-1	+38	
25.W	-7	2	1.00	09:44:03	-18	+26	
0.	-11	0	6.00	09:46:45	-27	+12	
25.E	-16	-0	6.00	09:52:21	-30	0	
50.E	-14	-1	9.00	09:55:55	-27	-12	
75.E	-13	-1	4.00	09:57:51	-18	-20	
100.E	-5	-0	4.00	10:01:05	-7	-16	
125.E	-2	-2	2.00	10:04:55	-2	-9	
150.E	0	0	1.00	10:07:51	+2	+12	
175.E	2	1	7.00	10:10:56	-14	+41	
200.E	-16	-1	1.00	10:16:27	-39	+30	
225.E	-23	0	5.40	10:20:00	-44	-11	
250.E	-21	1	4.00	10:23:33	-28	-27	
275.E	-7	6	6.10	10:27:01	-17	-17	
300.E	-10	5	4.70	10:29:03	-11	-16	
325.E	-1	6	8.30	10:38:36	-1	-20	
350.E	-0	3	8.40	10:41:18	+9	-10	
375.E	9	4	7.60	10:45:52	+9	+1	
400.E	0	3	0.50	10:51:02	+8	-14	
425.E	8	3	3.60	11:01:55	+23	-26	
450.E	15	4	8.20	11:05:23	+34	-9	
475.E	19	5	1.80	11:08:27	+32	-5	
500.E	13	-2	6.30	11:14:03	+39	-34	
525.E	26	-3	9.30	11:16:49	+66	-12	
550.E	40	4	0.30	11:21:11	+51	+44	
575.E	11	5	7.00	11:30:36	+22	+33	
600.E	11	32	8.40	11:33:54	+18	+17	
625.E	7	22	1.00	11:39:35	+5	+21	
650.E	-2	10	4.00	11:42:37	-3	-3	
675.E	-1	7	0.90	11:44:40	+8	-47	
700.E	9	8	6.40	11:46:21	+44	-6	
725.E	35	16	9.50	11:51:34	+14	+84	
750.E	-21	7	9.00	11:54:26	-40	+58	
775.E	-19	21	4.70	11:56:58	-52	+12	
800.E	-25	15	1.00	12:05:55	-53	+9	
825.E	-27	16	2.00	12:08:36	-47	-5	
850.E	-26	15	2.00	12:11:03	-29	-24	
875.E	-21	14	9.20	12:13:50	-37	+30	
900.E	-8	16	2.00	12:15:29	-59	+14	
925.E	-29	0	5.00	12:17:23	-51		
950.E	-30	-2	1.30	12:20:32			
975.E	-21	-2	3.50	12:23:11			

# SEATTLE

SCINTREX V2.0 VLF M-Fld R1.6  
 VLF #1 24.8KHz Ser No:705294.  
 Line: 4100.N Grid: 1. Job: 1. Date: 89/01/17

Station	Vert	IP	Vert	Q	Hor	Fld	Dur.	Time	Informatic
500.W	-6		6		130.00		1	10:09:42	-22
475.W	-16		3		122.00		1	10:11:33	-27 +3
450.W	-11		4		124.00		1	10:13:27	-25 +6
425.W	-14		6		122.00		0	10:15:16	-33 +15
400.W	-19		4		133.00		1	10:17:00	-40 +5
375.W	-21		8		119.00		1	10:18:42	-38 -11
350.W	-17		10		115.00		1	10:20:55	-29 -10
325.W	-12		10		109.00		0	10:23:01	-28 +3
300.W	-16		10		101.00		0	10:29:33	-32 -2
275.W	-16		4		99.30		0	10:31:53	-26 -2
250.W	-10		4		94.40		1	10:36:00	-30 -2
225.W	-20		2		86.50		2	10:39:27	-24 -18
200.W	-4		7		79.00		0	10:44:17	-12 -16
175.W	-8		7		85.70		0	10:48:01	-8 -10
150.W	0		3		82.10		0	10:49:21	-2 -4
125.W	-2		4		81.90		1	10:52:57	-4 +3
100.W	-2		1		78.20		1	10:54:57	-5 +6
75.W	-3		6		69.50		0	10:57:13	-10 +13
50.W	-7		8		77.10		0	10:59:33	-18 +26
25.W	-11		12		71.40		0	11:05:20	-36
BASE40500.	-25		1		67.50		0	11:08:40	
BASELINE 1.E 41100	-17		5		67.10		0	11:13:22	-31
25.E	-14		4		72.80		0	11:16:42	-28 -7
50.E	-14		3		72.20		0	11:18:02	-24 -8
75.E	-10		0		73.70		0	11:19:56	-26 -8
100.E	-10		-1		82.90		1	11:21:49	-16 -7
125.E	-6		-2		88.50		0	11:23:15	-13 +14
150.E	-7		-4		87.80		0	11:25:25	-30 +54
175.E	-23		-2		106.00		0	11:26:53	-67 +49
200.E	-44		-4		88.80		5	11:28:44	-79 +8
225.E	-35		4		80.00		0	11:32:33	-75
250.E	-40		7		75.30		0	11:34:31	