



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: 984-0221  
 AREA CODE: 604  
 TELEX: 04-352597

672344  
 Greer

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Explorations Ltd.,  
 1124 W.15th St.,  
 North Vancouver, B.C.  
 V7P 1M9

ATTN: TARGET PROJECT No. 117 CC. Vanderhoof, B.C.

CERTIFICATE NO. 53376

INVOICE NO. 36337

RECEIVED June 5/80

ANALYSED June 19/80

SAMPLE NO. :	PPM	PPM	PPM
	Cu	Mo	U
GCL 0+00E 1N	12	1	1.0
2	8	1	1.0
3	6	2	1.0
4	8	1	1.5
5	12	1	1.0
6	8	2	1.5
7	20	1	2.5
8	12	1	1.5
9	24	1	3.0
10	62	2	6.5
11	24	1	3.0
12	34	2	4.0
13+50	28	2	6.0
14	36	2	5.0
GCL 0+00E 15N	10	1	3.0
GCL 0+00N 0+00E	8	1	2.5
0+50	44	1	5.5
1+00	12	1	2.0
1+50	10	1	1.5
2+00	6	1	2.5
2+50	10	1	1.5
3+00	10	1	2.0
3+50	6	2	2.0
GCL 0+00N 4+00E	8	1	2.5
GCL 1+00N 0+50E	8	1	3.0
1+00	12	1	2.5
1+50	24	2	11.0
2+00	10	2	1.5
2+50	14	2	2.0
3+00	14	1	1.5
3+50	10	1	2.0
GCL 1+00N 4+00E	12	1	1.0
GCL 2+00N 0+50E	8	1	1.5
1+00	10	1	2.5
1+50	20	1	2.5
2+00	48	1	4.5
2+50	12	2	2.5
3+00	8	1	2.5
3+50	10	1	2.0
GCL 2+00N 4+00E	12	1	2.5



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

CERTIFIED BY:

*Hart Biddle*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: 984-0221  
 AREA CODE: 604  
 TELEX: 04-352597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 53377

TO: J. C. Stephen Explorations Ltd.,  
 1124 W. 15th St.,  
 North Vancouver, B.C.  
 V7P 1M9

INVOICE NO. 36337

RECEIVED June 5/80

ATTN: Target Project No. 117 CC. Vanderhoof, B.C.

ANALYSED June 19/80

SAMPLE NO. :	PPM Cu	PPM Mo	PPM U
GCL 3+00N 0+50E	8	1	1.0
1+00	32	1	1.0
1+50	24	1	2.5
2+00	18	1	1.5
2+50	10	1	1.5
3+00	8	1	1.5
3+50	6	1	1.5
GCL 3+00N 4+00E	10	1	1.0
GCL 4+00N 0+50E	6	1	0.5
1+00E	8	1	1.0
1+50	18	1	1.5
2+00	44	1	2.0
2+50	10	1	1.5
3+00	10	2	2.0
3+50	12	1	2.0
GCL 4+00N 4+00E	12	2	2.5
GCL 5+00N 0+50E	8	1	1.5
1+00E	16	1	2.0
1+50	10	1	1.5
2+00	28	1	1.5
2+50	10	1	1.0
3+00	8	1	1.0
3+50	8	1	2.0
GCL 5+00N 4+00E	6	1	2.5
GCL 6+00N 0+50E	8	1	2.0
1+00	8	1	2.0
1+50	8	3	1.5
2+00	8	1	1.0
2+50	8	1	2.0
3+00	8	1	1.5
3+50	8	1	2.0
GCL 6+00N 4+00E	4	1	2.0
GCL 7+00N 0+50E	8	1	2.0
1+00	6	1	2.0
1+50	4	1	2.0
2+00	6	1	2.5
2+50	4	1	1.5
GCL 7+00N 3+00E	4	2	2.5



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

CERTIFIED BY: *Hart Biddle*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: 984-0221  
 AREA CODE: 604  
 TELEX: 04-352597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Explorations Ltd.,  
 1124 W. 15th St.,  
 North Vancouver, B.C.  
 V7P 1M9

ATTN: Target Project No. 117 CC. Vanderhoof, B.C.

CERTIFICATE NO. 53378

INVOICE NO. 36337

RECEIVED June 5/80

ANALYSED June 19/80

SAMPLE NO. :	PPM		
	Cu	Mo	U
GCL 7+00N 3+50E	4	1	1.5
GCL 7+00N 4+00E	6	1	1.0
GCL 8+00N 0+50E	22	1	1.5
1+00	8	1	2.5
1+50	32	1	7.0
2+00	8	1	2.0
2+50	6	2	1.5
3+00	4	1	1.5
3+50	2	1	1.5
GCL 8+00N 4+00E	2	1	1.0
GCL 9+00N 0+50E	4	1	1.0
1+00	6	1	1.0
1+50	38	2	4.5
2+00	6	1	2.0
2+50	2	1	1.5
3+00	2	1	1.0
3+50	2	1	1.0
GCL 9+00N 4+00E	4	1	1.5
GCL 10+00N 0+50E	12	1	1.0
1+00	6	1	1.5
1+50	42	2	6.0
2+00	6	2	1.5
2+50	1	1	1.0
3+00	1	1	1.5
3+50	2	2	2.5
GCL 10+00N 4+00E	2	1	2.0
GCL 11+00N 0+50E	14	2	4.0
1+00	10	1	2.5
1+50	8	1	2.0
2+00	8	1	1.5
2+50	8	2	1.5
3+00	6	1	2.0
3+50	4	1	1.5
GCL 11+00N 4+00E	2	1	1.5
GCL 12+00N 0+50E	14	3	2.0
1+00	16	2	2.5
GCL 12+00N 1+50E	10	1	1.5



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

CERTIFIED BY: *Hans Biele*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: 984-0221  
 AREA CODE: 604  
 TELEX: 04-352597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 53379

TO: J. C. Stephen Explorations Ltd.,  
 1124 W. 15th St.,  
 North Vancouver, B.C.  
 V7P 1M9

INVOICE NO. 36337

RECEIVED June 5/80

ATTN: Target Project No. 117 CC. Vanderhoof, B.C.

ANALYSED June 19/80

SAMPLE NO. :	PPM Cu	PPM Mo	PPM U
GCL 12+00N 2+00E	10	1	2.0
2+50	6	1	2.5
3+00	34	1	5.5
3+50	20	2	3.0
GCL 12+00N 4+00E	210	5	38.0
GCL 13+00N 0+50E	30	9	2.0
1+00	16	6	1.0
1+50	16	1	2.5
2+00	14	1	1.0
2+50	20	1	3.0
3+00	12	1	2.0
3+50	32	1	6.0
GCL 13+00N 4+00E	16	1	1.5
GCL 14+00N 0+50E	12	1	1.0
1+00	52	2	6.5
1+50	32	2	2.5
2+00	62	7	13.0
2+50	52	1	5.0
3+00	38	2	4.5
3+50	26	1	4.0
GCL 14+00N 4+00E	28	1	6.0
GCL 15+00N 0+50E	12	1	2.0
1+00	10	1	1.0
1+50	14	1	1.0
2+00	86	26	16.5
2+50	78	3	18.5
3+00	34	1	4.0
3+50	18	1	3.0
GCL 15+00N 4+00E	18	1	2.0
BGRID L0+00N 0+00E	104	2	10.5
1+00	8	1	1.5
2+00	16	1	2.0
3+00	12	1	1.5
4+00	8	1	1.5
5+00	18	2	1.5
6+00	14	2	1.5
7+00	10	2	1.5
8+00	10	2	1.0
9+00	12	1	1.5
BGRID L0+00N 10+00E	12	1	1.0



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

CERTIFIED BY:

*Hart Biddle*







# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: 984-0221  
 AREA CODE: 604  
 TELEX: 04-352597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Explorations Ltd.,  
 1124 W. 15th St.,  
 North Vancouver, B.C.  
 V7P 1M9

ATTN: Target Project No. 117 CC. B. M. Fraser

CERTIFICATE NO. 53759

INVOICE NO. 36660

RECEIVED June 22/80

ANALYSED July 3/80

SAMPLE NO. :	PPM Cu	PPM Mo	PPM U
GA 0+00N 0+00E	10	1	2.0
0+50	10	1	2.0
1+00	6	1	1.0
1+50	8	1	2.0
2+00	14	2	3.5
2+50	14	1	1.5
3+00	16	1	2.0
0+00N 3+50E	34	3	2.0
1+00N 0+00E	6	1	2.5
0+50	4	1	0.5
1+00	4	1	2.5
1+50	10	2	2.5
2+00	16	1	1.5
2+50	10	1	1.5
3+00	12	1	1.5
3+50	16	2	-0.5
4+00	10	1	-0.5
1+00N 4+50E	14	2	2.0
2+00N 0+00E	8	2	-0.5
0+50	6	1	2.5
1+00	8	1	2.5
1+50	10	1	3.5
2+00	8	2	2.5
2+50	20	1	1.0
3+00	16	3	1.0
3+50	10	1	2.0
4+00	14	1	2.5
4+50	10	2	2.0
5+00	20	2	2.0
2+00N 5+50E	22	1	4.0
3+00N 0+00E	6	1	2.5
0+50	6	1	2.5
1+00	6	1	4.0
1+50	8	1	6.0
2+00	8	1	2.5
2+50	10	2	2.5
3+00	10	1	3.0
3+50	10	1	2.5
4+00	14	2	2.0
GA 3+00N 4+50E	14	2	2.5



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

CERTIFIED BY:

*Hart Biddle*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: 984-0221  
 AREA CODE: 604  
 TELEX: 04-352597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 53760

TO: J. C. Stephen Explorations Ltd.,  
 1124 W. 15th St.,  
 North Vancouver, B.C.  
 V7P 1M9

INVOICE NO. 36660

RECEIVED June 22/80

ATTN: Target Project #117 CC. BM Fraser

ANALYSED July 3/80

SAMPLE NO. :	PPM		PPM
	Cu	Mo	U
GA3+00N 5+00E	14	1	3.5
5+50	8	2	4.5
6+00	26	2	2.5
3+00N 6+50E	18	2	3.5
4+00N 0+00E	8	1	4.0
0+50	6	1	3.5
1+00	4	1	2.0
1+50	4	1	3.0
2+00	6	2	3.5
2+50	6	1	2.0
3+00	8	1	2.0
3+50	6	1	3.0
4+00	10	1	1.5
4+50	44	1	3.0
5+00	10	1	1.5
5+50	8	1	2.0
6+00	8	1	2.5
6+50	10	2	2.5
7+00	14	1	2.0
4+00N 7+50E	12	2	2.0
5+00N 0+00E	10	1	2.5
0+50	8	1	2.5
1+00	8	2	2.0
1+50	6	1	2.5
2+00	8	1	2.0
2+50	6	1	2.5
3+00	6	1	2.5
3+50	8	2	3.0
4+00	8	1	2.5
4+50	10	1	2.0
5+00	10	1	2.5
5+50	8	1	2.5
6+00	8	2	3.5
6+50	8	2	3.5
7+00	6	2	2.5
7+50	8	1	3.5
8+00	14	1	2.0
5+00N 8+50E	20	1	2.5
6+00N 0+00E	6	2	2.0
GA6+00N 0+50E	10	1	2.5



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

CERTIFIED BY: *[Signature]*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: 984-0221  
 AREA CODE: 604  
 TELEX: 04-352597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 53761

TO: J. C. Stephen Explorations Ltd.,  
 1124 W. 15th St.,  
 North Vancouver, B.C.  
 V7P 1M9

INVOICE NO. 36660

RECEIVED June 22/80

ATTN: Target Project No. 117 CC. B. M. Fraser

ANALYSED July 3/80

SAMPLE NO. :		PPM	PPM	PPM
		Cu	Mo	U
GA6+00N	1+00E	4	1	2.0
	1+50	6	1	2.0
	2+00	6	1	3.0
	2+50	10	1	2.5
	3+00	8	1	4.5
	3+50	6	1	2.5
	4+00	8	1	2.0
	4+50	8	1	2.5
	5+00	14	2	2.5
	5+50	26	5	2.5
	6+00	14	1	2.5
	6+50	20	2	2.5
	7+00	16	4	2.0
6+00N	7+50E	24	2	3.5
7+00N	0+00E	6	2	2.0
	0+50	8	2	1.5
	1+00	8	2	2.5
	1+50	10	1	2.0
	2+00	10	2	2.5
	2+50	8	2	2.0
	3+00	8	1	3.5
	3+50	8	1	2.5
	4+00	18	9	3.5
	4+50	82	14	70
	5+00	8	1	3.0
	5+50	86	3	21.0
	6+00	16	1	4.5
7+00N	6+50E	12	1	2.5
8+00N	0+00E	6	2	3.5
	0+50	6	1	-0.5
	1+00	8	1	2.5
	1+50	8	1	2.5
	2+00	8	1	2.5
	2+50	10	1	2.5
	3+00	12	1	2.0
	3+50	68	4	6.0
	4+00	10	1	1.5
	4+50	10	1	2.0
	5+00	14	1	2.5
GA8+00N	5+50E	16	1	2.5

Note: - denotes less than



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

CERTIFIED BY:

*Hart Biddle*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: 984-0221  
 AREA CODE: 604  
 TELEX: 04-352597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 53762

TO: J. C. Stephen Explorations Ltd.,  
 1124 W. 15th St.,  
 North Vancouver, B.C.  
 V7P 1M9

INVOICE NO. 36660

RECEIVED June 22/80

ATTN: Target Project No. 117 CC. B. M. Fraser

ANALYSED July 3/80

SAMPLE NO. :	PPM Cu	PPM Mo	PPM U
GA8+00N 6+00E	14	1	2.0
9+00N 0+00E	10	2	1.5
0+50	8	1	1.5
1+00	10	1	1.0
1+50	16	4	2.0
2+00	42	2	2.5
2+50	18	2	1.5
3+00	38	29	3.5
3+50	18	2	1.0
4+00	10	1	2.5
4+50	10	1	2.0
9+00N 5+00E	8	1	2.0
10+00N 0+00E	14	2	2.0
0+50	96	3	2.5
1+00	18	5	2.0
1+50	14	2	1.5
2+00	18	2	2.5
2+50	12	2	1.5
3+00	12	1	2.0
3+50	14	1	2.0
10+00N 4+00E	20	1	1.5
11+00N 0+00E	6	2	4.0
0+50	20	1	3.5
1+00	14	1	2.0
1+50	18	2	2.0
2+00	20	1	2.5
2+50	12	1	2.0
11+00N 3+00E	16	3	2.0
12+00N 0+00E	10	1	2.0
" 0+50	6	1	2.0
1+00	2	1	4.0
1+50	14	1	3.0
GA12+00N 2+00E	40	2	6.0



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

CERTIFIED BY: *[Signature]*