

TYEE LAKE RESOURCES LTD.

672500

ASSAY CALCULATIONS

HOLE NO.	FROM	TO	FEET	% RECOVERY	AVERAGE T.C.P.S.	ASSAY lb. per ton	RATIO: T.C.P.S. assay lb./ton	CALCULATED lb. per ton using ratio 1000:1
76-3	138	185	47	48%	336	0.306	1098	0.336
	185	213	28	56%	960	0.968	992	0.960
	138	213	75					0.568
76-4	185	195	10	66%	218	0.200	1090	0.218
	195	199	4	60%	285	0.200	1425	0.285
	185	199	14					0.237
76-5	124	152	28	No Core	302	-	-	0.302
	152	203	51	92%	443	0.416	1065	0.443
	124	203	79					0.393
76-6	91	124	33	0	270	-	-	0.270
	124	145	21	0	751	-	-	0.751
	145	209	64	64%	1170	0.752	1556	1.170
	91	209	118					0.843
76-7	154	169	15'	0	264	-	-	0.264
	169	191	22	0	189	-	-	0.189
	191	210	19	46%	292	0.316	924	0.292
	154	210	56					0.244

HOLE NO.	FROM	TO	FEET	% RECOVERY	AVERAGE T.C.P.S.	ASSAY lb. per ton	RATIO: T.C.P.S. assay lb./ton	CALCULATED lb. per ton using ratio 1000:1
76-8	89	180	91	0	223	-		0.223
	180	203	23	49%	304	0.204	1490	0.304
	203	212.2	9.2	70%	717	0.676	1060	0.716
<u>OR</u>	89	212.2	123.2	55%				0.275
	180	212.2	32.2					0.422
76-9	136	165	29	0	382	-		0.382
	165	179	14	44%	543	0.554	980	0.543
	136	179	43					0.434
76-10	74	85	11	0	294			0.294
	181	195	14	22%	198	0.590	335	0.198
76-11	114	124	10	0	250			0.250
	124	144	20	0	506			0.506
	144	160	16	0	829			0.829
	160	193	33	19%	2607	1.792	1455	2.607
	114	193	79					1.417
76-12	103	117	14	0	396			0.396
	117	126	9	0	628			0.628
	126	161	35	0	1244			1.244
	161	167	6	53%	1575	1.236	1274	1.575
	103	167	64					1.003

HOLE NO.	FROM	TO	FEET	% RECOVERY	AVERAGE T.C.P.S.	ASSAY lb. per ton	RATIO: T.C.P.S. assay lb./ton	CALCULATED lb. per ton using ratio 1000:1
76-13	118	136	18	0	285	-	-	0.285
	136	145	9	0	460	-	-	0.460
	145	160	15	0	600	-	-	0.600
	160	191	31	45%	1490	1.014	1469	1.490
	118	191	73					0.883
76-14	104	130	26	0	445	-	-	0.445
	130	149	19	0	1182	-	-	1.182
	149	162	13	0	630	-	-	0.630
	162	170	8	0	536	-	-	0.536
	104	170	66	0				0.705
76-15	117	129	12	0	238			0.238
76-16	124	141	17	0	550	-	-	0.550
	141	163	22	0	258			0.258
	163	177	14	24%	3065	1.180	2597	3.065
	124	177	53					1.093
76-17	113	123	10	0	285			0.285
	123	147	24	4%	807	1.208	668	0.807
	147	158.5	11.5	71%	436	0.152	2868	0.436
	158.5	169.5	11.0	9%	3949	1.829	2159	3.949
	113	169.5	56.5		1251	0.951	1315	1.251
76-18	92	108	16	0	587			0.587
	108	118	10	0	127			0.127
	118	122	4	0	1397			1.397
	122	134	12	0	297			0.297
	92	134	42					0.465

