

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

672739

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.
 1124 West 15th Street
 North Vancouver, B.C.

TARGET PROJECT

Bin Group

CERTIFICATE NO. 43897

INVOICE NO. 26393

RECEIVED July 3/78

ANALYSED July 7/78


ATTN: cc: Vanderhoof

SAMPLE NO. :	PPM Cu	PPM Mo	PPM Zn	PPM U
78 TAB 38N 49E		1		
38N 50E		1		
39N 30E		1		
31		1		
32		2		
33		1		
34		1		
35		2		
36		1		
37		1		
38		1		
39		1		
40		1		
41		2		
42		1		
43		3		
44		2		
45		1		
46		3		
47		1		
48		7		
49		3		
78 TAB 39N 50E		1		
78 TAB 1		2		< 0.5
78 TAC 225	20	3	105	2.0



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY:



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 43896
 INVOICE NO. 26393
 RECEIVED July 3/78
 ANALYSED July 7/78

TO: J. C. Stephen Exploration Ltd.
 1124 West 15th Street
 North Vancouver, B.C.

TARGET PROJECT


ATTN: cc: Vanderhoof

SAMPLE NO. :	PPM
	Mo
78 TAB 37N 30E	5
31	2
32	1
33	2
34	2
35	1
36	2
37	1
38	2
39	1
40	1
41	1
42	1
43	2
44	1
45	2
46	2
47	1
48	1
49	2
37N 50E	4
38N 30E	1
31	1
32	1
33	1
34	2
35	1
36	1
37	1
38	1
39	1
40	1
41	1
42	1
43	2
44	1
45	1
46	1
47	1
78 TAB 38N 48E	1
STD.	10



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: 



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 44123

TO: J.C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B.C.
 V7P 1M9

INVOICE NO. 26513
 RECEIVED July 10, 1978
 ANALYSED July 14, 1978

ATTN: TARGET
 C.C. G.A. Cohoon, Vanderhoof

SAMPLE NO. :	PPM Copper	PPM Molybdenum	PPM Uranium
78 TAC 420	32	4	7.0
421	4	1	1.0
422	14	1	4.5
423	36	8	NSS
78 TAC 424	6	1	<0.5
78 TAB 30N 22E		1	3.5
23		1	0.5
24		1	1.5
25		1	<0.5
26		1	<0.5
27		1	<0.5
28		1	<0.5
29		1	0.5
78 TAB 30N 30E		1	<0.5
78 TAB 31N 22E		1	4.5
23		1	<0.5
24		1	<0.5
25		1	0.5
26		3	3.5
27		2	<0.5
28		1	<0.5
29		2	<0.5
78 TAB 31N 30E		2	<0.5
78 TAB 32N 22E		1	<0.5
23		2	0.5
24		1	<0.5
25		1	1.0
26		1	<0.5
27		1	1.0
28		1	<0.5
29		1	<0.5
30		1	0.5
31		2	0.5
32		1	0.5
33		1	1.5
34		1	0.5
35		1	0.5
36		2	0.5
37		1	0.5
78 TAB 32N 38E		1	0.5
STD.		5	



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Hart Side*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B.C.
 ATTN: V7P 1M9

CERTIFICATE NO. 44124
 INVOICE NO. 26513
 RECEIVED July 10, 1978
 ANALYSED July 14, 1978

TARGET

CC. G. A. Cohoon, Vanderhoof

SAMPLE NO. :	PPM	PPM
	Molybdenum	Uranium
78 TAB 32N 39E	1	<0.5
40	1	0.5
41	1	0.5
42	1	0.5
43	2	0.5
44	1	<0.5
45	2	<0.5
78 TAB 32N 46E	2	<0.5
78 TAB 33N 23E	1	0.5
30	2	<0.5
31	2	<0.5
32	1	0.5
33	1	<0.5
34	1	1.0
35	1	<0.5
36	2	0.5
37	2	<0.5
38	2	<0.5
39	1	<0.5
40	1	<0.5
41	1	<0.5
42	2	<0.5
43	1	<0.5
44	1	1.0
45	2	<0.5
46	2	<0.5
47	1	<0.5
48	2	<0.5
49	1	<0.5
78 TAB 33N 50E	2	<0.5
78 TAB 34N 30E	2	<0.5
31	1	<0.5
32	2	<0.5
33	1	<0.5
34	2	<0.5
35	1	0.5
36	1	<0.5
37	1	<0.5
38	1	<0.5
78 TAB 34N 39E	1	<0.5
STD.	5	25



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: Harold Biddle



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B.C.
 V7P 1M9

CERTIFICATE NO. 44125

INVOICE NO. 26513

RECEIVED July 10, 1978

ATTN: CC. G. A. Cohoon, Vanderhoof

ANALYSED July 14, 1978

TARGET

SAMPLE NO. :	PPM Molybdenum	PPM Uranium
78 TAB 34M 40E	1	<0.5
41	1	0.5
42	1	<0.5
43	1	0.5
44	1	1.0
45	1	0.5
46	1	<0.5
47	1	0.5
48	1	<0.5
49	1	0.5
78 TAB 34N 50E	1	2.0
78 TAB 35N 30E	1	5.5
31	1	0.5
32	1	<0.5
33	1	0.5
34	1	<0.5
35	1	<0.5
36	1	<0.5
37	1	<0.5
38	1	<0.5
39	2	5.5
40	1	1.5
41	1	1.0
42	1	1.5
43	1	0.5
44	1	1.5
45	1	1.5
46	1	1.5
47	1	0.5
48	1	1.5
49	1	1.5
78 TAB 35N 50E	2	0.5
78 TAB 36N 23E	1	1.0
24	1	1.5
25	1	0.5
26	1	0.5
27	1	<0.5
28	1	1.0
29	2	0.5
78 TAB 26N 30EA	2	<0.5
STD.	6	



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Hart Riddle*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephens Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B.C.
 V7P 1M9

CERTIFICATE NO. 44126
 INVOICE NO. 26513
 RECEIVED July 10, 1978
 ANALYSED July 14, 1978

ATTN: CC. G. A. Cohoon, Vanderhoof **TARGET**

SAMPLE NO. :	PPM Molybdenum	PPM Uranium
78 TAB 36N 30E	1	<0.5
31	1	1.5
32	1	<0.5
33	1	<0.5
34	1	0.5
35	1	<0.5
36	1	<0.5
37	1	<0.5
38	1	<0.5
39	1	<0.5
40	1	<0.5
41	1	<0.5
42	1	<0.5
43	1	<0.5
44	1	<0.5
45	1	0.5
46	1	<0.5
47	1	<0.5
48	1	<0.5
49	1	<0.5
50	3	<0.5
78 TAB 36N 51E	1	<0.5
78 TAB 37N 23	1	<0.5
24	1	<0.5
25	1	<0.5
26	1	<0.5
28	1	<0.5
29	1	1.0
78 TAB 37N 30E	2	1.0
78 TAB 38N 23E	1	1.0
24	1	0.5
25	1	1.0
26	1	<0.5
27	2	<0.5
28	1	0.5
78 TAB 38N 29E	1	<0.5
78 TAB 39N 24E	1	0.5
25	1	7.0
26	1	<0.5
78 TAB 39N 27E	1	<0.5
STD.	5	



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: Hart Biele



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B.C.
 V7P 1M9

ATTN: CC. G. A. Cohoon, Vanderhoof **TARGET**

CERTIFICATE NO. 44127
 INVOICE NO. 26513
 RECEIVED July 10, 1978
 ANALYSED July 14, 1978

SAMPLE NO. :	PPM Molybdenum	PPM Uranium
78 TAB 39N 28E	2	<0.5
78 TAB 39N 29E	1	<0.5
78 TAB 40N 31E	2	<0.5
32	1	<0.5
33	1	<0.5
34	1	<0.5
35	1	1.0
36	1	<0.5
37	1	<0.5
38	1	<0.5
39	2	<0.5
40	1	1.0
41	2	<0.5
42	1	<0.5
43	1	<0.5
44	1	<0.5
45	2	<0.5
46	1	<0.5
47	6	16
48	1	<0.5
49	2	<0.5
78 TAB 40N 50E	2	<0.5
78 TAB 41N 29E	4	21
30A	1	<0.5
30B	1	<0.5
31	1	<0.5
32	1	<0.5
33	2	<0.5
34	1	<0.5
35	1	<0.5
36	1	<0.5
37	2	<0.5
38	2	36
39	1	1.0
78 TAB 41N 40E	1	0.5
78 TAB 42N 31E	4	2.5
32	1	<0.5
33	1	0.5
34	1	2.0
78 TAB 42N 35E	1	0.5
STD.	6	21



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Hart Biddle*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B.C.
 V7P 1M9

ATTN:

TARGET
 CC. G. A. Cohoon, Vanderhoof


CERTIFICATE NO. 44128
 INVOICE NO. 26513
 RECEIVED July 10, 1978
 ANALYSED July 14, 1978

SAMPLE NO. :	PPM Molybdenum	PPM Uranium	
78 TAB 42N 36E	1	<0.5	NOTE: Less than 4 detection limit due to fluorescence quenching caused by high concentration of the interfering metals.
73	6	18	
38	2	<4.0	
39	1	<0.5	
40	1	<0.5	
41	1	1.0	
42	1	1.0	
43	1	1.0	
44	1	0.5	
45	1	3.5	
46	2	1.0	
47	1	0.5	
48	1	1.0	
49	2	0.5	
78 TAB 42N 50E	1	0.5	
78 TAB 43N 30E	2	NSS	
31	2	1.5	
32	2	0.5	
33	1	0.5	
34	11	2.5	
35	1	1.5	
36	1	1.0	
37	6	5.0	
38	1	0.5	
39	1	<0.5	
40	1	<0.5	
41	1	0.5	
42	1	0.5	
43	1	1.0	
44	1	<0.5	
45	1	0.5	
46	1	0.5	
47	1	<0.5	
48	1	<0.5	
49	1	1.5	
78 TAB 43N 50E	1	1.5	
78 TAB 44N 30E	1	0.5	
31	2	<0.5	
32	1	<0.5	
78 TAB 44N 33E	1	<0.5	
STD.	6	25	



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Hart Biele*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B.C.
 V7P 1M9

ATTN: CC. G. A. Cohoon, ^{TARGET} Vanderhoof

CERTIFICATE NO. 44129
 INVOICE NO. 26513
 RECEIVED July 10, 1978
 ANALYSED July 14, 1978

SAMPLE NO. :	PPM Molybdenum	PPM Uranium	
78 TAB 44N 34E	2	0.5	NOTE: Less than 4 detection limit due to fluorescence quenching caused by high concentration of the interfering metals.
35	1	1.0	
36	1	0.5	
37	1	<0.5	
38	1	1.5	
39	2	1.5	
40	1	<0.5	
41	1	0.5	
42	1	0.5	
43	1	<0.5	
44	1	<0.5	
45	1	<0.5	
46	1	<0.5	
47	1	<0.5	
48	1	0.5	
49	3	6.0	
78 TAB 44N 50E	1	1.0	
78 TAB 45N 30E	1	<0.5	
31	3	<4.0	
32	1	0.5	
33	1	<4.0	
34	1	0.5	
35	2	<0.5	
36	1	1.5	
37	1	<0.5	
38	1	1.5	
39	1	2.5	
40	1	<0.5	
41	2	1.0	
42	1	<0.5	
43	1	<0.5	
44	2	<0.5	
45	1	<0.5	
46	1	<0.5	
47	1	<0.5	
48	1	<0.5	
49	1	<0.5	
78 TAB 45N50E	1	1.5	
78 TAB 46N 30E	2	<0.5	
78 TAB 46N 31E	1	<0.5	
STD.	5	23	



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: Hart Biddle



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephens Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B.C.
 V7P 1M9

CERTIFICATE NO. 44130
 INVOICE NO. 26513
 RECEIVED July 10, 1978
 ANALYSED July 14, 1978

ATTN: TARGET
 CC. G. A. Cohoon, Vanderhoof

SAMPLE NO. :	PPM Molybdenum	PPM Uranium
78 TAB 46N 32E	1	<0.5
33	1	2.0
34	1	<0.5
35	2	1.0
36	2	<0.5
37	1	<0.5
38	1	<0.5
39	1	<0.5
40	2	1.0
41	4	4.5
42	1	1.0
43	1	<0.5
44	1	<0.5
45	1	0.5
46	2	1.0
47	1	<0.5
48	1	<0.5
49	2	<0.5
78 TAB 46N 50E	1	<0.5
78 TAB 47N 30E	1	<4.0
31	1	<0.5
32	1	<0.5
33	1	<0.5
34	2	<0.5
35	1	<0.5
36	2	<0.5
37	1	<0.5
38	1	<0.5
39	2	<0.5
40	1	<0.5
41	1	<0.5
42	1	<0.5
43	1	<0.5
44	1	<0.5
45	1	<0.5
46	1	<0.5
47	1	1.0
48	3	4.0
49	3	7.5
78 TAB 47N50E	1	<0.5
STD.	5	



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: Harry Ridd



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 44309

TO: J.C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B.C.

INVOICE NO. 26615

RECEIVED July 17, 1978

ATTN: V7P 1M9

TARGET PROJECT
 C.C. G.A. Cohoon, Vanderhoof


ANALYSED July 21, 1978

SAMPLE NO. :	PPM Copper	PPM Molybdenum	PPM Uranium
75 TAB 71E 39N		1	1.0
71E 40N		1	0.5
72E 22N		2	0.5
23		1	6.5
24		1	<0.5
25		1	0.5
26		1	<0.5
27		1	1.0
28		1	0.5
29		1	0.5
30		1	0.5
31		1	1.0
32		1	1.0
33		1	<0.5
34		1	<0.5
35		1	<0.5
36		1	0.5
37		1	1.0
38		1	<0.5
39		1	1.0
78 TAB 72E 40N		1	<0.5
78 TAC 425	14	2	5.0
426	16	2	8.5
78 TAC 427	16	2	15
78 TAS 24+50E 14S		1	<0.5
25E 13+50S		2	1.0
78 TAS 25E 14S		2	<0.5
78 TAW 6+50S 6+50E		1	<0.5
78 TAW 6+75S 3+50E		4	4.5
3+75		3	3.5
4		4	9.0
4+25		6	<0.5
4+50		1	<0.5
4+75		1	<0.5
5		1	0.5
5+25		1	0.5
5+50		1	<0.5
5+75		1	<0.5
6		1	<0.5
6+25		1	0.5
78 TAW 6+75S 6+50E		1	<0.5
STD.		5	25



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: 



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 44308

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B.C.
 V7P 1M9

TARGET PROJECT

INVOICE NO. 26615

RECEIVED July 17, 1978

ATTN: CC. G. A. Cohoon, Vanderhoof

ANALYSED July 20, 1978

SAMPLE NO. :	PPM Mo	PPM Uranium
78 TAB 64E 38 N	1	< 0.5
39	1	< 0.5
64E 40 N	1	1.0
70E 20 N	2	< 0.5
21	1	< 0.5
22	1	< 0.5
23	1	< 0.5
24	1	< 0.5
25	1	< 0.5
26	1	< 0.5
27	1	< 0.5
28	1	< 0.5
29	1	1.0
30	1	< 0.5
31	1	< 0.5
32	1	< 0.5
33	1	< 0.5
34	1	1.0
35	1	< 0.5
36	1	< 0.5
37	1	9.0
38	1	1.0
39	1	1.0
70E 40N	1	< 0.5
71E 23N	2	< 0.5
24	1	< 0.5
25	1	< 0.5
26	1	< 0.5
27	1	< 0.5
28	1	< 0.5
29	1	< 0.5
30	1	< 0.5
31	1	< 0.5
32	1	< 0.5
33	1	< 0.5
34	1	< 0.5
35	1	3.0
36	1	< 0.5
37	1	4.0
78 TAB 71E 38N	2	< 0.5
STD.	5	20

NOTE: "Uranium", less than 4 detection limit due to fluorescence quenching caused by high concentration of the interfering metals.



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *[Signature]*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 44305

TO: J. G. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B.C.

TARGET PROJECT

INVOICE NO. 26615

RECEIVED July 17, 1978

ATTN: V7P 1M9
 CC. G. A. Cohoon, Vanderhoof.

ANALYSED July 20, 1978

SAMPLE NO. :	PPM		
	Uranium	Molybdenum	
78 TAB 64E 20 N	< 0.5	1	NOTE: "Uranium", less than 4 detection limit due to fluorescence quenching caused by high concentration of the interfering metals.
21	< 0.5	1	
22	< 0.5	1	
23	< 0.5	1	
24	< 0.5	1	
25	< 0.5	1	
26	< 0.5	1	
27	< 0.5	1	
28	< 0.5	1	
29	< 0.5	1	
30	< 0.5	1	
31	< 0.5	1	
32	< 0.5	1	
33	< 0.5	1	
34	< 0.5	1	
35	< 0.5	1	
36	< 0.5	1	
37	< 0.5	1	
38	< 0.5	1	
39	< 0.5	1	
64E 40 N	< 0.5	1	
65E 20 N	< 0.5	1	
21	< 0.5	1	
22	< 0.5	1	
23	< 0.5	1	
24	< 0.5	1	
25	< 0.5	1	
26	< 0.5	1	
27	< 0.5	1	
28	< 0.5	1	
29	< 0.5	1	
30	< 0.5	1	
31	< 0.5	1	
32	< 0.5	1	
33	< 0.5	1	
34	< 0.5	1	
35	< 0.5	1	
36	< 0.5	1	
37	< 0.5	1	
78 TAB 65E 38 N	< 0.5	1	
STD.	24	5	



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *[Signature]*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.
 1124 West 15th Street
 N. Vancouver, B.C.

TARGET

CERTIFICATE NO. 44593
 INVOICE NO. 26861
 RECEIVED July 26/78
 ANALYSED August 2/78

ATTN: cc: G. A. Cohoon

SAMPLE NO. :	PPM Mo	PPM U
78 TAB 60E 20N	1	< 0.5
21	1	< 0.5
22	1	< 0.5
23	1	< 0.5
24	2	< 0.5
25	1	< 0.5
26	1	< 0.5
27	1	< 0.5
28	1	< 0.5
29	1	< 0.5
30	1	< 0.5
31	1	< 0.5
32	1	< 0.5
33	1	< 0.5
34	1	< 0.5
35	1	< 0.5
36	2	< 0.5
37	1	< 0.5
38	1	< 0.5
39	1	< 0.5
78 TAB 60E 40N	1	< 0.5
78 TAB 61E 20N	1	< 0.5
21	1	< 0.5
22	1	< 0.5
23	1	< 0.5
24	1	< 0.5
25	1	< 0.5
26	1	< 0.5
27	1	< 0.5
28	1	< 0.5
29	1	< 0.5
30	1	< 0.5
31	1	< 0.5
32	1	< 0.5
33	1	< 0.5
34	1	< 0.5
35	1	< 0.5
36	1	< 0.5
37	1	< 0.5
78 TAB 61E 38N	2	< 0.5
STD.	6	22



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Hart Buler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.
 1124 West 15th Street
 North Vancouver, B.C.

TARGET

CERTIFICATE NO. 44594
 INVOICE NO. 26861
 RECEIVED July 26/78
 ANALYSED August 2/78

ATTN: cc: G. A. Cohoon

SAMPLE NO. :	PPM Mo	PPM U
78 TAB 61E 39N	2	2.0
78 TAB 61E 40N	2	< 0.5
78 TAB 62E 20N	1	< 0.5
21	1	0.5
22	1	< 0.5
23	1	< 0.5
24	2	< 0.5
25	2	< 0.5
26	1	< 0.5
27	1	< 0.5
28	2	< 0.5
29	1	< 0.5
30	1	< 0.5
31	1	< 0.5
32	1	< 0.5
33	1	< 0.5
34	2	17
35	1	< 0.5
36	1	< 0.5
37	1	< 0.5
38	1	< 0.5
39	1	4.0
78 TAB 62E 40N	1	0.5
78 TAB 63E 20N	1	< 0.5
21	1	< 0.5
22	1	< 0.5
23	1	< 0.5
24	1	< 0.5
25	1	< 0.5
26	1	< 0.5
27	1	< 0.5
28	1	< 0.5
29	1	< 0.5
30	1	< 0.5
31	1	< 0.5
32	1	< 0.5
33	1	< 0.5
34	1	< 0.5
35	1	< 0.5
78 TAB 63E36N	1	< 0.5
STD.	5	20



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Hart/Bull*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.
 1124 West 15th Street
 North Vancouver, B.C.

TARGET

CERTIFICATE NO. 44595
 INVOICE NO. 26861
 RECEIVED July 26/78
 ANALYSED August 2/78

ATTN: cc: G. A. Cohoon

SAMPLE NO. :	PPM Mo	PPM U
78 TAB 63E 37N	1	0.5
38	1	< 0.5
78 TAB 63E 39N	1	< 0.5
78 TAB 63E 40N	1	< 0.5
78 TAB 73E 22N	1	< 0.5
23	1	< 0.5
24	1	< 0.5
25	1	0.5
26	1	< 0.5
27	1	< 0.5
28	1	< 0.5
29	1	< 0.5
30	1	< 0.5
31	1	< 0.5
32	1	< 0.5
33	1	< 0.5
34	1	< 0.5
35	1	< 0.5
36	1	< 0.5
37	2	< 0.5
38	1	< 0.5
39	2	< 0.5
78 TAB 73E 40N	1	< 0.5
78 TAB 74E 20N	1	< 0.5
21	1	< 0.5
22	1	< 0.5
23	1	< 0.5
24	1	< 0.5
25	1	< 0.5
26	1	< 0.5
27	1	< 0.5
28	1	< 0.5
29	1	< 0.5
30	1	< 0.5
31	1	< 0.5
32	1	< 0.5
33	1	< 0.5
34	1	< 0.5
35	1	< 0.5
78 TAB 74E 36N	1	< 0.5
STD.	5	18



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Harry Biddle*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B.C.
 V7P 1M9

TARGET

ATTN: CC. G. A. Cohoon, Vanderhoof

CERTIFICATE NO. 44673
 INVOICE NO. 27341
 RECEIVED July 31, 1978
 ANALYSED August 9, 1978

SAMPLE NO. :	PPM Copper	PPM Molybdenum	PPM Uranium
78 TAB ON 128E	8	1	< 0.5
129	6	2	< 0.5
ON 130E	16	2	< 0.5
OS 131E	6	1	< 0.5
132	4	1	< 0.5
OS 133E	6	1	< 0.5
IN 126E	2	1	< 0.5
127	4	2	< 0.5
128	6	1	< 0.5
129	8	1	< 0.5
129+50	6	1	< 0.5
130	6	1	0.5
130+50	8	1	< 0.5
131	6	1	< 0.5
132	8	1	< 0.5
IN 133E	8	1	< 0.5
IS 126E	6	1	< 0.5
126+50	6	1	< 0.5
127	8	1	< 0.5
128	6	1	< 0.5
129	6	1	< 0.5
130	14	2	< 0.5
130+50	26	2	< 4.0
131	8	1	< 0.5
132	8	1	< 0.5
IS 133E	8	1	< 0.5
1+50S 135E	6	1	< 0.5
2N 128E	4	1	< 0.5
129	4	1	0.5
130	4	1	0.5
131	4	1	0.5
132	8	1	< 0.5
2N 133E	4	2	< 0.5
2S 126+50E	2	1	< 0.5
127	2	1	< 0.5
127+50	2	1	< 0.5
128	2	2	0.5
128+50	2	1	1.0
129	4	1	1.0
78 TAB 2S 130E	10	3	< 0.5
STD.	70	5	18

NOTE: "Uranium", less than 4 detection limit due to fluorescence quenching caused by high concentration of the interfering metals.



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: 



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C.
 V7P 1M9

TARGET

ATTN: CC. G. A. Cohoon, Vanderhoof

CERTIFICATE NO. 44674

INVOICE NO. 27341

RECEIVED July 31, 1978

ANALYSED August 9, 1978

SAMPLE NO. :	PPM Copper	PPM Molybdenum	PPM Uranium	
78 TAB 2S 130+50E	6	1	0.5	
131	4	1	0.5	
132	4	1	0.5	
132+50	4	1	< 0.5	
133	6	1	< 0.5	
133+50	6	1	< 0.5	NOTE: "Uranium", less than 4 detection limit due to fluorescence quenching caused by high concentration of the interfering metals.
134	6	1	< 0.5	
134+50	6	1	< 0.5	
135	4	1	< 0.5	
135+50	6	1	< 0.5	
2S 136E	4	1	< 0.5	
2+10S 136E	4	1	1.0	
3S 126+50E	4	1	< 0.5	
127	2	1	0.5	
127+50	4	1	< 0.5	
128	4	1	< 0.5	
128+50	4	1	< 0.5	
129	4	1	< 0.5	
129+50	4	1	< 0.5	
130	4	1	< 0.5	
130+50	4	1	0.5	
131	4	1	< 0.5	
131+50	6	1	< 0.5	
132	6	1	< 0.5	
135	4	1	1.0	
3S 136E	2	2	1.0	
3+50S 135E	10	1	< 0.5	
3+50S 136E	6	1	0.5	
4S 127E	4	1	0.5	
128	4	1	1.0	
129	4	2	< 0.5	
130	4	1	0.5	
131	4	1	< 0.5	
132	8	1	< 0.5	
135	4	1	1.5	
135+50	4	1	1.0	
4S 136E	6	2	< 0.5	
20N 55E	10	1	< 0.5	
21N 55E	10	2	< 0.5	
78 TAB 22N 55E	10	1	< 0.5	
STD.	70	5	22	



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: _____



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C. TARGET

ATTN: CC. G. A. Cohoon, Vanderhoof

CERTIFICATE NO. 44675
 INVOICE NO. 27341
 RECEIVED July 31, 1978
 ANALYSED August 9, 1978

SAMPLE NO. :	PPM Copper	PPM Molybdenum	PPM Uranium	
78 TAB 23N 55E	10	1	< 0.5	
24N 55E	16	1	< 0.5	
25N 55E	12	1	< 0.5	
26N 55E	6	1	< 0.5	
27N 55E	6	1	0.5	
28N 55E	14	1	< 0.5	NOTE: "Uranium", less than 4 detection limit due to fluorescence quenching caused by high concentration of the interfering metals.
29N 55E	8	1	0.5	
30N 55E	6	1	< 0.5	
31N 55E	8	1	< 0.5	
32N 55E	8	1	< 0.5	
40N 55E	14	3	8.5	
20N 56E	8	1	0.5	
21N 56E	8	1	< 0.5	
22N 56E	6	1	< 0.5	
23N 56E	8	1	< 0.5	
24N 56E	8	1	< 0.5	
25N 56E	10	1	< 0.5	
26N 56E	10	1	< 0.5	
27N 56E	6	1	< 0.5	
28N 56E	10	1	< 0.5	
29N 56E	4	1	< 0.5	
30N 56E	6	1	0.5	
31N 56E	4	1	0.5	
32N 56E	8	1	< 0.5	
33N 56E	10	1	1.0	
34N 56E	8	1	< 0.5	
35N 56E	6	1	< 0.5	
36N 56E	6	1	1.0	
37N 56E	6	9	1.0	
38N 56E	4	4	1.0	
39N 56E	8	3	< 0.5	
40N 56E	44	5	3.5	
20N 57E	12	1	< 0.5	
21N 57E	8	1	< 0.5	
22N 57E	10	1	< 0.5	
23N 57E	8	1	< 0.5	
24N 57E	4	1	< 0.5	
25N 57E	8	1	< 0.5	
26N 57E	8	1	< 0.5	
78 TAB 27N 57E	6	1	< 0.5	
STD.	72	5	20	



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: 



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephens Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C. TARGET
 V7P 1M9

ATTN: CC. G. A. Cohoon, Vanderhoof

CERTIFICATE NO. 44676
 INVOICE NO. 27341
 RECEIVED July 31, 1978
 ANALYSED August 9, 1978

SAMPLE NO. :	PPM Copper	PPM Molybdenum	PPM Uranium	
78 TAB 28N 57E	12	1	< 0.5	
29N 57E	6	2	< 0.5	
30N 57E	4	1	< 0.5	
31N 57E	4	1	0.5	
32N 57E	6	1	< 0.5	
33N 57E	4	2	0.5	NOTE: "Uranium", less than 4 detection limit due to fluorescence quenching caused by high concentration of the interfering metals.
34N 57E	6	1	0.5	
35N 57E	8	1	< 0.5	
36N 57E	4	1	1.0	
37N 57E	8	5	1.5	
38N 57E	8	2	< 0.5	
39N 57E	6	1	1.0	
40N 57E	4	2	< 0.5	
20N 58E	6	1	< 0.5	
21N 58E	8	1	< 0.5	
22N 58E	10	2	< 0.5	
23N 58E	6	1	< 0.5	
24N 58E	4	1	< 0.5	
25N 58E	6	2	< 0.5	
26N 58E	12	1	< 0.5	
27N 58E	8	1	< 0.5	
28N 58E	4	2	< 0.5	
29N 58E	8	2	< 0.5	
30N 58E	4	1	< 0.5	
31N 58E	4	2	< 0.5	
32N 58E	8	2	0.5	
33N 58E	4	1	< 0.5	
34N 58E	4	2	< 0.5	
35N 58E	8	2	< 0.5	
36N 58E	6	1	< 0.5	
37N 58E	6	2	< 0.5	
38N 58E	8	3	< 0.5	
39N 58E	6	1	1.0	
40N 58E	6	1	1.0	
20N 59E	8	1	< 0.5	
21N 59E	8	1	< 0.5	
22N 59E	16	2	< 0.5	
23N 59E	8	2	< 0.5	
24N 59E	4	1	< 0.5	
78 TAB 25N 59E	6	2	< 0.5	
STD.	72	5	24	



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: 



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C.
 V7P 1M9

TARGET

ATTN: CC. G. A. Cohoon, Vanderhoof

CERTIFICATE NO. 44677
 INVOICE NO. 27341
 RECEIVED July 31, 1978
 ANALYSED August 9, 1978

SAMPLE NO. :	PPM Copper	PPM Molybdenum	PPM Uranium
78 TAB 26N 59E	12	2	< 0.5
27N 59E	10	1	< 0.5
28N 59E	8	2	< 0.5
29N 59E	10	1	2.5
30N 59E	4	1	0.5
31N 59E	4	1	< 0.5
32N 59E	4	2	0.5
33N 59E	4	2	1.0
34N 59E	4	1	< 0.5
35N 59E	4	2	< 0.5
36N 59E	6	1	< 0.5
37N 59E	14	1	74
38N 59E	8	2	< 0.5
39N 59E	4	1	0.5
40N 59E	8	1	< 0.5
20N 59"B"E	6	2	< 0.5
21N 59"B"E	6	2	< 0.5
22N 59"B"E	6	1	< 0.5
23N 59"B"E	12	1	< 0.5
24N 59"B"E	6	1	< 0.5
25N 59"B"E	8	1	< 0.5
26N 59"B"E	8	2	< 0.5
27N 59"B"E	12	1	< 0.5
78 TAB 28N 59"B"E	8	2	< 0.5
78 TAC 431	6	1	5.5
432	10	1	< 0.5
78 TAC 433	10	1	3.5

NOTE: "Uranium", less than 4 detection limit due to fluorescence quenching caused by high concentration of the interfering metals.

STD. 70 5 22



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: 



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B.C.
 V7P 1M9

TARGET

ATTN: CC. G. A. Cohoon, Vanderhoof

CERTIFICATE NO. 44673
 INVOICE NO. 27341
 RECEIVED July 31, 1978
 ANALYSED August 9, 1978

SAMPLE NO. :	PPM Copper	PPM Molybdenum	PPM Uranium
78 TAB ON 128E	8	1	< 0.5
129	6	2	< 0.5
ON 130E	16	2	< 0.5
OS 131E	6	1	< 0.5
132	4	1	< 0.5
OS 133E	6	1	< 0.5
IN 126E	2	1	< 0.5
127	4	2	< 0.5
128	6	1	< 0.5
129	8	1	< 0.5
129+50	6	1	< 0.5
130	6	1	0.5
130+50	8	1	< 0.5
131	6	1	< 0.5
132	8	1	< 0.5
IN 133E	8	1	< 0.5
IS 126E	6	1	< 0.5
126+50	6	1	< 0.5
127	8	1	< 0.5
128	6	1	< 0.5
129	6	1	< 0.5
130	14	2	< 0.5
130+50	26	2	< 4.0
131	8	1	< 0.5
132	8	1	< 0.5
IS 133E	8	1	< 0.5
1+50S 135E	6	1	< 0.5
2N 128E	4	1	< 0.5
129	4	1	0.5
130	4	1	0.5
131	4	1	0.5
132	8	1	< 0.5
2N 133E	4	2	< 0.5
2S 126+50E	2	1	< 0.5
127	2	1	< 0.5
127+50	2	1	< 0.5
128	2	2	0.5
128+50	2	1	1.0
129	4	1	1.0
78 TAB 2S 130E	10	3	< 0.5
STD.	70	5	18

NOTE: "Uranium", less than 4 detection limit due to fluorescence quenching caused by high concentration of the interfering metals.



CERTIFIED BY: 



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C.
 V7P 1M9

TARGET

ATTN: CC. G. A. Cohoon, Vanderhoof

CERTIFICATE NO. 44674
 INVOICE NO. 27341
 RECEIVED July 31, 1978
 ANALYSED August 9, 1978

SAMPLE NO. :	PPM Copper	PPM Molybdenum	PPM Uranium	
78 TAB 2S 130+50E	6	1	0.5	
131	4	1	0.5	
132	4	1	0.5	
132+50	4	1	< 0.5	
133	6	1	< 0.5	
133+50	6	1	< 0.5	NOTE: "Uranium", less than 4 detection limit due to fluorescence quenching caused by high concentration of the interfering metals.
134	6	1	< 0.5	
134+50	6	1	< 0.5	
135	4	1	< 0.5	
135+50	6	1	< 0.5	
2S 136E	4	1	< 0.5	
2+10S 136E	4	1	1.0	
3S 126+50E	4	1	< 0.5	
127	2	1	0.5	
127+50	4	1	< 0.5	
128	4	1	< 0.5	
128+50	4	1	< 0.5	
129	4	1	< 0.5	
129+50	4	1	< 0.5	
130	4	1	< 0.5	
130+50	4	1	0.5	
131	4	1	< 0.5	
131+50	6	1	< 0.5	
132	6	1	< 0.5	
135	4	1	1.0	
3S 136E	2	2	1.0	
3+50S 135E	10	1	< 0.5	
3+50S 136E	6	1	0.5	
4S 127E	4	1	0.5	
128	4	1	1.0	
129	4	2	< 0.5	
130	4	1	0.5	
131	4	1	< 0.5	
132	8	1	< 0.5	
135	4	1	1.5	
135+50	4	1	1.0	
4S 136E	6	2	< 0.5	
20N 55E	10	1	< 0.5	
21N 55E	10	2	< 0.5	
78 TAB 22N 55E	10	1	< 0.5	
STD.	70	5	22	



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: 



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C. TARGET


ATTN: CC. G. A. Cohoon, Vanderhoof

CERTIFICATE NO. 44675
 INVOICE NO. 27341
 RECEIVED July 31, 1978
 ANALYSED August 9, 1978

SAMPLE NO. :	PPM Copper	PPM Molybdenum	PPM Uranium	
78 TAB 23N 55E	10	1	< 0.5	
24N 55E	16	1	< 0.5	
25N 55E	12	1	< 0.5	
26N 55E	6	1	< 0.5	
27N 55E	6	1	0.5	
28N 55E	14	1	< 0.5	NOTE: "Uranium", less than 4 detection limit due to fluorescence quenching caused by high concentration of the interfering metals.
29N 55E	8	1	0.5	
30N 55E	6	1	< 0.5	
31N 55E	8	1	< 0.5	
32N 55E	8	1	< 0.5	
40N 55E	14	3	8.5	
20N 56E	8	1	0.5	
21N 56E	8	1	< 0.5	
22N 56E	6	1	< 0.5	
23N 56E	8	1	< 0.5	
24N 56E	8	1	< 0.5	
25N 56E	10	1	< 0.5	
26N 56E	10	1	< 0.5	
27N 56E	6	1	< 0.5	
28N 56E	10	1	< 0.5	
29N 56E	4	1	< 0.5	
30N 56E	6	1	0.5	
31N 56E	4	1	0.5	
32N 56E	8	1	< 0.5	
33N 56E	10	1	1.0	
34N 56E	8	1	< 0.5	
35N 56E	6	1	< 0.5	
36N 56E	6	1	1.0	
37N 56E	6	9	1.0	
38N 56E	4	4	1.0	
39N 56E	8	3	< 0.5	
40N 56E	44	5	3.5	
20N 57E	12	1	< 0.5	
21N 57E	8	1	< 0.5	
22N 57E	10	1	< 0.5	
23N 57E	8	1	< 0.5	
24N 57E	4	1	< 0.5	
25N 57E	8	1	< 0.5	
26N 57E	8	1	< 0.5	
78 TAB 27N 57E	6	1	< 0.5	
STD.	72	5	20	



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: 



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephens Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C. TARGET
 V7P 1M9

ATTN: CC. G. A. Cohoon, Vanderhoof


CERTIFICATE NO. 44676
 INVOICE NO. 27341
 RECEIVED July 31, 1978
 ANALYSED August 9, 1978

SAMPLE NO. :	PPM Copper	PPM Molybdenum	PPM Uranium
78 TAB 28N 57E	12	1	< 0.5
29N 57E	6	2	< 0.5
30N 57E	4	1	< 0.5
31N 57E	4	1	0.5
32N 57E	6	1	< 0.5
33N 57E	4	2	0.5
34N 57E	6	1	0.5
35N 57E	8	1	< 0.5
36N 57E	4	1	1.0
37N 57E	8	5	1.5
38N 57E	8	2	< 0.5
39N 57E	6	1	1.0
40N 57E	4	2	< 0.5
20N 58E	6	1	< 0.5
21N 58E	8	1	< 0.5
22N 58E	10	2	< 0.5
23N 58E	6	1	< 0.5
24N 58E	4	1	< 0.5
25N 58E	6	2	< 0.5
26N 58E	12	1	< 0.5
27N 58E	8	1	< 0.5
28N 58E	4	2	< 0.5
29N 58E	8	2	< 0.5
30N 58E	4	1	< 0.5
31N 58E	4	2	< 0.5
32N 58E	8	2	0.5
33N 58E	4	1	< 0.5
34N 58E	4	2	< 0.5
35N 58E	8	2	< 0.5
36N 58E	6	1	< 0.5
37N 58E	6	2	< 0.5
38N 58E	8	3	< 0.5
39N 58E	6	1	1.0
40N 58E	6	1	1.0
20N 59E	8	1	< 0.5
21N 59E	8	1	< 0.5
22N 59E	16	2	< 0.5
23N 59E	8	2	< 0.5
24N 59E	4	1	< 0.5
78 TAB 25N 59E	6	2	< 0.5
STD.	72	5	24

NOTE: "Uranium", less than 4 detection limit due to fluorescence quenching caused by high concentration of the interfering metals.



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: 



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C.
 V7P 1M9

TARGET

CC. G. A. Cohoon, Vanderhoof

CERTIFICATE NO. 44677
 INVOICE NO. 27341
 RECEIVED July 31, 1978
 ANALYSED August 9, 1978

SAMPLE NO. :	PPM Copper	PPM Molybdenum	PPM Uranium
78 TAB 26N 59E	12	2	< 0.5
27N 59E	10	1	< 0.5
28N 59E	8	2	< 0.5
29N 59E	10	1	2.5
30N 59E	4	1	0.5
31N 59E	4	1	< 0.5
32N 59E	4	2	0.5
33N 59E	4	2	1.0
34N 59E	4	1	< 0.5
35N 59E	4	2	< 0.5
36N 59E	6	1	< 0.5
37N 59E	14	1	74
38N 59E	8	2	< 0.5
39N 59E	4	1	0.5
40N 59E	8	1	< 0.5
20N 59"B"E	6	2	< 0.5
21N 59"B"E	6	2	< 0.5
22N 59"B"E	6	1	< 0.5
23N 59"B"E	12	1	< 0.5
24N 59"B"E	6	1	< 0.5
25N 59"B"E	8	1	< 0.5
26N 59"B"E	8	2	< 0.5
27N 59"B"E	12	1	< 0.5
78 TAB 28N 59"B"E	8	2	< 0.5
78 TAC 431	6	1	5.5
432	10	1	< 0.5
78 TAC 433	10	1	3.5

NOTE: "Uranium", less than 4 detection limit due to fluorescence quenching caused by high concentration of the interfering metals.

STD. 70 5 22



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: 



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 44306
 INVOICE NO. 26615
 RECEIVED July 17, 1978
 ANALYSED July 20, 1978

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B.C. TARGET PROJECT
 V7P 1M9
 ATTN: CC. G. A. Cohoon, Vanderhoof

SAMPLE NO. :	PPM Mo	PPM Uranium	
78 TAB 65E 39 N	1	< 0.5	NOTE: "Uranium", less than 4 detection limit due to flyorescence quenching caused by high concentration of the interfeing metals. <i>Plotted</i> <i>P</i>
65E 40 N	1	< 0.5	
66E 20 N	1	< 0.5	
21	1	< 0.5	
22	1	0.5	
23	2	< 0.5	
24	1	< 0.5	
25	1	< 0.5	
26	1	< 0.5	
27	1	< 0.5	
28	1	< 0.5	
29	2	< 0.5	
30	1	< 0.5	
31	1	< 0.5	
32	2	< 0.5	
33	1	2.0	
34	2	24	
35	1	< 0.5	
36	1	< 0.5	
37	2	< 0.5	
38	2	< 0.5	
39	1	< 0.5	
66E 40 N	1	0.5	
67E 20 N	1	< 0.5	
21	1	< 0.5	
22	1	< 0.5	
23	2	< 0.5	
24	2	< 0.5	
25	1	< 0.5	
26	1	< 0.5	
27	2	< 0.5	
28	2	< 0.5	
29	1	< 0.5	
30	1	2.5	
31	1	< 0.5	
32	1	< 0.5	
33	1	3.5	
34	1	5.0	
35	1	< 0.5	
78 TAB 67E 36 N	1	< 0.5	
STD.	5	22	



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *[Signature]*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 44307

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B.C.
 V7P 1M9

TARGET PROJECT

INVOICE NO. 26615

RECEIVED July 17, 1978

ATTN: CC. G. A. Cohoon, Vanderhoof

ANALYSED July 20, 1978

SAMPLE NO. :	PPM Mo	PPM Uranium
78 TAB 67E 37 N	1	< 0.5
38	1	< 0.5
39	1	< 0.5
67E 40 N	1	< 0.5
68E 20N	1	< 0.5
21	1	< 0.5
22	1	< 0.5
23	1	< 0.5
24	1	< 0.5
25	1	< 0.5
26	1	< 0.5
27	1	< 0.5
28	1	< 0.5
29	1	< 0.5
30	1	< 0.5
31	1	< 0.5
32	1	< 0.5
33	1	< 0.5
34	1	1.0
35	1	< 0.5
36	1	< 0.5
37	1	< 0.5
38	1	8.0
39	1	< 0.5
68E 40 N	3	6.5
69E 20N	1	< 0.5
21	1	< 0.5
22	1	< 0.5
23	1	< 0.5
24	1	< 0.5
25	1	< 0.5
26	1	< 0.5
27	1	< 0.5
28	1	< 0.5
29	1	< 0.5
30	1	< 0.5
31	1	< 0.5
32	1	< 0.5
33	1	< 0.5
TAB 78 69E 34 N	NSS	17
STD.	5	19

NOTE: "Uranium", less than 4 detection limit due to fluorescence quenching caused by high concentration of the interfering metals.



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *[Signature]*