



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

SWAB

672765

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 44310

TO: J.C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B.C.
 V7P 1M9

TARGET PROJECT

INVOICE NO. 26615

RECEIVED July 17, 1978

ATTN: C.C. G.A. Cohoon, Vanderhoof.

ANALYSED July 21, 1978

SAMPLE NO. :	PPM	
	Molybdenum	Uranium
78 TAW 7+00S 3+50E	6	110
7+25S 3+50E	1	3.0
7+50S 2+00E	10	135
2+25	4	1.0
2+50	6	22
2+75	1	2.5
3	1	0.5
3+25	1	1.0
7+50S 3+50E	3	44
8S 0+50E	7	24
1	2	0.5
1+25	1	<0.5
1+75E	10	8.5
0 W	110	7.5
8S 0+25	5	5.5
8S 0+75W	6	5.5
8+00S0+25E	27	4.5
0+75	2	29
1+50	27	310
2+00E	3	8.5
0+50W	1	1.0
8+00S 1+00W	10	4.0
8+25S 1W	135	130
8+50S 0+00E	1	<0.5
0+25	4	21
0+50	58	100
0+75	4	3.5
1	1	1.0
1+25	11	33
1+50	1	1.0
1+75	1	1.0
2E	1	0.5
1W	17	24
1+25	30	33
1+50	8	8.0
1+75	3	2.0
8+50S 2+00W	3	5.5
9S 0+00E	1	1.0
0+25	7	5.5
78 TAW 9S 0+50E	1	1.0
STD.	5	21



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY:



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: **J. C. Stephens Exploration Ltd.**
 1124 West 15th Street
 North Vancouver, B.C.

CERTIFICATE NO. **43822**
 INVOICE NO. **26358**
 RECEIVED **June 28/78**
 ANALYSED **July 4/78**

ATTN: **TARGET PROJECT cc: Vanderhoof**

SAMPLE NO. :	PPM Mo	PPM U	
78 TAC 419	5	< 4.0	
78 TAW 2+25E 7+75S	7	58	
2+50E 7+75S	6	6.5	
2+75E 7+00SB	4	0.5	
7+00SC	4	0.5	
7+25S	18	27	
7+50A2	21	56	
7+50SC	25	66	
7+75S	6	40	
8+00S	3	3.5	
8+25S	3	2.5	Note: Less than 4.0 ppm detection limit (uranium) due to quenching of uranium fluorescence by interfering metal species.
8+50SB	1	< 0.5	
8+50SC	2	< 0.5	
2+75E 8+75S	3	< 0.5	
3+00E 7+00S	200	120	
7+25SB	3	0.5	
7+25SC	2	0.5	
7+50S	1	< 0.5	
7+80SA2	3	0.5	
7+80SB	31	2.0	
7+80SC	4	0.5	
7+80SD	7	< 0.5	
8+00SA1	31	< 0.5	
8+00SA2	16	< 0.5	
8+00SC	5	4.0	
8+25SB	1	< 0.5	
8+25SC	2	< 0.5	
3+00E 8+75S	30	29	
3+06E 7+97S	120	> 400	
3+25E 7+00S	3	8.0	
7+25S	2	5.0	
7+50S	7	64	
7+75S	4	66	
8+00S	3	2.0	
8+25S	3	< 0.5	
8+50SB	3	< 0.5	
8+50SC	2	< 0.5	
3+25E 8+75S org.	45	52	
3+50E 7+25S	3	12	
78 TAW 3+50E 7+50S	2	< 0.5	
STD.	10	24	



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Hartside*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.
 1124 West 15th Street
 North Vancouver, B.C.

CERTIFICATE NO. 43823
 INVOICE NO. 26358
 RECEIVED June 28/78
 ANALYSED July 4/78

ATTN: cc: Vanderhoof TARGET PROJECT

SAMPLE NO. :	PPM Mo	PPM U	
78 TAW 3+50E 7+75S	1	2.0	<i>Flotted</i>
8+00S	11	22	
8+25S	3	< 0.5	
8+50S	23	> 400	
3+50E 8+75S	52	94	
4E 7+75S	3	6.5	
8+25S	72	80	
78 TAW 4E 8+75S	5	4.0	
78 TAN 1S OW	1	< 0.5	
1	2	< 0.5	
2	2	< 0.5	
3	1	< 0.5	
4	2	< 0.5	
5	1	< 0.5	
6	2	< 0.5	
7	2	< 0.5	
8	1	< 0.5	
9	3	< 0.5	
10	2	< 0.5	
11	1	< 0.5	
12	1	< 0.5	
13	1	< 0.5	
14	2	< 0.5	
15	1	< 0.5	
16	2	0.5	<i>what has 32 legs eats hags and yodels</i>
17	2	< 0.5	
18	2	< 0.5	
19	1	< 0.5	
20	2	< 0.5	
21	2	< 0.5	
22	2	< 0.5	
78 TAN 1S 22+50W	3	0.5	
78 TAN 2S OW	1	< 0.5	
1	2	< 0.5	
2	1	< 0.5	
3	2	< 0.5	
4	1	< 0.5	
5	1	< 0.5	
6	2	< 0.5	
78 TAN 2S 7W	2	< 0.5	
STD.	10	20	



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *H. B. Bide*