



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

672768

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 44836
 INVOICE NO. 27437
 RECEIVED August 4, 1978
 ANALYSED August 8, 1978

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C.
 V7P 1M9

TARGET PROJECT

ATTN: CC. Vanderhoof

SAMPLE NO. :	PPM Uranium	PPM Molybdenum	
78 TAW 0+25E 7+25S	< 0.5	3	
7+50	< 0.5	1	
7+75	< 0.5	4	
7+92	< 0.5	54	
8+00	1.5	5	
8+25	1.5	2	NOTE: "Uranium", less than 4 detection limit due to fluorescence quenching caused by high concentration of the interfering metals.
8+50	8.0	5	
8+75	< 0.5	3	
9+00	< 0.5	1	
9+25	< 0.5	1	
78 TAW 0+25E 9+50S	< 0.5	1	
78 TAW 0+50E 7+25S	< 0.5	2	
7+50	< 0.5	2	
7+75	0.5	3	
8+00	94	21	
8+25	14	7	
8+50	< 0.5	2	
8+75	< 0.5	1	
9+00	< 0.5	1	
9+25	< 0.5	2	
78 TAW 0+50E 9+50S	< 0.5	1	
78 TAW 0+75E 7+25S	< 0.5	4	
7+50	< 0.5	3	
7+75	1.5	3	
8+00	< 0.5	2	
8+25	2.5	3	
8+50	1.0	3	
8+75	86	29	
9+00	0.5	2	
9+25	< 0.5	1	
78 TAW 0+75E 9+50S	< 0.5	2	
78 TAW 1+00E 7+25S	< 0.5	2	
7+50	< 4.0	3	
7+75	1.5	2	
8+00	9.0	2	
8+25	60	9	
8+50	3.0	2	
8+75	< 0.5	1	
9+00	52	19	
78 TAW 1+00E 9+25S	< 0.5	1	
STD.	20	5	



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: Hat Biddle



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C.
 V7P 1M9

ATTN: CC. Vanderhoof

TARGET PROJECT

CERTIFICATE NO. 44837
 INVOICE NO. 27437
 RECEIVED August 4, 1978
 ANALYSED August 14, 1978

SAMPLE NO. :	PPM Molybdenum	PPM Uranium
78 TAW 1+00E 9+50S	1	< 0.5
78 TAW 1+25E 7+50S	1	< 0.5
7+75	2	0.5
8+00	2	< 0.5
8+25	1	< 0.5
8+50	1	< 0.5
8+75	7	1.5
9+00	1	< 0.5
9+25	2	3.0
78 TAW 1+25E 9+50S	1	< 0.5
78 TAW 1+50E 7+50S	2	< 0.5
7+75	38	> 400
8+00	2	2.4
8+25	1	< 0.5
8+50	1	< 0.5
8+75	1	< 0.5
9+00	1	< 0.5
9+25	1	< 0.5
78 TAW 1+50E 9+50S	2	0.5
78 TAW 1+75E 7+00S	2	< 0.5
7+25	2	< 0.5
7+50	2	< 0.5
7+75	1	< 0.5
8+00	12	1.0
8+25	1	< 0.5
8+50	1	< 0.5
8+75	1	0.5
9+00	1	1.0
9+25	2	< 0.5
78 TAW 1+75E 9+50S	1	< 0.5
78 TAW 2+00E 7+00S	3	< 0.5
7+25	12	6.5
7+50	5	9.0
7+75	3	30
8+00	30	54
8+25	1	< 0.5
8+50	1	< 0.5
8+75	1	< 0.5
78 TAW 2+00E 9+00S	1	< 0.5
78 TAW 2+25E 6+50S	1	< 0.5
	4	18



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Hart Bide*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C.
 V7P 1M9

ATTN: CC. Vanderhoof

TARGET PROJECT

CERTIFICATE NO. 44838
 INVOICE NO. 27437
 RECEIVED August 4, 1978
 ANALYSED August 14, 1978

SAMPLE NO. :	PPM	PPM
	Molybdenum	Uranium
78 TAW 2+25E 6+75S	3	< 0.5
7+00	3	< 0.5
7+25	4	3.5
7+50	16	43
7+75	4	29
8+00	34	145
8+25	33	14
8+50	4	7.0
8+75	1	< 0.5
78 TAW 2+25E 9+00S	1	< 0.5
78 TAW 2+50E 6+50S	5	< 0.5
6+75	2	< 0.5
7+00	6	< 0.5
7+25	5	3.5
7+50	19	38
8+00	19	35
8+25	7	15
8+50	2	< 0.5
8+75	19	46
78 TAW 2+50E 9+00S	2	1.0
78 TAW 3+00E 4+50S	5	< 0.5
4+75	3	< 0.5
5+00	4	< 0.5
5+25	1	< 0.5
5+50	2	< 0.5
5+75	1	0.5
6+00	1	< 0.5
6+25	2	< 0.5
6+50	3	4.5
78 TAW 3+00E 6+75S	20	> 400
78 TAW 3+50E 4+50S	3	6.0
4+75	3	< 0.5
5+00	3	< 0.5
5+25	2	< 0.5
5+50	1	< 0.5
5+75	2	< 0.5
6+00	1	< 0.5
6+25	1	< 0.5
6+50	1	< 0.5
78 TAW 6+75S	1	0.5
STD.	5	21



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Hart Bide*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. **44839**
 INVOICE NO. **27437**
 RECEIVED **August 4, 1978**
 ANALYSED **August 14, 1978**

TO: **J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C.
 V7P 1M9**

TARGET PROJECT


ATTN: **CC. Vanderhoof**

SAMPLE NO. :	PPM	
	Molybdenum	Uranium
78 TAW 4+00E 9+00S	5	18
9+25	22	32
9+50	1	2.0
78 TAW 4+00E 9+75S	1	< 0.5
78 TAW 4+25E 5+50S	1	0.5
5+75	2	< 0.5
6+00	3	< 0.5
6+25	2	< 0.5
6+50	1	< 0.5
6+75	10	82
7+00	1	0.5
7+25	1	< 0.5
7+50	3	3.5
7+75	1	< 0.5
8+00	1	< 0.5
8+25	1	< 0.5
8+50	5	8.5
8+75	1	< 0.5
9+00	1	< 0.5
9+25	1	< 0.5
9+50	6	12
78 TAW 4+25E 9+75S	4	3.5
78 TAW 4+50E 5+50S	1	0.5
5+75	1	< 0.5
6+00	9	8.0
6+25	1	< 0.5
6+50	1	< 0.5
6+75	1	< 0.5
7+00	1	< 0.5
7+25	1	< 0.5
7+50	1	< 0.5
7+75	1	< 0.5
8+00	1	< 0.5
8+25	1	< 0.5
8+50	1	< 0.5
8+75	1	< 0.5
9+00	2	0.5
9+25	9	19
9+50	20	86
78 TAW 4+50E 9+75S	19	105
STD.	5	19



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Watt Rife*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C.
 V7P 1M9

ATTN: CC. Vanderhoof

TARGET PROJECT

CERTIFICATE NO. 44840
 INVOICE NO. 27437
 RECEIVED August 4, 1978
 ANALYSED August 14, 1978

SAMPLE NO. :	PPM Molybdenum	FPM Uranium
78 TAW 4+75E 5+50S	3	< 0.5
5+75	6	0.5
6+00	10	350
6+25	1	< 0.5
6+50	2	< 0.5
6+75	2	< 0.5
7+00	1	< 0.5
7+25	1	< 0.5
7+50	1	< 0.5
7+75	1	< 0.5
8+00	1	< 0.5
8+25	1	< 0.5
8+50	1	< 0.5
8+75	1	< 0.5
9+00	2	< 0.5
9+25	36	88
9+50	18	72
78 TAW 4+75E 9+75S	3	9.0
78 TAW 5+00E 5+50S	4	0.5
5+75	2	< 0.5
6+00	10	< 0.5
6+25	2	< 0.5
6+50	1	< 0.5
6+75	1	< 0.5
7+00	1	< 0.5
7+25	1	< 0.5
7+50	1	< 0.5
7+75	1	< 0.5
8+00	1	< 0.5
8+25	1	< 0.5
78 TAW 5+00E 8+50S	1	< 0.5
78 TAW 0+00E 7+00S	2	< 0.5
7+25	2	< 0.5
7+50	5	< 0.5
7+75	10	2.5
8+00**	30	80
8+25	3	< 0.5
8+50	1	0.5
78 TAW 0+00E 8+75S	4	0.5
**78 TAW 0+00E 7+87	49	215
STD.	6	20



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Hart Bide*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 44841

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C.
 V7P 1M9

INVOICE NO. 27437

RECEIVED August 4, 1978

ATTN: CC. Vanderhoof

TARGET PROJECT

ANALYSED August 14, 1978

SAMPLE NO. :	PPM Molybdenum	PPM Uranium
78 TAW 0+00E 9+00S	2	< 0.5
9+25	1	< 0.5
78 TAW 0+00E 9+50S	2	< 0.5
78 TAW 2+50E 5+25S	1	< 0.5
5+50	3	< 0.5
5+75	5	0.5
6+00	3	< 0.5
6+25	3	< 0.5
6+50	5	< 0.5
6+75	2	< 0.5
78 TAW 2+50E 7+00S	2	< 0.5
78 TAW 0+25W 7+00S	3	< 0.5
7+25	2	< 0.5
7+50	6	< 0.5
7+75	6	2.0
8+00	10	4.5
8+25	1	< 0.5
8+50	1	< 0.5
8+75	1	< 0.5
9+00	1	< 0.5
9+25	1	< 0.5
78 TAW 0+25W 9+50S	8	2.5
78 TAW 0+50W 7+25S	3	< 0.5
7+50	4	< 0.5
7+75	5	< 0.5
8+00	4	< 0.5
8+25	11	9.0
8+50	3	0.5
8+75	3	< 0.5
9+00	2	< 0.5
9+25	23	48
78 TAW 0+50W 9+50S	2	< 0.5
78 TAW 0+75W 7+25S	5	< 0.5
7+50	5	< 0.5
7+75	7	< 0.5
8+00	6	2.5
8+25	86	155
8+50	5	2.5
8+75	11	18
78 TAW 0+75W 9+00S	4	2.5
STD.	6	18

"A" OUR OWN DESIGNATION
 "A" OUR OWN DESIGNATION
 "A" OUR OWN DESIGNATION



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *W. B. Biddle*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 44842
 INVOICE NO. 27437
 RECEIVED August 4, 1978
 ANALYSED August 14, 1978

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th Street,
 North Vancouver, B. C.
 ATTN: V7P 1M9

TARGET PROJECT

CC. Vanderhoof


SAMPLE NO. :	PPM	
	Molybdenum	Uranium
78 TAW 0+75W 9+25S	19	52
9+50	5	2.5
78 TAW 0+75W 9+75S	2	< 0.5
78 TAW 1+00W 7+50S	10	< 0.5
7+75	11	< 0.5
8+00	8	< 0.5
8+25	25	7.5
8+50	8	4.0
8+75	3	< 0.5
9+00	2	< 0.5
9+25	2	< 0.5
9+50	4	4.0
78 TAW 1+00W 9+75S	2	< 0.5
78 TAW 1+25W 7+50S	12	< 0.5
7+75	35	< 4.0
8+00	10	< 0.5
8+25	15	< 0.5
8+50	51	86
8+75	4	1.0
9+00	1	< 0.5
9+25	1	< 0.5
9+50	1	< 0.5
78 TAW 1+25W 9+75S	59	56
78 TAW 1+50W 7+50S	16	< 0.5
7+75	6	< 0.5
8+00	3	< 0.5
8+25	2	1.5
8+50	4	3.5
8+75	34	120
9+00	2	1.5
9+25	27	92
9+50	3	< 0.5
78 TAW 1+50W 9+75S	1	< 0.5
78 TAW 1+75W 7+50S	8	0.5
7+75	7	< 0.5
8+00	3	< 0.5
8+25	1	< 0.5
8+50	1	0.5
8+75	1	< 0.5
78 TAW 1+75W 9+00S	5	5.5
STD.	5	19

NOTE: "Uranium", less than 4 detection limit due to fluorescence quenching caused by high concentration of the interfering metals.



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: Hart Bille



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.
 1124 West 15th Street
 North Vancouver, B.C.

CERTIFICATE NO. 44878
 INVOICE NO. 27443
 RECEIVED Aug. 7/78
 ANALYSED Aug. 11/78

ATTN: cc: Vanderhoof TARGET PROJECT

SAMPLE NO. :	PPM		PPM	
	Mo	U	Mo	U
78 TAW 5+00E 8 + 75S	1	< 0.5		
9 00	1	< 0.5		
9 25	1	0.5		
9 50	3	2.0		
9 75	3	1.5		
5+00E 10 00	2	1.5		
5+50E 5 50	1	0.5		
6 00	6	< 0.5		
6 50	1	0.5		
7 00	2	< 0.5		
7 50	1	0.5		
8 00	1	0.5		
8 50	2	1.0		
9 00	2	0.5		
9 50	1	< 0.5		
5+50E 10 00	1	< 0.5		
6+00E 5 50	2	0.5		
6 00	3	0.5		
6 50	1	< 0.5		
7 00	1	< 0.5		
7 50	1	< 0.5		
8 00	1	0.5		
8 50	1	< 0.5		
9 00	1	< 0.5		
6+00E 9 50	1	< 0.5		
6+50E 5 00	1	< 0.5		
5 50	5	< 0.5		
6 00	19	36		
6 50	1	< 0.5		
7 00	2	< 0.5		
7 50	1	< 0.5		
8 00	1	< 0.5		
8 50	1	< 0.5		
9 00	1	< 0.5		
6+50E 9 50	1	< 0.5		
7+00E 5 00	1	< 0.5		
5 50	10	4.0		
6 00	1	< 0.5		
6 50	7	64		
78 TAW 7+00E 7 + 00S	42	16		
STD.	5	18		



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Hart Rida*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephens Exploration Ltd.
 1124 West 15th Street
 N. Vancouver, B.C.

CERTIFICATE NO. 44879
 INVOICE NO. 27443
 RECEIVED Aug. 7/78
 ANALYSED Aug. 8/78

ATTN: **Re: Vanderhoof TARGET PROJECT**

SAMPLE NO. :	PPM Mo	PPM U
78 TAW 7+00E 7+50S	1	< 0.5
8 00	1	< 0.5
8 50	1	< 0.5
7+00E 9 00	1	< 0.5
7+50E 4 00	11	< 4.0
4 50	1	< 0.5
5 00	1	< 0.5
5 50	10	9.5
6 00	1	< 0.5
6 50	11	60
7 00	1	< 0.5
7 50	14	38
8 00	1	1.5
8 50	1	< 0.5
7+50E 9 00S	1	< 0.5
8+00E 4 00	2	< 0.5
4 50	11	7.5
5 00	5	< 0.5
5 50	6	27
6 00	1	< 0.5
6 50	2	< 0.5
7 00	2	< 0.5
8+00E 7 50S	20	8.5
9+75S 2 25W	1	< 0.5
2 50	1	< 0.5
2 75	2	1.0
3 00	1	< 0.5
3 25	3	1.0
3 50	1	< 0.5
3 75	2	< 0.5
4 00	1	< 0.5
4 25	2	< 0.5
4 50	2	< 0.5
4 75	1	0.5
5 00	1	< 0.5
5 25	1	< 0.5
5 50	1	0.5
5 75	1	< 0.5
6 00	1	< 0.5
78 TAW 9+75S6 25W	1	< 0.5
STD.	6	22



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: Hart Rude



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.
 1124 West 15th Street
 North Vancouver, B.C.

CERTIFICATE NO. 44880
 INVOICE NO. 2743
 RECEIVED Aug. 7/78
 ANALYSED Aug. 8/78

ATTN: cc: Vanderhoof TARGET PROJECT

SAMPLE NO. :	PPM	
	Mo	U
78 TAW 9+75S 6+50W	2	<0.5
6 75	15	37
7 00	5	2.5
7 25	11	12
7 50	3	1.0
7 75	1	0.5
8 00	1	<0.5
8 25	1	<0.5
8 50	1	0.5
8 75	1	<0.5
9 00	1	<0.5
9 25	1	<0.5
9 50	1	<0.5
9 75	1	0.5
10 00	1	<0.5
10 25	2	<0.5
10 50	1	<0.5
9+75S 10 75	1	<0.5
11+00S 2 00	1	<0.5
2 25	1	<0.5
2 50	1	<0.5
2 75	1	0.5
3 00	1	<0.5
3 25	1	<0.5
3 50	1	<0.5
3 75	1	<0.5
4 00	1	<0.5
4 25	1	<0.5
4 50	1	<0.5
4 75	1	<0.5
5 00	1	0.5
5 25	1	1.0
5 50	2	0.5
5 75	2	0.5
6 00	1	0.5
6 25	1	<0.5
6 50	1	1.0
6 75	1	1.0
7 00	1	<0.5
78 TAW 11+00S 7 25W	1	<0.5
STD.	5	25



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Hart B. B. B.*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: 985-0648
AREA CODE: 604
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. 44881
INVOICE NO. 2743
RECEIVED Aug. 7/78
ANALYSED Aug. 8/78

TO: J. C. Stephen Exploration Ltd.
1124 West 15th Street
North Vancouver, B.C.

ATTN: cc: Vanderhoof TARGET PROJECT

SAMPLE NO. :	PPM Mo	PPM U
78 TAW 11+00S 7+50W	1	< 0.5
7 75	1	< 0.5
8 00	1	< 0.5
8 25	2	< 0.5
8 50	2	< 0.5
8 75	1	< 0.5
9 00	1	< 0.5
9 25	1	1.0
9 50	2	2.0
9 75	3	1.0
10 00	1	< 0.5
10 25	1	< 0.5
10 50	1	< 0.5
11+00S 10 75	2	< 0.5
78 TAW 11+7 S 2 00W	2	< 0.5



MEMBER
CANADIAN TESTING
ASSOCIATION

CERTIFIED BY: *Harold Bisher*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J.C. Stephen Exploration Ltd.
 1124 W. 15th Street
 North Vancouver, B.C.
 V7P 1M9

CERTIFICATE NO. 45042
 INVOICE NO. 27544
 RECEIVED August 10, 1978
 ANALYSED August 18, 1978

ATTN: Target

SAMPLE NO. :	PPM	Target
	Mo	U
78+AW 2+75E 7+50S	22	63
9+25	1	0.5
9+50	1	< 0.5
9+75	1	0.5
2+75E10+00S	1	< 0.5
3E 8+50S	1	1.0
3+00E 9+00S	26	62
9+25	5	19
9+50	1	4.0
9+75	1	< 0.5
3+00E 10S	1	< 0.5
3+25E 9S	1	< 0.5
9+25	1	< 0.5
9+50	1	100
9+75	1	< 0.5
3+25E10+00S	1	< 0.5
3+50E 9+00S	1	< 0.5
9+25	1	< 0.5
9+50	7	42
9+75	29	105
3+50E10+00S	4	2.0
3+75E 6+00S	2	0.5
6+25	4	< 0.5
6+50	2	2.5
6+75	2	< 0.5
7+00	3	44
7+25	13	170
7+50	4	20
7+75	1	16
8+00	24	300
8+25	26	340
8+50	24	310
8+75	15	360
9+00	1	1.0
9+25	1	< 0.5
9+50	4	0.5
9+75	7	1.5
3+75E 10S	2	1.0
4E 6S	1	< 0.5
78+AW 4+00E 6+25S	3	3.5
Std. No.	5	18



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Michael Leber*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 985-0648
 AREA CODE: 604
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: J. C. Stephen Exploration Ltd.,
 1124 West 15th St.,
 North Vancouver, B.C.
 V7P 1M9

cc: G.A. Cohoon, Vanderhoof
 TARGET

CERTIFICATE NO. 45043
 INVOICE NO. 27544
 RECEIVED August 10, 1978
 ANALYSED August 16, 1978

ATTN:

SAMPLE NO. :	PPM	
	Mo	U
78 TAW 4100E 6+50S	5	0.5
6+75	3	1.0
7+00	8	32
7+25	1	< 0.5
7+50	1	< 0.5
8+00	1	< 0.5
4+00E 8+50S	1	1.5
8+00E 8+00S	3	< 0.5
8E 8+50S	2	< 0.5
8+00E 9+00S	1	< 0.5
8+50E 4+00S	4	2.0
4+50	2	7.0
5	9	< 0.5
5+50	3	4.0
6+00	1	< 0.5
6+50	2	< 0.5
7	1	< 0.5
7+50	1	0.5
8	6	13
8+50	2	< 0.5
8+50E 9S	8	2.0
9E 4S	5	3.5
4+50	3	2.5
5	2	< 0.5
5+50	4	4.5
6	1	< 0.5
6+50	1	< 0.5
7	1	< 0.5
7+50	1	< 0.5
8	1	0.5
9E 8+50S	1	< 0.5
9+50E 3S	14	0.5
3+50	2	< 0.5
4	1	< 0.5
4+50	2	< 0.5
5	2	< 0.5
5+50	6	7.0
6	2	1.0
6+50	1	0.5
78 TAW 9+50E 7S	1	0.5
STD	6	18



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY: *Michael LeGeyt*

