

- 3 -

Scale 1: 50,000

Figure 2 CLAIMS LOCATION MAP

672946

Seven reverted Crown-granted mineral claims, listed below, are located internally to the Ural and Micron claim groups and are presently held under option agreement by Golden Rule Resources Ltd.:

Claim Name	Lot Number	Record Number	Date of Record	Acreage
Lucky Strike Fr.	L.6827	1238	Feb. 11, 1980	11.18
Lucky Strike	L.6828	1239	91	50.58
Homestake No. 4	L.6829	1240	11	35.63
Bob No. 3	L.8046	1241	T F	51.65
Bob No. 4	L.8047	1242	11	51.65
Bob No. 5	L.8048	1243	11	48.37
Bob No. 6	L.8049	1244	**	51.65

These claims are currently grouped with the Micron group.

Physiography and Glaciation

The physiographic setting and glacial history of the area have been described in earlier assessment reports, also by the writer, dated March 1981 and February 1983.

History of Exploration and Development

Detailed descriptions of exploration and development at the property may be found in earlier assessment reports, also by the writer, dated March 1981 and February 1983.

1983 Program

From September 16 to 22, 1983, a three-man field crew carried out 6.1 line km of soil geochemical sampling over the Ural 1 claim, and 7 line km of soil sampling over the Ural 7 claim. A total of 109 soils were collected at 50 m intervals along grid lines on the Ural 1 claim, and a total of 244 soil samples were collected at 25 m intervals along lines spaced 100 m apart at the Ural 7 claim. A limited amount of helicoptersupported reconnaissance geological mapping was also carried out over the Ural 7 claim.

GEOLOGY

- 5 -

The geological setting of the claims has been described in earlier reports by the writer, dated March 1981 and February 1983. During the 1983 program, a limited amount of helicopter-supported mapping was carried out over the Ural 7 claim, which had not been previously covered. Prevailing field conditions (several inches of new snow) precluded mapping of anything but the most obvious exposures.

The extensive Au geochemical anomaly in the "A" Grid area occurs over a zone of complex structure, as evidenced by mapping of the few available bedrock exposures. The widest part of the anomaly occurs along the down-dip projection of calcareous, light-toned fissile siltstones (interbedded with cherts) that crop out along the crest of the ridge and dip westward in a poorly defined synclinal fold. These rocks are some of the most favourable strata mapped so far on the property for hosting replacement type gold mineralization. An exploration target of particular interest would be the down-dip intersection of these calcareous beds with the very strong northerly-striking fault system near the "A" Grid baseline. This projected zone of intersection would be in the vicinity of the strongest part of the Au-in-soils anomaly. Unfortunately, this zone is concealed by a fairly thick cover of fine screa which effectively precludea detailed surface bedrock mapping. Ground magnetic surveying would be invaluable in elucidating concealed structures and lithologies.

Along the crest of the ridge near the western limits of the anomalous zone, the calcareous siltstones are interbedded with a highly unusual white quartz-chert breccia unit. A thick quartz diorite sill intrudes the sediments in this area also, and the contact zone is marked by the development of abundant anthophyllite crystals, indicating that low-temperature hydrothermal alteration has taken place. The fissile siltstones are weakly silicified over a wide area and have been partially leached to a porous, "clinkery" texture. The original carbonate content of these rocks may have been considerably greater than at present. いたとうないので、

GEOCHEMISTRY

Sampling and Analytical Techniques

Geochemical sampling consisted of the collection of 244 soils at 25 m intervals and 100 m line spacings in the "A" Grid area on the Ural 7 claim. On the Ural 1 claim, a total of 109 soils were collected at 50 m intervels along lines spaced 100 m and 200 m apart.

The above samples were analyzed geochemically for Au and Ag by a combined fire assay and atomic absorption technique by Loring Laboratories Ltd. of Calgary, Alberta. A more detailed description of the technique is presented in Appendix I.

Results: Ural 7 Claim ("A" Grid)

A composite map of the Au soil geochemical analyses from work completed in 1980, 1982, and 1983, has outlined a complex anomalous trend lying on both sides of the ridge to the south of the headwaters of Eldorado Creek. The anomaly (as illustrated on Map 2) is continuous over a strike length of 1500 m and is some 500 m in width at its widest point, near the crest of the ridge on the southwest-facing slopes. In detail, there are at least four separate "highs" within the broader anomalous trend, and each appears to be isolated from the other, i.e., they are not related sections of a single disperson trend. Values within these "highs" range from 200 ppb to 2500 ppb Au peaks within the broader anomalous zone (see above) which averages greater than 80 ppb Au.

Interpretation of the anomalous trends is made difficult by the overburden conditions peculiar to the higher elevations of the property. Despite the high elevations, good bedrock exposures are scarce, owing to a widespread cover of fine talus derived from the brittle, well-fractured sedimentary rocks. Mapping in other parts of the property has defined a highly variable volcanic and sedimentary succession. The few available exposures in the "A" Grid area indicate that the anomalous zones occur in areas of quite complex structure.

- 6 -

Results: Ural 1 Claim

A composite map of Au-in-soils geochemical analyses compiled from work completed in 1980 and 1983 has outlined a number of scattered "spot" highs and one fairly strong northeasterly trending Au-in-soils anomaly.

- 7 -

Overburden conditions on the Ural 1 claim have been described in an earlier report by the writer dated March 1981. In comparison to most other areas of the Ural claims, overburden is considerably deeper on the Ural 1. The success of any geochemical survey is dependent upon collecting sample material from beneath a thick blanket of volcanic ash that mantles the lower slopes and reaches thicknesses in excess fo 0.6 metres.

At approximately 50% of the sample sites, volcanic ash constituted a significant percentage of the sample material collected. These samples are designated on the accompanying map. Although the volcanic ash could be expected to mask the geochemical response, a clear relationship is not expressed in the analyses, probably because virtually all of the samples contained sufficient quantities of "B" horizon soil to provide a valid result. A more significant factor is perhaps the increasing depth of overburden at lower elevations and the corresponding increase in the thickness of the ash layer. Under these conditions, it would be advisable to (1) adopt a sampling technique that will permit easier and more consistent sampling of the "B" horizon (e.g., auguring), and (2) analyze for more mobile 'pathfinder' elements such as As and Sb (in addition to Au) which have shown an excellent correlation with the anomalous Au values elsewhere on the property (see March 1981 report). To this end, pulps from the 1983 sampling program should be analyzed for As and Sb to see if the currently 'spotty' or poorly defined Au anomalies form parts of more coherent multielement anomalies.

CONCLUSIONS

Ural 7 Claim ("A" Grid)

- 1. A gold-in-soils anomaly of major proportions (1500 m long by 100 500 m wide) is present in the "A" Grid area in an area of extensive overburden.
- 2. Along its eastern margin, the Au anomaly is elongated along a north-south axis, parallel to and overlying a very strong northerly striking fault zone. The widest part of the anomaly occurs along the projected down-dip trend of a series of calcareous, light-toned, thinly bedded siltstones which are considered to be some of the most favourable strata mapped to date on the property for hosting replacement type gold mineralization. These rocks are weakly silicified over a wide area in the vicinity of a quartz diorite sill, and at surface are leached to porous, clinker-like rocks. The original carbonate content may have been considerably greater than at present.
- The mineralized bedrock source of the gold geochemical anomaly has not been identified.

Ural 1 Claim

- 1. A northeasterly trending Au-in-soils geochemical anomlay occurs in an overburden-covered area in the southeastern corner of the claim. The anomaly, as defined by sampling to date, is approximately 50 m wide and 650 m long. It is open along strike in both directions, but further exploration along strike is limited in both directions by the claim boundaries.
- 2. A parallel Au-in-soils anomaly has been largely interpreted from geochemical analyses and is situated approximately 300 m to the northwest of the stronger anomalous trend described above. It exhibits a parallelism with the original anomaly, indicating that both anomalies may be fracture related.

RECOMMENDATIONS

On the Ural 7 claim, further work should include a ground magnetic survey, further detailed gold geochemical sampling, and possible trenching. In addition, analyses for antimony and arsenic of previously collected soil samples should be conducted, in order to better define the existing gold geochemical anomaly on a multi-element basis.

On the Ural 1 claim, further detailed geochemistry and possible trenching are recommended. Pulps from several lines of samples should be re-checked where they possibly adjoin anomalies identified during the 1983 geochemical survey.

- 9 -

STATEMENT OF COSTS

PRE-FIELD Crew and equipment as contracts, project pl	•••		500.00
FIELD PROGRAM			
Professional Services	5		
M. Fox, P.Geol.	7½ days @ \$250		1,875.00
Support Personnel			
W. James	7 days @ \$250	1,750.00	
A. Francoeur	7½ days @ \$150	1,125.00	
P. Conlin	6 days @ \$120	720.00	3,595.00
Camp and Accommodatio	nc		
	19½ man days @ \$32		624.00
Fourier Postala			
Equipment Rentals Van	7 days @ \$45	315.00	
SBX radio	7 days @ \$ 9	63.00	378.00
			0,0100
Disposable Supplies		07.00	
Invoice No. 83-107		86.93	251 00
from Taiga stock		164.15	251.08
Travel Expenses			
Invoice No. 83-107			1,135.92
Helicopter Hughes 5	500-D Sep.20.21		2,046.00
Geochemical Analyses		282.40	
353 soil preparations		282.40	
l rock preparation 354 Ag geochem analys		672.60	
354 Au geochem analys		2,212.50	3,170.00
J		2,212,50	5,170.00
Miscellaneous			FO 00
Telephone, Courier, F	reight, etc.		58.00
POST-FIELD			

POST-FIELD Report preparation, Drafting, Data plotting, Secretarial, Photocopying and Reproductions, etc. 1,899.22

TOTAL <u>\$ 15,532.22</u>

for costs pertaining to this Group, see following page

Bateman, A.M. (1914): Geological Survey of Canada Summary Report 1912, pp. 177-187.

-----, ibid., pp. 188-210.

British Columbia Department of Mines

Minister of Mines Annual Reports: 1913, pp.266-270 (William M. Brewer) 1925, pp. 142, 143 1931, p. Al13 1933, pp. 268, 269 (George A. Clothier) 1934, p. 32 1935, pp.13F-16F (B. T. O'Grady) 1936, pp.13F-16F (B. T. O'Grady) 1937, p. 34 1938, p. 67 1939, p. 73 1940, pp. 59, 60 1946, p. 114

Minister of Mines and Petroleum Resources Annual Reports: 1967, p. 129 1968, p. 161

Geology, Exploration and Mining in British Columbia: 1969, pp. 185, 186

British Columbia Ministry of Mines and Petroleum Resources

Exploration in British Columbia (annual report): 1975, pp. 118, 119 1976, pp. 130, 131

Cairnes, C.E. (1924): Geological Survey of Canada Summary Report 1924, Part A, pp. 76-99.

----- (1937): Geological Survey of Canada Memoir 213, Geology and Mineral Deposits of Bridge River Mining Camp, British Columbia (Maps 430A and 431A).

----- (1943): Geological Survey of Canada Paper 43-15, Geology and Mineral Deposits of Tyaughton Lake Map-Area, British Columbia (includes map at scale 1 inch = ½ mile).

Camsell, Charles (1912): Geological Survey of Canada Summary Report 1911, pp. 111-115.

---- (1917): Geological Survey of Canada Summary Report 1917, pp. 12-23.

Dolmage, Victor (1928): Geological Survey of Canada Summary Report 1928, Part A, pp. 78-93.

Drysdale, C.W. (1916): Geological Survey of Canada Summary Report 1915, pp. 75-85.

---- (1917): Geological Survey of Canada Summary Report 1916, pp.45-53.

Jeletzky, J.A., and Tipper, H.W. (1967): Upper Jurassic and Cretaceous Rocks of Taseko Lakes Map-Area and Their Bearing on the Geological History of Southwestern British Columbia; Geol. Surv. of Canada Paper 67-54.

McCann, W.S. (1922): Geology and Mineral Deposits of the Bridge River Map-Area, British Columbia; Geol. Surv. of Canada Memoir 130.

X Ng, M., and Arscott, D. (1975): Report on Geological Mapping and Geochemical Surveying, Eldorado Mountain Area; B.C. Ministry of Mines Assessment Report No. 5659.

> ----- (1976): Report on Geological Mapping and Geochemical Surveying, Eldorado Mountain Area; B.C. Ministry of Mines Assessment Report No. 6002.

Nichols, H.G. (1932): "Central Mineral Survey District (No. 3)" <u>in</u> Lode Gold Deposits of British Columbia; B.C. Dept. of Mines Bulletin 1, 1932, pp. 73, 74.

O'Grady, B.T. (1934 or 1935): B.C. Dept. of Mines Special Report on the Lucky Jem property, unpublished report originally available from the Minister of Mines (4 pages typewritten, no accom. figures).

X Pearson, D.E. (1974): B.C. Dept. of Mines publication, "Geological Fieldwork 1974", pp. 35-39.

Roddick, J.A., and Hutchison, W.W. (1973): Pemberton (East Half Map-Area, British Columbia; Geol. Surv. of Canada Paper 73-17.

Tipper, H.W. (1968): Mesozoic and Cenozoic Geology of the Northeast Part of the Mount Waddington Map-Area (92 N), Coast District, British Columbia; Geol. Surv. of Canada Paper 68-33.

X ——— (1978): Taseko Lakes (92 0) Map-Area; Geol. Surv. of Canada Open File 534.

Woodsworth, G.J. (1977): Pemberton (92 J) Map-Area; Geol. Surv. of Canada Open File 482.

Fox, Michael (1981): Geological and Geochemical Exploration Report, Ural 1-7 Claims (Private Company report, for Golden Rule Resources Ltd.)

----- (1983): Geological and Geochemical Exploration Report, Ural 1-7 Claims (Private Company report, for Golden Rule Resources Ltd.)

- 12 -

APPENDIX I

Analytical Techniques



629 Beaverdam Rd. N.E. Calgary, Alberta T2K 4W2

LORING LABORATORIES LTD.

Phone 274-2777

Preparation Procedures for Geochemical Samples

1 - Soil And Silts:


- a) The soil sample bags are placed in dryer to dry at 105°C.
- b) Each sample is passed through an 80 mesh nylon seive. The +80 mesh material is discarded.
- c) The -80 mesh sample is placed into a coin envelope and delivered to the laboratory for analysis.

2 - Lake Sediments:

- a) The sediment sample bags are placed into the dryer at 105°c until dry.
- b) The dried material is transferred to a ring and puck pulverizer and ground to -200 mesh.
- c) The -200 mesh pulp is then rolled for mixing, placed into a coin envelope, and taken to the laboratory for analysis.

3 - Rocks and Cores:

- a) The samples are dried in aluminum disposable pans at 105°C.
- b) They are then crushed to 1/8" in jaw crusher.
- c) the 1/8" material is mixed and split to sample pulp size.
- d) The sample is then pulverized to 100 mesh, using a ring and puck pulverizer.
- e) The -100 mesh material is rolled on rolling mat and transferred to sample bag. The sample is then sent to the laboratory for analysis.



LORING LABORATORIES LTD.

629 Beaverdam Rd. N.E. Calgary 67, Alberta

Phone 274-2777

Geochemical Analysis of Soils, Sediments and Silts.

FOR: Copper, Lead, Zinc, Nickel and Silver, and Cobalt

Sample Preparation:

-Samples were placed in dryer overnight at 105°C. -All samples are seived through an 80 mesh nylon screen. -The minus 80 is placed in pre-marked sample bag for analysis. The plus 80 portion is discarded.

Sample Dissolution:

-1/2 gram samples are weighed and transferred to test tubes.
-One ml water added, then three mls hydrochloric (concentrated), one ml nitric acid (concentrated) are added.
-Test tubes are then placed into hot water bath 100°C and digested for three hours with occasional shaking to ensure complete digestion.
-Test tubes are removed from water bath and allowed to cool.
-Test tubes are bulked to exactly 10 mls, corked and shook.
-All samples are then allowed to settle until clear.
-The clear solutions are then aspirated through the atomic absorption spectrophotometer with appropriate standards to obtain the metal content.

Detection Limits and Precision:

Element	Detection Limit	Precision at 100 ppm level
Copper	1 ppm	+ - 2 ppm
Lead	2 ppm	+ 4 ppm
Zinc	1 ppm	+ 2 ppm
Nickel	1 ppm	+ 2 ppm
Silver	0.2 ppm	' + 1 ppm
Cobalt	1 ppm	± 4 ppm



629 Beaverdam Rd. N.E. Calgary, Alberta T2K 4W2

LORING LABORATORIES LTD.

Phone 274-2777

Au Geochems (Soils & Sediments) *-1

Weigh 10 g sample to fire assay crucible (carry blank) Place crucibles in fire assay furnace at fusion temperature for 15 minutes. Allow crucibles to cool on steel table. Add 1 tablespoon flux and 1 inquart to each crucible. 5. Fuse for $\frac{1}{2}$ hr. at fusion temperature. 6. Pour pots, remove slag and cupel. 7. Place beads into 50 ml flasks. Pipette stds. and blank into 50 ml flasks. 1 ml of 10 ppm = 1000 ppblmlof 5 ppm = 5001 ml of 1 ppm = 100 0 ml 0 Add 5 mls H2O, 2 mls HNO3 and place on 1 switch plate for 5 minutes. Take off plate. Add 5 mls HC1. 10. **Digest until total dissolution approximately** $\frac{1}{2}$ hr. 11. Bulk flasks to approximately 25 mls with distilled H2O. Cool to room temperature. *-2 12. Add 5 mls MIBK. Stopper and shake each flask for exactly 1 minute. 13. Allow MIBK to settle. Set 1100 AA unit as follows: mu - 2428 slit - .51amp MA - 3flame - air-acetylene - extremely lean 100 ppb - 10 Stds. **1000** ppb - 100

500 ppb - reading

5. Report directly in ppb. Detection limit 5 ppb at reading of .5.

*-1 - for rock geochems steps 2 and 3 can be eliminated.

*-2 - it is important to maintain as closely as possible standard conditions for all samples and standards in a series.

Reagents & Material

- MIBK 4-Methyl-2-Pentanone
- HCl conc
- HNO3 conc
- Flux 2980 g Pb0 777 g Na2C03
 - 68 g Na2B407 68 g SiO2
 - 167 g Flour

APPENDIX II


Geochemical Analyses

at the build a contract of

X

TAIGA CONSULTANTS Suite 100, 1300 - 8th Street S.W., Celgary, Alberta T2R 182

Attn: M. Fox



File No. 25646 Date December 15, 1983 Samples Soil

Set ASSAY or

LORING LABORATORIES LTD.

Page # 1

-1+50N .4 Ni1 -2+00N .5 5			
Ag Au U-5E-0+00N .6 20 -0+50N .5 10 -1+00N .6 50 -1+50N .4 Ni1 -2+00N .5 5			
-O+50N .5 10 -1+00N .6 50 -1+50N .4 Ni1 -2+00N .5 5			
-1+50N .4 Ni1 -2+00N .5 5			
-1+50N .4 Ni1 -2+00N .5 5			
-1+50N .4 Nil -2+00N .5 5			
-2+00N .5 5	1		
-2+50N .5 Nil	[
-3+00N .6 Ni1 -3+50N .6 50 -4+00N .5 20 -4+50N .4 15			
-3+50N .6 50			
-4+00N .5 20			
-4+50N .4 15			
-5+00N .4 15	ļ		
-5+50N .6 140			
-6+00N .4 5			
-7+00N 1.0 25			
-7+50N 1.6 10			
-8+50N .4 5			
-9+00N .7 15			
-9+50N .7 20 ·	1		
-10+00N .6 5			
-10+50N 1.0 80			
-11+00N .9 10	1		
~11+50N .5 5	{		
~12+00N .5 5	1		
-12+50N .8 Ni1 -13+00N .7 5			
-13+00N .7 5			
-13+50N .7 Nil			
–14+00N 1.3 5			
-14+50N .6 Nil			
-15+00N .4 Nil	1		
-15+50N .5 Nil			
-6+50N .5 20 -7+00N 1.0 25 -7+50N 1.6 10 -8+50N .4 5 -9+00N .7 15 -9+50N .7 20 -10+00N .6 5 -10+50N 1.0 80 -11+50N .9 10 -11+50N .5 5 -12+00N .5 5 -12+50N .8 Ni1 -13+50N .7 Ni1 -14+00N 1.3 5 -14+50N .6 Ni1 -15+00N .4 Ni1 -15+50N .5 Ni1			
ASSAYS MADE BY ME UPON THE HEREIN DESCRIBED SAMPLES			

Rejects Retained one month.

Pulps Retained one month unless specific arrangements made in advance.

N S

Assayer

TAIGA CONSULTANTS LTD Suite 100, 1300 - 8th Street S.W., Calgary, Alberta T2R 1B2



File No.	- 25646	 	•
	December		
Samples	Soil	 	

Ittn: M. Fox

Set ASSAY or

LORING LABORATORIES LTD.


Page # 2

SAMPLE No.	PPM Ag	PPB Au				
U-5E-16+00N	.5	25	ð.			
-16+50N	.4	Nil				
-17+00N	.5	15				
-17+50N	.5	15				
-18+00N	.4	10				
-18+50N	.5	30				
-19+00N	.2	5 -				
-19+50N	. 4	10				
-20+00N	.6	20				
-20+50N	. 4	Ni1				
-21+00N	. 4	Ni1				
-21+50N	.3	Ni1	-			
-22+00N	.4	Ni1				
0-6E- 0+00N	. 4	5				
- 0+50N	.3	Nil				
- 1+00N	.4	5				
- 1+50N	.3	10				
- 2+00N	.5	Nil				
- 2+50N	.4	120				
- 3+00N	.5	25				
- 3+50N	.4	15				
- 4+00N	.4	20				
- 4+50N	.7	15				
- 5+00N	.7	5				
- 5+50N	.4	25		1		
- 6+00N	.2	5				
- 6+50N	.4	20				
- 7+00N	.2	15				
- 7+50N	.5	20				
- 8+00N	.5	10				
- 8+50N	.5	5				
1015 C						
	I Hereby					
	ASSAYS MADE BY	ME UPON	THE HEREIN	DESCRIBED SA	MPLES	
and the second						

Retained one month. Retained one month specific errangements in advance.

D Dalis Accover

TAIGA CONSULTANTS LTD Suite 100, 1300 - 8th Street S.W., Calgary, Alberta T2R 1B2 Attn: M. Fox



File No.	25646
Date	December 15, 1983
Samples	Soil

LORING LABORATORIES LTD.

Page # 3

	DTM	מתת	
SAMPLE No.	PPM Ag	PPB Au	
	Ag		
U-6E- 9+00N	.4	20	
-9+50N	.3	5 5	
-10+00N	.4 .3 .2 .3		,
-10+50N	.2	20	·
-11+00N	.3	Ni1	
-11+50N	.7	5	
-12+00N	.5	10-	
-12+50N	.2	Nil	
–1 3+00N	.2	Nil	
-13+50N	.3	Nil	
-14+00N	.6	15	
-14+50N	.3	10	
-15+00N	.3	30	
U-7E- 2+50N	.3	5	
- 3+00N	.3	5	
- 3+50N	.2	65	
- 4+00N	.2	5	
– 4+50N	.6	10	
- 5+00N	.5	5	
D-7+50E- 1+50N	.6	10	
U8E- 0+00N	.5	10	
- 0+50N	.3	5	
- 1+00N	- 4	20	
- 2+00N	.6	25	
- 5+00N	.5	120	
- 5+50N	.6	15	й. Г
- 6+00N	.3	30	
- 6+50N	.1	5	
- 7+00N	.5	15	
- 7+50N	.4	5	
- 8+00N	.5	10	}
	J Hereby	Certify 11	AT THE ABOVE RESULTS ARE THOSE
	ASSAYS MADE B	Y ME UPON THE	HEREIN DESCRIBED SAMPLES
7 - <u>1</u>			J

states Retained one month.

Pulps Retained one month unless specific arrangements mode in advance.

Subar

Assayer

TAIGA CONSULTANTS LTD	
Suite 100, 1300 - 8th Street	S.W.,
Calgary, Alberta T2R 1B2	
tn: M. Fox	

/	
	TD.

File	No.	25646
Date	De	cember 15, 1983
Samı	oles	Soil

St ASSAY or

LORING LABORATORIES LTD.

Page # 4

SAMPLE No.	PPM	PPB	
	Ag	<u>Au</u>	
U-8E- 8+50N	.4	10	
- 9+00N	.3	Nil	
- 31301	.5	30	
-10+00N	.7	5	
-10+50N	.2	10	
-11+00N	.5	20	
-11+50N	.4	Nil	
-12+00N	.3	Ni1	
-12+50N	.2	20	
-13+00N	.3	10	
-13+50N	.3	Nil	
-14+00N	.4	5	-
-14+50N	.4	Nil ·	
-15+60N	.4 .3	80	
-15+50N	.3	5	
-16+00N	.3	Nil	
UA-3N- 0+25W	.6	100	•
- 0+50W	.4	110	
- 0+75W	.5	90	
- 1+00W	.2	25	
- 1+25W	.5	20	
- 1+50W	.3	20	
- 1+75W	.7	160	
- 2+00W	.4	35	
UA-3N- 0+00E	.9	60	
- 0+25E	.3	10	
- 0+50E	.3	35	
- 0+75E	.3	30	,
- 1+00E	.4	5	
- 1+25E	.3	20	
- 1+50E	.4	40	
- 1+75E	J Hereby	Certify	THAT THE ABOVE RESULTS ARE THOSE
			E HEREIN, DESCRIBED SAMPLES
	AJARIA MADE DI		L HEREIN, BEGARDER OMMELES

rjects Retained one month.

Aps Retained one month Ness specific arrangements ade in advance.


CI. M.

Assayer

.

.

	,	
To:	TAIGA .CONSULTANTS . LTD	
• 	Suite.100, 1300 - 8th Street	s.w.,
	Calgary, Alberta T2R 1B2	
*	tn: M. Fox	



File No. 25646 Date December 15, 1983 Samples Soil

St ASSAY or

LORING LABORATORIES LTD.

Page # 5

SAMPLE No.	PPM	PPB		
	Ag	Au		
UA-3N- 2+00E	.4	Nit.		
- 2+25E	2	10		
- 2+50E	.3	15		
- 2+30E	.2	45		
- 3+00E	.4	40		
- 3+25A	.6	120		
- 3+25B				
- 3+50E	.6	105- 125		
	.6	125		
- 3+75E	.5	95		
- 4+00E	.5	50		
4N- 0+25W	.4	60		
- 0+50W	.7	115 -		
- 0+75W	.7	70		
- 1+00W	.6	75		
- 1+25W	.4	10		
- 1+50W	.3	Nil		
- 1+75W	.4	Nil		
- 2+00W	.5	Nil		
UA-4N- 025E	.7	30		
- 0+50E	.5	25		
- 0+75E	.6	20		
- 1+00E	.5	20		
- 1+25E	.8	15		
- 1+50E	.6	15		
- 1+75E	.5	5		
- 2+00E	.6	Nil		
- 2+25E	.6	5		
- 2+50E	.5	25		
- 2+75E	. 4	55		
- 3+00E	.5	20		
UA-4N- 3+25E	.7	30		
	I Hereby	Certifn 7	AT THE ABOVE RESULTS ARE THOSE	
			HEREIN DESCRIBED SAMPLES	
	ASSATS MADE DI	I WE UPUN INC	HENEIN DESCRIBED SAMPLES	

.

cts Retained one month.

s Retained one month 15 specific arrangements 1 in advance.

₹0Gn~ Assayer

To: TAIGA CONSULTANTS LTD	
Suite 100, 1300 - 8th STreet S.W.,	
Calgary, Alberta T2R 1B2	
Attn: M. Fox	Ľ
	. c
K.Ett	11
	AS

1

•

File No.	25646
Date I	December 15, 1983
Samples	Soil

icate or St ASSAY

LORING LABORATORIES LTD.


Page # 6

SAMPLE NO. Ag Au UA-K- 3+50E .7 85 - 3+75E .5 75 - 4+00E .6 35 - 4+25E .6 30 - 4+75E .5 75 - 5+50E .5 10 - 5+75E .5 15 - 6+00E .4 20 - 5+75E .5 15 - 6+00E .4 20 - 6+02E .3 20 - 6+02E .3 15 UA-5N- 0+25W .5 5 - 0+50W .8 105 - 0+50W .8 105 - 0+75W .6 70 - 1+25W .6 70 - 1+75W .5 Nil - 2+50W .5 30 - 2+25W .6 Nil - 2+50W .3 5 - 2+50W .3 5 - 2+50W .3 Nil UA-5N-0400E .5 110 - 0450E .6 15 - 0450E .6 15 - 0450E .6 15 - 0450E .6 16 - 0450E .5 N		PPM	PPB	
IUA-AH- 3450E .7 85 - 3475E .5 75 - 4400E .6 35 - 4425E .6 30 - 4450E .4 30 - 4450E .4 30 - 4450E .5 75 - 5400E .5 40 - 5452E .3 25 - 5452E .3 25 - 5452E .3 20 - 6450E .4 20 - 6450E .3 15 - 6450E .3 15 - 0450W .8 105 - 0450W .8 105 - 0475W .6 90 - 1450W .5 5 - 1450W .5 5 - 2425W .6 Ni1 - 2425W .6 Ni1 - 2475W .4 5 - 3400W .3 Ni1 - 0450E .6 10 - 0450E .6 10 - 0452E .6 50 <th>SAMPLE No.</th> <th></th> <th></th> <th></th>	SAMPLE No.			
- 3+75E - 4+00E - 4+25E - 4+00E - 4+25E - 5+00E - 5+25E - 5+00E - 5+25E - 5+50E - 5+50E - 5+50E - 6+00E - 6+25E - 6+50E - 6+50E - 6+50E - 6+50E - 6+50E - 6+50E - 6+50E - 0+50W - 1+25W - 0+50W - 1+25W - 1+75W - 2+25W - 3 - 2+25W - 3+00W - 3 - 2+25W - 4 - 5 - 110 - 0+25E - 6 - 5 - 110 - 2+25W - 6 - 2+25W - 3 - 2+25W - 3+00W - 5 - 110 - 0+25E - 6 - 5 - 110 - 2+25W - 2+25W - 3 - 2+25W - 3 - 2+25W - 4 - 5 - 110 - 0+25E - 6 - 5 - 110 - 0+25E - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7	UA-4N- 3+50E	.7		
- 4+00E - 4+25E - 4+25E - 4+50E - 4+75E - 5+00E - 5+75E - 5+75E - 5+75E - 6+00E - 6+25E - 6+50E - 6+50E - 6+50E - 6+50E - 1+25W - 1+40W - 6 - 1+25W - 1+75W - 1+75W - 2+50W - 2+75W - 3 - 2+75W - 4 - 5 - 0+75E - 6 - 112 - 2+50W - 3 - 2+75W - 3 - 2+75W - 4 - 5 - 110 - 0+75E - 6 - 110 - 2+50W - 3 - 2+75W - 3 - 2+75W - 4 - 5 - 0+75E - 6 - 5 - 110 - 2+50W - 3 - 2+75W - 4 - 5 - 0+75E - 6 - 110 - 2+50W - 15 - 110 - 2+50W - 3 - 2+75W - 4 - 4 - 5 - 0+75E - 6 - 10 - 110 - 0+75E - 6 - 10 - 110 - 0+75E - 6 - 10 - 0+75E - 6 - 10 - 110 - 0+75E - 6 - 10 - 110 - 0+75E - 6 - 10 - 0+75E - 6 - 15 - 0+75E - 4 - 110 - 0+75E - 6 - 15 - 0+75E - 6 - 15 - 0+75E - 4 - 110 - 0+75E - 6 - 15 - 0+75E - 6 - 15 - 0+75E - 6 - 15 - 0+75E - 5 - 110 - 0+75E - 6 - 15 - 0+75E - 4 - 110 - 0+75E - 5 - 110 - 0+75E - 6 - 15 - 1+75W - 5 - 5 - 110 - 0+75E - 6 - 15 - 1+75W - 5 - 5 - 110 - 0+75E - 6 - 15 - 0+75E - 6 - 15 - 1+75W - 5 - 5 - 110 - 0+75E - 6 - 5 - 5 - 110 - 1+75W - 5 - 110 - 1+75W - 5 - 5 - 110 - 1+75W - 5 - 5 - 110 - 1+75W - 5 - 110 - 1+75W - 5 - 5 - 110 - 1+75W - 5 - 5 - 110 - 1+75W - 5 - 110 - 1+75W - 5 - 110 - 1+75W - 1+75W	-			
- 4+25E - 4+50E - 4+50E - 4+50E - 5+00E - 5+25E - 5+50E - 5+75E - 5+75E - 5+75E - 5+75E - 6+00E - 6+25E - 6+50C - 6+25W - 6+50W - 0+50W - 0+50W - 0+50W - 1+00W - 1+50W - 1+50W - 2+50W - 2+75W - 2+75W - 2+75W - 2+75W - 2+75W - 0+50W - 3 - 2+75W - 2+75W - 3 - 2+75W - 4 - 5 - 110 - 0+25E - 6 - 15 - 0+75E - 4 - 110 - 0+25E - 6 - 15 - 0+75E - 4 - 110 - 0+25E - 6 - 15 - 0+75E - 4 - 110 - 0+25E - 6 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5				•
- 4+50E - 4+75E - 5400E - 5+25E - 5+50E - 5+50E - 5+75E - 5+75E - 6+00E - 6+25E - 6+00E - 6+25E - 0+50W - 0+75W - 0+75W - 0+75W - 0+75W - 1+50W - 1+50W - 2+50W - 2+75W - 2+75W - 2+75W - 0+25W - 2+75W - 2+75W - 0+25W - 2+75W - 2+75W - 0+25W - 110 - 2+25W - 2+75W - 2+75W - 2+75W - 0+25E - 6 50 - 0+25E - 6 15 - 0+75E - 1+25W - 5 510 - 2+75W - 2+75W				
- 4+75E - 5+00E - 5+25E - 5+50E - 5+75E - 6+00E - 6+25E - 6+25E - 6+25E - 6+25E - 6+25E - 6+25E - 0+50W - 0+50W - 0+75W - 0+50W - 1+40W - 1+40W - 6 - 1+25W - 1+50W - 2+25W - 2+25W - 2+25W - 2+25W - 2+25W - 2+25W - 3 - 2+25W - 4 - 5 - 110 - 0+52E - 6 - 110 - 0+52E - 110 - 0+52E - 110 - 0+52E - 110 - 0+52E - 110 - 0+52E - 110 - 0+52E - 0 - 110 - 0+52E - 0 - 110 - 0+52E - 110 - 0+52E - 110 - 0+52E - 0 - 110 - 0+52E - 0 - 110 - 0+52E - 0 - 0+50E - 0+55E - 110 - 0+52E - 0 - 0+50E - 0+55E - 110 - 0+52E - 0 - 0+50E - 0+55E - 110 - 0+55E - 0+55E - 0+55E - 0+55E - 0+55E - 0+55E - 0+55E - 110 - 0+55E - 0+55 - 0+55E - 0+5				
- 5+00E - 5+25E - 5+50E - 5+50E - 6+00E - 6+25E - 6+50E - 6+50E - 6+50E - 0+50W - 0+75W - 0+75W - 0+75W - 1+25W - 1+25W - 2+50W - 2+25W - 2+50W - 2+25W - 2+50W - 2+25W - 2+50W - 2+50W - 2+50W - 2+50W - 3 - 2+52E - 6 - 15 - 0+50E - 6 - 15 - 0+50E - 6 - 15 - 0+50E - 6 - 15 - 0+50E - 1+25B - 1+50E - 1+50E				
- 5+25E - 5+50E - 5+75E - 6+00E - 6+25E - 6+50E - 6+50E - 6+50E - 0+50W - 6+50W - 0+50W - 0+50W - 1+00W - 1+25W - 0+75W - 1+75W - 1+75W - 2+00W - 2+25W - 2	- 5+00E			
- 5+75E - 6+00E - 6+25E - 6+25E - 6+25W - 6+25W - 6+25W - 0+25W - 0+25W - 0+75W - 0+75W - 0+75W - 1+00W - 1+00W - 1+25W - 0+75W - 1+75W - 2+25W - 2	- 5+25E			
- 6+00E - 6+25E - 6+25E - 6+50E - 0+25W - 0+25W - 0+75W - 0+75W - 0+75W - 1+00W - 1+00W - 1+25W - 1+25W - 1+75W - 2+00W - 2+25W - 2+75W - 2+75W - 2+75W - 2+75W - 2+75W - 3 - 2+75W - 4 - 5 - 110 - 0+25E - 6 - 0+50E - 6 - 0+50E - 6 - 0+50E - 6 - 0+50E - 6 - 0+50E - 6 - 0+50E - 1+25E - 1+25E	- 5+50E	.5	10	
- 6+00E - 6+25E - 6+50E - 6+50E - 0+50W - 0+50W - 0+75W - 0+75W - 0+75W - 1+25W - 1+25W - 1+50W - 1+50W - 1+50W - 2+25W - 2+75W - 2+75W - 2+75W - 2+75W - 2+75W - 2+75W - 2+75W - 3 - 2+75E - 0+00E - 0+25E - 0+50E - 0+50E				
- 6+25E - 6+50E - 6+50E - 0+50W - 0+75W - 0+75W - 0+75W - 1+00W - 1+00W - 1+25W - 1+75W - 1+75W - 2+50W - 2+25W - 2+25W - 2+75W - 2+50W - 2+50W - 3 - 2+75W - 4 - 5 - 110 - 2+50W - 5 - 110 - 2+50W - 3 - 2+75W - 4 - 5 - 110 - 2+50W - 3 - 2+75W - 4 - 5 - 110 - 0+25E - 6 - 0 - 0+50E - 0+5	- 6+00E	. 4		
UA-5N-0+25W .5 5 -0+50W .8 105 -0+75W .6 90 -1400W .6 65 -1+25W .6 70 -1+25W .5 55 -1+75W .5 Nil -2400W .5 30 -2400W .5 30 -2425W .6 Nil -2450W .3 5 -3400W .3 Nil UA-5N-0400E .5 110 -0425E .6 50 -0425E .6 15 -0425E .6 15 -0475E .4 Nil -1400E .5 Nil -1400E .5 Nil -1425E .5 Nil -1450E .6 Nil <th>- 6+25E</th> <th>.3</th> <th></th> <th></th>	- 6+25E	.3		
- 0+50W .8 105 - 0+75W .6 90 - 1+00W .6 65 - 1+25W .6 70 - 1+25W .6 70 - 1+50W .5 55 - 1+75W .5 Ni1 - 2+00W .5 30 - 2+25W .6 Ni1 - 2+25W .6 Ni1 - 2+50W .3 5 - 2+75W .4 5 - 3+00W .3 Ni1 UA-5N- 0+00E .5 110 - 0+25E .6 50 - 0+50E .6 15 - 0+75E .4 Ni1 - 1+00E .5 Ni1 - 1+25E .5 Ni1 - 1+50E .6 Ni1 - 1+50E .6 Ni1	- 6+50E	.3	15 ·	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	UA-5N- 0+25W		5	
- 1+00W - 1+25W - 1+25W - 1+50W - 1+50W - 2+400W - 2+40W - 2+25W - 2+25W - 2+75W - 2+75W - 2+75W - 2+75W - 2+75W - 2+75W - 2+75W - 2+75W - 2+75W - 3 - 5 - 2+75W - 4 - 5 - 3+00W - 3 - 110 - 0+25E - 0+50E - 0+50E - 0+50E - 0+50E - 0+75E - 1+50E - 1+50E				
- 1+25W - 1+50W - 1+50W - 2+00W - 2+25W - 2+25W - 2+25W - 2+50W - 2+50W - 2+75W - 3 - 2+75W - 2+75W	- 0+75W		90	
- 1+50W - 1+75W - 2+00W - 2+25W - 2+25W - 2+75W - 2+75W - 2+75W - 3+00W UA-5N- 0+00E - 0+25E - 0+50E - 0+50E - 0+75E - 0+75E - 1+00E - 1+25E - 1+00E - 1+50E - 1+50E				
- 1+75W - 2+00W - 2+25W - 2+25W - 2+50W - 2+50W - 2+75W - 2+75W - 3 5 - 2+75W - 4 5 - 3+00W - 3 Nil UA-5N- 0+00E - 0+25E - 0+50E - 0+50E - 0+75E - 0+75E - 1+00E - 1+25E - 5 Nil - 1+25E - 5 Nil - 1+50E -				
- 2+00W - 2+25W - 2+25W - 2+50W - 2+75W - 2+75W - 3+00W - 3 Nil UA-5N- 0+00E - 0+25E - 0+50E - 0+50E - 0+75E - 0+75E - 1+00E - 1+25E - 1+50E - 1+50E - 1+50E - 1+50E - 1+50E - 1+50E - 2+75W - 300 - 2+75W - 300 - 2+75W - 300 - 4 - 5 - 5 - 110 - 6 - 15 - 1+25E - 5 - 1+50E - 1+50		.5		
- 2+25W - 2+50W - 2+75W - 2+75W - 3+00W - 3 Nil UA-5N- 0+00E - 0+25E - 0+50E - 0+50E - 0+75E - 1+00E - 1+25E - 1+25E - 1+50E - 1+50E - 1+50E - 0 - 0 - 1+50E - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0				
- 2+50W - 2+75W - 3+00W - 3 Ni1 - 3+00W - 3 Ni1 - 0+00E - 0+25E - 0+50E - 0+50E - 0+75E - 1+00E - 1+25E - 1+50E - 2+75W - 3 - 2+75W - 4 - 5 - 110 - 6 - 50 - 15 - 110 - 14 - 14				
- 2+75W - 3+00W UA-5N- 0+00E - 0+25E - 0+50E - 0+50E - 0+75E - 1+00E - 1+25E - 1+50E J Hereby Certify THAT THE ABOVE RESULTS ARE THOSE			Nil	
- 3+00W UA-5N- 0+00E - 0+25E - 0+50E - 0+75E - 1+00E - 1+25E - 1+50E - 1+50E - 1+50E - 1+50E - 1+50E - 0+75E - 0+75E				
- 3toow .3 N11 UA-5N-0+00E .5 110 - 0+25E .6 50 - 0+50E .6 15 - 0+50E .4 Ni1 - 0+75E .4 Ni1 - 1+00E .5 Ni1 - 1+25E .5 Ni1 - 1+50E .6 Ni1 J Hereby Certify that the above results are those .6				
- 0+25E - 0+50E - 0+75E - 0+75E - 0+75E - 1+00E - 1+00E - 1+25E - 1+50E J Hereby Certify that the above results are those	- STUUTC			
- 0+50E - 0+75E - 0+75E - 1+00E - 1+00E - 1+25E - 1+50E J Hereby Certify that the above results are those				
- 0+75E - 1+00E - 1+25E - 1+50E J Hereby Certify that the above results are those				
- 1+00E - 1+25E - 1+50E J Hereby Certify that the above results are those				
- 1+25E - 1+50E J Hereby Certify that the above results are those				
- 1+50E J Hereby Certify that the above results are those				
J Hereby Certify that the above results are those				
	- 1+50E	7 Tharaha	Nil (Cortifn	THAT THE ABOVE DECINTS ADE THOSE
ASSAYS MADE BY ME UPON THE HEREIN, DESCRIBED SAMPLES	al su l'anna an anna an anna an anna an anna an an			
		ASSAYS MADE B	Y ME UPON TH	E HEREIN, DESCRIBED SAMPLES

Nationed ene month **specific arrangements a plannee.**

Lala.

Аззаует



File No.	25646	
Date	December15,1983	
Samples	Soil	

St ASSAY %

LORING LABORATORIES LTD.

Page # 7

	1		
SAMPLE No.	PPM	PPB	
	Ag	Au	
UA-5N- 1+75E	.3	Nil	
- 2+00E	.4	5	
	.5		? ?
- 2+25E		Nil	
- 2+50E	.7	5	
- 2+75E - 3+00E	.8	Nil	
- 3+00E	.3	10 5-	
- 3+50E	.1		
- 3+75E		15 5	
- 4+00E	.1	25	
- 4+00E	Nil	50	
- 4+25E	.1	15	
- 4+75E	.1	5	-
- 5+00E	.2	15	
- 5+25E	.1	20	
- 5+50E	Nil	5	
- 5+75E	.2	90	
- 6+00E	.4	40	
- 6+50E	.4	20	
- 6+75E	.1	30	
- 7+00E	Nil	25	
- 7+25E	.1	60	
- 7+50E	Nil	25	
	Nil	40	
- 0+50W	Nil	Nil	
- 0+75W	Nil	Nil	
- 1+00W	.1	Nil	
- 1+25W	.1	5	
UA-6N- 0+25W - 0+50W - 0+75W - 1+00W - 1+25W - 1+50W - 1+75W	Nil	65	
- 1+75W	.2	Ni1	
- 2+00W	.9	5	
			THAT THE ADOVE DECIN TO ARE THOSE
	J Hereby	Germä	THAT THE ABOVE RESULTS ARE THOSE
	ASSAYS MADE	BY ME UPON T	HE HEREIN DESCRIBED SAMPLES
		· · · · · · · · · · · · · · · · · · ·	

Rejects Retained one month.

Pulps Retained one month unless specific arrangements made in advance.

des Assayer


TAIGA CONSULTANTS LTD

. .

Suite 100, 1300 - 8th Street S.W.,

Calgary, Alberta T2R 1B2

Attn: M. Fox



File No.	25646
Date	December 15, 1983
Samples	Soil-

Ser ASSAY or

LORING LABORATORIES LTD.

Page # 8

SAMPLE No.	PPM	PPB	
SAMIFLE NO.	Ag	Au	
UA-6N- 2+25W	.3	10	
- 2+50W	.2	5	
- 2+75W	.2	40	
- 3+00W	.1	15	
UA-6N- 2+25W - 2+50W - 2+75W - 3+00W UA-6N- 0+00E - 0+25E - 0+50 - 0+75E - 1+00E - 1+25E - 1+50E	.1	10	
- 0+25E	.2	15	
- 0+50	.8	Nil-	
- 0+75E	.2	Nil	
- 1+00E	.3	5	
- 1+25E	.3	Ni1	
- 1+50E	.2	Ni1	
- 1+75E	.3	Nil	
- 2+00E	.9	5	
– 2+25E	.3	5	
- 2+25E - 2+50E - 2+75E - 3+00E - 3+25E - 3+50E	. 4	5	
– 2+75E	.3	20	
- 3+00E	.4 .3 .3	Nil	,
- 3+25E	.3	10	
- 3+50E	.3	Ni l	
- 3+75E	.2	15	
– 4+00E	.1	Nil	
– 4+25E	Ni1	Ni1	
– 4+50E	.1	Nil	
– 4+75E	.1	10	
- 5+00E	.1	Nil	
- 5+25E	.1	Nil	
– 5+50E	.1	15	
- 5+75E	.1	Nil	
- 6+00E	Nil	5	
- 6+25E	Nil	5	
- 5+25E - 5+50E - 5+75E - 6+00E - 6+25E - 6+50E	.2	30	
	I Hereby	Certifv	THAT THE ABOVE RESULTS ARE THOSE
	ASSAYS MADE E	W ME UPON T	HE HEREIN DESCRIBED SAMPLES

injects Retained one month.

Relate Retained one month unless specific arrangements unde in advance.

Lalber

Assayer

TAIGA CONSULTANTS LTD

Suite 100, 1300 - 8th Street S.W.,

algary.Alberta. T2R 1B2

Attn: M. Fox



File No.	25646			.
DateD	ecember _.	15,	1983	
Samples	Soil			 .

Servificate ASSAY 0,

LORING LABORATORIES LTD.

Page # 9

SAMPLE No.	PPM	PPB		
SAMPLE NO.	Ag	Au		
IA-6N- 6+75E	.1	20		
- 7+00E	Nil	? 10		
- 7+25E	.1	Nil		
- 7+50E	.1	25		
IA-65- 0+00E	.2	Nil		
- 0+25E	.4	65	-	
- 0+50E	.1	40.		
- 0+75E	.4	30		
- 1+00E	.4	50		
- 1+25E	.1	40		
- 1+50E	.1	20		
– 1+75E	.4	35		
- 2+00E	.2	80 ⁻		
- 2+25E	.2	30		
- 2+50E	Nil	10		
- 2+75E	Nil	Nil		
- 3+00e	.2	20		
- 3+25E	.3	75		
- 3+50E	.2	Ni1		
- 3+75E	.2	Nil		
- 4+00E	.2	10		
- 4+25E	.4	115		
- 4+50E	.8	140		
- 4+75E	.6	135		
- 5+00E	.4	15		
- 5+25E	.3	Nil		
- 5+50B	.2	Nil		
- 5+75E	.4	5		
- 6+00E	.5	Nil		
- 6+25E	.1	Nil		
- 6+50B	.3	Nil		
			AT THE ABOVE RESULTS ARE THOSE	
n de la companya de l La companya de la comp	ASSATS MADE B	T ME UPUN THE	HEREIN DESCRIBED SAMPLES	

Netsined ene month.

Constant one month Constant on an angements Constant on an angements


Aus

R TAIGA CONSULTANTS LTD

Suite 100, 1300 - 8th Street S.W.,

Calgary, Alberta T2R 1B2

tn: M. Fox



File No. 25646
Date December 15, 1983
Samples Soil

Ser ASSAY or

LORING LABORATORIES LTD.

Page # 10

	PPM	PPB	
SAMPLE No.	Ag	Au	
		65	
UA-6S- 6+75E	- 4	Nil	
- 7+00E	.5	Nil	•
UA-7S- 0+25W	.6		
- 0+50W	.4	Nil	
- 0+75W	.6	Nil	
- 1+00W	.6	Nil	
UA-7 S- 0+00E	.5	185	
- 0+25E	.5	55	
- 0+50E	.4	25	
- 0+75E	.5	25	
- 1+00E	.4	30	
- 1+25E	.6	15 _. -	
- 1+50E	.6	30	
- 1+75E	.6	15	
- 2+00E	.3	10	
- 2+25E	.4	40	
- 2+50E	. 4	35	
- 2+75E	.3	5	
	.4	40	
- 3+00E	.3	´ 30	
- 3+25E	.4	10	
- 3+50E	.4	15	
- 3+75E	.2	15	
- 4+00E - 4+25E - 4+50E - 4+75E	.4	5	
- 4+25E	.3	Nil	
- 4+50E	.3	Nil	
	.2		
- 5+00E	.2	5	
- 5+25E - 5+50E	.2	5 5 5	
<u>⊯</u> – 5+50E		10	
– 5+75E	- 4	40	
– 6+00E	.7		THE ADOUT DESULTS ARE THOSE
- 5+75E - 6+00E	J Hereby Assays MADE	BY ME UPON TH	THAT THE ABOVE RESULTS ARE THOSE HE HEREIN DESCRIBED SAMPLES
5 (* 1) 1 (* 1)	· · · · · · · · · · · · · · · · · · ·		

block Retained one month.

Pulps Retained one month unloss specific arrangements mode in advance.

A.v.S

こうちょう こうちょうちょう

Assayer

To: TAIGA CONSULTANTS LTD Suite 100, 1300 - 8th Street S.W., Calgary, Alberta T2R 1B2 Attn: M. Fox



File	No.	25646	5	•••	· •	.
Date	De	cember	15,	198	33	•
Samp	les	Soil				.

Set ASSAY or

LORING LABORATORIES LTD.

Page # 11


SAMPLE No.	PPM	PPB	
SAMILE NO.	Ag	Au	
UA-7S- 6+25E	.1	25	
- 6+50E	.2	10	
	.3	30	
- 6+75E - 7+00E	.2	20	
UA-8+50S- 0+25W	.1	10	
- 0+50W	.1	5	
- 0+75W	.1	30	
- 1+00W	.2	5	
UA-8+50S- 0+00E	.2 .2	Nil	
- 0+25E	.2	Nil	
- 0+50E	.4	Nil	
- 0+75E	•5	20	
- 1+00E	.2	35	
- 1+25E	.4	25	
- 1+50E	.2	20	
– 1+75E	.4	10	
- 2+00E	.3	5	
– 2+25E	.2	10	
– 2+50E	.3	20	
- 2+75E	.1	15	
– 3+00E	.4	10	
– 3+25E	.2	5	
– 3+50E	.2	20	
– 3+75E	.1	Ni1	
– 4+00E	.2	10	
– 4+25E	.3	35	·
– 4+50E	.2	Ni1	
- 4+75E	.3	Nil	
- 5+00E	.3	5	
- 5+25E	.2	10	
– 5+50E	.3	40	
			AT THE ABOVE RESULTS ARE THOSE HEREIN DESCRIBED SAMPLES
20			

Pulps Retained one month miless specific arrangements made in advance.

Filip

Assayer

To: ..IAIGA CONSULTANTS LTD Suite 100, 1300 - 8th Street S.W., Calgary.Alberta T2R 1B2 Attn: M. Fox



File	No.	25646				••••
Date	De	ecember	15,	19	83	•••
Samp	oles	Soil				.

St ASSAY or


LORING LABORATORIES LTD. Page # 12

PPM PPB SAMPLE No. An Ag UA-8+50S- 5+75E .1 Nil .2 10 - 6+00E .2 Nil 6+25E .4 35 - 6+50E .2 - 6+75E 15 .1 Nil - 7+00E .2 UA-6S- 0+25W - 5· .6 15 UA-6S- 0+50W .5 20 - 0+75W - 1+00W .5 50 J Hereby Certify that the above results are those ASSAYS MADE BY ME UPON THE HEREIN DESCRIBED SAMPLES . . . Retained one month. , Ender **Retained one** month specific arrangements

Assayer

*

TAICA CONSULTANTS LTD Smits 100. 1300 - 8th Street S.W., Calgary Alberts T2R 1B2 Mar 1 N. Pox



File N	0 25646
	December 15, 1983
Sample	es Rock

Ser ASSAY or LORING LABORATORIES LTD. Page # 13

SAMPLE No.	PPM Ag	РРВ Аu	
			ż
<u>R</u> Sample			
UA-4N- 0+00E	3.6	25	
			,
	J Hereby C Assays made by N	Lectify that the ai ie upon the herein d	BOVE RESULTS ARE THOSE Described Samples
 etained one month. Retained one month ss specific arrangements e in advance. 	· · ·		t. Edes