

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8711494

To: STEPHEN, J.C. EXPLORATION LIMITED

1458 RUPERT STREET
 NORTH VANCOUVER, B.C.
 V7J 1E9

Project: CASAU (OMENICA0)
 Comments: ATTN: C. SAWYER

Page No. : 1-A
 Tot. Pages: 2
 Date : 05-MAR-87
 Invoice # : I-8711494
 P.O. # : NONE

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8711494

To: STEPHEN, J.C. EXPLORATION LIMITED

1458 RUPERT STREET
 NORTH VANCOUVER, B.C.
 V7J 1E9


Project: CASAU (OMENICA0)
 Comments: ATTN: C. SAWYER

Col claim
 673228

Page No. : 1-B
 Tot. Pages: 2
 Date : 05-MAR-87
 Invoice # : I-8711494
 P.O. # : NONE

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BC 84N-140E	225 238	3	0.88	< 0.2	< 5	40	< 0.5	< 2	0.06	< 0.5	6	5	21	3.16	< 10	0.03	< 10	0.09	101	2
BC 86N-140E	225 238	7	1.22	< 0.2	< 5	90	< 0.5	< 2	0.07	< 0.5	7	5	28	4.37	< 10	0.03	< 10	0.16	570	3
BC 88N-140E	225 238	9	1.61	< 0.2	< 5	110	< 0.5	< 2	0.49	< 0.5	12	4	103	3.37	< 10	0.05	30	0.52	654	11
BC 90N-140E	225 238	17	1.70	< 0.2	< 5	170	< 0.5	< 2	0.43	0.5	14	14	67	4.31	< 10	0.05	10	0.68	1290	27
BC 92N-140E	225 238	< 4	1.27	< 0.2	< 5	60	< 0.5	< 2	0.28	0.5	6	5	14	3.23	< 10	0.14	10	0.75	764	4
BC 80N-144E	225 238	69	0.63	< 0.2	< 5	70	< 0.5	< 2	0.10	< 0.5	6	7	17	2.30	< 10	0.04	< 10	0.24	397	4
BC 82N-144E	225 238	32	2.32	0.2	< 5	320	< 0.5	< 2	0.78	1.0	14	8	72	4.89	< 10	0.05	30	0.51	2560	19
BC 84N-144E	225 238	4	1.87	< 0.2	< 5	60	< 0.5	< 2	0.15	0.5	8	9	82	3.10	< 10	0.03	< 10	0.42	365	12
BC 86N-144E	225 238	5	1.44	0.2	< 5	30	< 0.5	< 2	0.09	0.5	6	11	25	4.51	10	0.03	< 10	0.30	232	1
BC 88N-144E	225 238	9	1.91	0.4	< 5	180	1.0	< 2	0.52	0.5	6	7	105	2.27	< 10	0.05	60	0.37	1120	21
BC 90N-144E	225 238	8	1.00	< 0.6	< 5	30	< 0.5	< 2	0.09	< 0.5	6	5	21	1.71	< 10	0.03	< 10	0.15	147	1
BC 92N-144E	225 238	10	0.70	< 0.2	< 5	20	< 0.5	< 2	0.07	< 0.5	< 1	5	14	1.04	< 10	0.02	< 10	0.05	66	1
BC 80N-148E	225 238	9	1.08	< 0.2	< 5	230	< 0.5	< 2	0.33	< 0.5	7	6	25	2.87	< 10	0.03	10	0.35	302	6
BC 82N-148E	225 238	6	1.29	< 0.2	< 5	120	< 0.5	< 2	0.10	< 0.5	9	3	23	2.53	< 10	0.04	< 10	0.22	648	6
BC 84N-148E	225 238	8	1.97	< 0.2	< 5	130	< 0.5	< 2	0.52	< 0.5	10	13	143	3.73	< 10	0.03	10	0.70	587	18
BC 86N-148E	225 238	5	1.41	< 0.2	< 5	220	< 0.5	< 2	0.55	< 0.5	15	9	34	4.03	< 10	0.04	< 10	0.47	1870	10
BC 90N-148E	225 238	8	0.94	< 0.2	< 5	60	< 0.5	< 2	0.08	< 0.5	6	8	26	3.47	< 10	0.02	< 10	0.09	114	3
BC 92N-148E	225 238	7	1.00	< 0.2	< 5	40	< 0.5	< 2	0.10	0.5	7	11	27	3.91	10	0.03	< 10	0.17	210	1
BC 82N-152E	225 238	10	1.76	< 0.2	< 5	440	< 0.5	< 2	0.29	< 0.5	16	9	40	4.54	< 10	0.04	10	0.38	4700	35
BC 84N-152E	225 238	11	2.90	0.2	< 5	350	< 0.5	< 2	0.76	0.5	8	10	104	3.84	< 10	0.06	70	0.58	1300	21
BC 88N-152E	225 238	21	1.84	< 0.2	< 5	210	< 0.5	< 2	0.54	0.5	13	13	46	4.96	< 10	0.04	< 10	0.51	510	2
BC 90N-152E	225 238	7	1.34	< 0.2	< 5	70	< 0.5	< 2	0.11	< 0.5	6	9	27	4.27	10	0.03	< 10	0.17	167	8
BC 92N-152E	225 238	10	1.18	< 0.2	< 5	90	< 0.5	< 2	0.23	< 0.5	8	4	34	2.98	< 10	0.04	< 10	0.38	308	10
BC 88N-156E	225 238	< 1	0.62	< 0.2	< 5	70	< 0.5	< 2	0.14	< 0.5	4	10	9	2.87	< 10	0.03	< 10	0.09	169	< 1
BC 90N-156E	225 238	< 2	0.94	0.4	< 5	40	< 0.5	< 2	0.19	0.5	6	11	26	3.81	< 10	0.05	< 10	0.24	322	< 1
EG 68N-86E	225 238	< 1	2.04	< 0.2	< 5	190	< 0.5	< 2	0.80	< 0.5	16	18	106	2.52	< 10	0.05	20	0.44	970	21
EG 76N-98E	225 238	< 1	2.34	< 0.2	< 5	90	< 0.5	< 2	0.25	< 0.5	7	29	22	2.35	< 10	0.04	10	0.36	183	1
EG 76N-112E	225 238	< 1	3.59	< 0.2	< 5	190	< 0.5	< 2	0.48	< 0.5	10	7	100	4.50	< 10	0.10	10	0.73	386	< 1
EG 84N-86E	225 238	< 1	1.94	< 0.2	< 5	250	< 0.5	< 2	0.67	< 0.5	7	40	123	2.91	< 10	0.06	20	0.57	494	12
EG 84N-92E	225 238	7	1.94	< 0.2	< 5	70	< 0.5	< 2	0.22	< 0.5	7	38	19	2.82	< 10	0.04	< 10	0.42	221	< 1
EG 84N-94E	225 238	< 5	3.09	0.4	< 5	560	< 0.5	< 2	1.19	0.5	14	47	238	5.43	< 10	0.17	20	0.63	1715	14
EG 84N-100E	225 238	not/ss	0.26	< 0.4	< 10	200	< 1.0	< 4	1.20	4.0	< 2	4	336	1.00	< 20	< 0.02	< 20	0.04	66	6
EG 84N-102E	225 238	< 4	0.97	< 0.2	< 5	190	< 0.5	< 2	0.82	< 0.5	< 1	20	162	0.71	< 10	0.05	20	0.13	163	3
EG 84N-114E	225 238	8	1.28	< 0.2	< 5	120	< 0.5	< 2	0.78	0.5	6	13	133	2.74	< 10	0.07	10	0.40	267	13
EG 92N-104E	225 238	2	1.63	< 0.2	< 5	200	< 0.5	< 2	0.80	0.5	8	22	168	2.32	< 10	0.05	20	0.44	332	3
EG 100N-102E	225 238	2	1.84	< 0.2	< 5	190	< 0.5	< 2	0.55	< 0.5	14	45	100	3.26	< 10	0.09	20	0.70	526	12
EG 100N-112E	225 238	1	2.49	0.2	< 5	180	< 0.5	< 2	0.63	< 0.5	14	30	521	2.77	< 10	0.08	20	0.54	332	5
EX-2	225 238	2	1.96	< 0.2	< 5	220	< 0.5	< 2	0.51	0.5	6	25	126	2.75	< 10	0.05	10	0.66	345	16
EX-6	225 238	not/ss	2.81	0.4	< 5	660	< 0.5	< 2	2.19	2.0	19	38	321	3.23	< 10	0.15	40	0.44	5350	69
EX-7	225 238	< 1	3.32	< 0.2	< 5	340	< 0.5	< 2	0.57	0.5	22	40	169	3.61	< 10	0.08	20	0.50	345	17

Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
< 0.01	1	440	6	< 5	24	0.07	< 10	< 10	116	< 5	18
0.01	1	420	4	< 5	46	0.03	< 10	< 10	129	< 5	22
0.01	4	710	14	< 5	70	0.05	< 10	< 10	89	< 5	56
0.01	8	1150	18	< 5	54	0.08	< 10	< 10	118	< 5	78
0.01	4	900	16	< 5	20	0.13	< 10	< 10	105	< 5	32
0.01	3	580	10	< 5	31	0.04	< 10	< 10	91	< 5	26
0.01	2	2580	14	< 5	107	0.02	< 10	< 10	106	< 5	136
0.01	4	650	10	< 5	34	0.05	< 10	< 10	82	< 5	66
< 0.01	4	450	2	< 5	23	0.09	< 10	< 10	147	< 5	30
0.01	3	1940	4	< 5	97	0.03	< 10	< 10	74	< 5	30
0.01	1	520	10	< 5	23	0.06	< 10	< 10	63	< 5	16
0.01	2	390	6	< 5	17	0.03	< 10	< 10	38	< 5	10
0.01	5	400	8	< 5	176	0.07	< 10	< 10	101	< 5	34
0.01	2	430	4	< 5	57	0.04	< 10	< 10	83	< 5	32
0.01	5	750	10	< 5	72	0.06	< 10	< 10	96	< 5	36
0.01	6	650	12	< 5	74	0.06	< 10	< 10	114	< 5	64
0.01	2	430	6	< 5	45	0.04	< 10	< 10	118	< 5	18
0.01	4	540	12	< 5	32	0.06	< 10	< 10	139	< 5	22
0.01	2	690	18	< 5	60	0.04	< 10	< 10	138	< 5	96
0.01	5	2340	10	< 5	110	0.01	< 10	< 10	75	< 5	94
0.01	6	630	8	< 5	85	0.10	< 10	< 10	132	< 5	38
0.01	3	390	10	< 5	38	0.09	< 10	< 10	145	< 5	30
0.01	1	710	4	< 5	51	0.05	< 10	< 10	87	< 5	30
0.01	1	240	6	< 5	62	0.12	< 10	< 10	103	< 5	14
0.01	5	380	4	< 5	30	0.13	< 10	< 10	114	< 5	32
0.01	9	380	10	< 5	105	0.06	< 10	< 10	68	< 5	40
0.01	9	600	4	< 5	42	0.10	< 10	< 10	61	< 5	34
0.01	4	780	6	< 5	109	0.25	< 10	< 10	132	< 5	64
0.01	23	470	10	< 5	64	0.07	< 10	< 10	68	< 5	46
0.01	14	430	8	< 5	34	0.09	< 10	< 10	63	< 5	38
0.01	27	1850	16	< 5	112	0.03	< 10	< 10	71	< 5	84
< 0.02											



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8711494

To: STEPHEN, J.C. EXPLORATION LIMITED

1458 RUPERT STREET
NORTH VANCOUVER, B.C.
V7J 1E9

Project: CASAU (OMENICA0)
Comments: ATTN: C. SAWYER

Page No. :2-A
Tot. Pages: 2
Date :05-MAR-87
Invoice #: I-8711494
P.O. #: NONE

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8711494

To: STEPHEN, J.C. EXPLORATION LIMITED

1458 RUPERT STREET
NORTH VANCOUVER, B.C.
V7J 1E9

Project: CASAU (OMENICA0)
Comments: ATTN: C. SAWYER

Page No. :2-B
Tot. Pages: 2
Date :05-MAR-87
Invoice #: I-8711494
P.O. #: NONE

Base
Feb 27
July 11
9th

July 9th

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
EX-25	225 238	< 1	4.45	0.2	< 5	480	3.0	< 2	0.86	0.5	20	35	364	5.09	< 10	0.13	40	0.70	990	36
EX-33	225 238	6	2.97	0.2	< 5	400	1.0	< 2	0.87	< 0.5	7	30	232	3.16	< 10	0.08	20	0.52	718	11
EX-47	225 238	6	2.88	0.2	10	80	0.5	< 2	0.29	< 0.5	6	17	129	3.43	< 10	0.05	10	0.45	240	3
EX-54	225 238	6	2.61	0.2	5	50	0.5	< 2	0.31	< 0.5	12	12	45	5.01	< 10	0.04	10	0.52	357	< 1
EX-55	225 238	2	3.32	0.2	< 5	100	0.5	< 2	0.23	0.5	5	20	95	3.41	< 10	0.04	< 10	0.62	359	< 1
EX-57	225 238	11	1.58	0.2	< 5	130	0.5	< 2	0.50	0.5	10	18	506	3.31	< 10	0.04	10	0.57	834	10
EX-58	225 238	14	1.78	0.2	< 5	400	1.0	< 2	1.03	< 0.5	8	44	273	2.88	< 10	0.05	30	0.42	443	5
EY-01	225 238	4	4.53	1.4	< 5	450	2.0	< 2	1.45	0.5	17	35	130	3.62	< 10	0.10	30	0.48	2310	11
EY-03	225 238	10	1.54	0.8	< 10	380	1.0	< 4	1.56	1.0	42	6	110	3.70	< 20	0.02	40	0.12	13280	80
EY-11	225 238	7	2.93	2.2	< 5	710	2.5	< 2	1.07	< 0.5	19	43	174	3.46	< 10	0.10	90	0.42	9000	15
EY-14	225 238	3	1.38	0.2	< 5	220	0.5	< 2	0.65	0.5	7	37	88	2.81	< 10	0.07	10	0.38	960	9
EY-16	225 238	4	2.78	0.2	< 5	320	1.5	< 2	0.89	< 0.5	14	48	181	3.37	< 10	0.14	40	0.61	616	11
EY-28	225 238	not/ss	1.55	0.2	< 5	310	1.0	< 2	1.07	< 0.5	8	14	113	2.32	< 10	0.13	20	0.41	529	3
EY-33	225 238	6	1.24	0.2	< 5	190	1.0	< 2	1.03	< 0.5	8	28	709	2.26	< 10	0.05	70	0.37	526	3
EY-34	225 238	2	1.85	0.2	< 5	300	1.0	< 2	0.99	< 0.5	8	15	126	2.95	< 10	0.13	20	0.62	656	6
EY-35	225 238	2	1.93	0.2	10	130	1.5	< 2	0.82	< 0.5	7	21	136	3.40	< 10	0.17	20	0.72	813	2
EY-40	225 238	4	1.64	0.2	< 5	340	1.0	< 2	0.73	< 0.5	8	6	80	2.77	< 10	0.11	20	0.41	480	7
EY-41	225 238	< 4	1.68	0.2	< 5	300	1.0	< 2	0.90	0.5	15	16	97	5.21	< 10	0.05	20	0.28	5440	44
EY-42	225 238	not/ss	2.63	0.8	< 5	190	1.5	< 2	1.24	0.5	11	23	571	2.48	< 10	0.09	30	0.40	648	11
EY-43	225 238	5	2.59	0.4	< 5	150	2.0	< 2	0.68	0.5	7	28	301	3.31	< 10	0.09	20	0.43	924	14
EY-44	225 238	4	2.59	0.2	< 5	320	1.0	< 2	1.02	0.5	11	25	247	3.20	< 10	0.08	20	0.39	1590	12
EY-56	225 238	2	0.86	0.2	< 5	80	0.5	< 2	0.83	< 0.5	7	35	334	3.50	< 10	0.06	10	0.38	323	3
EY-57	225 238	< 4	1.25	0.2	< 5	90	0.5	< 2	0.79	0.5	7	11	159	2.70	< 10	0.08	10	0.59	491	6
EY-59	225 238	not/ss	0.88	0.2	< 5	160	0.5	< 2	2.01	< 0.5	8	23	265	1.51	< 10	0.06	< 10	0.34	410	2
EY-66	225 238	19	1.07	1.6	10	580	2.5	< 2	1.12	< 0.5	7	35	1570	1.18	< 10	0.06	140	0.19	2550	7
EY-81	225 238	2	0.96	0.2	< 5	420	1.0	< 2	0.78	< 0.5	6	25	302	1.50	< 10	0.06	40	0.22	805	1
V-170	225 238	20	1.29	0.2	< 5	90	0.5	< 2	0.84	< 0.5	6	30	111	2.80	< 10	0.18	10	0.64	629	< 1
V-171	225 238	26	1.43	0.8	< 5	160	0.5	< 2	1.66	< 0.5	16	42	210	2.88	< 10	0.26	< 10	0.99	747	< 1
V-174	225 238	2	1.01	0.2	< 5	190	0.5	< 2	1.53	0.5	14	34	274	6.54	< 10	0.04	10	0.45	1525	< 1
V-189	225 238	not/ss	1.35	0.8	5	50	0.5	< 2	2.24	< 0.5	15	90	484	2.62	< 10	0.16	< 10	0.90	573	< 1
V-224	225 238	8	1.56	0.2	< 5	100	< 0.5	< 2	1.14	< 0.5	18	31	118	2.90	< 10	0.17	10	1.31	645	1
V-226	225 238	37	1.87	2.8	< 5	130	< 0.5	< 2	1.42	0.5	23	101	842	4.34	< 10	0.08	10	1.29	957	< 1
V-281	225 238	14	1.97	0.2	< 5	160	0.5	< 2	0.94	< 0.5	15	63	132	3.44	< 10	0.55	10	1.26	561	< 1
Z-711	225 238	6	1.10	0.2	< 5	60	0.5	< 2	0.81	< 0.5	13	20	160	2.77	< 10	0.12	10	0.61	631	2

CERTIFICATION :

B. Conf

Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
0.01	27	670	18	< 5	87	0.06	< 10	< 10	95	< 5	134
0.01	18	1050	8	< 5	67	0.05	< 10	< 10	66	< 5	64
0.01	12	1500	4	< 5	39	0.07	< 10	< 10	72	< 5	56
0.01	9	1390	8	< 5	37	0.16	< 10	< 10	132	< 5	64
0.01	10	1100	8	< 5	53	0.12	< 10	< 10	86	< 5	72
< 0.01	8	380	4	< 5	102	0.05	< 10	< 10	81	< 5	58
0.01	34	400	12	< 5	77	0.04	< 10	< 10	57	< 5	36
0.01	34	2640	14	< 5	78	0.02	< 10	< 10	62	< 5	170
< 0.02	8	2160	4	< 10	96	< 0.02	< 20	< 20	58	< 5	24
0.01	33	1750	12	< 5	101	0.02	< 10	< 10	56	< 5	44
0.01	16	720	10	< 5	66	0.05	< 10	< 10	72	< 5	36
0.02	33	1140	10	< 5	82	0.05	< 10	< 10	82	< 5	48
0.01	10	830	6	< 5	97	0.02	< 10	< 10	45	< 5	50
0.01	13	530	6	< 5	67	0.06	< 10	< 10	54	< 5	30
0.01	9	1240	4	< 5	70	0.02	< 10	< 10	60	< 5	62
0.01	10	860	12	< 5	63	0.04	< 10	< 10	66	< 5	56
0.01	9	790	10	< 5	73	0.02	< 10	< 10	54	< 5	46
0.01	16	1040	2	< 5	78	0.04	< 10	< 10	53	< 5	38
0.01	18	1450	8	< 5	102	0.03	< 10	< 10	46	< 5	56
0.01	15	1210	10	< 5	70	0.05	< 10	< 10	91	< 5	64
0.01	18	1170	14	< 5	84	0.03	< 10	< 10	60	< 5	74
0.01	12	540	4	< 5	57	0.06	< 10	< 10	97	< 5	36
0.01	8	490	6	< 5	113	0.07	< 10	< 10	63	< 5	34
0.01	12	520	6	< 5	134	0.04	< 10	< 10	42	< 5	26
0.01	5	1200	8	< 5	92	0.01	< 10	100	20	< 5	34
0.01	9	810	8	< 5	66	0.01	< 10	20	30	< 5	34
0.01	11	950	4	< 5	66	0.11	< 10	< 10	75	< 5	34
0.01	12	1880	4	< 5	106	0.10	< 10	< 10	101	< 5	44
0.01	9	710	2	< 5	99	0.05	< 10	< 10	80	< 5	26
0.01	14	760	6	< 5	98	0.11	< 10	< 10	110	< 5	36
< 0.01	11	1710	< 2	< 5	87	0.10	< 10	< 10	92	< 5	40
0.01	17	1230	4	< 5	99	0.15	< 10	< 10	152	< 5	42
0.01	19	1260	6	< 5	77	0.21	< 10	< 10	113	< 5	44
< 0.01	13	780	6	< 5	90	0.09	< 10	< 10	80	< 5	40

CERTIFICATION :

B. Conf



Valeau.

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710708

To: STEPHEN, J.C. EXPLORATION LIMITED

1458 RUPERT STREET
NORTH VANCOUVER, B.C.
V7J 1E9

Page No. : 1-A
Tot. Pages: 1
Date : 10-FEB-87
Invoice #: I-8710708
P.O. # : NONE

Project :
Comments :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

CERTIFICATE OF ANALYSIS A8710708

To: STEPHEN, J.C. EXPLORATION LIMITED

1458 RUPERT STREET
NORTH VANCOUVER, B.C.
V7J 1E9

Page No. : 1-B
Tot. Pages: 1
Date : 10-FEB-87
Invoice #: I-8710708
P.O. # : NONE

Project :
Comments :

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	
BB 15	225 238	not/ss	1.32	6.2	40	100	< 0.5	< 2	2.97	1.5	11	80	1175	1.51	< 10	0.05	20	0.29	2610	12	0.01	9	3410	34	< 5	327	0.01	< 10	< 30	52	< 5	30	
BB 231	225 238	< 5	2.52	0.8	20	50	< 0.5	< 2	0.65	< 0.5	15	45	1245	3.32	< 10	0.09	10	0.88	960	< 1	0.01	22	2190	4	< 5	134	0.06	< 10	< 10	101	< 5	76	
BB 273	225 238	< 50	2.13	1.8	15	60	< 0.5	< 2	2.18	< 0.5	8	40	2730	1.67	< 10	0.05	40	0.51	792	< 1	0.01	13	2690	10	< 5	134	0.02	< 10	< 10	43	< 5	50	
BC 100E 90N	225 238	< 5	1.49	0.6	< 5	50	< 0.5	< 2	0.13	< 0.5	6	3	69	3.16	< 10	0.04	< 10	0.33	377	5	< 0.01	2	610	14	< 5	27	0.04	< 10	< 10	87	< 5	48	
BC 100E104N	225 238	5	1.84	1.2	15	40	< 0.5	< 2	0.28	< 0.5	12	7	258	4.78	< 10	0.08	10	0.53	557	5	< 0.01	5	1440	18	< 5	15	0.06	< 10	< 10	108	< 5	52	
BC 104E 106N	225 238	5	1.79	0.8	15	50	< 0.5	< 2	0.34	< 0.5	15	7	276	4.62	< 10	0.13	20	0.59	751	3	< 0.01	6	1530	12	< 5	22	0.07	< 10	< 10	117	< 5	48	
BC 112E 88N	225 238	35	1.60	0.8	5	60	< 0.5	< 2	0.57	< 0.5	12	5	207	4.25	< 10	0.04	20	0.54	919	15	< 0.01	4	1290	8	< 5	45	0.04	< 10	< 10	84	< 5	54	
BC 112E 120N	225 238	< 20	1.98	1.0	5	520	< 0.5	< 2	0.87	< 0.5	12	10	193	3.65	< 10	0.05	40	0.53	6070	31	0.01	6	1420	8	< 5	98	0.06	< 10	< 10	100	< 5	112	
BC 114E 880	225 238	20	2.02	3.8	10	100	< 0.5	< 2	0.70	< 0.5	7	5	227	2.24	< 10	0.07	30	0.25	570	16	0.01	1	1550	16	< 5	120	0.04	< 10	< 10	45	< 5	44	
BC 116E 92N	225 238	20	2.36	1.4	10	120	< 0.5	< 2	0.63	< 0.5	10	14	211	3.91	< 10	0.05	130	0.54	1030	19	0.01	6	2180	24	< 5	90	0.03	< 10	< 10	81	< 5	88	
BC 116E 100N	225 238	10	1.83	1.4	< 5	170	< 0.5	< 2	0.95	< 0.5	7	8	186	2.53	< 10	0.05	80	0.42	1020	13	0.01	5	1980	10	< 5	115	0.02	< 10	< 10	46	< 5	56	
BC 120E 86N	225 238	< 25	1.16	1.0	< 5	100	< 0.5	< 2	0.78	< 0.5	12	7	185	5.45	< 10	0.13	20	0.57	986	19	0.01	6	1280	14	< 5	86	0.08	< 10	< 10	171	< 5	50	
BC 124E 88N	225 238	5	1.47	4.0	< 5	50	< 0.5	< 2	0.22	< 0.5	2	9	38	2.05	< 10	0.06	< 10	0.30	170	24	0.01	4	1350	10	< 5	34	0.06	< 10	< 10	91	< 5	30	
BC 124E 92N	225 238	not/ss	2.49	2.6	< 5	80	< 0.5	< 2	0.63	1.0	1	4	147	6.48	< 10	0.03	80	0.10	117	121	0.01	2	3460	20	< 5	126	0.01	< 10	< 10	170	< 5	16	
BC 128E 74N	225 238	< 20	1.75	2.0	5	290	0.5	< 2	1.58	3.0	12	14	280	2.37	< 10	0.07	110	0.32	2080	21	0.01	10	3240	14	< 5	154	0.01	< 10	< 10	48	< 5	46	
BC 136E 114N	225 238	< 20	3.63	2.0	10	450	< 0.5	< 2	1.07	< 0.5	12	7	243	5.05	< 10	0.23	30	0.68	983	23	0.01	8	2190	16	< 5	138	0.02	< 10	< 10	101	< 5	82	
BC 148E 88N	225 238	80	3.66	5.0	30	260	1.5	< 2	0.34	< 0.5	6	15	237	3.04	< 10	0.03	190	0.39	1190	18	0.01	2	4120	6	< 5	101	0.03	< 10	< 10	64	< 5	46	
BU 10	225 238	< 25	1.12	1.4	5	180	< 0.5	< 2	1.08	< 0.5	36	5	254	6.51	< 10	0.06	20	0.22	5850	9	0.01	4	2890	24	< 5	111	0.05	< 10	< 10	301	< 5	40	
BU 16	225 238	< 5	1.72	0.6	15	40	< 0.5	< 2	0.37	< 0.5	6	3	142	3.26	< 10	0.04	< 10	0.27	341	< 1	0.01	3	1470	4	< 5	50	0.10	< 10	< 10	115	< 5	34	
BU 44	225 238	not/ss	1.24	1.2	< 10	160	< 1.0	< 4	2.36	< 1.0	4	2	386	1.94	< 20	0.02	20	0.18	602	2	0.02	4	2200	8	< 10	196	0.02	< 20	< 20	44	< 10	20	
BU 50	225 238	50	0.71	0.8	< 5	150	< 0.5	< 2	1.61	< 0.5	7	2	171	2.10	< 10	0.05	10	0.25	490	1	0.01	2	720	2	< 5	169	0.07	< 10	< 10	48	< 5	22	
BU 58	225 238	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss
BU 60	225 238	< 50	0.74	1.2	< 5	200	< 0.5	< 2	1.90	< 0.5	20	1	258	2.30	< 10	0.03	20	0.12	1145	2	0.01	2	1410	4	< 5	152	0.01	< 10	< 10	66	< 5	10	
BU 64	225 238	< 50	0.62	0.8	< 5	150	< 0.5	< 2	1.10	0.5	13	1	159	3.22	< 10	0.06	10	0.16	2450	1	0.01	1	1550	4	< 5	127	0.02	< 10	< 10	107	< 5	16	
CI 100N 98E	225 238	< 25	0.96	0.6	< 5	70	< 0.5	< 2	0.32	< 0.5	4	14	57	3.17	< 10	0.04	< 10	0.24	179	2	0.01	4	980	4	< 5	40	0.07	< 10	< 10	87	< 5	26	
CI 100N 114E	225 238	< 5	2.11	1.2	5	110	< 0.5	< 2	0.40	< 0.5	10	13	306	3.75	< 10	0.07	10	0.53	370	2	0.01	9	790	6	< 5	137	0.10	< 10	< 10	84	< 5	50	
W-254 VAL	225 238	< 20	1.58	1.0	10	100	< 0.5	< 2	1.24	< 0.5	13	28	148	3.16	< 10	0.22	10	0.79	753	< 1	0.01	17	1210	8	< 5	97	0.14	< 10	< 10	90	< 5	58	
W-260 VAL	225 238	35	1.60	0.8	5	110	< 0.5	< 2	1.01	< 0.5	8	5	111	2.67	< 10	0.19	20	0.60	512	2	0.01	4	1420	6	< 5	106	0.12	< 10	< 10	73	< 5	46	
W-269 VAL	225 238	30	1.66	1.0	< 5	70	< 0.5	< 2	1.23	< 0.5	12	18	113	2.73	< 10	0.14	10	0.75	425	< 1	0.02	9	900	< 2	< 5	95	0.19	< 10	< 10	94	< 5	40	
W-271 VAL	225 238	80	3.58	1.6	45	240	< 0.5	< 2	1.07	< 0.5	24	54	562	4.53	< 10	0.40	30	1.29	1555	5	0.02	29	1230	6	< 5	66	0.15	< 10	< 10	148	< 5	74	
W-281 VAL	225 238	20	1.71	0.8	5	150	< 0.5	< 2	0.95	< 0.5	9	15	111	2.93	< 10	0.14	10	0.68	705	1	0.01	9	1080	4	< 5	96	0.10	< 10	< 10	74	< 5	56	
Z-614	225 238	< 50	1.10	0.8	5	90	< 0.5	< 2	0.87	0.5	14	107	276	3.80	< 10	0.16	10	0.87	904	4	0.01	23	820	20	< 5	46	0.11	< 10	< 10	146	< 5	48	
Z-615	225 238	< 10	1.64	1.6	10	130	< 0.5	< 2	1.34	0.5	16	177	534	3.67	< 10	0.13	10	1.14	1030	5	0.01	32	1130	14	< 5	83	0.11	< 10	< 10	135	< 5	62	
Z-616	225 238	< 20	2.10	2.4	20	150	< 0.5	< 2	0.92	< 0.5	19	201	875	4.11	< 10	0.24	20	1.23	1045	11	0.02	36	870	20	< 5	77	0.12	< 10	< 10	137	< 5	56	
Z-617	225 238	< 25	1.43	1.8	< 5	90	< 0.5	< 2	0.96	0.5	16	150	477	3.59	< 10	0.18	10	0.98	1065	6	0.02	30	830	12	< 5	68	0.12	< 10	< 10	119	< 5	42	
Z-738	225 238	50	3.69	2.0	5	100	< 0.5	< 2	1.73	0.5	29	48	557	5.30	< 10	0.30	10	2.34	1905	4	0.01	20	1270	22	< 5	238	0.20	< 10	< 10	185	< 5	112	
Z-741	225 238	50	2.40	1.6	5	80	< 0.5	< 2	1.18	0.5	21	37	292	4.89	< 10	0.27	10	1.53	1195	3	0.01	13	1170	18	< 5	162	0.17	< 10	< 10	145	< 5	92	

COL
GRP

CERTIFICATION : _____

CERTIFICATION : _____