


TI-B N

x B x A x


624

620



TI-A S

x A x B x




T-1 N

x A x

618

615




T-2 N

x A x

607

605

600




T-3 N

x A x

595

590

NOEM



T-4 N

565

560

673732
Pinchi 93K

①

Weak EM

T-14 N

* A *

350

345
T-15 S

* A *

2

1245

T-18 N

* A *

25

20

T-19 S

A

1000

995



T-20 N

very weak
AEM



3

1970


1965




4



5



6



6

very weak
affected by
A clutter

T-82-S

758

mag trace skipped in
part
High irregular

755

EM insignificant
A

75

T-83-N

710

EM very irregular
A

704

T-84-S

703

700

695

A

EM very weak

T-85-N

655

650

A

wide

T-86-S

645

640

10

EM best on T-109, 110
G+F on T113
B on T-114

T109 N

A
strong
EM

980

975

972

T110 S

A
strong
EM

977

965

960

T111 N

D C B A

T112 S

A B C D


T-113 N

G F E D C B A


840


835

11



14





no EM

T-58W

795

1200

790

Similar on T-59E



ANOMALY T-3

T-60W

very
wide
ANOMALY

790

790



14

A
weak-fin

16A

B
weak

T-133 S

495

491

A
very weak

T-141 S

539

535

531

16

A

B

T-143 S

1580

very weak

weak
Double

571

insignificant on T-145 S

17

A
weak

T-149 S

18

A
fair EM

T-158 S

960

955

A
weak

T-160 S

weak
A

T-162 S

weak
A

weak
B

T-164 S

weak
A

700
120




115

weak
A

T-170 S

1285

1280



ANOMALY T1

39 A-E

x A x

1348

B A

T-91-E

159

753

EM weak

T-92W

A

750

745

very weak EM

T-93E

665

659

A

T94-W.

very weak EM

655

651

T95-E

weak EM

570

565

For Anomaly T-6
no mag correlation
insignificant EM


ANOMALY T-4

T-73 E


vert 50 scale x 10



T-74 W.



T-75 E



T-60 W



