

Recovery Tables

From	To	Width	Recovery		Sample	Assays							
			ft./lbs.	%									
0 m	1.5 m	1.5		75									
1.5 m	3.0 m	1.5		80									
3.0	4.6	1.6		95									
4.6	6.1	1.5		90									
6.1	7.6	1.5		90	Box 1	0 m to 7.5 m							
7.6	9.1	1.5		98									
9.1	10.7	1.6		98									
10.7	12.2	1.5		95									
12.2	13.7	1.5		95									
13.7	14.5	0.8		95	Box 2	7.5 m	14.5 m						
14.5	15.2	0.7		55									
15.2	16.8	1.5		70									
16.8	18.3	1.5		85									
18.3	19.8	1.5		75									
19.8	22.6	2.8		95	Box 3	14.5 m	22.0 m						
22.6	24.4	1.8		75									
24.4	25.1	0.7		25									
25.1	25.9	0.8		25									
25.9	27.4	1.5		85									
27.4	29.0	1.6		85	Box 4	22 m	29.7 m						
29.0	30.5	1.5		98									
30.5	32.0	1.5		99									
32.0	33.5	1.5		98									
33.5	36.3	2.8		85									
36.3	37.8	1.5		95	Box 5	29.7 m	36.9 m						

Length _____ Contractor _____
 Bearing _____ Core _____ Stored _____
 Dip _____ Casing _____
 Lat. _____ Logged by _____ Date _____
 Dep. _____ Location _____
 Elev. _____
 O.B. Thickness _____ Started _____ Finished _____
 B.R. Thickness _____ Started _____ Finished _____

J.C. STEPHEN EXPLORATIONS LTD.
 Hole No. 86-CEX-E-1
 Project Eagles
 Claim _____
 Page _____ of _____

90
12

From	To	Width	Recovery		Sample	Assays								
			ft./lbs.	%										
0	3.0	3.0		95										
3.0	4.6	1.6		97										
4.6	6.1	1.5		90										
6.1	7.6	1.5		90		Box 1	0"	6.9"						
7.6	9.1	1.5		95										
9.1	10.7	1.6		92										
10.7	12.2	1.5		98										
12.2	13.7	1.5		98		Box 2	6.9"	13.7"						
13.7	15.2	1.5		92										
15.2	16.8	1.6		85										
16.8	18.3	1.5		85										
18.3	19.5	1.2		75										
19.5	19.8	0.3		80		Box 3	13.7"	20.8"						
19.8	21.3	1.5		85										
21.3	22.9	1.6		95										
22.9	24.4	1.5		95										
24.4	25.9	1.5		80										
25.9	27.4	1.5		75										
27.4	29.0	1.6		60		Box 4	20.8"	28.3"						
29.0	30.5	1.5		95										
30.5	32.0	1.5		90										
32.0	33.8	1.8		90		Box 4	28.3"	33.8"						

Length _____ Contractor _____
 Bearing _____ Core _____ Stored _____
 Dip _____ Casing _____
 Lat. _____ Logged by _____ Date _____
 Dep. _____ Location _____
 Elev. _____
 O.B. Thickness _____ Started _____ Finished _____
 B.R. Thickness _____ Started _____ Finished _____

J.C. STEPHEN EXPLORATIONS LTD.
 Hole No. 86-C9X-E-2
 Project _____
 Claim _____
 Page _____ of _____

From	To	Width	Recovery		Sample	Assays			
			ft./lbs.	%					
0	1.5	1.5	5	20%					
1.5	3.0	1.5	10	40%	Box 1	0-	8.6		
3.0	4.5	1.5	15	30					
4.5	6.1	1.6	20	90					
6.1	7.6	1.5	25	95					
7.6	9.1	1.5	20	98					
9.1	10.7	1.6	31	75	Box 2	8.6	-15.5		
10.7	12.2	1.5	40	95					
12.2	13.7	1.5		95					
13.7	15.2	1.5	50	98					
15.2	16.8	1.6		98					
16.8	18.3	1.5	60	92	Box 3	15.5	22.6		
18.3	19.8	1.5		90					
19.8	21.3	1.5	70	85					
21.3	22.9	1.6		60					
22.9	24.4	1.5	80	80	Box 4	22.6	-29.0		
24.4	25.9	1.5		80					
25.9	27.4	1.5	90	80					
27.4	29.0	1.6		90					
29.0	30.5	1.5	100	80	Box 5	29.0	35.7		
30.5	32.0	1.5		98					
32.0	32.6	0.6		95					
32.6	33.5	0.9		95					
33.5	35.1	1.6		95					
35.1	36.6	1.5		95	Box 6	35.7	42.2		
36.6	38.1	1.5		90					
38.1	39.6	1.5		98					
39.6	41.1	1.5		95					
41.1	42.7	1.6		90					
42.7	44.2	1.5		45					
44.2	45.7	1.5		90	Box 7	42.2	49.1		
45.7	47.2	1.5		95					

Length _____ Contractor _____
 Bearing _____ Core _____ Stored _____
 Dip _____ Casing _____
 Lat. _____ Logged by _____ Date _____
 Dep. _____ Location _____
 Elev. _____
 O. B. Thickness _____ Started _____ Finished _____
 B. R. Thickness _____ Started _____ Finished _____

J.C. STEPHEN EXPLORATIONS LTD.

Hole No. 86-COX-E-3
 Project _____
 Claim _____
 Page 1 of _____

m From	m To	m Width	Recovery		Sample	Assays			
			ft./lbs.	%					
0	1.5	1.5	5'	—	Box 1	0	19.7		
1.5	2.4	0.9	8'	—					
2.4	4.0	1.6	13'	—					
4.0	5.5	1.5	14	40					
5.5	8.5	3.0	28	65					
8.5	10.1	1.6	23	95					
10.1	11.6	1.5	39	95					
11.6	13.1	1.5	42	98	Box 2	11.7	19.1		
13.1	14.6	1.5	48	80					
14.6	16.2	1.6	53	60					
16.2	19.2	3.0	63	85					
19.2	20.7	1.5	69	90	Box 3	19.1	25.7		
20.7	22.3	1.6	73	90					
22.3	23.8	1.5	78	98					
23.8	25.3	1.5	83	95					
25.3	26.8	1.5	86	95	Box 4	25.7	32.9		
26.8	28.3	1.5	93	98					
28.3	29.9	1.6	98	98					
29.9	31.4	1.5	103	98					
31.4	34.4	3.0	113	98	Box 5	32.9	39.7		
34.4	36.0	1.6	118	95					
36.0	37.5	1.5	123	95					
37.5	39.0	1.5	128	90					
39.0	40.5	1.5	133	90	Box 6	39.7	46.6		
40.5	42.1	1.6	137	90					
42.1	43.6	1.5	143	90					
43.6	46.6	3.0	153	90					
46.6	49.2	1.6	158	80	Box 7	46.6	53.9		
49.2	51.2	3.0	168	85					
51.2	52.7	1.5	173	85					
52.7	54.3	1.6	179	95					
54.3	57.3	3.0	189	90	Box 8	53.9	61.2		

Length _____ Contractor _____
 Bearing _____ Core _____ Stored _____
 Dip _____ Casing _____
 Lat. _____ Logged by _____ Date _____
 Dep. _____ Location _____
 Elev. _____
 O.B. Thickness _____ Started _____ Finished _____
 B.R. Thickness _____ Started _____ Finished _____

**J.C. STEPHEN
EXPLORATIONS
LTD.**

Hole No. 86-CUX-E-4
 Project _____
 Claim _____

Page _____ of _____

m From	m To	m Width	Recovery		Sample	Assays			
			ft./lbs.	%					
57.3	60.4	3.1	198	95					
60.4	63.4	3.0	208	95	Box 9	612	680		
63.4	66.4	3.0	218	97					
66.4	68.0	1.6	223	99					
68.0	70.1	2.1	230	95	Box 10	680	75.0		
70.1	72.5	2.4	238	95					
72.5	74.1	1.6	243	95					
74.1	77.1	3.0	253	95	Box 11	75.0	82.1		
77.1	78.6	1.5	258	97					
78.6	80.2	1.6	263	95					
80.2	83.2	3.0	273	95					
83.2	84.7	1.5	278	98	Box 12	82.1	89.1		
84.7	86.3	1.5	283	99					
86.3	87.8	1.6	288	95	Box 13	89.1	93.9		
87.8	89.3	1.5		95					
89.3	90.8	1.5		99					
90.8	93.9	3.1		98					

Length _____ Contractor _____
 Bearing _____ Core _____ Stored _____
 Dip _____ Casing _____
 Lat. _____ Logged by _____ Date _____
 Dep. _____ Location _____
 Elev. _____
 O.B. Thickness _____ Started _____ Finished _____
 B.R. Thickness _____ Started _____ Finished _____

**J.C. STEPHEN
EXPLORATIONS
LTD.**

Hole No. 86-CUX-E-4
 Project _____
 Claim _____

Page _____ of _____

From	To	Width	Recovery		Sample	Assays													
			ft./lbs.	%															
0	3.0	3.0	10	—	Casing														
3.0	4.0	1.0	13	60															
4.0	5.2	1.2	17	85															
5.2	7.0	1.8	23	95															
7.0	8.5	1.5	24	95															
8.5	10.1	1.6	33	80		Box 1	0	10.9											
10.1	11.6	1.5	39	75															
11.6	13.1	1.5	42	70															
13.1	14.6	1.5	44	90															
14.6	16.2	1.6	53	80															
16.2	17.7	1.5	58	95		Box 2	10.9	17.9											
17.7	19.2	1.5	63	95															
19.2	20.7	1.5	64	95															
20.7	22.3	1.6	73	96															
22.3	23.8	1.5	74	98		Box 3	17.9	24.7											
23.8	25.3	1.5	83	99															
25.3	26.8	1.5	88	97															
26.8	28.3	1.5	93	95															
28.3	29.9	1.6	94	97															
29.9	31.4	1.5	103	95		Box 4	24.7	31.5											
31.4	32.9	1.5	108	90															
32.9	34.4	1.5	113	98															
34.4	36.0	1.6	118	95															
36.0	37.5	1.5	123	85		Box 5	31.5	38.3											
37.5	39.0	1.5	124	80															
39.0	40.5	1.5	133	90															
40.5	42.1	1.6	138	95															
42.1	43.6	1.5	143	70															
43.6	45.1	1.5	148	90		Box 6	38.3	45.9											
45.1	46.6	1.5	153	75															
46.6	48.2	1.6	159	80															
48.2	49.7	1.5	163	95															

Length _____ Contractor _____
 Bearing _____ Core _____ Stored _____
 Dip _____ Casing _____
 Lat. _____ Logged by _____ Date _____
 Dep. _____ Location _____
 Elev. _____
 O.B. Thickness _____ Started _____ Finished _____
 B.R. Thickness _____ Started _____ Finished _____

**J.C. STEPHEN
EXPLORATIONS
LTD.**

Hole No. 86-CUX-85
 Project _____
 Claim _____

From	To	Width	Recovery		Sample	Assays								
			ft./lbs.	%										
4.3	5.5	1.2	14.8	50%										
5.5	7.0	1.5	23	80										
7.0	8.5	1.5	28	75										
8.5	10.1	1.6	33	80										
10.1	11.6	1.5	38	80		Box 1	4.2"	11.9"						
11.6	13.1	1.5	43	85										
13.1	14.6	1.5	48	90										
14.6	16.2	1.6	53	90										
16.2	17.7	1.5	58	85										
17.7	19.2	1.5	63	80		Box 2	11.9"	16.7"						
19.2	20.7	1.5	68	65										
20.7	22.3	1.6	73	80										
22.3	23.8	1.5	78	85										
23.8	25.3	1.5	83	80										
25.3	26.8	1.5	88	90		Box 3	18.7"	26.4"						
26.8	28.3	1.5	93	95										
28.3	29.9	1.6	98	85										
29.9	31.4	1.5	103	85										
31.4	32.9	1.5	108	90										
32.9	34.4	1.5	113	95		Box 4	26.4"	33.2"						
34.4	36.0	1.6	118	95										
36.0	37.5	1.5	123	95										
37.5	39.0	1.5	128	95										
39.0	40.5	1.5	133	98		Box 5	33.2"	39.8"						
40.5	42.1	1.6	138	98										
42.1	43.6	1.5	143	98										
43.6	45.1	1.5	148	93										
45.1	46.6	1.5	153	95		Box 6	39.8"	46.6"						
46.6	48.2	1.6	158	95										
48.2	49.7	1.5	163	90										
49.7	51.2	1.5	168	95										
51.2	52.7	1.5	173	90										

Length _____ Contractor _____
 Bearing _____ Core _____ Stored _____
 Dip _____ Casing _____
 Lat. _____ Logged by _____ Date _____
 Dep. _____ Location _____
 Elev. _____
 O.B. Thickness _____ Started _____ Finished _____
 B.R. Thickness _____ Started _____ Finished _____

J.C. STEPHEN
EXPLORATIONS
LTD.
 Hole No. 86-CWX-E-6
 Project EAGL
 Claim EAGL 2
 Page 1 of 2

