

PACIFIC
WATERPROOF

674547

FIELD BOOK

No. 301

Magnetometer Survey

BURN GROUP 1975

CORRECTED READINGS
IN

~~IN~~

9

LINE	STATION	TIME	READING	SCALE
*00N	30E	7:30am	0	BASE STN
*04N	30E	8:20am	560	-X1000 C.S.
*02S	30E	8:26am	650	-X1000 C.S.
*12S	30E	10:35	680	-X1000 C.S.
*00N	30E	10:47	0	-X1000 BASE STN
*00N	30E	10:51	550	-X1000 C.S.
*12S	30E	12:35	690	-X1000 C.S.
*00N	30E	12:48	80	-X1000 Base.
*04N	"	12:56	605	-X1000 C.S.
00N	31E	1:00	310	+X1000
	32E	1:04	✓	✓
	33E	1:07	50	✓
	34E	1:10	620	-X1000
	35E	1:12	200	-X1000
	36E	1:15	750	-X1000
	37E	1:17	700	-X1000
	38E	1:20	1350	-X3000.
	39E	1:24	550	-X1000
	40E	1:28	1500	-X3000
	41E	1:31	1870	-X3000
	42E	1:35	580	-X1000
	43E	1:37	800	-X1000
	44E	1:40	1200	-X3000
	45E	1:42	1850	-X3000
	46E	1:45	1025	-X3000
	47E	1:47	1700	-X3000

LINE	STATION	TIME	READING	Scale
00N	48E	1:50	1190	-X3000
	49E	1:52	1560	-X3000
	50E	1:54	1370	-X3000
	51E	1:56	1370	-X3000
	52E	1:58	1250	-X3000
	53E	2:00	1200	-X300
	54E	2:02	1200	-X3000
	55E	2:04	1350	-X3000
	56E	2:06	1300	-X3000
	57E	2:08	1350	-X3000
	58E	2:10	1250	-X3000
	59E	2:11	1150	-X3000
	60E	2:13	1100	-X3000
	61E	2:15	1200	-X3000
	62E	2:17	900	-X ³⁰⁰⁰ 1000
	63E	2:19	840	-X1000
	64E	2:21	890	-X1000
	65E	2:23	860	-X ¹⁰⁰⁰ 1000
	66E	2:25	900	-X ¹⁰⁰⁰ 3000
	67E	2:28	920	-X ¹⁰⁰⁰ 1000
	68E	2:30	870	-X1000
	69E	2:32	1000	-X3000
	70E	2:34	1150	-X3000
	71E	2:36	1120	-X3000
	72E	2:38	1100	-X3000
	73E	2:40	1050	-X3000

LINE	SATION	TIME	READING	SCALE
00N	74E	2:43	1050	-X3000
	75E	2:45	980	-X1000
	76E	2:47	1090	-X3000
	77E	2:49	1100	-X3000 +160
	78E	2:51	1000	-X3000
04N	78E	3:00	1040	-X3000 1010
	77E	3:02	1000	-X3000 1070
	76E	3:05	1100	-X3000 1070
	75E	3:07	1125	-X3000 1095
	74E	3:09	1070	-X3000 1040
-188	73E	3:10	950	-X3000 970 920
	72E	3:12	980	-X1000 1020 940
	71E	3:14	980	-X1000 1020 940
	70E	3:16	920	-X1000 980 940
	69E	3:18	1000	-X3000 1040 980
	68E	3:19	840	-X1000 880 840
	67E	3:20	880	-X1000 920 840
	66E	3:22	1480	-X3000 1520 1440
	65E	3:24	1040	-X3000 1080 1040
	64E	3:25	1050	-X3000 1090 1050
205	63E	3:27	1100	-X3000 1052
	62E	3:28	1000	-X3000 952
	61E	3:30	960	-X1000 912
	60E	3:31	890	-X1000 825
	59E	3:33	1210	-X3000 1155
212	58E	3:34	1270	-X3000 1157

LINE	STN	TIME	Reading	Scale	+160	
213	104N	57E	3:36	1200	X 3000	1145
		56E	3:38	1290	-X 3000	1235
		35E	3:39	1350	-X 3000	1295
		54E	3:41	1300	-X 3000	1237
		53E	3:42	1280	-X 3000	1287
221		52E	3:44	1300	-X 3000	1237
		51E	3:45	1400	-X 3000	1337
		50E	3:47	1440	-X 3000	1377
		49E	3:48	1550	-X 3000	1487
		48E	3:50	1700	-X 3000	1637
229		47E	3:52	1475	-X 3000	1703
		46E	3:54	1550	-X 3000	1478
		45E	3:55	1430	-X 3000	1028
		44E	3:57	1820	-X 3000	1028
		43E	3:59	1750	-X 2000	1278
237		42E	4:01	900	-X 1000	908
		41E	4:02	1280	-X 3000	1228
		40E	4:03	1280	-X 3000	1128
		39E	4:05	1300	-X 3000	1216
		38E	4:06	1300	-X 2000	1216
245		37E	4:07	880	-X 1000	796
		36E	4:10	640	-X 1000	556
		35E	4:11	840	-X 1000	765
		34E	4:13	1050	-X 3000	966
		33E	4:15	640	-X 1000	556
	32E	4:16	720	-X 100	636	

99
 X 1000
 987

Line	STN	Reading	Scale	Time
245	04N	31E 4:18	340 -X1000	1160
*	30E 4:20	780 -X1000	465	140
	29E 4:28	520 +X1000	1775	123
	28E 4:30	160 -X1000	657	Scale
	27E 4:32	380 -X1000	277	
	26E 4:34	380 -X1000	277	
	25E 4:35	800 -X1000	497	
	24E 4:36	400 -X1000	377	
	23E 4:38	500 -X1000	397	
	22E 4:40	1200 -3000	1487	
	30E 4:46	800 -1000	520	687
00N	30E 4:50	280 -1000	Ban	STN
X 12S	30E 4:56	800 -1000	CS	
08N	30E 10:54	0 -1000	X	
12S	30E 11:01	600 -1000		
04N	30E 11:12	570 -1000		
05N	30E 11:15	240 +1000		
06N	30E 11:17	40 +1000		
07N	30E 11:19	0 -1000		
08N	30E 11:22	160 -1000		
09N	30E 11:23	110 +1000		
10N	30E 11:25	280 -1000		
11N	30E 11:30	600 -1000		
12N	30E 11:33	520 -1000		
	31E 11:35	40 +1000		
	32E 11:37	160 +1000		

Line	STN	Reading	Scale	Time
12N	33E	640	-1000	11:40
	34E	1650	-3000	11:43
	35E	950	-3000	11:45
	36E	840	-1000	11:48
	37E	900	-1000	11:50
	38E	950	-3000	11:53
	39E	1150	-3000	11:55
	40E	990	-3000	11:58
	41E	1150	-3000	12:00
	42E	900	-1000	12:02
	43E	840	-1000	12:04
	44E	1700	-3000	12:06
	45E	1550	-3000	12:08
	46E	1350	-3000	12:10
	47E	1150	-3000	12:12
	48E	1150	-3000	12:15
	49E	1100	-3000	12:16
	50E	1000	-3000	12:18
	51E	1200	-3000	12:20
	52E	1200	-3000	12:21
	53E	1150	-3000	12:23
	54E	1050	-3000	12:25
	55E	990	-1000	12:27
	56E	950	-3000	12:29
	57E	980	-1000	12:31

LINE	STN	Reading	Scale	Time
12N	58E	920	-1000	12:33
	59E	920	-1000	12:34
	60E	980	-1000	12:35
	61E	980	-1000	12:37
	62E	800	-1000	12:39
	63E	860	-1000	12:41
	64E	700	-1000	12:43
	65E	920	-1000	12:45
	66E	1050	-3000	12:47
	67E	1020	-3000	12:50
	68E	1050	-3000	12:52
	69E	1050	-3000	12:55 1054
	70E	960	-1000	12:56 964
	71E	1050	-3000	12:59 1054
	72E	980	-1000	1:01 984
	73E	1250	-3000	1:03 1254
	74E	1270	-3000	1:05 1274
	75E	1150	-3000	1:07 1155
	76E	1070	-3000	1:08 1075
	77E	1010	-3000	1:10 1010
	78E	800	-1000	1:12 805
08N	78E	1000	-1000 -3000	1:20 1006
	77E	980	-1000	1:22 986
	76E	1000	-1000 -3000	1:24 1006
	75E	1100	-3000	1:25 1106
	74E	950	-3000	1:27 956

LINE	STN	Reading	Scale	Time
08N	73E	880	-1000	1:29 886
	72E	1100	-3000	1:30 1106
	71E	920	-1000	1:32 926
	70E	840	-1000	1:34 846
	69E	810	-1000	1:35 816
	68E	850	-3000	1:37 856
	67E	780	-1000	1:39 786
	66E	790	-1000	1:41 796
	65E	840	-1000	1:42 846
	64E	840	-1000	1:44 847
	63E	780	-1000	1:46 787
	62E	760	-1000	1:48 767
	61E	830	-1000	1:50 837
	60E	770	-1000	1:51 777
	59E	1100	-3000	1:53 1107
	58E	1050	-3000	1:54 1057
	57E	980	-1000	1:56 987
	56E	1120	-3000	1:58 1127
	55E	960	-1000	2:00 967
	54E	860	-1000	2:01 867
	53E	1050	-3000	2:03 1057
	52E	980	-1000	2:04 987
	51E	960	-1000	2:05 967
	50E	1070	-3000	2:07 1077
	49E	1100	-3000	2:09 1107
	48E	1100	-3000	2:10 1107

LINE	STN	Reading	Scale	Time	
08N	47E	1270	-3000	2.12	1277
	46E	1620	-3000	2.13	1621
	45E	1050	-3000	2.15	1057
	44E	1300	-3000	2.17	1308
	43E	1300	-3000	2.18	1308
	42E	680	-1000	2.21	688
	41E	720	-1000	2.23	728
	40E	520	-1000	2.25	528
	39E	1050	-3000	2.27	1058
	38E	800	-1000	2.29	808
	37E	880	-1000	2.31	888
	36E	13000	-3000	2.33	1308
	35E	950	-3000	2.34	958
	34E	280	-1000	2.36	288
	33E	500	-1000	2.38	508
	32E	140	-1000	2.41	149
	31E	400	-1000	2.43	409
	30E	150	-1000	2.44	159
	26E	120	+1000	2.50	120
	27E	40	-1000	2.52	50
	28E	140	+1000	2.54	130
	29E	550	+3000	2.55	540
* 00N	30E	10	+1000	3.02	0
* 00N	20E	10	+1000	4.42	0
	19E	680	-1000	4.49	630
	20E	560	-1000	4.51	570

LINE	STN	Reading	Scale	Time	
00N	21E	300	-1000	4.54	310
	22E	790	-1000	4.57	795 800
	23E	450	-1000	5.00	454 460
	24E	200	-1000	5.01	209
	25E	50	-1000	5.02	59
	26E	420	-1000	5.03	429
	27E	220	-1000	5.04	229
	28E	480	-1000	5.05	489
	29E	260	-1000	5.06	269
	30E	10	+1000	5.08	1
	31E	390	+1000	5.10	390 381
	32E	410	+1000	5.12	410 40
	33E	90	+1000	5.13	90 81
	34E	390	-1000	5.14	399
	35E	360	-1000	5.15	369
	36E	690	-1000	5.16	669
	37E	550	-1000	5.17	559
	38E	1300	-3000	5.19	1309
	39E	480	-1000	5.23	489
	40E	1370	-3000	5.25	1378
	41E	1750	-3000	5.28	1758
	42E	360	-1000	5.29	368
	43E	660	-1000	5.30	668
	44E	1070	-3000	5.32	1078
	45E	1750	-3000	5.33	1758
	46E	860	-1000	5.35	868

LINE	STN	Reading	Scale	Time	
00N	47E	1500	-3000	5:26	1506
	48E	1070	-3000	5:37	1076
	49E	1470	-3000	5:38	1476
	50E	1200	-3000	5:40	1206
	51E	1100	-3000	5:41	1106
	52E	1100	-3000	5:42	1106
	53E	1050	-3000	5:44	1056
	54E	1050	-3000	5:45	1056
	55E	1150	-3000	5:46	1156
	56E	1300	-3000	5:47	1306
	57E	1200	-3000	5:48	1206
	58E	1000	-3000	5:49	1006
	59E	1000	-3000	5:52	1006
	60E	960	-1000	5:53	966
	61E	1050	-3000	5:54	1056
	62E	700	-1000	5:56	705
	63E	660	-1000	5:57	665
	64E	770	-1000	5:58	775
	65E	770	-1000	5:59	775
	66E	770	-1000	6:00	735
	67E	745	-1000	6:02	745
	68E	700	-1000	6:03	705
	69E	830	-1000	6:04	835
	70E	960	-3000	6:06	965
	71E	940	-1000	6:08	945
	72E	930	-1000	6:10	935

LINE	STN	Reading	Scale	Time	
00N	73E	900	-1000	6:12	905
	74E	890	-1000	6:13	895
	75E	790	-7000	6:14	795
	76E	900	-7000	6:16	905
	77E	900	-1000	6:17	905
	78E	850	-1000	6:18	855
x	00N	30E	0	-1000	7:07 0
00N	30E	0	-1000	9:21	mm
36S	30E	400	+1000	9:56	
	31E	150	-1000	9:59	
	32E	20	-1000	10:01	
	33E	525	+1000	10:02	
	34E	480	+1000	10:03	
	35E	1600	-3000	10:05	
	36E	20	+1000	10:06	
	37E	260	-1000	10:07	
	38E	225	+1000	10:08	
	39E	300	+1000	10:12	
	40E	565	-1000	10:13	
	41E	460	-7000	10:15	
	42E	400	-1000	10:17	
	43E	280	-1000	10:18	
	44E	280	+1000	10:19	
	45E	850	+1000	10:21	
32S	66E	880	-1000	10:44	
	65E	1050	-3000	10:46	

LINE	STN	Reading	Scale	Time
32S	64E	870	-1000	10:49
	63E	960	-1000	10:51
	62E	1270	-3000	10:52
	61E	1300	-3000	10:55
	60E	1250	-3000	10:56
	59E	1300	-3000	10:58
	58E	1500	✓	10:59
	57E	1700	✓	11:00
	56E	1950	✓	11:02
	55E	2350	✓	11:03
	54E	2120	✓	11:05
	53E	2300	✓	11:07
	52E	190	-1000	11:09
	51E	2250	-3000	11:11
	50E	260	+1000	11:13
	49E	375	+1000	11:15
	48E	950	-1000	11:17
	47E	90	-1000	11:19
	46E	460	-1000	11:20
	45E	50	-1000	11:21
	44E	475	-1000	11:23
	43E	20	-1000	11:24
	42E	65	-1000	11:26
	41E	900	-1000	11:27
	40E	780	-1000	11:28
	39E	540	-1000	11:30

LINE	STN	Reading	Scale	Time	
32S	38E	830	-1000	11:32	
	37E	80	+1000	11:33	
	36E	565	-1000	11:34	
	35E	0	+1000	11:35	
	34E	490	+1000	11:36	
	33E	210	+1000	11:38	
	32E	200	+1000	11:39	
	31E	100	+1000	11:40	
	30E	65	+1000	11:41	
33S	30E	130	-1000	11:42	
34S	30E	100	+1000	11:43	
35S	30E	245	+1000	11:44	
36S	30E	0	+1000	12:18	✓
00N	30E	150	+1000	1:28	0
29S	22E	650 ²⁸	-1000	1:50	-778
	23E	180 ²⁸	-1000	1:52	-308
	24E	100	+1000	1:55	-28
	25E	120	-1000	1:56	+48 -248
	26E	560	✓	1:58	-688
	27E	470	✓	2:00	588
	28E	670	✓	2:01	688
	29E	320	✓	2:03	338
	30E	435	✓	2:04	453
	31E	1175	-3000	2:07	1290
	32E	1475	✓	2:09	1593
	33E	790	-1000	2:12	896

LINE	STN	Reading	Seal	Time	
24S	34E	835	-1000	2:21	341
	35E	1020	-3000	2:24	1136
	36E	1200	✓	2:26	1257
	37E	1010	✓	2:28	1107
38-39	CLIFF				
	40E	1150	✓	2:32	1247
	41E	730	-1000	2:36	827
	42E	1230	-3000	2:39	1318
	43E	1350	✓	2:41	1438
	44E	1400	✓	2:43	1488
	45E	750	-1000	2:44	838
	46E	1420	-3000	2:46	1508
	47E	2000	✓	2:48	2088
	48E	✓	✓	2:50	2079
	49E	1870	✓	2:51	1949
	50E	1950	✓	2:53	2029
	51E	1600	✓	2:55	1679
	52E	1900	✓	2:56	1479
	53E	1700	✓	2:57	1379
	54E	1100	✓	2:59	1179
	55E	1150	✓	3:00	1229
	56E	1000	✓	3:01	1070
	57E	1120	✓	3:02	1190
	58E	1100	✓	3:03	1170
	59E	1200	✓	3:04	1270
	60E	1050	✓	3:05	1120

LINE	STN	Reading	Seal	Time	
24S	61E	970	-1000	3:06	1040
	62E	1100	-3000	3:07	1170
	63E	1050	✓	3:08	1020
	64E	1100	✓	3:09	1170
	65E	1250	✓	3:10	1320
	66E	1100	✓	3:11	1170
28S	66E	765	-1000	3:17	825
	65E	780	-1000	3:18	845
	64E	850	✓	3:19	910
	63E	500	✓	3:21	560
	62E	900	✓	3:22	960
	61E	1170	-3000	3:24	1270
	60E	1200	✓	3:25	1253
	59E	1190	✓	3:27	1243
	58E	1100	✓	3:28	1153
	57E	1200	✓	3:30	1253
	56E	1275	✓	3:31	1328
	55E	1525	✓	3:32	1578
	54E	1850	✓	3:33	1903
	53E	1950	✓	3:34	2003
	52E	1250	✓	3:35	1303
	51E	1500	✓	3:37	1544
	50E	1150	✓	3:38	1194
	49E	1000	✓	3:40	1044
	48E	1490	✓	3:41	1534
	47E	490	-1000	3:42	524

LINE	STN	READING	SCALE	TIME	
285	46E	680	-1000	3:43	729
	45E	1500	-3000	3:44	1549
	44E	640	-1000	3:45	684
	43E	510	✓	3:46	554
	42E	980	✓	3:49	1016
	41E	635	✓	3:51	671
	40E	160	+1000	3:52	+124
	39E	670	-1000	3:53	706
	38E	490	✓	3:54	526
	37E	960	✓	3:55	996
	36E	40	+1000	3:56	+04
	35E	680	-1000	3:58	-716
	34E	560	✓	3:59	588
	33E	750	✓	4:02	778
	32E	640	✓	4:03	668
	31E	780	✓	4:05	808
	30E	740	✓	4:06	768
	29E	580	✓	4:08	608
	28E	580	✓	4:10	598
	27E	700	✓	4:11	718
	26E	790	✓	4:12	808
275	30E	660	✓	4:15	678
265	30E	520	✓	4:16	538
255	30E	220	✓	4:17	238
245	30E	340	✓	4:18	358
235	30E	720	✓	4:20	738

LINE	STN	READING	SCALE	TIME	
225	30E	740	-1000	4:25	740
215	30E	500	-1000	4:26	500
X 00N	30E	0	+1000	4:45	0
00N	30E	0	+1000	5:00	
45	30E	440	+1000	5:02	
	31E	380	✓	5:04	
	32E	900	✓	5:06	
	33E	30	-1000	5:06	
	34E	540	+1000	5:07	✓
	35E	80	✓	5:10	
	36E	160	-1000	5:11	
	37E	320	✓	5:12	322
	38E	660	✓	5:13	662
	39E	1100	-3000	5:15	1102
	40E	500	-1000	5:16	502
	41E	1290	-3000	5:17	1292
	42E	270	-1000	5:18	272
	43E	1200	-3000	5:19	1202 ✓
	44E	960	-1000	5:20	962
	45E	980	✓	5:21	982
	46E	1450	-3000	5:22	1452
	47E	1400	✓	5:22	1404
	48E	1300	✓	5:23	1304
	49E	1490	✓	5:24	1494
	50E	1450	✓	5:25	1454
	51E	1300	✓	5:27	1304

LINE	STN	READING	SCALE	Time	
45	52E	1200	-3000	5.40	1207
	53E	1250	✓	5.42	1257
	54E	1025	✓	5.43	1022
	55E	960	-1000	5.44	967
	56E	1100	-3000	5.45	1107
	57E	960	-1000	5.46	967
	58E	940	✓	5.47	947
	59E	940	✓	5.48	947
	60E	940	✓	5.49	947
	61E	820	✓	5.50	827
	62E	935	✓	5.51	949
	63E	830	✓	5.52	839
	64E	720	✓	5.53	729
	65E	835	✓	5.54	844
	66E	860	✓	5.56	869
	67E	790	✓	5.57	799
	68E	880	✓	5.59	889
	69E	820	✓	6.00	829
	70E	780	✓	6.01	789
	71E	720	✓	6.02	731
	72E	880	✓	6.03	891
	73E	940	✓	6.04	951
	74E	830	✓	6.06	841
	75E	840	✓	6.07	851
	76E	770	✓	6.08	781
	77E	910	✓	6.09	921

LINE	STN	READING	SCALE	Time	
45	78E	550	-1000	6.10	561
85	78E	830	✓	6.17	849
	77E	830	✓	6.18	849
	76E	780	✓	6.19	794
	75E	800	✓	6.20	814
	74E	780	✓	6.21	794
	73E	860	✓	6.22	874
	72E	800	✓	6.23	814
	71E	740	✓	6.25	754
	70E	860	✓	6.26	874
	69E	740	✓	6.27	754
	68E	820	✓	6.30	836
	67E	850	✓	6.32	866
	66E	910	✓	6.34	926
	65E	820	✓	6.35	836
	64E	900	✓	6.37	916
	63E	45	✓	6.38	61
	62E	720	✓	6.39	736
	61E	720	✓	6.40	736
	60E	880	✓	6.42	899
	59E	960	✓	6.49	989
	58E	880	✓	6.05	899
	57E	900	✓	6.46	919
	56E	1100	-3000	6.47	1119
	55E	1000	✓	6.50	1019
	54E	1100	✓	6.52	1119

LINE	STN	Reading	Scale	Time	
85	53E	1200	-3000	6:53	1221
	52E	1200	✓	6:55	1221
	51E	900	-1000	6:57	921
	50E	1300	-3000	6:59	1321
	49E	1300	✓	7:00	1321
	48E	1400	✓	7:01	1421
	47E	1400	✓	7:07	1422
	46E	1375	✓	7:09	1398
	45E	1500	✓	7:10	1522
	44E	1150	✓	7:11	1173
	43E	840	-1000	7:12	863
	42E	800	✓	7:13	823
	41E	760	✓	7:15	783
	40E	980	✓	7:17	1003
	39E	710	✓	7:18	735
	38E	780	✓	7:19	805
	37E	640	✓	7:20	665
	36E	460	✓	7:21	485
	35E	210	✓	7:28	235
	34E	420	✓	7:29	447
	33E	110	+1000	7:30	83
	32E	680	+1000	7:32	653
	31E	140	+1000	7:33	113
85	30E	70	-1000	7:34	97
75	30E	290	+1000	7:35	263
65	30E	730	+1000	7:36	700

LINE	STN	Reading	Scale	Time	
55	30E	1000	+3000	7:37	970
35	30E	360	+1000	7:38	330
25	30E	250	+1000	7:39	220
15	30E	280	-1000	7:40	250
<u>NOON</u>	30E	30	+1000	7:41	0
00N	30E	0	-1000	8:25	mm
135	30E	780	✓	8:32	
145	30E	900	✓	8:32	
155	30E	750	✓	8:35	756
165	30E	240	✓	8:36	246
175	30E	335	✓	8:37	341
185	30E	320	✓	8:38	326
195	30E	400	✓	8:39	406
205	18E	120	+1000	8:53	102
	19E	200	-1000	8:54	218
	20E	10	+1000	8:55	-8
	21E	500	-1000	8:57	518
	22E	920	✓	8:59	938
	23E	1075	-3000	9:01	1093
	24E	700	-1000	9:03	718
	25E	640	✓	9:04	666
	26E	800	✓	9:05	826
	27E	660	✓	9:07	686
	28E	620	✓	9:09	646
	29E	710	✓	9:11	736

LINE	STN	Reading	Scale	Time	
20S	30E	260	-1000	9:12	286
	31E	40	-1000	9:14	66
	32E	650	✓	9:15	684
take	33E	1100	-3000	9:16	1134
	40E	380	-1000	9:23	419
	41E	480	✓	9:24	514
	42E	740	✓	9:25	774
	43E	1100	-3000	9:26	1141
	44E	1100	✓	9:27	1141
	45E	1050	✓	9:28	1091
	46E	1350	✓	9:29	1391
	47E	1450	✓	9:34	1491
	48E	1250	✓	9:35	1291
	49E	1525	✓	9:36	1566
	50E	⁴⁹ 1425	✓	9:37	1474
	51E	1325	✓	9:38	1374
	52E	1150	✓	9:39	1199
	53E	1000	✓	9:40	1049
	54E	1250	✓	9:42	1299
	55E	1000	✓	9:43	1049
	56E	1050	✓	9:44	1099
	57E	1150	✓	9:45	1199
	58E	780	-1000	9:46	829
	59E	900	✓	9:47	957
	60E	940	✓	9:48	997
	61E	920	✓	9:49	977

LINE	STN	Reading	Scale	Time	
20S	62E	830	-1000	9:51	887
	63E	820	✓	9:53	877
	64E	940	✓	9:55	997
	65E	910	✓	9:57	957
	66E	780	✓	9:59	845
	67E	880	✓	10:00	945
16S	67E	930	✓	10:05	85 995
	68E	930	✓	10:07	1003
	65E	920	✓	10:09	997
	64E	980	✓	10:15	20 53
	63E	850	✓	10:17	931
	62E	cliff			—
	61E	920	✓	10:24	1001
	60E	840	✓	10:29	921
	59E	880 ⁸⁶	✓	10:30	969
	58E	840	✓	10:31	929
	57E	920	✓	10:32	1009
	56E	920	✓	10:35	1009
	55E	1050	-3000	10:36	1139
	54E	980	-1000	10:38	1069
	53E	1100 ¹	-3000	10:40	88 1189
	52E	1000	1000	10:42	1097
	51E	1000	1000	10:43	1097
	50E	1325 ⁷	-3000	10:44	1422
	49E	1250	✓	10:46	1347
	48E	1200	✓	10:48	1297

LINE	STN	Reading	Scale	Time	
165	47E	1300	-3000	10:49	1397
	46E	1125	✓	10:50	1322
	45E	760	-1000	10:51	978 857
	44E	920	-1000	10:53	-1025
	43E	200	-1000	10:55	-305
	42E	180	+1000	10:57	285 ⁺⁷⁵
	41E	290	+1000	10:59	395 ⁺¹⁸⁵
	40E	460	-1000	11:00	-565
	39E	390	+1000	11:02	1054 ⁺²⁵⁵
	38E	1150	+3000	11:03	1265 ⁺¹⁰³⁷
	37E	1350	+1000	11:04	1467 ⁺¹³⁷
	36E	200	+1000	11:05	313 ⁺⁸⁷
	35E	350	+3000	11:07	463 ⁺²³⁷
	34E	540	+1000	11:08	653 ⁺⁴²⁷
	33E	390	-1000	11:10	503 ⁺³⁰³
	32E	610	✓	11:12	113 ⁺⁷³³
	31E	540	✓	11:14	661
	30E	20	+1000	11:15	-901
	29E	600	-1000	11:16	721
	28E	560	✓	11:17	681
	27E	540	✓	11:18	661
	26E	1150	-3000	11:20	1270
	25E	430	-1000	11:23	551
165	24E	790	✓	11:25	920
*00N	30E	130	+1000	11:36	⊕

LINE	STN	READING	Scale	Time	
00N	30E	150	+1000	12:50	⊕
45	18E	900	-1000	12:59	1107
	19E	820	✓	1:00	967
	20E	520	✓	1:01	667
	21E	420	✓	1:03	567
	22E	690	✓	1:04	837
180	23E	600	✓	1:05	747
320	24E	100	✓	1:07	247
	25E	10	+1000	1:08	-137
	26E	770	+1000	1:09	623
1125	27E	830	+1000	1:10	10684
	28E	460	+1000	1:11	314
45	29E	540	+1000	1:12	394
125	78E	700	-1000	2:09	840
	77E	730	✓	2:09	870
	76E	820	✓	2:11	10860
	75E	780	✓	2:12	920
	74E	690	✓	2:13	820
	73E	830	✓	2:14	970
	72E	780	✓	2:15	920
	71E	860	✓	2:16	1000
	70E	890	✓	2:18	1030
	69E	1150	-3000	2:19	1290
	68E	780	-1000	2:20	9919
	67E	780	✓	2:21	919
	66E	820	✓	2:22	959

LINE	STN	Reading	Scale	Time	
125	65E	730	-1000	2:23	869
	64E	680	✓	2:24	819
	63E	700	✓	2:25	839
	62E	640	✓	2:27	776
	61E	750	✓	2:28	889
	60E	440	✓	2:30	8578
	59E	900	✓	2:31	1038
	58E	970	✓	2:33	1108
	57E	1100	-3000	2:34	1238
	56E	900	-1000	2:35	1038
	55E	880	-1000	2:36	1018
	54E	860	-1000	2:37	1000998
	53E	1050	-3000	2:38	1188
	52E	1200	✓	2:40	71337
	51E	1350	✓	2:41	1487
	50E	1350	✓	2:42	1487
	49E	1500	✓	2:43	1637
	48E	1100	✓	2:45	1237
	47E	1575	✓	2:46	1712
	46E	1100	✓	2:47	1237
	45E	1150	✓	2:48	1287
	44E	1000	✓	2:49	1237
	43E	900	-1000	2:50	61036
	42E	900	✓	2:51	1036
	41E	610	✓	2:53	746
	40E	159	✓	2:55	195

LINE	STN	Reading	Scale	Time	
125	39E	120	-1000	2:56	256
	38E	300	✓	2:57	436
	37E	300	✓	3:00	-8435
	36E	10	+1000	3:01	-125
	35E	120	+1000	3:05	-15
	34E	30	-1000	3:06	165
	33E	60	+1000	3:07	-75
	32E	670	-1000	3:08	805
	31E	610	-1000	3:09	745
	30E	500	-1000	3:10	9634
	29E	780	-1000	3:11	914
	28E	880	✓	3:12	1019
	27E	390	+1000	3:13	256
	26E	670	-1000	3:15	804
	25E	710	✓	3:16	849
	24E	220	✓	3:18	054
	23E	720	✓	3:19	854
	22E	1100	-3000	3:20	31233
	21E	120	-1000	3:21	253
	20E	760	✓	3:23	893
	19E	330	-1000	3:24	443
	18E	430	✓	3:25	563
85	18E	315	✓	3:30	285
	19E	540	✓	3:31	410
	20E	560	✓	3:32	430
	21E	840	✓	3:33	710

LINE	STN	Reading	Scale	Time	
85	22E	810	-1000	3:34	780
	23E	940	✓	3:35	810
	24E	1050	-3000	3:36	920
	25E	290	-1000	3:37	160
	26E	510	✓	3:38	380
	27E	490	-1000	3:40	360
	28E	540	+1000	3:41	410
	29E	640	-1000	3:42	510
08N	30E	130	+1000	3:50	0