


LINE 300N
R 304-(1.25 FEET)
0.15 % Copper
0.31 oz/T. Silver
0.358 oz/T. Gold

CLOUTIER ZONE

82-9, 10, 11
82-12, 13
81-3, 4, 5, 6, 7
TRENCH P 12
176
P 20

FOR DETAILS SEE FIG. 2

D.D.H. 82-16
Includes 17 Feet of
1.242 oz/T. Gold



GOLD LEGEND
0.03-0.25 oz/T. GOLD
>0.25 oz/T. GOLD

LEGEND


- E.M. ANOMALY
- 81-2 DRILL HOLE LOCATION
- P 12 OUTCROP LOCATION
- R 26 FLOAT LOCATION
- GEOLOGICAL FAULT

0.16 % Copper
0.36 oz/T. Silver
0.492 oz/T. Gold

13 SAMPLES
AVERAGE GRADE
2.8 oz/T. GOLD


SAMPLE			WIDTH FEET	INTERVAL FEET	COPPER %	SILVER oz/T.	GOLD oz/T.
OUT-CROP	FLOAT	D.D.H.					
P 1			30		5.4	4.0	0.28
P 12			6.5		2.85	0.92	0.394
	P 14				5.72	5.28	0.216
P 20			4.0		0.06	0.16	0.382
R 19			5.2		0.16	0.36	0.492
R 20		GRAB			0.77	0.38	0.196
	R 26				5.12	4.46	0.175
R 304			1.25		0.15	0.31	0.358
R 314			1.0		0.03	8.90	0.072
176			1.0		0.01	0.23	0.032
	178				1.56	11.20	0.178
217			3.3		3.08	2.72	0.131
	81-2		27	0-270	2.74	2.47	0.072
	82-15		8	162.0-170.0	0.24	0.57	0.106
	82-16		17	240.0-257.0	0.51	0.52	1.242
	82-16		6	257.0-263.0	0.16	0.009	0.070


FIG. 1
SKYLINE EXPLORATIONS LTD.
REG MINERAL CLAIMS
COMPILATION MAP



NOTE. GRID DESIGNATION IN METRES

675322
104B/10





LEGEND

- UNDIVIDED TRIASSIC/JURASSIC VOLCANOCLASTICS
- SILICIFIED TUFF AND RHYOLITE HOST - 0.03-0.25 oz/T. GOLD
- SILICIFIED TUFF AND RHYOLITE HOST - >0.25 oz/T. GOLD
- SURFACE OUTCROP
- DIAMOND DRILL HOLE
- EM ANOMALY
- GEOLOGICAL FAULT




SURFACE SAMPLE	WIDTH FEET	COPPER %	SILVER oz/T.	GOLD oz/T.
P-12-4	8.0	4.45	1.49	0.512
P-12-6	6.0	2.85	0.92	0.394
P-12-7	6.0	3.16	0.88	0.084
P-12-8	8.0	2.54	1.18	0.536
P-12-9	8.0	4.80	1.64	0.076
P 20	4.0	0.06	0.16	0.382

NOTE. See Fig. 3 for Cross Sections & Assay Values

FIG. 2
SKYLINE EXPLORATIONS LTD.

REG MINERAL CLAIM
PLAN VIEW CLOUTIER ZONE
 SHOWING VERTICAL PROJECTION
 OF MINERALIZED ZONE AT
 ELEVATION 1135 METRES

200 N.



- UNDIVIDED TRIASSIC / JURASSIC VOLCANOCLASTICS.
- SILICIFIED TUFF AND RHYOLITE HOST AVERAGE GRADE 0.03-0.25 oz/T. GOLD
- SILICIFIED TUFF AND RHYOLITE HOST AVERAGE GRADE >0.25 oz/T. GOLD

P 20 SAMPLE LOCATION NUMBER
 82-9 DIAMOND DRILL HOLE NUMBER

NOTE.-ALL AVERAGE ASSAYS UNCUT
 -GRID DESIGNATION IN METRES


FIG. 3
SKYLINE EXPLORATIONS LTD.
 REG MINERAL CLAIMS
 DIAMOND DRILL HOLE CROSS SECTIONS
 CLOUTIER ZONE

FIG. 4

SKYLINE EXPLORATIONS LTD.

INEL MINERAL CLAIMS

PLAN VIEW SHOWING DISTRIBUTION OF MINERALIZATION DISCOVERY & INEL ZONES



SAMPLE No.	WIDTH METRE	WIDTH FEET	ZINC %	SILVER oz/T.	GOLD oz/T.	SAMPLE No.	WIDTH METRE	WIDTH FEET	ZINC %	SILVER oz/T.	GOLD oz/T.
2776	0.30	1.5	1.60	0.02	0.07	2938	0.91	3.0	-	0.14	0.06
2779	0.60	2.0	11.50	1.18	0.38	2939	2.74	GRAB 9.0	-	0.12	0.04
2926	1.67	5.5	19.50	3.20	0.08	2942	3.65	GRAB 12.0	-	0.01	0.03
2927	0.60	2.0	8.50	4.40	0.14	2943	3.35	GRAB 11.0	0.16	0.38	0.08
2928	0.91	3.0	3.0	0.69	0.12	2945	0.60	2.0	0.16	0.16	0.09
2929	9.14	GRAB 3.0	4.60	3.10	0.10	2946	0.76	2.5	21.0	1.40	0.53
2930	0.76	2.5	2.30	4.30	0.08	2947	0.60	2.0	5.60	1.50	0.06
2933	1.22	GRAB 4	-	0.75	0.10	2948	0.60	2.0	0.28	0.08	0.03
2934	0.76	GRAB 2.5	-	2.7	2.78	2949	0.15	0.5	0.16	0.52	0.69
2935	0.60	GRAB 2	-	3.40	0.41	55705	GRAB	GRAB	0.08	1.20	0.24
2936	1.98	GRAB 6.5	-	0.27	0.06	55706	GRAB	GRAB	-	0.20	0.06
2937	1.82	6	-	0.10	0.05	4882	FLOAT 0.60	FLOAT 2	14.90	174.0	0.06

