

April 1, 1993

WAYSIDE GOLD MINES LTD.
and
BRIGADIER RESOURCES LTD.

News Release

The companies have completed 22 underground drill holes from the 9th level which is 450 feet below surface, using 3 different drill stations. The size of the drill core is narrow (AQ=1.062 inches in diameter). The drilling was done to test the downdip extension of both the Notman Vein and the main Wayside Vein. All of the drill holes have successfully intersected each vein, with the deepest intersection being 300 feet below 9 level. The strike length is 600 feet, and should increase when drilling starts from drill Station #4. Sixteen of the Drill Holes have been logged and assayed and one 3' vein intersection had two flakes of visible gold. The underground drill program thus far has indicated approximately 75,000 tonnes on the Main Vein alone.

It should be noted that at the Bralorne and Pioneer Gold Mines they mined to some 6000 feet below surface and produced over 4 million ounces and much of the production was based on exploration drilling assays that graded not more than .05 oz/t gold. However, the actual production grade was in excess of .5 oz/t gold for 39 years or ten times greater.

The Wayside Gold Mine is located near Goldbridge, B.C. adjacent to the Bralorne and Pioneer Gold Mines.

WAYSIDE UNDERGROUND DRILLING

SUMMARY: DRILL RESULTS: 1 JAN-31 MARCH 1993

Holes 93 9-1 to 7: Drilled from Set Up A by the Grizzly in front of the Winze on 9 level. This location provided a high back (the Winze) for easy movement of drill rods. All 7 holes were aimed at the Notman vein to locate and explore the intersection discovered by Chevron Minerals in Hole 87-1: 588.61-593.86 ft. (179.4-181.0 m.), i.e. 5.25 ft. which assayed 1.84 oz/ton gold.

.../2

All 7 of the holes intersected the Notman vein as follows:

<u>Hole</u>	<u>Bearing</u>	<u>Dip</u>	<u>Intersection (ft)</u>	<u>Assay (oz/t Au)</u>
9- 1	050	0°	138.4-141.0 141.0-144.0	0.001 } Notman Vein <0.001 }
9- 2	050	+14°	69.5- 72.0 72.0- 74.0	0.003 Notman Vein 0.028 Alteration
9- 3	065	+14°	89.8- 91.0 91.0- 92.0	<0.002 Notman Vein <0.002 Alteration
9- 4	065	+40°	37.5- 40.0	0.0005 Notman Vein
9- 5	050	-18°	193.6-196.3	<0.0005 Notman Vein
9- 6	065	-20°	148.5-149.5	<0.0005 Notman Vein
9- 7	0.35	-20°	180.5-183.0 183.0-186.0	0.0015 } Weak Alteration+ <0.0005 } Vein prob. Notman

Holes 93 9-8 to 10: Also drilled from Set Up A but drilled in order to explore the Main Wayside Shear/Vein Structure down dip:

<u>Hole</u>	<u>Bearing</u>	<u>Dip</u>	<u>Intersection (ft)</u>	<u>Assay (oz/t Au)</u>
9- 8	065	-55	8.5- 12.5 12.5- 14.5 213.5-217.0 217.0-222.0 222.0-227.0 272.0-322.0 (50ft)	0.0180 Main Vein 0.0105 Main Vein 0.009 Alteration 0.0175 Alteration 0.0175 Alteration 0.0417 Alteration
9- 9	065	-50	26.8- 32.0 132.0-136.0	0.0005 Main Vein 0.067 Main Vein
9-10	065	-65	12.0- 15.0 15.0- 18.0	0.0105 Main Vein 0.0090 Main Vein

Holes 93 9-11 to 14: Drilled from Set Up B on 9 level approx. 60 m. south of the Winze, in front of a raise to 8 level which provided a high back for ease of moving drill rods. The holes explored the Main Wayside Shear/Vein down dip:

MAIN VEIN

<u>Hole</u>	<u>Bearing</u>	<u>Dip</u>	<u>Intersection (ft)</u>	<u>Assay (oz/t Au)</u>
9-11	065	-55	135-140	0.0130 Alteration
			140-145	0.018 Vein
			145-148	0.298 Vein <i>visible Au</i>
			148-152.5	0.015 Vein
			<u>152.5-155.0</u>	<u>0.0210</u> Alteration
			(135-155) (20ft)	0.058
9-12	065	-45°	115-160 (45ft)	0.0241 Alteration
			170-180 (10ft)	0.055 Alteration
9-13	065	-65°	13.0- 23.5 (10ft)	0.016 Vein
9-14	075	-50°	115-132 (17ft)	0.010 Alteration

Holes 93 9-15 to 22: Drilled from Set Up C on 9 level at the end of a crosscut in the Hanging Wall. Hole 9-20 at 0° dip was drilled to explore the Notman vein in this locality. The other holes explored the Main Shear/Vein on both sides of the crosscut:

<u>Hole</u>	<u>Bearing</u>	<u>Dip</u>	<u>Intersection (ft)</u>	<u>Assay (oz/t Au)</u>
9-15	205	-85°	72.0- 91.5 (19.5ft)	0.033 Vein
			91.5-127 (35.5ft)	0.047 Alteration+Veining
			117 -122 (5ft)	0.2425 Vein
9-16	205	-70°	63.6- 82.0 (18.5ft)	0.013 Vein

Results from holes 9-17 through 22 are still awaited, and drilling continues.

The companies are also actively negotiating other gold and diamond deposits in North and South America with an emphasis in Venezuela, Saskatchewan and Alberta.

J. Frank Callaghan
President

Talk to Frank C
Apr 5.

Miller Tate - expecting me

- April 1 - Start promotion

- Recovery completed.

- Start position developed

- Thurs news release

- Price 50K shares.

\$.79 Peak High.

Stockmarket megacore

Beat on prediction on
amount due months 5'

.24 03/7.

.298 vs the SP
Mar 3'

Bralven A Q int .05 mins
drift on vein
avg .5

BB Q { .11 over 6' } old
 { .12 7' } results
 { .20 7.2' }

actual grade 490' of 1.37
drift

look fall 2 BSW on Peter

.08 → .67

Post hole underway

Lucky & Venezuela. Like area
Bernard Ave SMT n. 25' x 17'
Km 40 area. Dredging program
also.