

KEN JAWSON, 666-1124

675605
Wayside
92J/15

WAYSIDE GOLD MINES LTD.

The Standard Building
Suite 604 - 510 West Hastings Street
Vancouver, British Columbia
V6B 1L8

Telephone: (604) 654-6001
Facsimile: (604) 654-6004

NEWS RELEASE

AUGUST 5, 1992

The Company announces that it has arranged a private placement of 277,778 units at \$0.27 per unit. Each unit will consist of one common share and one non-transferable share purchase warrant. Each warrant will entitle the holder to purchase a further one common share at a price of \$0.27 per share during the first year or one common share at a price of \$0.31 per share during the second year. The total proceeds of \$75,000 will be used to provide the Company with working capital. The private placement is subject to the approval of the Vancouver Stock Exchange.

The Board is pleased to announce that Phase 1 of its 1992 work program on the Wayside Gold Mine will commence on Monday, August 17, 1992. The work program will include rehabilitation of the No. 5 portal and dewatering to 9 level (400' below surface). Once the dewatering is completed, the Company will commence 125' drift on the 9 level to the Notman Vein in which Chevron Minerals intersected in hole 87-1 5.2' of 1.84 ounces of gold per ton. This program will take approximately 60 days to conclude. Phase 2 will include 5,000' of underground drilling on both the Notman and Main Wayside Veins in which diamond drill hole 80-S-10 intersected 10' of 2.63 ounces of gold per ton. The work program will be under the supervision of Sampson Engineering Ltd.

The structure of the Wayside Gold Mine and the Bralorne Pioneer Gold Mine are similar. The Bralorne Gold Camp produced over 4,200,000 ounces of gold and 1,000,000 ounces of silver from 1900-1971.



J. Frank Callaghan

The Vancouver Stock Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.

Wayside Gold Mines Ltd.

Tel: (604) 654-6001
Fax: (604) 654-6004

The Standard Building
1202 - 510 West Hastings Street
Vancouver, B.C. Canada V6B 1L8

VSE Symbol
"WAY"

NEWS RELEASE

17 August 1992

Mr. J. Frank Callaghan Reports:

That access to the No. 5 level can be gained via the 4 west adit and down a large stope (No. 580 on the main vein as shown on the old underground drawings). The stope is 50 ft. from the entrance to the No. 4 west portal and dips approximately 50° for 120 ft. to No. 5 level.

Air and water pipes are clear through the 100 ft. cave-in on the No. 5 adit to the face of the portal. Rehabilitation of the No. 5 portal will not be necessary at present. Therefore a great deal of time and expense will thus be saved. Pumping to 9 level will commence once ladders and equipment are in place. Sampson Engineering Ltd. is monitoring the situation closely.

Ironically Sherwin F. Kelly, P. Eng. in his February 1972 report quotes the Minister of Mines report for 1953 which stated that the mill was not operated but that No. 4 tunnel was driven a further 200 ft. Good ore was struck at 150 ft. The vein was 5 ft. wide in the face and was estimated to mill between \$15.00 and \$20.00 to the ton in free gold (gold was \$35.00 per ounce). .43 + .57 oz.

The mine was apparently shut down at about this stage, reportedly due to legal difficulties. It was then neglected until 1971 (at which time the present owners acquired the property). In April of that year, only a part of the No. 4 level was accessible for examination, and the entrance to Nos. 2, 3 and 5 were blocked.

Once the dewatering is complete to No. 9 level a 125 ft. underground drift will commence to intersect the Notman Vein where D.D. Hole 87-1 intersected 5.2 ft., 1.84 oz. per ton.



J. Frank Callaghan

The Vancouver Stock Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.

WAYSIDE GOLD MINES LTD.

att.
DR. KEN LANSON

The Standard Building
Suite 604 - 510 West Hastings Street
Vancouver, British Columbia
V6B 1L8

Telephone: (604) 654-6001
Facsimile: (604) 654-6004

NEWS RELEASE

SEPTEMBER 23, 1992

Mr. J. Frank Callaghan reports:

The underground work program has commenced on the Wayside Mine property near Goldbridge, British Columbia. The work program is the joint effort of Wayside Gold Mines Ltd. (50%) and Brigadier Resources Ltd. (50%).


Goldbridge is located near the Bralorne and Pioneer mining camps which, to date, have produced over 4.2 million ounces of gold and over 900,000 ounces of silver.

The Company has reached an agreement with the British Columbia Ministry of Transportation and Highways to re-build the #5 Portal which lies under the Goldbridge - Lillooet Highway and is caved for 24 feet.

The Ministry of Transportation and Highways is supplying 90 feet of 10 foot diameter metal culvert and the Company will complete the installation. The value of the work program is \$75,000 and will allow the Company better access to the underground workings of Levels 7 through 9. Once the installation is complete (expected October 10, 1992), the Company will commence a 5,000 foot underground drill program and 125 feet of underground tunnelling.

The work program will substantiate pervious surface drilling which, under the 9th level, intersected 15 feet of 1.76 ounces per ton on the main vein and 5.23 feet of 1.84 ounces per ton on the Notman vein.

On Behalf of the Board



J. Frank Callaghan,
President

The Vancouver Stock Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.

DR. KEN DAWSON P. 81

WAYSIDE GOLD MINES LTD.
VSE Symbol: WAY
and
BRIGADIER RESOURCES LTD.
VSE Symbol: BPM

The Standard Building
Suite 604 - 510 West Hastings Street
Vancouver, British Columbia
V6B 1L8

Telephone: (604) 654-6001
Facsimile: (604) 654-6004
North American Toll Free: 1-800-668-3688

AMENDED

NEWS RELEASE

NOVEMBER 5, 1992


Wayside Gold Mines Ltd. and Brigadier Resources Ltd. report that the dewatering program of the Wayside Gold Mine, in the Bralorne Gold Camp, Goldbridge, B.C., is well underway. Access has now been gained to the No. 5, 6, 7 and 8 levels and are currently at the crest of the No. 9 level approximately 550' below surface (it should be noted that the Bralorne Gold Mine at Level No. 48 was 5,800' below the surface). Access to the No. 9 level on the Wayside has not been achieved since the fire in 1953. Preliminary reports on recent assays from the No. 5 level were above ore grade and random chip samples from the No. 7 and 8 levels, not yet assayed, were heavily mineralized in quartz with large amounts of visible gold. The veins were all in the Bralorne diorite the host rock of the mineral. The vein structure on No. 7 and 8 levels is much larger than expected. Professor J.S. Stevenson at McGill University, in his January 17, 1952 unpublished manuscript reports on the Wayside Gold Mine - "On No. 9 level the vein consists of a well-defined band 4 to 14 inches wide of white and in places ribboned quartz plus a varying width, from 1 to 5 feet, of silicified breccia. The silicified breccia, now largely quartz, represents granite that has been cross-fractured to a breccia and subsequently silicified and mineralized to the extent that it may also be considered as vein matter."

The companies' Wayside Gold Mine, located in Goldbridge, B.C., is located near the Bralorne, Pioneer and King Mines. Collectively, the camps have produced over 4.2 million ounces of gold and over 900,000 ounces of silver.

Progress on the No. 9 level dewatering and sampling will be forthcoming.

The companies current work program is intended to substantiate previous surface drilling which, under the 9th level, DDH 80S-10 intersected 15 feet of 1.76 ounces of gold per ton on the main vein and DDH 87-1 by Chevron Minerals intersected 5.23 feet of 1.84 ounces of gold per ton on the Notman vein.

ON BEHALF OF THE BOARDS


J. Frank Callaghan,
President

The Vancouver Stock Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.

WAYSIDE GOLD MINES LTD.
VSE Symbol: WAY
and
BRIGADIER RESOURCES LTD.
VSE Symbol: BPM

Kenn Dawson
666-1124

The Standard Building
Suite 604 - 510 West Hastings Street
Vancouver, British Columbia
V6B 1L8

Telephone: (604) 654-6001
Facsimile: (604) 654-6004
North American Toll Free: 1-800-668-3688

NEWS RELEASE

NOVEMBER 12, 1992


Wayside Gold Mines Ltd. and Brigadier Resources Ltd. are pleased to report that the rehabilitation of the No. 5 portal and the dewatering of the Wayside Gold Mine to the 9th level (which started on October 8, 1992) is now complete. Access to No. 9 level has been tried unsuccessfully twice before and it has not been accessed since the surface fire in 1953.

The tunnels and cross cuts are all in excellent condition and the vein is in excess of mining width (5 feet) and strikes for 500 feet. Management observed visible gold on the 7th, 8th and 9th levels. Random grab samples taken by management from the vein on: No. 5 level assayed - .58 ounces of gold per ton; No. 7 level - .67 ounces of gold per ton; No. 7 level - 1.46 ounces of gold per ton; No. 8 level - 2.29 ounces of gold per ton.

Sampson Engineering Ltd. has carried out a program of channel sampling of which 110 samples have been submitted for assays. Some further sampling from the stope pillars and the raise between the 8th and 9th levels is underway. Plans for proposed underground drilling are currently being finalized. Two underground drills will be used and scheduled to start Monday, November 16, 1992. The underground drill program is to verify surface drilling which under the 9th level hole 80S-10 intersected 15 feet of 1.76 ounces of gold per ton of which 10 feet assayed 2.63 ounces of gold per ton on the main vein. DDH 87-1 by Chevron Minerals intersected 5.23 feet of 1.84 ounces of gold per ton on the Notman vein.

The companies' Wayside Gold Mine, located in Goldbridge, B.C., is located near the Bralorne, Pioneer and King Mines. Collectively, the camps have produced over 4.2 million ounces of gold and over 900,000 ounces of silver.

ON BEHALF OF THE BOARDS


J. Frank Callaghan,
President

The Vancouver Stock Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.

*9 level: 2.63, 2.62 oz/t 8' wide vein assays rec Nov 20
up 22; up 15 prove tonnage between 8 & 9*