



Copy of previous assays.



BUREAU OF MINES.

Certificate No. 19841-2. & 19942.

VICTORIA Dec. 1, 1924.

GOVERNMENT ASSAY OFFICE.

Assay Certificate.

I HEREBY CERTIFY that I have assayed the following sample.....

handed me by John M. Gillespie, Esq., Telkwa, B.C.

and said to represent .....

Character of sample.....

I find the same to contain, in dried sample:—

Depositor's Mark.	DESCRIPTION OF SAMPLE.	GOLD. Oz. per Ton	SILVER. Oz. per Ton.	COPPER. % Wet Assay.	LEAD. % Wet Assay.	ZINC. %		
19841.	#1, (Sept. 10, 1924)	0.6	6.6		24.0			<i>Witchman</i>
19842.	#2,	trace	trace		nil			
19942.	(Oct. 1, 1924)	0.80	44.5		16.0%			<i>Rob Roy</i>

CHARGES \$.....

*D. E. Whitaker per G. H. A.*  
Asst. Provincial Government Assayer.

In the manner of the Rob D or group of Mineral  
claims consequence of 6 claims Sand road & trace  
as going to Kitchen group but turns off at Mill Creek  
and goes <sup>to</sup> head of Secawa River Same formation and  
contacts being as Kitchen group ledge can be  
traced 9000 ft across the 6 claims and is from  
one to 3 1/2 ft in width  
nature of ore is Silver Lead & Gold

John W. Lewis

Kitchener group of mineral claims namely Kitchener  
Good hope - Ruby - and Yvonne

Situated in the Selswa district of the Mines division on  
Bongaya Mt near the head of the Selswa River about 30  
miles from the town of Selswa B.C. There is a good wagon  
road for 16 miles the balance of the distance is a good trail  
which the Mines Dept keeps open. There is plenty of water  
and fuel and the 30 miles is practically level country to  
the foot of the Mt where the claims are situated.  
Local formation is Granite contact vein is kyanite  
and Porphyry, Ledge is running in a Easterly & Westley  
direction dipping South about 45 degrees and is traceable  
for a few hundred feet the entire length of three claims with  
from two to ten feet

Not showing at different intervals the entire length where  
the ledge has been broken into

Two different slates of ore from four to eight feet in width  
from 100 to 200 ft long massive in character nature of  
ore Silver - Lead carrying good values in gold some zinc  
most work done open cut and stripping etc

Terms R & R of claims will give option till July 31/25  
after examination will sell for \$20000 Cash or Bond  
on the following terms

after examination

July 31/26

— 1/27

— 1/28

\$2,500 Cash

5,000

15,000

17,500

\$40,000<sup>00</sup>

The buyer to do a section work first year and cross  
then second or third year.

Kitchener group of mineral claims namely  
Kitchener - Good Hope - Ruby - and Yvonne  
situated in the Seewee district of the Dominion  
division on Bonanza Mt near the head of the Seewee  
River about 30 miles from the town of Seewee BC a  
good wagon road for 16 miles to because of its distance  
a good trail plenty of feed and water. Formation is  
granite. Contact with granite of porphyry  
Ledge is running in a Eastern and Western direction  
dipping South about 45 degrees thickness (4500) ft  
forty five hundred feet the entire length of three claims  
width from 2 to 10 ft Ore shows at different  
intervals the entire length when the ledge has been  
broken into two different blocks of one from 4 to 8  
ft in width from 100 to 200 ft long massive  
in character. Trace of old Silver Lead carrying good  
values in gold and some fine most work done in open  
cuts shipped etc

John W. Currier

Rob Roy group of Mines claims Namely Rob Roy -  
Waverly - Salisman - Richard - Rowena - Frank  
Situations in the Leduc District of the Dominion  
on Silver Hill Mt at the head of the Leduc River about  
30 miles from the Town of Leduc BC on the main line of  
the C & N Railway there is a good wagon road for 16 miles  
the balance of the distance is a good trail which the Miners  
Dept of the Provincial Govt keeps open the 30 miles is through  
a level country and follows the river there is plenty of feed  
and water

Formation is granite and the contact vein granite  
and Potash lead is traceable for 9000ft and is trace-  
across the full S's claims and is from one to three and a half  
feet in width and there is every indication of another ledge  
being above the one ledge runs in a E & W direction  
direction dipping 45 degrees South

None of ore is Silver Lead carrying good values in Lead  
and 5 to 10 per cent Zinc