

6**8043**1

BLACKDOME MINING CORPORATION

1990 EXPLORATION SUMMARY OF THE

ELIZABETH CLAIM GROUP AND GEOLOGIC

OVERVIEW OF THE YALAKOM CLAIMS

PREPARED BY:
BART STRYHAS
CHIEF GEOLOGIST
BLACKDOME MINING CORP.
SEPTEMBER 1990

TABLE OF CONTENTS

ELIZABETH CLAIM GROUP

Introduction	2
Option Agreement	2
Regional Geology	5
Property Geology	7
1990 Exploration Program	7
1990 Exploration Results	8
1991 Exploration Proposal	11
Appendix A	22
YALAKOM CLAIM GROUP	
Introduction	14
History	14
Geology	17
Datastia 1	21


Introduction

The Elizabeth Claim Group consists of four Crown Granted mineral claims located at Latitude 51°, 02' N and Longitude 122°, 35' W, near the Bridge River Mining Camp in south-central British Columbia (figure 1). The property is 33 kilometers south-southwest of Blackdome.

The general geology consists of north-northeast striking quartz veins hosted within ultramafic ophiolites which have been intruded by a granodiorite body. The claim group was originally developed by Bralorne Mines from 1939 to 1949. Next, during 1956 and 1957 Bethlehem Copper optioned the property and did further development work. More recent work, consisting of sampling and data compilation was done by Prism Resources in 1980. A total of approximately 810 meters of cross-cut, 420 meters of drifting, 110 meters of raising and 790 meters of drilling have been completed on the property (figure 2). The current reserves as quoted by Bethlehem Copper in 1957 stand at 1430 tonnes grading 95.3 gpt Au (2.78 oz/sdt). These reserves are all contained within the West Vein and are quoted as uncut and undiluted. At least five other veins have been located from surface work and drilling.

Option Agreement

In June of 1990 Blackdome Mining Corporation finalized an Option Agreement for the Elizabeth Claims with Tom Illidge and David White, the current owners. Under the terms of the agreement Blackdome Mining Corporation will earn 100% right, title and interest in the claim group subject to a 4% Net Smelter Return to a maximum of \$2 million and 2% Net Smelter Return thereafter by making the following aggregate payments and exploration expenditures:






Figure 2


Completion Date	<u>Payments</u>	Expenditure	<u>es</u>
Dec. 31, 1990	\$ 25,000	\$ 100,000	
Dec. 31, 1991	\$ 50,000	\$ 300,000	
Dec.31, 1992	\$ 85,000	\$ 700,000	
Dec. 31, 1993	\$130,000	\$1,500,000	

From 1993 through 2003, the property is subject to payments of \$50,000 per year with such payments to be set against future royalties to the extent that royalties exceed \$50,000 per year. The financial commitments for 1990 have been met and are listed in Appendix A.

Regional Geology

The predominant rock formations in this area are:
Mississippian-Triassic age Bridge River Complex consisting of
chert, greenstone, argillite, limestone and melange; and Late
Paleozoic-Triassic peridotite, harzbergite, dunite and
serpentinites (figure 3). Tectonicly, all these rocks are located
within the Omineca Mobile Belt; a Late Jurassic fold and thrust
system. Most recently, granodiorite intrusives were emplaced
during the Eocene and form small isolated bodies scattered
throughout the area.

The major regional structures are the Yalakom Fault, located 4 km. to the northeast and the Relay Creek Fault, located 12 km. to the southwest of the property. These two structures both strike northwest and dip southwest. They originated as ductile thrust faults which were active during the Late Jurassic and subsequently have been reactivated as brittle strike-slip faults during the Late Tertiary. This latest faulting event is responsible for the veins and faults within the Elizabeth Claims. The right lateral movement along northwest striking faults has generated north-northeast striking faults and extension veins which host the gold mineralization. This structural fabric with



gold mineralization is very similar to that seen at the Blackdome Mine 33 km. northeast.

Property Geology

The Elizabeth Claims are underlain by both the Triassic ultramafic suite and the Eocene granodiorites. The ultramafic rocks here consist primarily of hartzbergite and serpentinite. Within this country rock a crescent shaped body of granodiorite approximately 300 meters wide by 600 meters long has been emplaced (figure2). The granodiorite is medium grained, weakly porphyritic and contains numerous irregular shaped blocks of the hartzbergite, most of which are fully serpentinized. The competence contrast between these two rock types is an important factor in vein development. Nearly all the quartz veins are hosted by the granodiorite and where they cross serpentinite blocks the veins thin, splay or become gouge faults.

The Main and West veins are north-northeast striking parallel structures dipping steeply west. These appear to reflect the dominant structural fabric of the property. The Tommy and Allison veins are west-northwest striking and may represent structures which are semi-parallel to the regional structural fabric. Each of these veins will be described in detail. Exposure is limited to about 15% consisting mainly of granodiorite outcrops and augmented with trenches. Talus and glacial gravels have been excavated up to 10 meters thick and may be considerably thicker in places.

1990 Exploration Program

The 1990 exploration program consisted of four phases: first, re-establishment of good road access; second, rehabilitation of the upper and lower portals; third, surface trenching to increase exposure of the known veins; and fourth,

surveying, geologic mapping and sampling of all the accessible exposures of the veins.

The road work consisted of snow removal by bulldozer during April and May and culvert installation, ditching and grading during late May and June. This work was required to facilitate mobilization of heavy equipment, camp facilities, timber and future drill equipment.

Rehabilitation of the Upper Portal consisted of removing a minor amount caved material and replacement of ten timber sets at the portal entrance. Lower Portal rehabilitation involved removal of about 50 tons of caved material and installation of twelve timber sets to secure the entrance.

The surface trenching focused mainly on the West Vein to extend exposure northward from a currently exposed high grade gold zone. Trenching was also done to increase exposure of the Main, Tommy and Allison Veins. This work was conducted by using a bulldozer and a tracked backhoe.

Geologic work consisted of mapping and sampling of the Upper Workings, all existing surface vein exposures and the new exploration trenches. All sample locations were surveyed to a first order control mine grid.

1990 Exploration Results

The West vein has been traced along 260 meters of outcrop exposure and may extend 150 meters further north to an isolated outcropping of vein which is called the David vein (Map 1). Due to its anomalous gold values, this vein has attracted the majority of the work to date. The West vein texture ranges from a massive milky quartz vein containing minor sulfides to a diffuse stringer or stockwork breccia zone consisting of 30-80% quartz. The higher grade gold zones are associated with the massive milky quartz. The quartz vein is primarily hosted within the

granodiorite, but does follow along an apparent fault contact between granodiorite and serpentinite. Alteration is restricted to local silicification and bleaching adjacent to the vein. Where the structure cross-cuts the serpentinite a gouge fault 2-5 cm. wide with very little quartz is present.

Two known gold zones are present within the West Vein. The first zone is located at the northeast limit of exposure of the vein and has complete exposure on surface and 65 meters below on the 2165 level drift. Rock chip sampling at 1.5 meter intervals along 74 meters of surface exposure and 80 meters of drift has confirmed the presence of an apparently continuous gold mineralized zone. At the surface, vein samples along 25 meters of strike length average 82.1 g/t Au (64.6 g/t; cut at 137g/t) over a 0.44 meter average vein width (Map 1). Directly below, on the 2165 level, vein samples along 28 meters of strike length average 43 g/t Au (36.5 g/t cut) over a 0.9 meter vein width (Map 2). The vein here shows a variation in strike from due north at surface to azimuth 20° at the 2165 level; the dip is nearly vertical (Map 3).

The second gold zone within the West Vein is located at the southwest limit of outcrop exposure. Gold mineralization has been traced for 7 meters of strike length. Three rock chip samples taken here average 46 g/t over a vein width of 0.41 meters. The vein consists of massive milky quartz with limonite staining and is hosted by granodiorite.

The Main vein has been traced along 85 meters of surface exposure (Map 1). This vein strikes northeast and dips steeply west. At the northeast limit of exposure the vein is 1.0-2.0 meters wide consisting of massive milky quartz or zones of parallel quartz veins 0.2-0.5 meters wide. Rock chip sampling at this location has returned one high grade assay (23.6 g/t Au/ 1.0 meter) and several low grade assays. Within the 2165 cross-cut at 20 meters below this surface exposure, the Main vein consists of

three veins, each 1.0 meter wide within a 5 meter wide zone. No anomalous gold values were found here (Map 2). Previous workers have traced the Main vein to an outcrop about 200 meters further southwest from our mapped exposure. At this location they list an 8 oz/ton rock chip assay over a 0.12 meter width. This area was not field checked during the 1990 season but will be followed up with further work.

The Tommy vein was trenched along 50 meters of strike length (Map 1). This vein strikes east-northeast and has a vertical dip. The host rock is granodiorite with moderate alteration along the vein margins. The vein zone consists of a single vein 0.25-1.5 meters wide or two parallel veins 0.25-1.0 meter wide separated by altered granodiorite. A weak gouge fault is locally developed along the southern edge of the zone. The vein is composed of massive milky quartz containing minor sulfides and fuchsite seams. Rock chip sampling at 1.5 meter intervals along the entire strike length of this exposure yielded only low grade gold anomalies.

The Allison vein was exposed along 15 meters of strike length (Map 1). This structure strikes northwest and dips 35° southwest, it consists of two distinct zones. The hangingwall zone is a 0.5-1.0 meter wide quartz vein. The quartz is milky white and contains minor grey-black sulfides. The footwall zone is 1.0-2.0 meters wide consisting of intensely fractured and crushed fault rock with some gouge. Rock chip sampling at 2 meter intervals yielded only low grade gold anomalies.

In summary, the 1990 program has confirmed previous exploration work and has developed one new target area. Thorough sampling of the West Vein has defined a high grade gold zone which is 25 meters long and probably continuous for 65 meters vertical. The underground workings show that the ground conditions here are very good and mining this vein should not be a problem. The West Vein strike direction may be an important

factor in gold mineralization. Surface sampling all along the vein has shown that where the vein becomes oriented near north—south is where the gold zone occurs. The high grade outcrops at the southwest extent of the vein also show a more north—south strike direction. Within the Main Vein, no significant gold zones were found, although sporadic high grade values do indicate that it is carrying gold. The property wide mapping shows that there is a large variation in strike direction among the different veins. This should create zones of vein intersections. These intersection zones are commonly locations of higher fluid flow during mineralization and may well contain gold.

1991 Exploration Proposal

The 1991 exploration program should consist of grid survey, geochemistry, geophysics and trenching. A mine grid with north-south base line and east-west cross lines at 30 meter spacing will be completed over the entire claim block. This will require about 25,000 meters of line survey and should take two people about 20 days to complete. Next, a soil geochemistry program will be conducted. "C" horizon soil samples will be collected on a 30 meter by 10 meter grid spacing and assayed for gold, silver and arsenic. This phase should take two people about 20 days to complete. A ground base geophysics survey of Magnetometer and VLF will also be run on a 30 meter by 10 meter grid spacing. One person could complete this in about 14 days or the project could be contracted. An on site computer will be necessary for data collection.

The aim of the described work will be to try to delineate the orientation and location of known veins and also to find other veins which are not exposed. There appears to be a correlation between vein orientation and gold mineralization within the West Vein. Also, the different vein strike directions should define intersection zones which may carry gold. If

accurate subsurface mapping of the vein can be accomplished with geophysics then favorably oriented zones and intersection zones can be trenched, mapped and sampled.

Follow up work from 1990 consists of three targets. The first is anomalous outcrops located at the southwest extent of the West Vein which need to be trenched along strike to the north and south. The second is the West Vein area north of the 1990 trenching which needs further exposure. The third is located at the southwest extent of the Main Vein. The Bralorne "Surface Assay Plan" shows several outcrops on three different veins to have high gold values here. Trenching mapping and sampling is recommended for this area.

The proposed program should take about two months to complete. Technical staff will consist of three people; a geologist, surveyor and assistant. Trenching should be conducted with a large cat or a large tracked hoe. All the personal would be accommodated at the existing camp. Table 1 is a generalized exploration budget for the 1991 program.



Table 1
PROPOSED 1991 EXPLORATION BUDGET

Grid Surveying	\$ 15,000
Soil Geochemistry	\$ 50,000
Geophysics	\$ 20,000
Legal Surveying	\$ 5,000
Geologic Work	\$ 6,000
Assaying	\$ 3,000
Trenching	\$ 40,000
Helicopter	\$ 10,000
Miscellaneous Equipment	\$ 5,000
Vehicle	\$ 5,000
Communication	\$ 1,000
Administration	\$ 9,000
Camp Costs	\$ 20,000
Subtotal	\$ 189,000
Contingency 5%	\$ 11,000
GRAND TOTAL	\$ 200,000

YALAKOM CLAIM GROUP

Introduction

The Yalakom Claim Group consists of 48 mineral claims located adjacent to and west from the Elizabeth claims (figure 4). This area was prospected by Bralorne Mines Ltd. during and after their work on the Elizabeth claims and is currently held by Consolidated Balsam Resources Inc. The purpose of this report is to present the existing work on these claims in order to evaluate whether they are worth acquiring into the ongoing Elizabeth exploration program.

Consolidated Balsam Resources Inc. is a small informal company consisting of one person, Ken Newton. The corporate headquarters are located in Mr. Newton's living room at 6017 Larch St., Vancouver B.C. The company was originally called Southern Lights Resources Ltd. and then became Balsam Resources Inc. In 1990 the company reorganized into Consolidated Balsam Resources Inc. Balsam has one other property, a mercury-gold prospect located in Nevada. The geologic work conducted to date by Balsam on the Yalakom claims was conducted by four different consultant geologist-engineers all based in Vancouver.

History

In 1949 Bralorne geologists discovered high grade quartz float in the vicinity of the present #9 vein. Two side hill trenches were excavated to expose the vein and rock chip sampling yielded high grade gold mineralization. By late 1949 Bralorne abandoned their unsuccessful underground exploration program on the Elizabeth property and concentrated all efforts on the #9 Vein drift at the 2300 meter level. A 244 meter long drift was driven on the vein and four small gold zones were found. The property was then abandoned. Thompson's 1959 map of the area shows an underground drill hole along strike but into the




Figure 4

footwall of the vein from the drift. No information is available for this hole.

In March of 1978 the claims had reverted back to the government and were put up for auction. At this time Southern Lights Resources Ltd. (presently Consolidated Balsam Resources Inc.) acquired eight original crown grant claims for \$ 25 each. By May of 1980 Balsam had picked up an adjoining 20 claim block.

In 1982 Balsam de-iced and rehabilitated the underground workings on the # 9 vein. This was followed by detailed channel sampling at 1.5 meter intervals on the vein. This work confirmed Bralorne's sampling and defined the same four gold zones. This program was partially financed by Cal-Denver Resources Ltd. for an option to earn a 40% interest in the property.

During 1984 three surface diamond drill holes were completed. The details of this drilling program are quite vague, due presumably to the death of the project geologist. Of the three drill logs, one has a hole plunge listed, no other information about location, azimuth or plunge of the holes are listed. Two drill hole location maps show contradicting layouts and field inspection by the author found neither map to be correct. Two drill hole collars were found and orientations from these combined with the drill logs does allow the use of two of the three drill logs, but with low confidence.

The next drilling program was conducted in 1987. Four surface holes for a total of 600 meters were completed. Two of these holes were drilled across strike of the vein and two were drilled along strike. There is good information for these holes.


During March of 1990 Balsam relocated another 20 claims which were formerly held by Corona Corporation and had lapsed in assessment work. This brought their total land holdings to 48


claims (figure 4). All the surrounding claims are reportedly held by Corona Corp. The most recent work was completed in August of 1990. This consisted of one drill hole across strike of the # 9 vein. In September of 1990 Ken Newton president of Consolidated Balsam Resources Inc. contacted Blackdome in hopes of generating interest in the Yalakom Claim group.


Geology

The regional geology here is basically the same as that described earlier for the Elizabeth Claims (see page 5). Figure 5 shows the generalized geology for the area around the # 9 Vein. This was compiled by the author using an air photo and field inspection. Four rock types are present. The country rock is an ultramafic suite of hartzbergite, serpentinite and listwanite alteration. These rocks have been intruded by a body of granodiorite. A large brittle fault cross-cuts the property. This fault has a gouge texture with well polished slip planes displaying strong slickensides and mullions. The fault is oriented at N20°E dipping 80° west and the linear fabric within it plunges steeply west. No offset sense was determined. Between this fault and the granodiorite body there is a wide zone of listwanite alteration. This consists of a quartz-carbonate replacement type metasomatism of the ultramafic rocks.

The # 9 vein has very little surface expression but underground and drill information indicates that it strikes N14°E and dips 75° west. The vein is hosted by the granodiorite, consists of milky white quartz and averages 0.27 meters wide along the length of the 2300 level drift. Rock chip sampling by both Bralorne and Balsam indicates four small, high grade gold zones within the vein. These are shown on long section in figure 6. The drilling to date on the # 9 Vein has been fairly random and with only minor encouraging intercepts. This drilling illustrates that at least two other veins located west of the # 9 are present. Figure 7 is a cross-section at the 10,100 northing







of the Elizabeth mine grid. Drill hole # 84-1 returned 37.6 g/t over 0.2 meters within the western most vein shown on the cross-section.

Surface inspection revealed two other quartz veins further west of the cross-section (figure 5). The # 11 vein was rock chip sampled on surface by Bralorne and they have plotted an assay of 15.7 g/t Au over 0.9 meters. Field inspection in this area did not locate a quartz vein at Bralorne's location but a vein was found nearby. This vein is oriented N20°E and dips 76° west. It consists of milky quartz with minor sulfides and averages 0.2 meters wide. The vein is very planar and continuous. Five rock chip samples at 3 meter intervals on this vein all assayed between 0.4 and 1.1 g/t Au. Further to the west, within the listwanite, a discontinuous vein zone is present. Two lenses of quartz were sampled which align on a north-northeast strike direction and quartz float was seen over the ridge on strike to the south. No significant assays were returned.

A brief reconnaissance airborne inspection of the claim area outside of figure 8 revealed numerous small quartz outcroppings or areas with quartz float. Most of this area appears to be underlain by ultramafic rocks. Past experience in this area has shown that the known gold bearing veins typically occur within the granodiorite.

Potential

The best potential at this time appears to be within and nearby the # 9 Vein. The drift assays are reproducible and drilling here indicates that parallel gold mineralized veins may be present. Further drilling is required and must be done in a planned systematic manner. This will be a challenge due to the steep craggy nature of the terrain.

Appendix A

BLACKDOME MINING CORPORATION ELIZABETH CLAIM EXPENSES March to Sept 30, 1990

	INVOICE NUMBER	OPTION PAYMENTS	PORTAL REHAB	ROAD REPAIRS	SURVEY, MAP, SAMPLING	, TRAVEL	TRENCHING	TOTAL EXPENSES
Minven head office		\$25,000.00						\$25,000.00
Illidge Drilling	33771	\$10,720.46						\$10,720.46
Illidge Drilling	33772	\$624.67						\$624.67
Illidge Drilling	33761		\$1,491.99					\$1,491.99
Illidge Drilling	33764		\$10,284.00					\$10,284.00
Illidge Drilling	33763		\$1,437.43					\$1,437.43
Illidge Drilling	33770		\$1,500.00					\$1,500.00
Illidge Drilling	33765		\$2,096.23					\$2,096.23
Illidge Drilling	33767		\$974.04					\$974.04
Illidge Drilling	33779		\$146.25					\$146.25
Illidge Drilling	33778		\$243.75					\$243.75
Illidge Drilling	33774		\$400.00					\$400.00
Illidge Drilling	33780		\$2,043.15					\$2,043.15
Blackdome warehouse dist			\$628.54					\$628.54
Illidge Drilling	33786		\$10,249.91					\$10,249.91
Illidge Drilling	33787		\$608.14					\$608.14
Illidge Drilling	33760			\$1,026.02				\$1,026.02
Illidge Drilli ng	33758			\$7,782.50				\$7,782.50
Illidge Drilling	33769			\$2,499.00				\$2,499.00
Illidge Drilling	33766			\$395.50				\$395.50
Illidge Drilli ng	33768			\$3,940.00				- \$3,940.00
Illidge Drilling	33774			\$715.00				\$715.00
Illidge Drilling	33780			\$3,061.00	•			\$3,061.00
Illidge Drill ing	33780				\$376.30			\$376.30
Min of Environment	C45150				\$8.48			\$8.48
Blackdome warehouse dist					\$29.68			· \$29.68
Deakin Equipment	4967				\$188.05			\$188.05
Thiessen Equipment	16578				\$954.00			\$954.00
Deakin Equipment	4799				\$376.87			\$376.87
Deakin Equipment	5204				\$47.70			\$47.70
Cansel Survey Equip	36411				\$69.06			\$69.06
Neil Giesbrecht	20353				\$1,767.13			\$1,767.13
Nicholi Cartage	21134				\$34.00			\$34.00
Chemo Rent a car	July17				\$1,355.16			\$1,355.16
Chemo RV Sales & Serv	769				\$209.22			\$209.22
Illidge Drilling	33789				\$136.40			\$136.40
Lalonde geological	104		•		\$7,050.27			\$7,050.27
Acme Analytical Labs	90-2963				\$52.50			\$52.50
Deakin Equip - return	5615				(\$180.35)			(\$180.35)
Highland Helicopters	60841					\$2,340.00		\$2,340.00
Highland Helicopters	61143					\$3,278.89		\$3,278.89
Illidge Drilling	33762					\$150.00		\$150.00
Illidge Drilling	33759					\$2,770.00		\$2,770.00
Illidge Drilling	33770						\$1,500.00	\$1,500.00
Illidge Drilling	33775						\$669.06	\$669.06
Illidge Drilling	33776						\$4,998.00	\$4,998.00
Illidge Drilling	33773						\$288.50	\$288.50
Illidge Drilling	33782						\$1,700.00	\$1,700.00
Illidge Drilling	33781						\$861.86	\$861.86
Illidge Drilling	33784						\$3,825.00	\$3,825.00
Illidge Drilling	33788						\$8,505.00	\$8,505.00

BLACKDOME MINING CORPORATION ELIZABETH CLAIM EXPENSES March to Sept 30, 1990

	INVOICE NUMBER	OPTION PAYMENTS	PORTAL REHAB	ROAD REPAIRS	SURVEY, MAP, SAMPLING	TRAVEL	TRENCHING	TOTAL EXPENSES
Illidge Drilling N. Giesbrecht - Labor	33792				\$500.00		\$607.00	\$607.00 \$500.00
Bart Stryhas - Labor Cansel	36718				\$4,550.00 \$111.30			\$4,550.00 \$111.30
Assays - 350 @ \$10					\$3,500.00			\$3,500.00
		\$36,345.13	\$32,103.43	\$19,419.02	\$21,135.77	\$8,538.89	\$22,954.42	\$140,496.66

10150 N +	4 4 0 0 E				1	T 029 T 029
10100 N				DAVID VEIN 62 18 Tr.		
10050 N						
1000 N	WEST VEIN SURFACE EXPOSURE elev.= appr. 2230 m. 800 101 102 103 104 105 105 105 105 105 105 105	82'×1.4'/2.4 3/T.				ALLISON VEIN 39 12-7
9950 N	as to a transfer to the state of the state o	DEIFT SAMPLING 92' × 2.9'/1.3 opt "WEST VEIN; NO! a'C"				
9900 N			52 46 56 56 56 56 56 56 57 81 10 10 10 10 10 10 10 10 10 1	19.7.7.4. 19.7.7.4.		
9850 N	64 17.71 80	85 84	D2.5. 30 0.8 0.3 Tr.		LEGEND	
9800 N				TOMMY VEIN Inches O 1 2 Centimetes This reference scale bar has been added to the original trauge. It will see the many the school of the original state.	ELIZABETH SURFACE GEOLOGY, O DATE— SEPT 19, 1990	NG CORPORATION OLOGY DEPARTMENT CLAIM GROUP GOLD & SILVER ASSAYS DRAWN BY-BAS 15 20 25 1:500 m

10150 N T	1000		1054	45500 E	4 6 5 0 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
10100 N					
10050 N					
1000 N		102 Tr 2 28 109.7 24 109 0.4 8 0.3 6 109 0.4 8 0.3 0.5 109 0.4 8 0.5	91/1-3 8/7.		
9950 N		20 54 02 III 10 II 7 2 30 02 IT 10 II 7 2 30 02 IT 10 II 7 10 II 7			
9900 N				PORTAL PARTAL	
9850 N					LEGEND GRANODIORITE SERPENTINITE
9800 N				inches	QUARTZ VEIN Au, Ag G/T Width Meters BLACKDOME MINING CORPORATION ENGINEERING / GEOLOGY DEPARTMENT ELIZABETH CLAIM GROUP UNDERGROUND GEOLOGY, GOLD & SILVER ASSAYS DATE— SEPT 19, 1990 DRAWN BY— BAS
9750 N				This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.	0 5 10 15 20 25 SCALE 1: 500 m

