



BONDAR-CLEGG & COMPANY LTD.

1500 PEMBERTON AVE., NORTH VANCOUVER, B.C. PHONE: 985-0681 TELEX: 04-54554

680863

Geochemical Lab Report

TUCHOBÍ

PROJECT

Extraction Hot HNO₃

Report No. 28 - 120

Method Fluorimetric

From Barrier Reef Resources

Fraction Used _____

Date April 19 19 78

SAMPLE NO.	U ppm			SAMPLE NO.	U ppm			
PD 1	5			PD 37	0.6			
3	2			38	1			
4	5			39	0.6			
5	6			40	0.6			
6	19 X			41	0.8			
7	34 X			42	1			
8	2			43	0.6			
11	2			44	1			
12	13 X			45	1			
13	6			46	1			
14	0.8			47	5			
15	0.8			48	0.4			
16	2			49	0.4			
17	0.6			50	0.8			
18	0.4			51	<0.2			
19	0.6			52	25 X			
20	0.6			53	0.2			
23	IS			54	0.6			
24	<0.2			55	0.4			
25	0.6			56	0.6			
26	3			57	1			
27	0.4			58	1			
28	0.2			59	0.8			
29	0.4			60	0.8			
31	IS			61	0.6			
32	IS			62	0.2			
33	0.8			63	1			
34	0.2			64	0.8			
35	0.2			65	<0.2			
36	0.2			66	0.4			

Geochemical Lab Report

Report No. 28 - 120Page No. 2

SAMPLE NO.	U ppm				SAMPLE NO.	U ppm			
PD 67	<0.2				PD 105	0.6			
69	<0.2				106	0.8			
70	<0.2				107	1			
71	<0.2				108	0.8			
72	0.4				109	0.6			
73	IS				110	0.6			
74	0.6				111	0.6			
75	<0.2				112	0.6			
76	<0.2				114	0.4			
77	<0.2				116	0.4			
78	<0.2				117	0.2			
79	<0.2				118	0.2			
80	0.2				119	0.2			
81	<0.2				120	0.8			
82	0.4				121	0.4			
83	0.6				122	0.6			
84	<0.2				123	0.8			
86	0.4				124	0.4			
87	0.4				125	0.6			
88	0.2				126	0.6			
89	1				127	0.8			
90	<0.2				128	0.6			
91	0.2				130	0.4			
92	0.2				131	0.6			
93	<0.2				133	4			
94	<0.2				134	0.8			
96	<0.2				135	<0.2			
97	<0.2				136	0.2			
98	0.2				137	0.8			
99	0.4				138	0.6			
100	1				139	1			
101	0.8				140	0.8			
102	0.2				141	0.8			
103	2				142	1			
104	2				143	0.8			

Geochemical Lab Report

Report No. 28 - 120

Page No. 3

SAMPLE NO.	U ppm				SAMPLE NO.	U ppm			
PD 144	0.8				PD 185	<0.2			
145	1				186	2			
146	0.4				187	0.2			
147	0.4				188	0.2			
148	0.2				189	0.6			
149	0.4				192	0.8			
150	0.4				193	<0.2			
151	0.6				194	<0.2			
152	0.4				195	<0.2			
153	0.4				196	<0.2			
155	<0.2				198	0.4			
156	0.6				199	0.2			
157	0.4				200	0.4			
158	0.6				202	0.2			
159	1				203	0.2			
160	0.4				204	0.6			
162	0.8				205	1			
163	0.8				206	IS			
164	0.6				207	0.8			
165	0.4				208	0.4			
166	0.6				209	1			
168	0.6				210	0.6			
169	0.8				211	<0.2			
170	0.8				212	3			
171	0.8				213	1			
172	1				214	0.4			
173	0.8				215	0.2			
174	0.8				216	0.2			
175	0.4				217	0.2			
176	<0.2				218	0.6			
177	0.2				219	0.4			
181	<0.2				221	0.6			
182	0.2				222	<0.2			
183	<0.2				223	0.4			
184	<0.2				224	1			

Geochemical Lab Report

Report No. 28 - 120Page No. 4

SAMPLE NO.	U ppm	SAMPLE NO.	U ppm
PD 225	1	PD 264	0.4
226	0.2	265	<0.2
227	0.4	266	0.2
228	0.4	267	0.2
229	0.6	268	0.6
230	0.2	269	0.4
232	1	272	2
233	0.6	273	1
234	0.8	274	0.8
235	0.4	275	2
236	0.4	276	1
237	5	277	0.4
238	0.2	278	1
239	0.2	279	1
240	0.2	280	1
241	0.2	281	1
242	0.6	284	0.8
243	0.4	285	1
244	0.4	286	0.8
246	0.2	287	1
247	0.2	288	1
248	<0.2	289	12 X
250	0.4	290	1
251	0.6	291	0.4
252	<0.2	293	6
253	0.2	294	5
254	0.2	295	3
256	0.8	296	1
257	0.8	297	1
258	0.4	298	0.8
259	<0.2	299	1
260	0.2	300	11 X <i>Parmenter</i>
261	0.4	301	1
262	0.8	302	4
263	0.2	303	1

Geochemical Lab Report

Report No. 28 - 120Page No. 5

SAMPLE NO.	U ppm				SAMPLE NO.	U ppm			
PD 304	IS				PD 341	0.2			
305	2				342	1			
306	3				343	0.8			
307	0.6				344	0.8			
308	0.2				345	0.6			
309	0.2				346	0.6			
310	0.2				347	0.6			
311	0.4				348	0.8			
312	<0.2				349	0.6			
313	0.6				350	0.6			
314	0.2				353	1			
315	0.2				354	1			
316	1				355	0.6			
317	<0.2				357	0.6			
318	0.8				358	0.8			
319	0.4				360	0.2			
320	0.2				361	0.8			
321	0.2				362	1			
322	0.2				363	0.8			
323	0.6				365	1			
324	0.8				366	0.6			
325	0.6				367	1			
326	0.8				368	0.6			
329	0.4				369	0.4			
330	0.4				370	1			
331	0.4				371	0.4			
332	0.4				372	1			
333	0.6				373	0.4			
334	0.4				375	1			
335	0.4				376	0.4			
336	0.4				377	0.6			
337	0.2				379	1			
338	0.4				381	0.6			
339	0.6				382	2			
340	0.4				383	0.6			

Geochemical Lab Report

Report No. 28 - 120

Page No. 6

SAMPLE NO.	U ppm				SAMPLE NO.	U ppm			
PD 385	0.4				PD 428	0.6			
386	0.8				430	0.4			
388	0.6				431	0.4			
390	0.6				432	0.6			
391	0.2				433	0.6			
392	0.2				434	0.4			
393	0.4				435	0.4			
396	0.6				436	0.4			
397	1				437	0.4			
398	0.4				438	0.4			
399	0.4				439	1			
400	0.4				442	0.6			
402	0.8				443	0.6			
404	0.4				445	0.2			
406	0.8				446	0.4			
407	0.2				447	0.4			
408	0.4				448	0.4			
409	IS				450	0.6			
410	0.4				451	0.4			
411	0.2				453	0.6			
412	0.8				454	0.6			
413	0.4				455	1			
414	0.6				459	0.4			
415	0.4				461	1			
416	0.8				462	1			
417	0.8				464	4			
418	0.4				466	2			
419	0.2				468	0.6			
420	0.2				469	2			
421	0.4				474	1			
422	0.2				478	0.4			
423	0.6				479	0.8			
424	0.2				480	1			
425	0.6				481	1			
426	0.6				482	4			

MORE RESULTS TO
COME