



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0221

To: PACIFIC GEO-ROC EXPLORATION LTD.

256 - 409 GRANVILLE ST.
VANCOUVER, BC
V6C 1T2

800040

A8818183

Comments: CC: J. H. HAJEK

CERTIFICATE A8818183

PACIFIC GEO-ROC EXPLORATION LTD.
PROJECT : MOLY-MAY
P.O.# : NONE

Samples submitted to our lab in Vancouver, BC.
This report was printed on 12-JUL-88.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	107	Dry, sieve -80 mesh; soil, sed.
217	14	Geochem: Ring only, no crush/split
238	121	ICP: Aqua regia digestion

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
100	120	Au ppb: Fuse 10 g sample	FA-AAS	5	10000
921	121	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
922	121	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
923	121	As ppm: 32 element, soil & rock	ICP-AES	5	10000
924	121	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
925	121	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
926	121	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
927	121	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
928	121	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
929	121	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
930	121	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
931	121	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
932	121	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
933	121	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
951	121	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
934	121	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
935	121	La ppm: 32 element, soil & rock	ICP-AES	10	10000
936	121	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
937	121	Mn ppm: 32 element, soil & rock	ICP-AES	1	10000
938	121	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
939	121	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
940	121	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
941	121	P ppm: 32 element, soil & rock	ICP-AES	10	10000
942	121	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
943	121	Sb ppm: 32 element, soil & rock	ICP-AES	5	10000
958	121	Sc ppm: 32 elements, soil & rock	ICP-AES	1	100000
944	121	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
945	121	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
946	121	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
947	121	U ppm: 32 element, soil & rock	ICP-AES	10	10000
948	121	V ppm: 32 element, soil & rock	ICP-AES	1	10000
949	121	W ppm: 32 element, soil & rock	ICP-AES	5	10000
950	121	Zn ppm: 32 element, soil & rock	ICP-AES	1	10000

D-20



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: PACIFIC GEO-ROC EXPLORATION LTD.

256 - 409 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1T2

Project: MOLY-MAY
 Comments: CC: J. H. HAJEK

Page No.: 1-A
 Tot. Pages: 4
 Date: 12-JUL-88
 Invoice #: I-8818183
 P.O. #: NONE

Moly May

CERTIFICATE OF ANALYSIS A8818183

SAMPLE DESCRIPTION	PREP CODE	Au ppb FATAA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
Z-15	201 238	< 5	1.07	< 0.2	10	50	< 0.5	< 2	0.04	< 0.5	< 1	34	48	0.24	< 10	1	0.07	< 10	0.04	31
Z-16	201 238	< 5	2.65	< 0.2	5	90	< 0.5	2	0.20	< 0.5	10	55	24	3.63	< 10	< 1	0.16	10	1.04	335
Z-17	217 238	35	0.36	< 0.2	5	40	< 0.5	< 2	0.11	0.5	< 1	84	406	0.50	< 10	< 1	0.05	< 10	0.02	51
Z-19	201 238	10	0.20	< 0.2	5	10	< 0.5	< 2	0.02	< 0.5	< 1	4	9	0.99	< 10	< 1	0.02	< 10	0.01	41
Z-23	217 238	5	0.70	< 0.2	< 5	20	< 0.5	< 2	0.05	< 0.5	1	24	15	0.26	10	< 1	0.04	< 10	0.02	12
Z-24A	201 238	20	0.50	< 0.2	< 5	50	< 0.5	< 2	0.11	0.5	< 1	53	233	0.60	< 10	< 1	0.06	< 10	0.02	30
Z-24B	201 238	5	0.47	< 0.2	5	20	< 0.5	< 2	0.02	< 0.5	< 1	12	25	0.11	< 10	< 1	0.04	10	0.01	22
Z-25A	201 238	15	0.25	< 0.2	< 5	20	< 0.5	< 2	0.02	< 0.5	< 1	10	54	0.09	< 10	< 1	0.04	10	0.01	26
Z-25C	201 238	< 5	0.26	< 0.2	< 5	20	< 0.5	< 2	0.01	< 0.5	< 1	11	11	0.07	< 10	< 1	0.03	< 10	0.01	12
Z-26	201 238	10	0.97	< 0.2	< 5	30	< 0.5	< 2	0.01	< 0.5	2	37	2	4.37	10	< 1	0.06	< 10	0.13	57
Z-27	217 238	20	0.79	< 0.2	< 5	20	< 0.5	< 2	0.05	0.5	< 1	11	34	0.30	< 10	< 1	0.03	< 10	0.01	12
Z-28	217 238	160	1.19	< 0.2	5	40	< 0.5	< 2	0.05	< 0.5	< 1	23	18	0.31	< 10	< 1	0.04	< 10	0.02	16
Z-29	217 238	40	0.75	< 0.2	< 5	20	< 0.5	< 2	0.05	0.5	< 1	10	38	0.18	< 10	1	0.01	< 10	0.01	21
Z-30	217 238	10	1.32	< 0.2	5	20	< 0.5	< 2	0.04	< 0.5	< 1	27	38	0.18	< 10	< 1	0.02	< 10	0.01	16
Z-31	201 238	< 5	0.13	0.2	< 5	< 10	< 0.5	< 2	0.01	< 0.5	< 1	11	26	0.09	< 10	< 1	0.01	10	< 0.01	2
Z-32	201 238	< 5	1.24	< 0.2	25	30	< 0.5	< 2	0.03	< 0.5	1	34	23	4.92	10	< 1	0.04	< 10	0.07	58
Z-33	201 238	10	1.55	0.2	20	80	< 0.5	< 2	0.05	1.0	4	32	679	4.28	10	< 1	0.05	< 10	0.13	91
Z-34	217 238	10	0.32	< 0.2	10	40	< 0.5	< 2	0.16	1.5	< 1	40	674	0.39	< 10	< 1	0.06	< 10	0.04	39
Z-35	217 238	< 5	0.41	< 0.2	10	40	< 0.5	< 2	0.07	< 0.5	< 1	85	146	0.31	< 10	< 1	0.06	< 10	0.02	27
Z-36	217 238	not/see	0.92	< 0.2	20	20	< 0.5	< 2	0.08	< 0.5	< 1	46	306	0.48	< 10	< 1	0.04	< 10	0.02	32
Z-37	201 238	< 5	0.48	< 0.2	5	20	< 0.5	2	0.01	< 0.5	< 1	23	3	0.55	10	< 1	0.03	10	0.07	26
Z-38	201 238	< 5	2.99	< 0.2	< 5	120	< 0.5	2	0.03	< 0.5	2	182	6	7.49	10	< 1	0.23	< 10	0.81	128
Z-39	201 238	< 5	4.37	< 0.2	15	80	< 0.5	6	0.06	< 0.5	7	117	23	5.81	< 10	< 1	0.10	< 10	0.73	221
Z-40	201 238	10	0.27	0.4	20	20	< 0.5	2	0.02	< 0.5	< 1	11	37	0.79	< 10	< 1	0.03	< 10	0.03	17
Z-41	201 238	5	0.17	< 0.2	< 5	10	< 0.5	2	0.01	< 0.5	< 1	5	6	0.24	< 10	< 1	0.02	< 10	0.01	12
Z-42	201 238	< 5	0.36	0.6	10	20	< 0.5	2	0.02	< 0.5	< 1	7	61	0.38	< 10	< 1	0.03	10	0.02	19
Z-44	201 238	< 5	0.24	< 0.2	5	10	< 0.5	< 2	0.01	< 0.5	< 1	6	4	0.75	< 10	< 1	0.02	10	0.01	34
Z-45A	201 238	40	0.16	< 0.2	5	160	< 0.5	2	0.22	3.0	< 1	3	795	0.83	< 10	1	0.06	< 10	0.04	52
Z-45B	201 238	< 5	1.73	0.2	15	50	< 0.5	2	0.05	< 0.5	5	45	38	6.15	10	< 1	0.10	< 10	0.31	137
Z-46	201 238	< 5	0.59	< 0.2	< 5	20	< 0.5	< 2	0.02	< 0.5	< 1	6	3	0.55	< 10	< 1	0.04	< 10	0.03	29
Z-47	201 238	< 5	0.12	< 0.2	10	60	< 0.5	< 2	0.21	2.5	< 1	6	148	0.66	< 10	< 1	0.03	< 10	0.03	37
Z-50	201 238	20	0.63	< 0.2	< 5	20	< 0.5	16	0.01	< 0.5	< 1	8	3	0.17	< 10	< 1	0.04	10	0.02	24
Z-51	201 238	10	0.68	< 0.2	< 5	40	< 0.5	2	0.03	0.5	< 1	20	42	0.21	< 10	< 1	0.07	< 10	0.06	31
Z-52	201 238	45	0.63	1.4	25	100	< 0.5	4	0.16	2.5	6	7	1710	2.05	< 10	1	0.09	< 10	0.06	115
Z-53	201 238	5	0.98	< 0.2	10	30	< 0.5	2	0.03	< 0.5	3	49	69	6.16	20	2	0.06	< 10	0.11	69
Z-54	201 238	25	0.16	1.6	10	60	< 0.5	< 2	0.43	5.5	< 1	2	1340	0.85	< 10	1	0.07	< 10	0.06	137
Z-55	201 238	< 5	0.13	0.4	5	10	< 0.5	2	0.03	< 0.5	< 1	8	38	0.25	< 10	< 1	0.03	10	0.01	52
Z-57	201 238	5	2.33	0.2	< 5	80	< 0.5	4	0.08	< 0.5	4	52	21	1.15	< 10	2	0.13	10	0.48	149
Z-58	201 238	10	0.38	< 0.2	< 5	40	< 0.5	2	0.03	0.5	< 1	9	44	0.56	< 10	< 1	0.04	< 10	0.04	46
Z-60	201 238	15	0.31	0.2	5	30	< 0.5	< 2	0.24	3.0	< 1	1	670	0.54	< 10	< 1	0.03	< 10	0.05	95

CERTIFICATION



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: PACIFIC GEO-ROC EXPLORATION LTD.

256 - 409 GRANVILLE ST.
VANCOUVER, BC
V6C 1T2

Project: MDLY-MAY
Comments: CC: J. H. HAJEK

Page No. : 1-B
Tot. Pages: 4
Date : 12-JUL-88
Invoice #: I-8818183
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8818183

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Z-15	201	238	< 1	< 0.01	3	370	22	< 5	1	6	0.11	< 10	< 10	18	< 5	13
Z-16	201	238	< 1	< 0.01	39	960	8	< 5	5	13	0.10	< 10	< 10	69	< 5	74
Z-17	217	238	4	0.01	5	410	24	< 5	< 1	15	0.03	< 10	< 10	5	< 5	44
Z-19	201	238	< 1	< 0.01	3	80	< 2	< 5	< 1	2	0.06	< 10	< 10	61	< 5	9
Z-23	217	238	< 1	< 0.01	1	160	26	< 5	1	4	0.37	< 10	< 10	30	< 5	11
Z-24A	201	238	2	0.01	2	810	16	< 5	< 1	15	0.03	< 10	< 10	7	< 5	41
Z-24B	201	238	< 1	< 0.01	1	100	10	< 5	< 1	4	0.04	< 10	< 10	7	< 5	6
Z-25A	201	238	< 1	< 0.01	2	210	8	< 5	< 1	4	0.04	< 10	< 10	6	< 5	8
Z-25C	201	238	3	0.02	1	90	10	< 5	< 1	2	0.13	< 10	< 10	10	< 5	4
Z-26	201	238	3	0.01	3	110	6	< 5	1	2	0.29	< 10	< 10	168	< 5	9
Z-27	217	238	< 1	0.01	3	760	4	< 5	1	8	0.02	< 10	< 10	6	< 5	13
Z-28	217	238	1	0.01	2	750	4	< 5	1	9	0.05	< 10	< 10	12	< 5	12
Z-29	217	238	1	0.01	3	800	2	< 5	1	8	0.02	< 10	< 10	5	< 5	18
Z-30	217	238	< 1	0.01	3	660	8	< 5	2	7	0.03	< 10	< 10	12	< 5	8
Z-31	201	238	2	< 0.01	1	180	4	< 5	< 1	1	0.14	< 10	< 10	9	< 5	4
Z-32	201	238	1	< 0.01	3	330	10	< 5	1	4	0.17	< 10	< 10	130	< 5	19
Z-33	201	238	< 1	< 0.01	7	440	30	< 5	1	8	0.11	< 10	< 10	101	< 5	75
Z-34	217	238	< 1	0.01	3	570	16	< 5	< 1	18	0.03	< 10	< 10	5	< 5	66
Z-35	217	238	< 1	0.01	1	340	14	< 5	< 1	8	0.06	< 10	< 10	8	< 5	25
Z-36	217	238	< 1	0.02	< 1	840	48	< 5	< 1	12	0.02	< 10	< 10	4	< 5	24
Z-37	201	238	1	< 0.01	1	90	16	< 5	1	1	0.23	< 10	< 10	81	< 5	7
Z-38	201	238	< 1	0.01	29	280	12	< 5	9	3	0.41	< 10	< 10	161	< 5	39
Z-39	201	238	< 1	0.01	27	390	16	< 5	6	6	0.19	< 10	< 10	117	< 5	67
Z-40	201	238	< 1	< 0.01	< 1	190	8	< 5	< 1	3	0.10	< 10	< 10	42	< 5	12
Z-41	201	238	< 1	< 0.01	< 1	70	8	< 5	< 1	1	0.09	< 10	< 10	26	< 5	3
Z-42	201	238	< 1	< 0.01	< 1	160	12	< 5	< 1	4	0.15	< 10	< 10	40	< 5	10
Z-44	201	238	< 1	< 0.01	< 1	60	8	< 5	< 1	2	0.12	< 10	< 10	50	< 5	8
Z-45A	201	238	< 1	0.01	3	440	48	< 5	< 1	43	0.01	< 10	< 10	6	< 5	104
Z-45B	201	238	< 1	0.01	12	510	14	< 5	4	7	0.20	< 10	< 10	142	< 5	44
Z-46	201	238	< 1	< 0.01	< 1	60	6	< 5	1	4	0.06	< 10	< 10	30	< 5	5
Z-47	201	238	< 1	< 0.01	2	330	16	< 5	< 1	26	0.07	< 10	< 10	19	< 5	111
Z-50	201	238	17	< 0.01	< 1	90	18	< 5	< 1	3	0.08	< 10	< 10	17	< 5	3
Z-51	201	238	< 1	< 0.01	2	190	18	< 5	1	6	0.13	< 10	< 10	15	< 5	13
Z-52	201	238	2	0.01	3	650	144	< 5	< 1	24	0.04	< 10	< 10	29	< 5	156
Z-53	201	238	2	< 0.01	4	220	18	< 5	2	4	0.33	< 10	< 10	217	< 5	23
Z-54	201	238	1	0.01	2	620	58	< 5	< 1	36	0.01	< 10	< 10	7	< 5	217
Z-55	201	238	1	< 0.01	< 1	80	14	< 5	< 1	2	0.16	< 10	< 10	13	< 5	15
Z-57	201	238	< 1	< 0.01	15	610	16	< 5	4	8	0.11	< 10	< 10	40	< 5	31
Z-58	201	238	< 1	< 0.01	5	270	10	< 5	< 1	12	0.04	< 10	< 10	15	< 5	32
Z-60	201	238	1	0.01	1	330	26	< 5	< 1	19	0.01	< 10	< 10	3	< 5	101

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 112 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0211

To: PACIFIC GEO-ROC EXPLORATION LTD.

256 - 409 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1T2


Project: MOLY-MAY
 Comments: CC: J. H. HAJEK

Page No. :2-A
 Tot. Pages:4
 Date :12-JUL-88
 Invoice #:I-8818183
 P.O. # :NONE

CERTIFICATE OF ANALYSIS A8818183

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FATAA	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
Z-61	201	238	< 5	0.50	< 0.2	< 5	20	< 0.5	2	0.05	< 0.5	< 1	8	10	0.16	< 10	< 1	0.04	10	0.02	32
Z-62	201	238	< 5	1.61	< 0.2	10	80	< 0.5	2	0.09	< 0.5	3	42	17	1.12	< 10	< 1	0.15	10	0.37	126
Z-64	201	238	70	0.36	1.4	20	50	< 0.5	2	0.37	7.0	8	4	2600	2.49	< 10	< 1	0.04	< 10	0.05	101
Z-65	201	238	30	0.18	< 0.2	10	20	< 0.5	< 2	0.50	3.5	< 1	2	860	0.74	< 10	< 1	0.05	< 10	0.05	45
Z-67	201	238	< 5	0.39	< 0.2	5	10	< 0.5	2	0.01	< 0.5	< 1	10	14	0.26	< 10	< 1	0.03	10	0.02	18
Z-69A	201	238	< 5	2.12	< 0.2	10	30	< 0.5	6	0.02	< 0.5	4	73	7	6.09	< 10	< 1	0.05	< 10	0.39	101
Z-69B	201	238	15	0.22	< 0.2	10	40	< 0.5	< 2	0.23	2.0	< 1	2	492	0.56	< 10	< 1	0.03	< 10	0.06	71
Z-70	201	238	< 5	0.69	< 0.2	10	30	< 0.5	< 2	0.02	< 0.5	< 1	7	8	0.68	< 10	< 1	0.03	< 10	0.05	19
Z-71	201	238	20	1.01	2.0	10	10	< 0.5	< 2	0.05	1.0	< 1	9	263	1.29	< 10	1	0.08	< 10	0.02	24
Z-72	201	238	10	1.28	0.4	15	30	< 0.5	6	0.03	< 0.5	< 1	42	75	0.93	10	< 1	0.07	< 10	0.15	24
Z-73	201	238	15	1.68	0.2	5	30	< 0.5	2	0.03	< 0.5	< 1	47	28	0.62	< 10	1	0.07	< 10	0.17	44
Z-137	201	238	< 5	0.32	< 0.2	5	< 10	< 0.5	2	< 0.01	< 0.5	< 1	4	81	0.31	< 10	< 1	0.06	< 10	< 0.01	181
Z-181	201	238	10	0.27	< 0.2	10	80	< 0.5	2	0.30	1.5	< 1	3	365	0.36	< 10	< 1	0.03	< 10	0.05	21
Z-182	201	238	< 5	0.20	< 0.2	5	10	< 0.5	< 2	0.04	< 0.5	< 1	11	81	1.32	< 10	< 1	0.02	< 10	0.02	64
Z-183	201	238	60	0.35	1.4	35	30	< 0.5	2	0.15	3.5	8	3	2350	3.08	< 10	1	0.06	< 10	0.06	181
Z-184	201	238	10	2.83	0.2	20	40	< 0.5	2	0.04	< 0.5	5	50	92	4.65	< 10	< 1	0.06	< 10	0.43	178
Z-185	201	238	40	0.34	2.0	10	20	< 0.5	< 2	0.19	5.5	6	3	1530	1.57	< 10	< 1	0.04	< 10	0.04	118
Z-190	201	238	10	2.01	0.4	20	80	< 0.5	4	0.03	< 0.5	< 1	51	128	0.68	10	3	0.14	< 10	0.18	57
Z-191	201	238	< 5	2.57	< 0.2	10	100	< 0.5	6	0.03	< 0.5	4	61	47	1.11	10	1	0.15	< 10	0.39	125
Z-192	201	238	< 5	1.85	1.2	< 5	50	< 0.5	2	0.03	0.5	< 1	33	160	0.94	< 10	< 1	0.09	< 10	0.09	64
Z-193	201	238	10	2.04	1.4	15	80	< 0.5	2	0.02	0.5	< 1	37	141	1.15	10	1	0.14	< 10	0.11	48
Z-194	201	238	5	3.68	0.2	25	150	< 0.5	4	0.06	< 0.5	8	76	87	4.71	10	< 1	0.23	< 10	0.75	324
Z-195	201	238	30	1.16	1.8	20	30	< 0.5	< 2	0.04	0.5	< 1	10	214	1.54	< 10	< 1	0.06	< 10	0.04	63
Z-195B	201	238	15	1.25	1.6	30	40	< 0.5	< 2	0.02	< 0.5	< 1	20	156	2.11	< 10	< 1	0.07	< 10	0.04	44
Z-196	201	238	< 5	1.72	0.6	5	90	< 0.5	4	0.02	< 0.5	7	47	44	1.05	10	1	0.13	< 10	0.27	162
Z-197	201	238	20	1.12	1.2	10	30	< 0.5	2	0.05	1.0	< 1	9	268	0.43	< 10	1	0.05	< 10	0.03	16
Z-198	201	238	10	1.28	0.4	35	50	< 0.5	2	0.06	0.5	< 1	15	220	1.81	< 10	1	0.07	< 10	0.04	56
Z-199	201	238	< 5	0.14	< 0.2	< 5	< 10	< 0.5	< 2	0.17	0.5	< 1	< 1	102	0.09	< 10	< 1	0.01	< 10	0.02	36
Z-200	201	238	< 5	0.32	0.2	5	10	< 0.5	2	0.02	< 0.5	< 1	5	50	0.17	< 10	< 1	0.03	< 10	0.01	26
Z-201	201	238	< 5	0.47	0.2	< 5	10	< 0.5	2	0.02	< 0.5	< 1	6	28	0.16	< 10	< 1	0.03	10	0.02	32
Z-202	201	238	< 5	0.88	0.2	< 5	30	< 0.5	2	0.05	< 0.5	< 1	17	32	0.59	< 10	1	0.07	10	0.13	51
Z-203	201	238	10	0.53	0.2	< 5	20	< 0.5	2	0.08	< 0.5	< 1	9	103	0.73	< 10	< 1	0.05	10	0.10	60
Z-204	201	238	< 5	0.97	0.2	< 5	40	< 0.5	2	0.06	0.5	< 1	18	76	0.36	< 10	< 1	0.05	< 10	0.07	27
Z-205	201	238	< 5	0.65	0.2	5	100	< 0.5	2	0.18	0.5	4	4	124	1.78	< 10	< 1	0.24	< 10	0.35	165
Z-206	201	238	< 5	0.80	< 0.2	5	20	< 0.5	2	0.07	< 0.5	< 1	7	57	0.10	< 10	< 1	0.05	< 10	0.06	10
Z-207	201	238	< 5	0.27	< 0.2	10	20	< 0.5	< 2	0.16	< 0.5	< 1	5	123	0.33	< 10	< 1	0.07	< 10	0.14	40
Z-208	201	238	10	0.04	< 0.2	10	< 10	< 0.5	< 2	0.44	1.5	< 1	< 1	210	0.13	< 10	< 1	0.02	< 10	0.09	14
Z-209	201	238	10	0.08	0.2	10	< 10	< 0.5	2	0.91	4.0	< 1	< 1	473	0.34	< 10	< 1	0.03	10	0.11	51
Z-210	201	238	< 5	0.29	1.6	< 5	10	< 0.5	< 2	1.19	3.5	< 1	2	644	0.37	< 10	< 1	0.03	10	0.09	12
Z-211	201	238	< 5	0.69	0.2	< 5	30	< 0.5	4	0.04	0.5	< 1	7	159	0.51	< 10	< 1	0.06	< 10	0.03	21

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

To: PACIFIC GEO-ROC EXPLORATION LTD.

256 - 409 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1T2

Project: MOLY-MAY
 Comments: CC: J.H. HAJEK

Page No. : 2-B
 Tot. Pages: 4
 Date : 12-JUL-81
 Invoice # : I-881818
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8818183

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
23805 Z-61 1545E	201	238	1	< 0.01	< 1	110	20	< 5	< 1	7	0.11	< 10	< 10	15	< 5	7
23905 Z-62 1545E	201	238	< 1	0.01	10	290	22	< 5	3	9	0.17	< 10	< 10	39	< 5	28
23805 Z-64 1565E	201	238	3	< 0.01	5	520	178	10	< 1	26	0.02	< 10	< 10	12	< 5	339
23805 Z-65 1565E	201	238	1	0.01	2	310	42	< 5	< 1	23	0.01	< 10	< 10	3	< 5	162
23805 Z-67 1565E	201	238	< 1	< 0.01	< 1	110	14	< 5	< 1	2	0.13	< 10	< 10	22	< 5	6
23805 Z-69A 1565E	201	238	< 1	< 0.01	13	350	16	< 5	3	5	0.30	< 10	< 10	124	< 5	65
23805 Z-69B 1565E	201	238	< 1	< 0.01	2	470	30	< 5	< 1	32	0.01	< 10	< 10	4	< 5	111
23805 Z-70 1565E	201	238	< 1	< 0.01	2	340	6	< 5	< 1	13	0.07	< 10	< 10	22	< 5	17
23805 Z-71 1545E	201	238	< 1	0.01	4	1100	20	< 5	< 1	8	0.03	< 10	< 10	16	< 5	42
23805 Z-72 1545E	201	238	< 1	< 0.01	3	620	24	< 5	< 1	5	0.20	< 10	< 10	39	< 5	22
23605 Z-73 1565E	201	238	< 1	< 0.01	4	360	18	< 5	< 1	3	0.17	< 10	< 10	43	< 5	21
24205 Z-137 1560E	201	238	< 1	0.01	1	620	10	< 5	< 1	1	< 0.01	< 10	< 10	1	< 5	15
24005 Z-181 1483E	201	238	< 1	< 0.01	6	490	22	< 5	< 1	42	< 0.01	< 10	< 10	2	< 5	100
24005 Z-182 1475E	201	238	< 1	< 0.01	< 1	100	10	< 5	< 1	4	0.16	< 10	< 10	56	< 5	17
24005 Z-183 1463C	201	238	< 1	< 0.01	2	920	126	10	< 1	17	0.01	< 10	< 10	14	< 5	198
24005 Z-184 1463E	201	238	< 1	< 0.01	19	680	20	< 5	4	5	0.23	< 10	< 10	107	< 5	31
24005 Z-185 1450E	201	238	< 1	0.01	4	340	48	5	< 1	21	0.02	< 10	< 10	12	< 5	227
25005 Z-190 1525E	201	238	2	0.01	5	700	44	< 5	1	9	0.17	< 10	< 10	33	< 5	30
Z-191 1525E	201	238	1	0.01	10	350	46	< 5	2	7	0.19	< 10	< 10	56	< 5	37
Z-192 1525E	201	238	1	< 0.01	3	1090	32	< 5	< 1	6	0.08	< 10	< 10	27	< 5	20
Z-193 1537E	201	238	< 1	0.01	5	1100	34	< 5	1	3	0.08	< 10	< 10	37	< 5	23
Z-194 1550E	201	238	< 1	< 0.01	32	380	30	< 5	3	8	0.18	< 10	< 10	114	< 5	79
Z-195 1563E	201	238	< 1	< 0.01	2	1340	18	< 5	< 1	6	0.01	< 10	< 10	12	< 5	30
Z-195B 1563E	201	238	< 1	< 0.01	3	1440	30	< 5	1	3	0.03	< 10	< 10	22	< 5	12
Z-196 1563E	201	238	< 1	< 0.01	8	400	32	< 5	2	5	0.13	< 10	< 10	36	< 5	26
Z-197 1570E	201	238	< 1	0.01	2	1380	26	< 5	< 1	8	0.03	< 10	< 10	10	< 5	13
Z-198 1582E	201	238	< 1	< 0.01	3	1030	22	< 5	1	10	0.05	< 10	< 10	23	< 5	28
Z-199 1600E	201	238	< 1	0.01	< 1	190	12	< 5	< 1	13	< 0.01	< 10	< 10	< 1	< 5	64
Z-200 1612E	201	238	1	< 0.01	< 1	170	16	< 5	< 1	3	0.05	< 10	< 10	8	< 5	5
Z-201 1615E	201	238	1	< 0.01	< 1	140	20	< 5	< 1	4	0.07	< 10	< 10	14	< 5	5
Z-202 1637E	201	238	< 1	< 0.01	< 1	100	16	< 5	2	8	0.13	< 10	< 10	38	< 5	10
Z-203 1650E	201	238	< 1	< 0.01	1	140	12	< 5	1	9	0.11	< 10	< 10	35	< 5	15
Z-204 1667E	201	238	< 1	0.01	4	440	18	< 5	< 1	9	0.05	< 10	< 10	14	< 5	13
Z-205 1675E	201	238	< 1	0.03	< 1	140	16	< 5	2	22	0.12	< 10	< 10	39	< 5	36
Z-206 1673E	201	238	3	0.06	2	1270	8	< 5	1	14	0.01	< 10	< 10	4	< 5	6
25005 Z-207 1700E	201	238	< 1	0.06	< 1	620	16	< 5	< 1	33	0.01	< 10	< 10	5	< 5	23
Z-208 1712E	201	238	< 1	0.03	< 1	350	16	< 5	< 1	37	< 0.01	< 10	< 10	< 1	< 5	82
Z-209 1715E	201	238	< 1	0.02	< 1	380	26	< 5	< 1	56	< 0.01	< 10	< 10	1	< 5	155
Z-210 1737E	201	238	3	0.02	1	860	30	< 5	< 1	87	< 0.01	< 10	< 10	1	< 5	107
25005 Z-211 1493E	201	238	1	< 0.01	1	470	30	< 5	< 1	8	0.08	< 10	< 10	22	< 5	30

CERTIFICATION: *B. Caughlin*
 D-25



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: PACIFIC GEO-ROC EXPLORATION LTD.

256 - 409 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1T2

Project: MDLY-MAY

Comments: CC: J.H. HAJEK

Page No. : 3-A
 Tot. Pages: 4
 Date : 12-JUL-88
 Invoice #: I-8818183
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8818183

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
Z-212	201	238	< 5	1.07	0.2	25	30	< 0.5	2	0.03	< 0.5	< 1	13	48	1.26	< 10	< 1	0.05	< 10	0.06	50
Z-213	201	238	5	0.90	0.6	18	30	< 0.5	< 2	0.02	< 0.5	< 1	9	105	0.71	< 10	< 1	0.06	< 10	0.04	27
Z-214	201	238	< 5	1.03	< 0.2	10	40	< 0.5	2	0.03	< 0.5	< 1	20	28	0.98	10	1	0.08	< 10	0.13	69
Z-215	201	238	< 5	0.13	< 0.2	5	30	< 0.5	< 2	0.45	0.5	< 1	< 1	24	0.08	< 10	1	0.03	< 10	0.04	15
Z-216	201	238	10	1.75	< 0.2	20	60	< 0.5	2	0.07	< 0.5	4	32	61	2.74	10	< 1	0.12	< 10	0.38	164
Z-217	201	238	195	0.38	< 0.2	10	10	< 0.5	4	0.01	< 0.5	< 1	2	94	0.40	< 10	1	0.04	< 10	0.01	39
Z-218	201	238	30	0.22	0.2	< 5	< 10	< 0.5	< 2	0.01	< 0.5	< 1	2	141	0.30	< 10	< 1	0.03	10	0.01	38
Z-219	217	238	10	0.50	1.0	10	30	< 0.5	4	0.15	2.5	< 1	25	282	0.58	< 10	1	0.08	< 10	0.04	71
Z-220	201	238	< 5	0.34	< 0.2	< 5	10	< 0.5	2	< 0.01	< 0.5	< 1	6	11	0.12	< 10	< 1	0.01	10	0.01	20
Z-221	201	238	< 5	0.99	0.4	15	20	< 0.5	< 2	0.01	< 0.5	2	25	32	1.58	10	< 1	0.03	< 10	0.05	38
Z-222	201	238	< 5	0.20	< 0.2	< 5	< 10	< 0.5	< 2	0.06	< 0.5	< 1	5	2	0.12	< 10	< 1	0.01	< 10	< 0.01	73
Z-223	217	238	15	0.16	< 0.2	5	10	< 0.5	< 2	0.12	1.0	< 1	41	157	0.20	< 10	1	0.04	< 10	0.02	20
Z-224	201	238	< 5	0.39	1.4	5	50	< 0.5	< 2	0.12	1.5	< 1	1	82	0.11	< 10	2	0.01	< 10	0.02	11
Z-225	201	238	< 5	0.78	< 0.2	< 5	20	< 0.5	< 2	< 0.01	< 0.5	< 1	9	8	0.52	10	1	0.03	10	0.02	25
Z-226	201	238	40	0.20	0.2	10	20	< 0.5	< 2	0.05	1.0	< 1	7	109	1.11	< 10	< 1	0.03	< 10	0.02	52
Z-227	201	238	< 5	0.30	< 0.2	5	10	< 0.5	< 2	< 0.01	< 0.5	< 1	6	30	0.87	< 10	< 1	0.03	< 10	0.01	46
Z-228	201	238	< 5	0.34	< 0.2	< 5	10	< 0.5	< 2	0.02	< 0.5	< 1	3	16	0.23	< 10	< 1	0.03	< 10	0.01	36
Z-229	217	238	10	0.11	< 0.2	5	< 10	< 0.5	< 2	0.32	1.0	< 1	3	64	0.09	< 10	1	0.02	< 10	0.03	19
Z-230	201	238	< 5	0.34	< 0.2	10	30	< 0.5	< 2	0.05	1.0	< 1	2	417	0.67	< 10	< 1	0.03	< 10	0.02	75
Z-231	201	238	< 5	0.39	< 0.2	< 5	10	< 0.5	< 2	0.01	< 0.5	< 1	4	11	0.09	< 10	< 1	0.02	< 10	0.01	22
Z-232	201	238	10	0.45	< 0.2	< 5	20	< 0.5	2	0.01	< 0.5	< 1	7	13	0.12	< 10	2	0.03	< 10	0.02	27
Z-233	201	238	< 5	0.12	< 0.2	5	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	16	12	0.07	< 10	2	0.02	20	0.03	4
Z-234	201	238	30	1.20	1.2	5	40	< 0.5	22	0.02	0.5	2	15	301	0.65	10	< 1	0.07	< 10	0.03	36
Z-235	201	238	20	0.71	0.2	10	50	< 0.5	2	0.15	1.0	< 1	12	555	1.15	< 10	< 1	0.06	< 10	0.05	132
Z-235 C	201	238	25	0.13	0.2	< 5	< 10	< 0.5	< 2	0.03	< 0.5	< 1	2	31	0.41	< 10	< 1	0.03	< 10	< 0.01	89
Z-236	201	238	< 5	0.27	< 0.2	< 5	20	< 0.5	< 2	0.05	< 0.5	1	3	30	0.34	< 10	< 1	0.04	< 10	0.03	108
Z-237	201	238	20	0.28	< 0.2	10	10	< 0.5	2	0.04	0.5	6	12	118	1.24	< 10	< 1	0.03	< 10	0.06	167
Z-238	201	238	30	0.16	< 0.2	15	< 10	< 0.5	< 2	0.02	< 0.5	< 1	8	95	1.12	< 10	< 1	0.02	< 10	0.01	77
Z-239	201	238	30	0.16	0.2	5	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	1	82	0.17	< 10	< 1	0.01	< 10	< 0.01	29
Z-240	201	238	15	0.26	0.2	5	< 10	< 0.5	2	0.01	< 0.5	< 1	3	210	0.47	< 10	< 1	0.03	< 10	0.01	44
Z-241	201	238	< 5	0.60	0.2	10	20	< 0.5	< 2	0.02	< 0.5	3	12	57	2.02	< 10	< 1	0.04	10	0.04	62
Z-242	201	238	30	1.80	1.8	45	40	< 0.5	< 2	0.07	< 0.5	< 1	11	580	2.12	< 10	< 1	0.05	< 10	0.04	107
Z-243	201	238	20	2.72	0.6	10	90	< 0.5	2	0.18	< 0.5	8	49	83	2.54	< 10	1	0.14	10	0.78	271
Z-244	201	238	20	1.12	< 0.2	10	30	< 0.5	< 2	0.11	< 0.5	< 1	23	161	1.63	< 10	< 1	0.09	10	0.16	59
Z-245	217	238	10	0.60	0.2	10	50	< 0.5	< 2	0.20	2.0	< 1	10	51	0.30	< 10	< 1	0.03	< 10	0.02	75
Z-246	201	238	40	0.18	0.2	15	20	< 0.5	< 2	0.32	1.5	< 1	2	1135	0.86	< 10	< 1	0.04	< 10	0.01	17
Z-247	201	238	20	0.24	< 0.2	5	10	< 0.5	< 2	0.15	1.5	< 1	2	259	0.21	< 10	< 1	0.02	< 10	< 0.01	10
Z-248	217	238	< 5	0.23	< 0.2	5	60	< 0.5	< 2	0.34	2.5	< 1	5	177	0.17	< 10	< 1	0.02	< 10	0.03	92
Z-249	201	238	60	0.37	0.2	20	40	< 0.5	2	0.23	1.0	4	13	680	1.51	< 10	< 1	0.08	< 10	0.19	91
Z-250	201	238	20	0.87	< 0.2	35	70	< 0.5	8	0.25	0.5	8	29	360	2.25	< 10	< 1	0.07	10	0.48	180

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 984-0221

To: PACIFIC GEO-ROC EXPLORATION LTD.

256 - 409 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1T2

Project: MDLY-MAY
 Comments: CC: J.H. HAJEK

Page No. : 3-B
 Tot. Pages: 4
 Date : 12-JUL-88
 Invoice # : I-8818183
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8818183

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Ti	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Z-212	201	238	2	< 0.01	1	250	18	< 5	1	4	0.11	< 10	< 10	80	< 5	17
Z-213	201	238	< 1	< 0.01	< 1	470	20	< 5	< 1	4	0.07	< 10	< 10	26	< 5	22
Z-214	201	238	< 1	< 0.01	2	220	24	< 5	1	6	0.13	< 10	< 10	46	< 5	13
Z-215	201	238	< 1	0.01	< 1	400	6	< 5	< 1	37	< 0.01	< 10	< 10	2	< 5	39
Z-216	201	238	2	< 0.01	13	360	18	< 5	3	9	0.15	< 10	< 10	91	< 5	41
Z-217	201	238	10	< 0.01	< 1	520	16	< 5	< 1	3	0.06	< 10	< 10	11	< 5	11
Z-218	201	238	1	< 0.01	< 1	110	16	< 5	< 1	2	0.02	< 10	< 10	5	< 5	16
Z-219	217	238	1	0.01	1	680	44	< 5	< 1	12	0.11	< 10	< 10	18	< 5	59
Z-220	201	238	26	< 0.01	< 1	80	16	< 5	< 1	1	0.12	< 10	< 10	16	< 5	4
Z-221	201	238	16	< 0.01	2	230	26	< 5	1	3	0.40	< 10	< 10	110	< 5	13
Z-222	201	238	1	< 0.01	< 1	130	10	< 5	< 1	5	0.13	< 10	< 10	7	< 5	3
Z-223	217	238	< 1	< 0.01	< 1	280	12	< 5	< 1	33	< 0.01	< 10	< 10	1	< 5	46
Z-224	201	238	< 1	< 0.01	1	410	4	< 5	< 1	47	< 0.01	< 10	< 10	1	< 5	88
Z-225	201	238	< 1	< 0.01	< 1	110	8	< 5	1	2	0.08	< 10	< 10	38	< 5	6
Z-226	201	238	< 1	< 0.01	2	200	24	< 5	< 1	15	0.05	< 10	< 10	24	< 5	50
Z-227	201	238	< 1	< 0.01	2	80	12	< 5	< 1	2	0.04	< 10	< 10	37	< 5	12
Z-228	201	238	< 1	< 0.01	< 1	200	12	< 5	< 1	3	0.03	< 10	< 10	7	< 5	10
Z-229	217	238	< 1	< 0.01	< 1	330	6	< 5	< 1	30	< 0.01	< 10	< 10	< 1	< 5	58
Z-230	201	238	< 1	< 0.01	< 1	280	32	< 5	< 1	11	0.04	< 10	< 10	9	< 5	74
Z-231	201	238	< 1	< 0.01	< 1	50	10	< 5	< 1	2	0.05	< 10	< 10	10	< 5	7
Z-232	201	238	< 1	< 0.01	< 1	70	14	< 5	< 1	2	0.12	< 10	< 10	13	< 5	6
Z-233	201	238	1	< 0.01	1	50	16	< 5	< 1	< 1	0.05	< 10	< 10	6	< 5	4
Z-234	201	238	2	< 0.01	< 1	620	52	< 5	1	5	0.37	< 10	< 10	38	< 5	35
Z-235	201	238	< 1	< 0.01	< 1	400	28	< 5	< 1	16	0.11	< 10	< 10	35	< 5	58
Z-235 C	201	238	2	0.01	< 1	120	< 2	< 5	< 1	2	0.01	< 10	< 10	4	5	15
Z-236	201	238	< 1	< 0.01	< 1	120	6	< 5	1	7	0.35	< 10	< 10	35	5	6
Z-237	201	238	2	0.01	3	170	8	< 5	1	7	0.28	< 10	< 10	61	< 5	28
Z-238	201	238	8	< 0.01	< 1	160	2	< 5	< 1	1	0.06	< 10	< 10	24	5	17
Z-239	201	238	2	< 0.01	< 1	110	2	< 5	< 1	< 1	0.02	< 10	< 10	3	< 5	4
Z-240	201	238	2	< 0.01	< 1	260	10	< 5	< 1	2	0.04	< 10	< 10	8	< 5	26
Z-241	201	238	< 1	< 0.01	2	110	< 2	< 5	1	4	0.09	< 10	< 10	70	< 5	12
Z-242	201	238	< 1	< 0.01	2	1660	26	< 5	< 1	10	0.01	< 10	< 10	14	< 5	40
Z-243	201	238	< 1	0.01	27	710	8	< 5	4	15	0.08	< 10	< 10	47	< 5	70
Z-244	201	238	< 1	< 0.01	3	390	2	< 5	1	10	0.08	< 10	< 10	65	< 5	17
Z-245	217	238	< 1	< 0.01	1	540	< 2	< 5	< 1	18	0.02	< 10	< 10	6	< 5	95
Z-246	201	238	3	0.01	1	600	52	5	< 1	13	< 0.01	< 10	< 10	3	< 5	96
Z-247	201	238	3	< 0.01	< 1	310	6	< 5	< 1	6	< 0.01	< 10	< 10	1	< 5	48
Z-248	217	238	< 1	< 0.01	1	570	< 2	< 5	< 1	19	< 0.01	< 10	< 10	1	< 5	98
Z-249	201	238	114	0.03	3	490	40	< 5	2	28	0.17	< 10	< 10	32	< 5	49
Z-250	201	238	15	0.05	10	650	14	< 5	2	56	0.30	< 10	< 10	65	< 5	

CERTIFICATION

B. Caughlin



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: PACIFIC GEO-ROC EXPLORATION LTD.

256 - 409 GRANVILLE ST.
VANCOUVER, BC
V6C 1T2

Project: MOLY-MAY
Comments: CC: J.H. HAJEK

Page No. : 4-B
Tot. Pages: 4
Date : 12-JUL-88
Invoice # : I-8818183
P.O. # : NONE


Moly May

CERTIFICATE OF ANALYSIS A8818183

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Z-250C	201	238	31	0.14	28	860	14	< 5	7	118	0.59	< 10	< 10	142	< 5	109

D-28

CERTIFICATION : *B. Caughlin*



MOLY MAY PROPERTY
 ANYOX, B.C.
 103P/5W


INSERT #1

GLEYSOLIC SOILS
 SAMPLES LOCATION

- 5m centre, 10m spacing
- 12.5m centre, 100m line

Fig. 06.

Scale 1:1000





Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 944-0221

To: PACIFIC GEO-ROC EXPLORATION LTD.

256 - 409 GRANVILLE ST.
VANCOUVER, BC
V6C 1T2

A8818185

Comments: CC: J. H. HAJEK

CERTIFICATE A8818185

PACIFIC GEO-ROC EXPLORATION LTD

PROJECT : MOLY-MAY

P.O.# : NONE

Samples submitted to our lab in Vancouver, BC.

This report was printed on 13-JUL-88.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	99	Dry, sieve -80 mesh, soil, sed.
217	12	Geochem: Ring only, no crush/split
238	111	ICP: Aqua regia digestion

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
100	111	Au ppb: Fuse 10 g sample	FA-AAS	5	10000
921	111	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
922	111	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
923	111	As ppm: 32 element, soil & rock	ICP-AES	5	10000
924	111	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
925	111	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
926	111	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
927	111	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
928	111	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
929	111	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
930	111	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
931	111	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
932	111	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
933	111	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
934	111	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
935	111	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
936	111	La ppm: 32 element, soil & rock	ICP-AES	10	10000
937	111	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
938	111	Mn ppm: 32 element, soil & rock	ICP-AES	1	10000
939	111	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
940	111	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
941	111	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
942	111	P ppm: 32 element, soil & rock	ICP-AES	10	10000
943	111	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
944	111	Sb ppm: 32 element, soil & rock	ICP-AES	5	10000
945	111	Sc ppm: 32 elements, soil & rock	ICP-AES	1	100000
946	111	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
947	111	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
948	111	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
949	111	U ppm: 32 element, soil & rock	ICP-AES	10	10000
950	111	V ppm: 32 element, soil & rock	ICP-AES	1	10000
951	111	W ppm: 32 element, soil & rock	ICP-AES	5	10000
952	111	Zn ppm: 32 element, soil & rock	ICP-AES	1	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 BROOKSBANK AVE. NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: PACIFIC GEO-ROC EXPLORATION LTD.

256 - 409 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1T2


Project: MDLY-MAY
 Comments: CC: J H HAJEK

Page No. : 3-A
 Tot. Pages: 3
 Date : 13-JUL-88
 Invoice # : I-8818185
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8818185

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al	Ag	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
			FA+AA	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm
2300S 1338E	201	238	< 5	0.47	< 0.2	5	20	< 0.5	< 2	0.01	< 0.5	1	12	27	0.23	< 10	< 1	0.03	< 10	0.02	13
2300S 1450E	201	238	15	0.17	< 0.2	5	20	< 0.5	< 2	0.53	4.0	4	5	922	0.48	< 10	< 1	0.04	< 10	0.03	16
2300S 1463E	201	238	20	0.40	< 0.2	< 5	50	< 0.5	< 2	0.29	3.0	3	8	902	0.66	< 10	< 1	0.06	< 10	0.05	62
2300S 1475E	201	238	< 5	0.96	< 0.2	10	70	< 0.5	< 2	0.02	< 0.5	3	103	33	1.82	< 10	< 1	0.26	< 10	0.55	75
2300S 1483E	201	238	10	0.98	0.4	10	90	< 0.5	< 2	0.05	1.0	5	66	597	1.44	< 10	< 1	0.15	< 10	0.29	58
2300S 1512E	201	238	< 5	1.68	< 0.2	10	30	< 0.5	< 2	0.02	< 0.5	3	63	27	1.22	< 10	< 1	0.05	< 10	0.25	64
2300S 1525E	201	238	< 5	1.56	< 0.2	5	30	< 0.5	< 2	0.03	< 0.5	4	58	48	1.06	< 10	< 1	0.07	< 10	0.42	107
2300S 1550E	201	238	< 5	0.67	< 0.2	5	30	< 0.5	< 2	0.02	< 0.5	1	22	34	0.39	< 10	< 1	0.05	< 10	0.09	31
2300S 1563E	201	238	5	0.72	0.4	20	30	< 0.5	< 2	0.04	< 0.5	1	22	117	0.67	< 10	< 1	0.06	< 10	0.04	25
2300S 1575E	201	238	< 5	1.30	0.8	10	40	< 0.5	< 2	0.07	0.5	2	25	193	0.77	< 10	< 1	0.09	< 10	0.03	27
2300S 1583E	201	238	< 5	1.27	< 0.2	15	70	< 0.5	< 2	0.08	< 0.5	4	50	171	1.09	< 10	< 1	0.13	< 10	0.31	87
2300S 1600E	201	238	< 5	0.92	1.4	20	40	< 0.5	< 2	0.04	0.5	2	28	164	1.51	< 10	3	0.09	< 10	0.07	47
2300S 1612E	201	238	5	1.18	< 0.2	10	60	< 0.5	< 2	0.03	< 0.5	1	35	79	0.43	< 10	< 1	0.11	< 10	0.09	32
2300S 1625E	201	238	< 5	0.78	< 0.2	< 5	40	< 0.5	< 2	0.02	< 0.5	1	28	49	0.45	< 10	< 1	0.07	< 10	0.06	25
2300S 1638E	201	238	10	0.89	1.4	< 5	40	< 0.5	< 2	0.05	0.5	2	23	204	1.13	< 10	< 1	0.07	< 10	0.05	18
2300S 1650E	201	238	< 5	0.65	< 0.2	< 5	50	< 0.5	< 2	0.02	< 0.5	1	57	50	0.81	< 10	< 1	0.23	< 10	0.31	40
2300S 1630EA	201	238	< 5	0.32	< 0.2	5	10	< 0.5	< 2	0.01	< 0.5	1	18	64	0.33	< 10	< 1	0.03	10	0.02	7
2300S 1675E	201	238	< 5	1.07	0.2	5	70	< 0.5	< 2	0.10	< 0.5	3	43	89	1.15	< 10	< 1	0.16	< 10	0.33	107
2300S 1683E	201	238	< 5	2.06	2.0	40	120	< 0.5	< 2	0.07	< 0.5	12	59	244	3.04	< 10	< 1	0.15	10	0.45	251
2300S 1700E	201	238	< 5	2.01	< 0.2	45	110	< 0.5	< 2	0.07	< 0.5	16	106	82	3.19	< 10	< 1	0.18	10	0.84	354
2300S 1712E	201	238	< 5	2.55	< 0.2	< 5	110	0.5	< 2	0.05	< 0.5	10	183	21	2.52	< 10	< 1	0.14	< 10	1.20	172
2300S 1720E	201	238	35	0.22	0.4	< 5	160	< 0.5	< 2	0.56	5.5	4	6	1605	1.09	< 10	< 1	0.04	< 10	0.09	28
2300S 1725E	201	238	< 5	0.46	< 0.2	5	40	< 0.5	< 2	0.50	< 0.5	15	23	416	1.30	< 10	2	0.12	10	0.53	653
2300S 1738E	201	238	< 5	2.69	< 0.2	5	180	0.5	< 2	0.34	< 0.5	25	110	81	3.07	< 10	< 1	0.57	10	1.12	1585
2300S 1750E	201	238	5	1.79	< 0.2	5	190	0.5	< 2	0.53	< 0.5	10	73	77	2.52	< 10	1	0.51	10	1.19	328
2400S 1400E	201	238	5	0.52	< 0.4	10	30	< 0.5	< 2	0.05	1.0	2	12	321	0.74	< 10	< 1	0.06	< 10	0.03	88
2400S 1410E	201	238	< 5	0.22	< 0.2	< 5	10	< 0.5	< 2	0.56	4.0	2	3	73	0.09	< 10	< 1	0.03	< 10	0.02	45
2400S 1425E	201	238	5	0.10	< 0.2	< 5	10	< 0.5	< 2	0.04	1.0	2	4	486	0.75	< 10	< 1	0.03	< 10	0.01	82
2400S 1438E	201	238	10	0.18	0.6	< 5	40	< 0.5	< 2	0.10	1.5	2	2	512	0.58	< 10	4	0.04	< 10	0.01	56
2600S BLOOD	201	238	50	0.51	1.4	20	70	< 0.5	< 2	0.14	2.5	7	23	934	2.36	< 10	1	0.09	< 10	0.06	58
2600S BLOOD	201	238	< 5	0.49	< 0.2	10	60	< 0.5	< 2	0.03	< 0.5	2	58	134	0.63	< 10	1	0.10	< 10	0.20	22

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0221

To: PACIFIC GEO-ROC EXPLORATION LTD.


256 - 409 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1T2


Project: MOLY-MAY
 Comments: CC: J. H. HAJEK

Page No.: 3-B
 Tot. Pages: 3
 Date: 13-JUL-88
 Invoice #: I-8818185
 P.O. #: NONE

CERTIFICATE OF ANALYSIS A8818185

SAMPLE DESCRIPTION	PREP CODE	Mb ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
2300S 1338E	201 238	12	0.01	2	100	18	< 5	< 1	2	0.23	< 10	< 10	27	< 5	7
2300S 1450E	201 238	2	0.01	3	520	38	< 5	< 1	24	0.01	< 10	< 10	3	5	181
2300S 1463E	201 238	5	0.01	5	720	42	< 5	< 1	13	0.05	< 10	< 10	11	< 5	59
2300S 1475E	201 238	1	0.01	9	200	2	< 5	3	2	0.20	< 10	< 10	60	< 5	24
2300S 1483E	201 238	4	0.02	15	540	38	< 5	2	11	0.16	< 10	< 10	41	< 5	71
2300S 1512E	201 238	5	0.01	15	230	24	< 5	2	3	0.38	< 10	< 10	69	< 5	61
2300S 1525E	201 238	2	0.01	15	260	20	< 5	3	4	0.29	< 10	< 10	50	< 5	44
2300S 1550E	201 238	7	0.02	3	160	6	< 5	1	3	0.17	< 10	< 10	1	< 5	10
2300S 1563E	201 238	5	0.01	5	490	36	< 5	1	6	0.23	< 10	< 10	26	< 5	14
2300S 1575E	201 238	10	0.02	3	1460	28	< 5	< 1	10	0.14	< 10	< 10	24	< 5	29
2300S 1583E	201 238	4	0.02	14	580	22	< 5	2	10	0.12	< 10	< 10	33	< 5	43
2300S 1600E	201 238	7	0.01	5	1010	20	< 5	1	6	0.14	< 10	< 10	34	< 5	26
2300S 1612E	201 238	6	0.01	5	500	26	< 5	1	6	0.13	< 10	< 10	26	< 5	15
2300S 1625E	201 238	5	0.01	2	250	12	< 5	< 1	4	0.08	< 10	< 10	21	< 5	9
2300S 1638E	201 238	2	0.03	5	820	22	< 5	< 1	8	0.04	< 10	< 10	21	5	16
2300S 1650E	201 238	2	0.01	9	160	12	< 5	1	3	0.10	< 10	< 10	18	< 5	21
2300S 1650EA	201 238	1	0.01	2	190	4	< 5	< 1	2	0.05	< 10	< 10	12	< 5	5
2300S 1675E	201 238	2	0.01	10	490	10	< 5	2	12	0.07	< 10	< 10	31	5	31
2300S 1683E	201 238	3	0.02	20	560	16	< 5	3	11	0.08	< 10	< 10	65	5	48
2300S 1700E	201 238	3	0.01	29	340	4	< 5	6	8	0.19	< 10	< 10	87	5	80
2300S 1712E	201 238	1	0.01	39	150	6	< 5	9	6	0.24	< 10	< 10	81	5	86
2300S 1720E	201 238	4	0.03	4	490	72	5	< 1	41	< 0.01	< 10	< 10	4	< 5	190
2300S 1725E	201 238	3	0.30	18	510	124	< 5	1	112	0.03	< 10	< 10	18	5	103
2300S 1738E	201 238	3	0.24	51	1970	14	< 5	7	51	0.12	10	10	67	10	115
2300S 1750E	201 238	1	0.36	44	950	12	< 5	7	61	0.12	< 10	20	58	10	112
2400S 1400E	201 238	2	0.01	2	220	28	< 5	< 1	8	0.16	< 10	< 10	35	< 5	46
2400S 1410E	201 238	1	0.01	3	490	< 2	< 5	< 1	26	< 0.01	< 10	< 10	1	< 5	132
2400S 1425E	201 238	1	0.01	1	150	28	< 5	< 1	3	0.01	< 10	< 10	8	< 5	63
2400S 1438E	201 238	2	0.01	5	440	20	< 5	< 1	12	0.01	< 10	< 10	4	< 5	97
2600S BLOODAD	201 238	1	0.01	9	970	44	< 5	< 1	17	0.02	< 10	< 10	28	5	125
2600S BLOODAL	201 238	1	0.01	8	320	12	< 5	1	4	0.10	< 10	< 10	19	< 5	15


 CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-1C1
PHONE (604) 984-0221

To: PACIFIC GEO-ROC EXPLORATION LTD.

256 - 409 GRANVILLE ST.
VANCOUVER, BC
V6C 1T2

A8817788

Comments: CC: PACIFIC GEO-ROC EXPL. LTD

CERTIFICATE A8817788

PACIFIC GEO-ROC EXPLORATION LTD
PROJECT : MOLY MAY
P.O.# : NONE

Samples submitted to our lab in Vancouver, BC.
This report was printed on 11-JUL-88.

SAMPLE PREPARATION


CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
202	59	Dry, sieve -80 mesh, save reject
238	59	ICP: Aqua regia digestion

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
100	59	Au ppb: Fuse 10 g sample	FA-AAS	5	10000
921	59	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
922	59	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
923	59	As ppm: 32 element, soil & rock	ICP-AES	5	10000
924	59	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
925	59	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
926	59	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
927	59	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
928	59	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
929	59	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
930	59	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
931	59	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
932	59	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
933	59	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
934	59	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
934	59	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
935	59	La ppm: 32 element, soil & rock	ICP-AES	10	10000
936	59	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
937	59	Mn ppm: 32 element, soil & rock	ICP-AES	1	10000
938	59	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
939	59	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
940	59	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
941	59	P ppm: 32 element, soil & rock	ICP-AES	10	10000
942	59	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
943	59	Sb ppm: 32 element, soil & rock	ICP-AES	5	10000
944	59	Se ppm: 32 elements, soil & rock	ICP-AES	1	10000
944	59	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
945	59	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
946	59	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
947	59	U ppm: 32 element, soil & rock	ICP-AES	10	10000
948	59	V ppm: 32 element, soil & rock	ICP-AES	1	10000
949	59	W ppm: 32 element, soil & rock	ICP-AES	5	10000
950	59	Zn ppm: 32 element, soil & rock	ICP-AES	1	10000



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 111 BROOKSBANK AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-2C1
 PHONE (604) 984-0211

To: PACIFIC GEO-ROC EXPLORATION LTD.

256 - 409 GRANVILLE ST.
 VANCOUVER, BC
 V6C 1T2

Project: MOLY MAY

Comments: CC: PACIFIC GEO-ROC EXPL LTD

Page No. : 1-A
 Tot. Pages: 2
 Date : 11-JUL-88
 Invoice # : 1-8817788
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8817788

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
2000S 1400E	202 238	< 5	1.46	0.2	< 5	80	< 0.5	< 2	0.47	3.5	15	41	32	2.08	< 10	< 1	0.17	< 10	0.91	257
2000S 1425E A-2	202 238	< 5	0.18	0.2	< 5	70	< 0.5	< 2	0.44	4.0	2	< 1	235	0.18	< 10	< 1	0.04	< 10	0.04	17
2000S 1425E B-C	202 238	< 5	2.23	0.2	< 5	240	< 0.5	< 2	0.07	< 0.5	6	222	8	1.95	< 10	< 1	0.40	< 10	1.35	198
2000S 1450E A-2	202 238	20	0.13	0.4	< 5	100	< 0.5	< 2	0.76	2.5	< 1	< 1	262	0.15	< 10	< 1	0.01	< 10	0.06	17
2000S 1650E B-C	202 238	20	1.57	0.2	< 5	50	< 0.5	< 2	0.11	< 0.5	3	38	7	1.52	< 10	< 1	0.08	< 10	0.59	187
2000S 1475E A-B	202 238	5	5.46	0.4	< 5	120	< 0.5	< 2	0.08	0.5	10	75	35	4.64	< 10	< 1	0.14	< 10	0.89	337
2000S 1475E B-2	202 238	10	5.74	0.6	< 5	170	< 0.5	< 2	0.07	< 0.5	11	82	31	5.96	< 10	2	0.14	< 10	0.91	446
2000S 1500E A-1	202 238	5	0.29	0.4	< 5	60	< 0.5	< 2	0.38	3.0	1	1	290	0.43	< 10	< 1	0.04	< 10	0.05	21
2000S 1500E B-2	202 238	5	3.82	0.2	< 5	110	< 0.5	< 2	0.19	< 0.5	20	66	39	4.24	< 10	< 1	0.15	10	0.93	998
2050S 1500E B-C	202 238	< 5	3.02	0.2	< 5	160	< 0.5	< 2	0.10	< 0.5	10	62	44	3.56	< 10	< 1	0.18	< 10	0.97	485
2100S 1425 B-C	202 238	< 5	0.78	0.2	< 5	30	< 0.5	8	0.02	0.5	1	66	60	0.78	< 10	< 1	0.03	< 10	0.19	47
2100S 1435E	202 238	< 5	2.52	0.2	< 5	90	< 0.5	< 2	0.16	0.5	7	61	75	3.21	< 10	< 1	0.16	< 10	1.06	356
2100S 1480E B-C	202 238	< 5	1.82	0.2	15	80	< 0.5	< 2	0.07	< 0.5	3	47	104	4.01	< 10	< 1	0.05	< 10	0.24	141
2100S 1512E	202 238	30	0.20	0.2	< 5	10	< 0.5	2	0.01	< 0.5	< 1	< 1	44	0.11	< 10	< 1	0.01	10	0.01	42
2100S 1525	202 238	5	0.03	0.2	< 5	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	< 1	21	0.11	< 10	< 1	< 0.01	10	< 0.01	45
2100S 1538	202 238	< 5	0.90	0.2	< 5	40	< 0.5	2	0.04	0.5	1	14	36	0.55	< 10	< 1	0.07	< 10	0.09	47
2100S 1550 A	202 238	< 5	0.76	0.2	< 5	40	< 0.5	< 2	0.04	< 0.5	< 1	12	28	0.18	< 10	< 1	0.05	< 10	0.05	23
2100S 1550 C	202 238	5	1.81	0.2	< 5	80	< 0.5	< 2	0.12	< 0.5	5	40	20	2.27	< 10	< 1	0.11	< 10	0.67	277
2100S 1565E	202 238	< 5	0.56	0.2	< 5	30	< 0.5	< 2	0.05	< 0.5	< 1	8	37	0.10	< 10	< 1	0.04	< 10	0.02	13
2100S 1575E	202 238	< 5	3.35	0.4	< 5	120	< 0.5	< 2	0.39	0.5	9	65	43	2.25	< 10	< 1	0.15	10	0.85	351
2100S 1588E	202 238	10	0.58	0.2	< 5	30	< 0.5	< 2	0.02	< 0.5	1	10	206	0.58	< 10	< 1	0.03	< 10	0.05	71
2100S 1600E	202 238	10	1.40	0.4	< 5	50	< 0.5	< 2	0.06	< 0.5	2	32	65	1.16	< 10	< 1	0.07	< 10	0.23	124
2100S 1612E	202 238	5	0.98	0.4	< 5	70	< 0.5	< 2	0.11	0.5	1	21	188	0.73	< 10	< 1	0.10	< 10	0.09	46
2100S 1625E	202 238	< 5	1.21	0.8	< 5	50	< 0.5	< 2	0.04	< 0.5	< 1	27	42	0.19	< 10	< 1	0.07	< 10	0.05	25
2100S 1638E B-6	202 238	< 5	0.81	0.2	< 5	50	< 0.5	< 2	0.06	0.5	< 1	16	36	0.45	< 10	< 1	0.09	< 10	0.06	37
2100S 1650E	202 238	< 5	2.68	0.2	< 5	200	< 0.5	< 2	0.29	< 0.5	11	52	37	3.91	< 10	< 1	0.22	< 10	1.21	507
2100S 1662E B-2	202 238	< 5	1.75	0.2	< 5	90	< 0.5	< 2	0.12	0.5	5	49	71	2.08	< 10	< 1	0.14	< 10	0.63	250
2100S 1675E	202 238	< 5	2.02	< 0.2	< 5	100	< 0.5	< 2	0.07	< 0.5	5	56	87	2.52	10	< 1	0.14	< 10	0.45	250
2100S 1700E	202 238	< 5	0.72	0.2	< 5	30	< 0.5	< 2	0.04	< 0.5	4	64	59	1.46	10	< 1	0.03	< 10	0.08	96
2100S 1700E B-C	202 238	< 5	2.18	0.2	< 5	80	< 0.5	< 2	0.12	0.5	7	51	63	3.18	< 10	< 1	0.15	< 10	0.94	312
2100S 1712E C	202 238	< 5	0.56	0.2	< 5	20	< 0.5	< 2	0.01	< 0.5	< 1	7	22	0.17	< 10	< 1	0.02	< 10	0.03	16
2100S 1725E	202 238	< 5	0.71	0.2	< 5	20	< 0.5	< 2	0.03	< 0.5	< 1	7	13	0.35	10	< 1	0.02	< 10	0.05	32
2100S 1750E B-2	202 238	< 5	3.34	0.2	< 5	140	< 0.5	< 2	0.07	0.5	6	142	59	2.98	< 10	< 1	0.20	< 10	0.83	287
2100S 1765E B-C	202 238	< 5	2.81	0.4	< 5	30	< 0.5	< 2	0.06	1.5	3	51	34	1.38	< 10	< 1	0.02	< 10	0.33	437
2100S 1773E A-B	202 238	< 5	0.97	0.2	< 5	60	< 0.5	< 2	0.05	< 0.5	< 1	< 1	47	2.07	< 10	< 1	0.10	< 10	0.46	147
2100S 1773E B-C	202 238	< 5	3.70	0.2	< 5	90	< 0.5	< 2	0.02	< 0.5	3	9	71	5.52	< 10	< 1	0.08	< 10	0.45	190
2100S 1788E B-2	202 238	< 5	2.17	0.2	< 5	110	< 0.5	< 2	0.02	< 0.5	2	119	20	3.51	< 10	< 1	0.31	10	0.70	160
2100S 1795E B-C	202 238	< 5	1.07	0.2	< 5	50	< 0.5	< 2	0.01	< 0.5	1	126	3	3.32	< 10	< 1	0.08	< 10	0.44	86
2400S 0-10 C	202 238	55	1.11	1.0	20	50	< 0.5	< 2	0.16	1.5	5	12	1310	2.30	< 10	< 1	0.06	< 10	0.07	43
2400S 10-20 E	202 238	< 5	1.15	0.2	5	70	< 0.5	< 2	0.07	< 0.5	2	28	35	1.52	10	< 1	0.13	10	0.35	112

CERTIFICATION :

B. Campbell



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: PACIFIC GEO-ROC EXPLORATION LTD.

256 - 409 GRANVILLE ST.
VANCOUVER, BC
V6C 1T2

Project: MOLY MAY

Comments: CC: PACIFIC GEO-ROC EXPL. LTD

Page No. : 1-B

Tot. Pages: 2

Date : 11-JUL-88

Invoice #: I-8817788

P.O. #: NONE

CERTIFICATE OF ANALYSIS A8817788

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
2000S 1400E	202 238	23	0.07	58	910	6	< 5	4	45	0.08	< 10	< 10	48	5	120
2000S 1425E A-2	202 238	< 1	0.01	3	360	6	< 5	< 1	34	< 0.01	< 10	< 10	1	5	133
2000S 1425E B-C	202 238	1	0.01	34	230	< 2	< 5	8	7	0.23	< 10	< 10	80	5	60
2000S 1450E A-2	202 238	< 1	0.01	3	390	10	< 5	< 1	66	< 0.01	< 10	< 10	1	5	187
2000S 1650E B-C	202 238	1	0.01	15	120	6	< 5	3	10	0.14	< 10	< 10	49	5	38
2000S 1475E A-B	202 238	1	0.01	43	390	2	< 5	7	8	0.10	< 10	< 10	79	10	140
2000S 1475E B-2	202 238	3	0.01	43	290	8	< 5	9	9	0.12	< 10	< 10	114	15	143
2000S 1500E A-1	202 238	1	0.01	4	430	22	< 5	< 1	25	0.02	< 10	< 10	16	5	117
2000S 1500E B-2	202 238	7	0.01	56	530	6	< 5	7	13	0.10	< 10	< 10	75	10	151
2050S 1500E B-C	202 238	1	0.01	52	480	8	< 5	6	11	0.17	< 10	< 10	84	5	115
2100S 1425 B-C	202 238	19	< 0.01	5	260	28	< 5	1	3	0.27	< 10	< 10	41	5	15
2100S 1435E	202 238	22	0.01	42	430	16	< 5	5	12	0.12	< 10	< 10	70	15	134
2100S 1480E B-C	202 238	2	0.01	10	270	14	< 5	3	9	0.33	< 10	< 10	149	10	34
2100S 1512E	202 238	3	< 0.01	< 1	90	10	< 5	< 1	2	0.11	< 10	< 10	8	< 5	8
2100S 1525	202 238	9	< 0.01	< 1	50	6	< 5	< 1	< 1	0.06	< 10	< 10	3	< 5	4
2100S 1538	202 238	2	< 0.01	2	260	22	< 5	1	5	0.15	< 10	< 10	28	< 5	18
2100S 1550 A	202 238	< 1	0.01	1	280	10	< 5	< 1	5	0.09	< 10	< 10	18	< 5	9
2100S 1550 C	202 238	< 1	0.01	29	370	8	< 5	3	9	0.09	< 10	< 10	46	5	64
2100S 1565E	202 238	< 1	0.01	< 1	240	6	< 5	< 1	5	0.04	< 10	< 10	11	< 5	9
2100S 1575E	202 238	1	0.02	35	990	10	< 5	8	26	0.39	< 10	< 10	58	5	103
2100S 1588E	202 238	1	< 0.01	2	120	20	< 5	1	3	0.11	< 10	< 10	31	5	22
2100S 1600E	202 238	1	0.01	4	380	14	< 5	2	8	0.20	< 10	< 10	43	5	24
2100S 1612E	202 238	1	0.01	6	660	32	< 5	< 1	13	0.06	< 10	< 10	23	5	21
2100S 1625E	202 238	1	0.01	2	320	24	< 5	< 1	7	0.16	< 10	< 10	24	< 5	10
2100S 1638E B-C	202 238	< 1	0.01	2	410	6	< 5	1	7	0.07	< 10	< 10	22	< 5	11
2100S 1650E	202 238	< 1	0.02	53	740	10	< 5	7	24	0.12	< 10	< 10	73	10	117
2100S 1662E B-2	202 238	< 1	0.01	22	520	8	< 5	3	11	0.13	< 10	< 10	57	5	74
2100S 1675E	202 238	< 1	< 0.01	15	410	16	< 5	3	8	0.35	10	< 10	85	< 5	62
2100S 1700E	202 238	< 1	< 0.01	4	270	32	< 5	2	4	1.11	10	< 10	89	5	32
2100S 1700E B-C	202 238	< 1	0.01	30	510	14	< 5	4	10	0.10	< 10	< 10	63	5	85
2100S 1712E C	202 238	< 1	< 0.01	< 1	90	12	< 5	< 1	2	0.12	< 10	< 10	18	< 5	5
2100S 1725E	202 238	< 1	< 0.01	< 1	70	8	< 5	1	4	0.11	< 10	< 10	30	< 5	6
2100S 1750E B-2	202 238	< 1	0.01	35	290	< 2	< 5	9	6	0.24	< 10	< 10	66	5	77
2100S 1765E B-C	202 238	1	0.01	12	1090	4	< 5	4	3	0.25	< 10	< 10	63	5	96
2100S 1773E A-B	202 238	4	0.01	1	220	4	< 5	3	4	0.17	< 10	< 10	86	10	43
2100S 1773E B-C	202 238	15	0.01	< 1	350	< 2	< 5	5	4	0.24	< 10	< 10	92	15	109
2100S 1788E B-2	202 238	2	0.01	8	230	2	< 5	5	4	0.29	< 10	< 10	105	5	52
2100S 1795E B-C	202 238	1	0.01	8	210	8	< 5	3	2	0.35	< 10	< 10	108	10	38
2400S 0-10 C	202 238	2	0.01	4	820	60	5	< 1	12	0.05	< 10	< 10	22	10	171
2400S 10-20 E	202 238	2	0.01	7	240	12	< 5	2	8	0.16	< 10	< 10	52	< 5	28

CERTIFICATION:

B. Caughli



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: PACIFIC GEO-ROC EXPLORATION LTD.

256 - 409 GRANVILLE ST.
VANCOUVER, BC
V6C 1T2

Project: MOLY MAY

Comments: CC: PACIFIC GEO-ROC EXPL. LTD.

Page No.: 2-A

Tot. Pages: 2

Date: 11-JUL-88


Invoice #: I-8817788

P.O. #: NONE

CERTIFICATE OF ANALYSIS A8817788

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
2400S 1150E	202 238	5	0.80	0.2	5	30	< 0.5	26	0.05	0.5	1	10	69	0.35	20	< 1	0.06	< 10	0.04	47
2400S 1163E	202 238	< 5	1.05	0.2	< 5	40	< 0.5	6	0.05	0.5	1	17	76	0.20	10	< 1	0.06	< 10	0.05	22
2400S 1538E	202 238	< 5	0.45	0.2	5	20	< 0.5	8	0.04	< 0.5	< 1	4	39	0.32	10	< 1	0.03	< 10	0.02	49
2400S 1575E	202 238	< 5	1.04	0.4	5	20	< 0.5	2	0.10	1.0	1	5	104	0.35	< 10	< 1	0.02	< 10	0.02	33
2400S 1580E	202 238	20	0.12	0.2	< 5	10	< 0.5	2	0.06	0.5	2	< 1	406	0.57	10	< 1	0.03	< 10	0.02	776
2400S 1600E	202 238	15	0.10	0.2	< 5	20	< 0.5	2	0.06	0.5	1	1	227	0.32	10	< 1	0.03	< 10	0.02	63
2400S 1625E	202 238	10	0.23	0.2	< 5	10	< 0.5	6	0.07	< 0.5	1	3	37	0.13	10	< 1	0.03	< 10	0.02	37
2400S 1633E	202 238	10	0.29	0.2	< 5	20	< 0.5	2	0.10	1.0	1	13	341	0.61	< 10	< 1	0.01	< 10	0.03	54
2400S 1650E	202 238	< 5	0.68	0.2	< 5	10	< 0.5	< 2	0.03	< 0.5	3	63	49	0.85	10	< 1	0.27	< 10	0.39	126
2400S 1663E	202 238	20	0.68	1.2	10	20	< 0.5	< 2	0.29	1.0	1	4	218	1.03	< 10	1	0.08	< 10	0.11	83
2400S 1675E	202 238	5	0.09	0.2	5	10	< 0.5	2	0.52	1.0	< 1	1	39	0.08	10	< 1	0.02	< 10	0.08	18
2400S 1683E	202 238	5	2.47	0.4	< 5	70	< 0.5	< 2	6.23	0.5	6	28	140	1.78	< 10	< 1	0.23	< 10	0.85	358
2400S 1700E	202 238	< 5	0.48	0.2	5	80	< 0.5	< 2	>15.00	< 0.5	3	15	49	0.83	< 10	< 1	0.11	< 10	0.46	188
2400S 1700E A	202 238	< 5	0.47	0.2	< 5	130	< 0.5	< 2	>15.00	< 0.5	3	10	51	0.78	< 10	< 1	0.10	< 10	0.44	177
2400S 1715E	202 238	< 5	0.74	0.2	< 5	110	< 0.5	< 2	>15.00	1.0	5	12	43	1.20	< 10	< 1	0.18	< 10	0.71	241
2400S 1725E	202 238	< 5	0.90	0.2	10	90	< 0.5	< 2	>15.00	0.5	5	19	35	1.44	< 10	1	0.20	< 10	0.71	284
2400S 1735E A	202 238	< 5	1.63	0.2	10	110	< 0.5	< 2	5.11	1.0	9	35	64	2.75	< 10	1	0.31	< 10	1.15	428
2400S 1738E	202 238	< 5	1.48	0.2	5	140	< 0.5	< 2	10.95	1.0	8	29	62	2.45	< 10	1	0.30	< 10	1.09	366
2500S A2	202 238	35	0.41	0.6	15	130	< 0.5	< 2	0.25	7.0	5	4	2070	1.06	< 10	< 1	0.06	< 10	0.05	56

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: PACIFIC GEO-ROC EXPLORATION LTD.

256 - 409 GRANVILLE ST.
VANCOUVER, BC
V6C 1T2

Project: MOLY MAY

Comments: CC: PACIFIC GEO-ROC EXPL LTD...

Page No. : 2-B
Tot. Pages: 2
Date : 11-JUL-88
Invoice #: I-8817788
P.O. #: NONE

CERTIFICATE OF ANALYSIS A8817788

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
2400S 1150E	202	238	3	0.04	1	270	44	< 5	1	5	0.33	< 10	< 10	40	< 5	16
2400S 1163E	202	238	2	0.13	2	460	28	< 5	< 1	7	0.16	< 10	< 10	23	< 5	12
2400S 1538E	202	238	2	0.01	< 1	120	22	< 5	< 1	6	0.27	< 10	< 10	33	< 5	7
2400S 1575E	202	238	1	0.02	3	1220	8	< 5	< 1	9	0.02	< 10	< 10	8	< 5	26
2400S 1580E	202	238	2	0.07	< 1	160	52	< 5	< 1	4	0.02	< 10	< 10	4	5	49
2400S 1600E	202	238	1	0.05	1	160	22	< 5	< 1	6	0.06	< 10	< 10	3	< 5	33
2400S 1625E	202	238	3	0.04	1	170	14	< 5	< 1	7	0.10	< 10	< 10	9	< 5	18
2400S 1633E	202	238	2	0.05	3	340	20	< 5	< 1	11	0.02	< 10	< 10	7	< 5	49
2400S 1650E	202	238	< 1	0.12	23	110	4	< 5	2	3	0.10	< 10	< 10	22	< 5	21
2400S 1663E	202	238	2	0.26	4	1310	16	< 5	< 1	28	0.01	< 10	< 10	5	5	45
2400S 1675E	202	238	< 1	0.10	1	340	4	< 5	< 1	46	< 0.01	< 10	< 10	< 1	< 5	50
2400S 1683E	202	238	4	0.40	24	1160	16	< 5	3	241	0.05	< 10	< 10	32	10	139
2400S 1700E	202	238	1	0.39	10	280	4	< 5	2	1135	0.02	< 10	< 10	17	< 5	38
2400S 1700E A	202	238	1	0.41	9	270	10	< 5	2	1085	0.02	< 10	< 10	15	5	49
2400S 1715E	202	238	5	0.74	18	580	8	< 5	3	1320	0.03	< 10	< 10	27	5	64
2400S 1725E	202	238	2	0.68	18	650	4	< 5	3	1105	0.03	< 10	< 10	31	10	67
2400S 1735E A	202	238	< 1	1.07	45	1150	12	< 5	6	240	0.04	< 10	< 10	49	15	114
2400S 1738E	202	238	1	0.89	33	880	8	< 5	5	479	0.05	< 10	< 10	51	10	114
2500S A2	202	238	1	0.11	6	750	30	5	< 1	35	0.01	< 10	< 10	7	10	275

CERTIFICATION

B. Caughlin

D-15



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

112 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: PACIFIC GEO-ROC EXPLORATION LTD.

256 - 409 GRANVILLE ST.
VANCOUVER, BC
V6C 1T2

Project: MOLY-MAY

Comments: CC: PACIFIC GEO-ROC EXPL. LTD.

Page No. : 1-A

Tot. Pages: 2

Date : 4-JUL-88

Invoice # : I-8817786

P.O. # : NONE

CERTIFICATE OF ANALYSIS A8817786

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
1500E 2112S	202	217	70	0.19	< 0.2	< 5	10	< 0.5	6	0.01	< 0.5	1	7	174	0.29	< 10	1	0.01	< 10	< 0.01	109
1500E 2125S	202	217	20	0.65	< 0.2	20	20	< 0.5	< 2	0.01	< 0.5	1	10	43	0.95	< 10	1	0.03	< 10	0.04	33
1500E 2135S	202	217	< 5	4.57	< 0.2	15	140	1.0	< 2	0.14	< 0.5	30	119	98	5.70	< 10	1	0.14	20	0.99	2250
1500E 2150S	202	217	< 5	1.29	< 0.2	25	40	< 0.5	4	0.02	< 0.5	< 1	27	175	0.82	< 10	< 1	0.08	< 10	0.05	35
1500E 2163S	202	217	< 5	1.42	< 0.2	< 5	50	< 0.5	< 2	0.07	< 0.5	2	31	123	0.34	< 10	2	0.05	< 10	0.04	40
1500E 2175S	202	217	< 5	0.57	< 0.2	< 5	20	< 0.5	22	0.02	< 0.5	< 1	9	69	0.28	< 10	1	0.03	< 10	0.02	20
1500E 2185S	202	217	< 5	0.36	< 0.2	10	20	< 0.5	2	0.01	< 0.5	1	4	41	0.33	< 10	< 1	0.04	< 10	0.04	43
1500E 2212S	202	217	< 5	1.42	< 0.2	5	30	< 0.5	< 2	0.05	< 0.5	1	31	7	4.14	< 10	1	0.05	< 10	0.17	86
1500E 2237S	202	217	< 5	1.29	< 0.2	< 5	20	< 0.5	2	0.03	< 0.5	< 1	26	21	3.47	< 10	< 1	0.02	< 10	0.11	58
1500E 2263S	202	217	< 5	0.56	< 0.2	5	20	< 0.5	< 2	0.01	< 0.5	< 1	13	55	0.77	< 10	< 1	0.04	< 10	0.09	45
1500E 2300S	202	217	< 5	0.51	< 0.2	5	30	< 0.5	< 2	< 0.01	< 0.5	< 1	65	8	0.76	< 10	1	0.16	< 10	0.30	60
1500E 2312S	202	217	< 5	0.18	< 0.2	< 5	10	< 0.5	< 2	< 0.01	< 0.5	< 1	11	25	0.21	< 10	< 1	0.02	20	0.02	11
1500E 2325S	202	217	< 5	3.21	< 0.2	10	70	0.5	< 2	0.04	< 0.5	3	140	76	3.63	10	< 1	0.06	< 10	0.48	167
1500E 2562S	202	217	< 5	0.68	< 0.2	< 5	40	< 0.5	2	< 0.01	< 0.5	1	43	43	0.99	< 10	1	0.07	10	0.16	55
1500E 2375S	202	217	< 5	0.48	< 0.2	< 5	20	< 0.5	< 2	0.01	0.5	< 1	11	22	0.51	< 10	< 1	0.03	10	0.03	44
1500E 2387S	202	217	< 5	1.48	< 0.2	10	20	< 0.5	< 2	0.01	< 0.5	2	65	21	8.06	10	< 1	0.01	10	0.09	65
1500E 2475S	202	217	< 5	2.59	< 0.2	< 5	30	< 0.5	< 2	0.04	0.5	6	52	39	3.12	< 10	< 1	0.06	< 10	0.65	389
1500E 2488S	202	217	20	3.32	< 0.2	25	90	< 0.5	< 2	0.07	< 0.5	8	102	37	6.11	< 10	< 1	0.10	10	0.77	289
1500E 2500S	202	217	< 5	1.05	< 0.2	15	50	< 0.5	2	0.04	< 0.5	< 1	28	69	1.05	10	< 1	0.09	< 10	0.17	76
1500E 2512S	202	217	< 5	0.61	< 0.2	10	20	< 0.5	2	0.02	< 0.5	< 1	17	42	1.09	< 10	< 1	0.04	< 10	0.05	74
1500E 2525S	202	217	< 5	1.44	3.0	15	30	< 0.5	< 2	0.05	1.5	2	14	195	1.34	< 10	< 1	0.03	< 10	0.04	59
1500E 2538S	202	217	< 5	0.57	< 0.2	< 5	20	< 0.5	2	0.02	< 0.5	1	13	18	0.40	< 10	< 1	0.04	10	0.08	57
1500E 2552S	202	217	< 5	0.80	< 0.2	5	20	< 0.5	4	0.04	0.5	2	12	297	0.95	< 10	1	0.05	< 10	0.05	32
1500E 2568S	202	217	< 5	4.32	< 0.2	40	90	0.5	< 2	0.05	< 0.5	10	104	98	5.69	< 10	< 1	0.09	< 10	0.88	429
1500E 2575S	202	217	< 5	0.70	< 0.2	5	10	< 0.5	< 2	0.01	< 0.5	< 1	18	7	2.33	< 10	< 1	0.02	10	0.05	37
1500E 2583S	202	217	< 5	0.74	< 0.2	15	30	< 0.5	< 2	0.01	< 0.5	< 1	19	20	0.35	< 10	< 1	0.03	< 10	0.13	32
1500E 2600S	202	217	< 5	1.65	< 0.2	35	20	< 0.5	< 2	0.02	< 0.5	1	73	52	6.19	< 10	< 1	0.02	< 10	0.13	97
1500E 2612S	202	217	< 5	1.66	< 0.2	40	60	< 0.5	2	0.03	< 0.5	< 1	34	96	1.38	10	< 1	0.11	< 10	0.19	116
1500E 2625S	202	217	< 5	1.11	0.4	20	50	< 0.5	2	0.07	1.0	2	11	272	1.16	< 10	< 1	0.10	< 10	0.04	24
1500E 2638S	202	217	5	0.46	< 0.2	15	50	< 0.5	< 2	0.18	1.0	3	4	642	0.70	< 10	< 1	0.05	< 10	0.07	35
1500E 2650S	202	217	< 5	1.07	< 0.2	10	40	< 0.5	2	0.02	< 0.5	< 1	20	67	0.37	10	< 1	0.06	< 10	0.06	35
1500E 2663S	202	217	< 5	1.34	< 0.2	30	40	< 0.5	< 2	0.02	< 0.5	< 1	23	193	0.81	< 10	< 1	0.06	< 10	0.04	38
1500E 2675S	202	217	< 5	0.53	< 0.2	20	20	< 0.5	< 2	0.02	< 0.5	< 1	11	94	0.58	< 10	< 1	0.04	< 10	0.02	25
1500E 2683S	202	217	< 5	0.66	< 0.2	10	20	< 0.5	2	0.04	0.5	< 1	5	313	0.47	< 10	< 1	0.04	< 10	0.01	20
1500E 2700S	202	217	15	0.23	< 0.2	5	20	< 0.5	< 2	0.02	0.5	< 1	4	529	0.56	< 10	< 1	0.02	< 10	0.01	59
1500E 2738S	202	217	< 5	0.12	< 0.2	10	< 10	< 0.5	2	< 0.01	< 0.5	< 1	2	122	0.18	< 10	< 1	0.01	< 10	< 0.01	111
1500E 2750S	202	217	< 5	0.17	< 0.2	10	< 10	< 0.5	2	0.01	< 0.5	< 1	6	6	0.38	< 10	< 1	0.01	< 10	< 0.01	39
1500E 2763S	202	217	< 5	0.24	< 0.2	5	30	< 0.5	4	0.07	< 0.5	< 1	20	42	0.28	< 10	< 1	0.03	10	0.09	33
1500E 2777S	202	217	< 5	0.16	< 0.2	< 5	30	< 0.5	< 2	0.42	1.0	< 1	2	88	0.12	< 10	< 1	0.02	< 10	0.03	29
1500E 2783S	202	217	< 5	0.89	< 0.2	5	30	< 0.5	< 2	0.04	1.0	< 1	11	161	0.11	< 10	< 1	0.03	< 10	0.01	14

CERTIFICATION :

D-17



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: PACIFIC GEO-ROC EXPLORATION LTD.

256 - 409 GRANVILLE ST.
VANCOUVER, BC
V6C 1T2

Project: MOLY-MAY

Comments: CC: PACIFIC GEO-ROC EXPL. LTD.

Page No.: 2-B

Tot. Pages: 2

Date: 4-JUL-88

Invoice #: I-8817786

P.O. #: NONE

CERTIFICATE OF ANALYSIS A8817786

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
1500E 2800S	202	217	2	0.01	3	620	40	< 5	< 1	12	0.09	< 10	< 10	38	< 5	17
B-C 2850S	202	217	1	0.02	2	910	54	< 5	< 1	32	< 0.01	< 10	< 10	3	< 5	94
1500E 2868S	202	217	< 1	0.01	< 1	190	28	< 5	< 1	6	0.24	< 10	< 10	20	15	10



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: PACIFIC GEO-ROC EXPLORATION LTD.

256 - 409 GRANVILLE ST.
VANCOUVER, BC
V6C 1T2

Project: MOLY-MAY

Comments: CC: PACIFIC GEO-ROC EXPL. LTD.

Page No.: 2-A

Tot. Pages: 2

Date: 4-JUL-88

Invoice #: I-8817786

P.O. #: NONE

CERTIFICATE OF ANALYSIS A8817786

SAMPLE DESCRIPTION	PREP CODE		Au	Al	Ag	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
			ppb FA+AA	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
1500E 2800S	202	217	10	0.94	< 0.2	10	60	< 0.5	< 2	0.07	0.5	1	17	294	1.44	< 10	1	0.04	< 10	0.04	56
B-C 2850S	202	217	15	0.11	< 0.2	< 5	80	< 0.5	< 2	0.29	3.5	2	1	727	0.63	< 10	< 1	0.06	< 10	0.10	623
1500E 2868S	202	217	< 5	0.27	< 0.2	5	20	< 0.5	< 2	0.05	< 0.5	< 1	8	59	0.39	< 10	< 1	0.03	< 10	0.02	57

D-19

