

PHONE: (604)930-5814 OR (604)988-4524

TELEX: VIA USA 7601067 UC

Certificate of ASSAY

Company: W.G. HAINSWORTH AND ASSOCIATES
 Project:
 Attention: W.G. HAINSWORTH

File: 6-1224/P1
 Date: DEC 3/86
 Type: ROCK ASSAY

We hereby certify the following results for samples submitted.

| Sample Number | AG G/TONNE | AG OZ/TON | AU G/TONNE | AU OZ/TON |
|---------------|------------|-----------|------------|-----------|
| 224 | 1.8 | 0.05 | 0.21 | 0.006 |
| 225 | 20.4 | 0.60 | 3.45 | 0.101 |
| 226 | 1.6 | 0.05 | 0.42 | 0.012 |
| 227 | 0.8 | 0.02 | 0.37 | 0.011 |
| 228 | 0.4 | 0.01 | 0.21 | 0.006 |
| 229 | 0.9 | 0.03 | 0.36 | 0.011 |
| 230 | 0.3 | 0.01 | 0.09 | 0.003 |
| 231 | 0.1 | 0.01 | 0.12 | 0.004 |
| 232 | 0.4 | 0.01 | 0.03 | 0.001 |
| 233 | 0.3 | 0.01 | 0.01 | 0.001 |
| 234 | 0.1 | 0.01 | 0.01 | 0.001 |
| 235 | 0.2 | 0.01 | 0.02 | 0.001 |
| 236 | 1.0 | 0.03 | 0.05 | 0.001 |
| 237 | 1.4 | 0.04 | 0.08 | 0.002 |
| 238 | 0.2 | 0.01 | 0.01 | 0.001 |
| 239 | 0.1 | 0.01 | 0.01 | 0.001 |
| 240 | 0.2 | 0.01 | 0.01 | 0.001 |
| 241 | 2.4 | 0.07 | 0.84 | 0.025 |
| 242 | 0.1 | 0.01 | 0.02 | 0.001 |
| 243 | 0.1 | 0.01 | 0.01 | 0.001 |
| 244 | 0.8 | 0.02 | 0.36 | 0.011 |
| 245 | 0.3 | 0.01 | 0.01 | 0.001 |
| 246 | 0.2 | 0.01 | 0.01 | 0.001 |
| 247 | 0.1 | 0.01 | 0.03 | 0.001 |
| 248 | 11.2 | 0.33 | 0.93 | 0.027 |
| 249 | 0.6 | 0.02 | 0.65 | 0.019 |
| 250 | 17.9 | 0.52 | 1.04 | 0.030 |
| 251 | 0.3 | 0.01 | 0.03 | 0.001 |
| 252 | 21.7 | 0.63 | 0.04 | 0.001 |
| 253 (2) | 1.4 | 0.04 | 0.13 | 0.004 |

DDH #2

DDH #3

DDH #4

Certified by _____



MIN-EN LABORATORIES LTD.

Specialists in Mineral Environments

705 West 15th Street North Vancouver, B.C. Canada V7M 1T2

PHONE: (604)980-5814 OR (604)988-4524

TELEX: VIA USA 7601067 UC

Certificate of ASSAY

Company: W.G. HAINSWORTH AND ASSOCIATES

Project:

Attention: W.G. HAINSWORTH

File: 6-1224/P2

Date: DEC 2/86

Type: ROCK ASSAY

We hereby certify the following results for samples submitted.

| Sample Number | AG G/TONNE | AG OZ/TON | AU G/TONNE | AU OZ/TON |
|---------------|------------|-----------|------------|-----------|
| 254 (2) | 5.2 | 0.15 | 0.96 | 0.028 |
| 260 | 0.3 | 0.01 | 0.01 | 0.001 |
| 261 | 1.6 | 0.05 | 0.02 | 0.001 |
| 262 | 0.2 | 0.01 | 0.01 | 0.001 |
| 263 | 5.9 | 0.17 | 0.04 | 0.001 |
| 264 | 0.2 | 0.01 | 0.02 | 0.001 |
| 265 (2) | 5.0 | 0.15 | 0.84 | 0.025 |
| 267 | 0.4 | 0.01 | 0.01 | 0.001 |
| 268 | 0.2 | 0.01 | 0.01 | 0.001 |
| 269 | 0.7 | 0.02 | 0.34 | 0.010 |

DDH #4
DDH #5

Certified by _____

MIN-EN LABORATORIES LTD.

MIN-EN LABORATORIES LTD.

Specialists in Mineral Environments

705 West 15th Street North Vancouver, B.C. Canada V7M 1T2

PHONE: (604)980-5814 OR (604)988-4524

TELEX: VIA USA 7601067 UC

Certificate of ASSAY

Company: FIELD INTERNATIONAL RESOURCES

File: 6-1186

Project:

Date: NOV 21/86

Attention: W.G. HAINSWORTH

Type: ROCK ASSAY

We hereby certify the following results for samples submitted.

| Sample Number | AG G/TONNE | AG OZ/TON | AU G/TONNE | AU OZ/TON |
|---------------|------------|-----------|------------|-----------|
| 201 | 12.8 | 0.37 | 5.60 | 0.163 |
| 202 | 5.7 | 0.17 | 3.84 | 0.112 |
| 203 | 2.6 | 0.08 | .22 | 0.006 |
| 204 | 6.0 | 0.18 | 2.63 | 0.077 |
| 205 | 0.1 | 0.01 | .06 | 0.002 |
| 206 | 0.1 | 0.01 | .20 | 0.006 |
| 207 | 0.2 | 0.01 | .06 | 0.002 |
| 208 | 0.4 | 0.01 | .17 | 0.005 |
| 209 | 0.1 | 0.01 | .05 | 0.001 |
| 210 | 0.3 | 0.01 | .10 | 0.003 |
| 211 | 1.2 | 0.04 | .20 | 0.006 |
| 212 | 0.2 | 0.01 | .08 | 0.002 |
| 213 | 8.4 | 0.25 | .88 | 0.026 |
| 214 | 7.8 | 0.23 | .92 | 0.027 |
| 215 | 26.3 | 0.77 | 13.40 | 0.391 |
| 216 | 8.1 | 0.24 | 3.83 | 0.112 |
| 217 | 112.0 | 3.27 | 2.49 | 0.073 |
| 218 | 1.8 | 0.05 | .21 | 0.006 |
| 219 | 1.3 | 0.04 | .08 | 0.002 |
| 220 | 0.1 | 0.01 | .06 | 0.002 |
| 221 | 24.5 | 0.71 | 6.15 | 0.179 |
| 222 | 7.9 | 0.23 | 1.22 | 0.036 |
| 223 | 26.7 | 0.78 | 15.65 | 0.456 |

Certified by

MIN-EN LABORATORIES LTD.

Yada, Tompkins, Humphries, Palmer & Co.
Chartered Accountants

301-1008 Homer Street, Vancouver, B.C. V6B 2X1
(604) 669-4242

DDH # 1

30.0 ~~to~~ 34.18 meters
98.4 = .310 ; 0.82 (13.7ft)
112.1

Final depth = 134.2

DDH # 2.

39.87 to 42.50 meters
130.8 = .158 ; 0.389 (8.6ft)
139.4

2.3 ft of unsampled core.

Final depth = 155'

DD1 — 33.9 - 34.18 = .28^m = 0.918ft
 (217) 111.2 - 112.1 =

DD2 — (221) 39.87 - 40.30 (130.8 - 132.2) = 0.43^m (1.4')
 (222) 41.00 - 41.82 (132.2 - 137.2) = 1.52^m (5.0')
 (223) 41.82 - 42.50 (137.2 - 139.4) = 0.68^m (2.2')

Adit — (201) 0-3^m West Wall (0 - 9.84') = 3.0^m (9.84')
 (202) 3-6^m Jam Face (9.84 - 19.68) = 3.0^m (9.84')
 (203) 0-3^m Back (0 - 9.84') = 3.0^m (9.84')
 (204) 3-6^m Jam Face (9.84 - 19.68) = 3.0^m (9.84')

← E flow
 ← E
 ← E
 ← E

✓✓✓✓✓✓✓✓ = 1210.

340
 60
 (280)

$45 \times 5 \times x = 604$
 10

$600 = x = 2.6'$
 225

39.87 - 40.30 - .43^m = .179 .71
 41.00 - 41.82 - .82^m = .036 .23
 41.82 - 42.50 - .68^m = .456 .78

2.63^m

.158 ÷ .389
 2.63^m
 (8.6ft.)

00.1

Pat Lewis -

Au

| | | | | |
|-------|------|---------------------|-----|---|
| 201 - | .163 | wall 3 ^m | .37 | } ²⁰⁵ 137 <u>6^m</u> |
| | .112 | ✓ 3 ^m | .17 | |
| | .006 | Back 3 ^m | | |
| | .077 | ✓ 3 ^m | .18 | |

205

.002

.006

.002

.005

209

.001

.003

.006

.002

.026

.125

.027

215

.291

15. = 24.23 = 25.04 - 78.95

216

.172

33. = 52.77 = 21.14 - 00.14

217

.073

18. = 21.24 = 22.20 - 58.14

.006

.002

.002

| 456 .78

221

.179

.71

.036

.23